Presented by

.....

.....193

22500172096

FOR OFFICIAL USE.

WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

AND IN

EIGHTEEN OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND,

1919.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LIMITED, 116, GRAFTON STREET, DUBLIN;
or from H.M. STATIONERY OFFICE at the following addresses:—
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C., 2, and 28, ABINGDON STREET, LONDON, S.W., 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

1920.

Price 1½*d. Net.*

WELLCOME INSTITUTE
LIBRARY

Coll.	WelMOmec
Coll.	
No.	

YEARLY SUMMARY

OF THE

WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

AND IN EIGHTEEN OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

1919.

The number of Births in the Dublin Registration Area during the year 1919 (53 weeks)*, exclusive of those occurring in institutions of infants (718) whose mothers were admitted from outside localities, was 9,633, or 23·4 per 1,000 of the estimated population† of the Registration Area, which consists of the City of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown.

The results of the correction for births in Dublin Institutions, above outlined, are shown in detail in Table V., which also shows the infant mortality rate for the several districts comprised within the Registration Area, based on the corrected births and deaths.

Of the 9,633 births, 7,875 belonged to the city, affording a rate of 25·0 per 1,000 of the estimated population, and 1,758 to the urban districts named above, equivalent to 18·3 per 1,000.

The total births registered during the year amounted to 10,351 (5,390 boys and 4,961 girls), and represented a rate of 25·1 per 1,000 of the population, as against an average rate for the preceding ten years of 26·7 per 1,000 of the mean population of these years.

Of the 10,351 births, 2,476 were registered during the first quarter, 2,429 in the second, 2,546 in the third, and 2,900 in the fourth.

In London the number of births registered during the year 1919 (53 weeks) was 84,568, being equal to a rate of 18·3 in every 1,000 of the estimated population; in Glasgow the number was 26,508, equal to 23·3 per 1,000; and in Edinburgh it was 6,163, or 18·0 per 1,000 of the population.

DEATHS.—The number of deaths appertaining to the Dublin Registration Area, during the year 1919 was 8,595; this number is equal to 20·9 per 1,000 of the population of the Area, estimated to the middle of the year 1919. The average death-rate for the 10 years, 1909-18, was 20·9 per 1,000. Thus the rate for last year is equal to the average.

The total number of deaths registered during the year, namely, 9,293 (4,416 males and 4,877 females), including the deaths of 698 persons from localities outside the Area, is equal to 22·6 per 1,000 of the estimated population. The average rate for all the deaths registered during the preceding 10 years was 22·3 per 1,000.

*See note (†) on page ix.
†See note (*) on page ix.

The rate for the city of Dublin was 22·0 per 1,000 (21·2 on the North side, and 22·9 on the South), and for the suburbs 17·1 per 1,000. The rates for the several districts range from 12·1 for Finglas and Glasnevin, part of, to 24·5 for the district of South City No. 2.

Of the 9,293 deaths in the entire Area, 3,811 were registered during the first quarter of the year, 2,042 in the second, 1,558 in the third, and 1,882 in the fourth, the weekly average being 175.

In the eighteen provincial Urban Districts, for which statistics are given in the Weekly Returns, the respective death-rates are as follow, ranging from the lowest to the highest:—Ballymena, 15·3 per 1,000 of the population*; Clonmel, 15·5; Tralee, 15·6; Newry, 15·9; Dundalk, 16·2; Lurgan, 16·2; Wexford, 17·7; Belfast, 17·9; Sligo, 18·2; Kilkenny, 18·4; Waterford, 18·5; Portadown, 18·7; Lisburn, 18·8; Limerick, 19·0; Cork, 19·9; Drogheda, 20·1; Galway, 21·5; and Londonderry, 21·8.

The number of deaths among civilians in London during the year 1919 (53 weeks) was 59,255, being equal to a rate of 13·4 in every 1,000 of the estimated civil population; in Glasgow, the total deaths numbered 18,549, being equal to 16·3 per 1,000 of the estimated total population; and in Edinburgh, 5,800, or 17·0 in every 1,000.

Public Institutions.—Of the 9,293 deaths registered in the Dublin Registration Area last year, 3,950, or 42·5 per cent., occurred in public institutions, viz.:—2,443 in the various hospitals, prisons, and lunatic asylums; and 1,507 in Workhouses, including 33 (those of persons admitted from the Dublin Registration Area) in the Rathdown Union Workhouse.

DISEASES.

Dublin Registration Area.—(See Tables IV. and V.)—The records of last year show that the total number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area was 487. This number is equal to a rate of 1·18 per 1,000 of the estimated population.

Enteric Fever.—During the yearly period (53 weeks) terminating on the 3rd January, 1920, the deaths registered as from enteric fever were 16 in number, of which 6 were deaths of residents in localities external to the Dublin Registration Area. The deaths are the fewest registered in any year since registration became effective. The yearly average for the 10 years, 1909–1918, is 50, the highest annual number of deaths in these years having been registered in the year 1911, namely, 83.

Typhus.—There is no record of mortality from typhus in the Dublin Registration Area during the yearly period now under examination.

Small-pox.—Neither was there a death from small-pox registered, or any report of the incidence of the disease during the 53 weeks under notice.

Measles.—Excepting the years 1910 and 1913, during which 20 and 29 deaths, respectively, from measles were registered, the year 1919, in which 35 deaths were registered, gives the lowest record since the year 1909. The highest number of deaths was recorded in the period, 1914, when the deaths registered numbered 386, the average for the years, 1909–18, being 158.

Scarlet Fever.—The deaths from scarlet fever, which numbered 29, are 9 under the average for the 10 years preceding; in the year 1911 there were 77 deaths and in the year 1917 there were 7 deaths, the highest and the lowest numbers registered in any year of the preceding decade.

Whooping-cough.—As in the instance of enteric fever mortality, that of whooping-cough is the lowest on record for any yearly period since the commencement of registration, the number of deaths being 26, as compared with an average of 123 in the 10 years, 1909–1918, the highest annual number of deaths in these years being 195 in the year 1918.

* See Note (†), page xv.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

Diphtheria.—The deaths from diphtheria which numbered 31, were below the average, 68, and also lower than the number registered in any year of the preceding decennial period. In the year 1912 the deaths registered from diphtheria were 110, the largest number in any year of the decennium.

Influenza.—From the year 1909 to the year 1917, deaths from influenza in the Dublin Registration Area ranged from 161 in 1915 to 43 deaths in 1914; they rose from 64 in 1917 to 1,506 in 1918, and to 912 in the period under notice; this latter figure is represented by a rate of 2·22 per 1,000 of the population of the Dublin Registration Area estimated to the middle of the year 1919. Of the 912 deaths from influenza, 349 were recorded for North Dublin City, 326 for South Dublin City, 82 for Rathmines and Rathgar urban district, 40 for Pembroke, 12 for Blackrock, 24 for Kingstown urban district and 79 were deaths in institutions of persons admitted from localities situated outside the Dublin Registration Area.

Pneumonia.—During the nine years ending 1917, the greatest annual number of deaths from pneumonia was registered in the year 1912, and amounted to 806, and the lowest number in 1916, namely 595; in the year 1917 the number was 597, rising in the following year to 1,149, and in the year under notice to 948, equal to an annual rate of 2·30 per 1,000 of the estimated population of the Area. Of the total deaths from pneumonia 409 appertained to North Dublin City, 339 to South Dublin City, 55 to Rathmines and Rathgar urban district, 59 to Pembroke, 7 to Blackrock and 22 to Kingstown. Of the total deaths (948) there were 57 deaths in institutions of residents of localities external to the Area.

Dysentery.—Twenty-one deaths from dysentery were recorded, the average for the 10 preceding years being 6.

Diarrhœal Diseases.—Altogether the deaths of 329 persons were attributed to diarrhœal diseases; of the total there were 304 deaths from diarrhœa and enteritis of children under 2 years of age. The average number of deaths of such children in the eight years, 1911–1918, was 407. The rate corresponding to the 329 deaths in the year 1919 was 0·80 per 1,000.

The Hospital statistics relating to some of the above-mentioned diseases are given in Table I., page vii.

Cerebro-spinal Fever.—There were 6 deaths returned as from cerebro-spinal fever; in each of the 3 years preceding deaths from this disease were 7, 5 and 8, respectively.

Tuberculosis.

Table showing the Number of Deaths from all forms of Tuberculous Disease and Pulmonary Tuberculosis registered in the Dublin Registration Area during each of the 11 years, 1909–1919, with the respective rates per 1,000 of the population represented thereby; also the averages for the years 1909–18.

Years.*	Deaths from all Forms of Tuberculous Disease.		Deaths from Pulmonary Tuberculosis.	
	Number.	Rate per 1,000.	Number.	Rate per 1,000.
1909	1,508	3·79	1,049	2·64
1910	1,491	3·70	1,006	2·50
1911	1,451	3·59	1,052	2·60
1912	1,440	3·59	1,065	2·66
1913	1,444	3·59	1,070	2·66
1914	1,467	3·55	1,111	2·69
1915	1,543	3·78	1,193	2·92
1916	1,390	3·50	1,065	2·68
1917	1,371	3·43	1,058	2·65
1918	1,479	3·71	1,127	2·83
Average 1909–1918	1,459	3·63	1,080	2·69
1919	1,282	3·11	927	2·25

* See Notes (*) and (†) on page ix.

A marked decline is observed in the number of deaths from tuberculosis, side by side with the increased number of deaths from influenza, pneumonia and bronchitis. The total number of deaths from tuberculosis, all forms, was 1,282, as compared with 1,479 in 1918, the average for the 10 years, 1909-18, being 1,459. These numbers for 1919 and 1918 correspond to the rates of 3·11 and 3·71 per 1,000 of the estimated population of the Area in the middle of these years.

Of the total, 1,282, there were 927 deaths assigned to the pulmonary form of the disease, corresponding to an annual rate of 2·25 per 1,000, and 355 deaths were from other forms of the disease, being equal to a rate of 0·86 per 1,000. The deaths from other forms of the disease include 97 from tuberculous meningitis, 79 from abdominal tuberculosis, 28 from tuberculosis of the spinal column, 20 from tuberculosis of joints, 31 from tuberculosis of other organs, 2 from scrofula and 98 from disseminated tuberculosis.

With reference to the distribution of tuberculosis mortality in the Area, it may be seen in Table V. that of the total deaths (1,282) there were 500 recorded for North Dublin City, 499 for South Dublin City, 79 for the urban district of Rathmines and Rathgar, 55 for the urban district of Pembroke, 19 for the urban district of Blackrock, and 31 for the urban district of Kingstown. These numbers are represented by the following rates:—for North Dublin city districts, 3·02 per 1,000; South Dublin, 3·33; Rathmines and Rathgar urban district, 1·97; Pembroke, 1·83; Blackrock, 2·08 and Kingstown, 1·84. The total (1,282) includes the deaths in institutions of 99 persons who were not inhabitants of the Dublin Registration Area.

Cancer.—The deaths from cancer, 530 in number, were above the average (484) and include 92 deaths in institutions of persons not resident in the Dublin Registration Area. The total (530) is equal to an annual rate of 1·29 per 1,000 of the population.

Diseases of Brain and Nervous System.—Excluding 6 deaths from cerebro-spinal fever the total number under this heading was 851, corresponding to an annual rate of 2·08 per 1,000. Among the deaths there were 154 of children under five years of age from convulsions.

Diseases of the Circulatory System.—The deaths of 823 persons were caused by these diseases; this number is equal to an annual rate of 2·00 per 1,000. In the 3 preceding years the numbers of deaths under this heading were 867, 784 and 775, respectively.

Bronchitis.—The mortality from bronchitis increased from 906 deaths in 1918 to 1,111 in the year under notice, the rate in the former year being 2·27 and in the year 1919 it was 2·70 per 1,000. It is notable that with an epidemic of influenza there is a large increase of mortality both from pneumonia and from bronchitis, and a marked diminution in the mortality from tuberculosis.

Congenital Conditions.—Of the deaths of infants, 227 were assigned to prematurity, 163 to congenital debility and 42 to congenital malformations.

Violence.—The deaths attributed to violence (159) include 27 deaths of persons not belonging to the Area. Among the 159 deaths there were 33 from burns and scalds, 24 from vehicles and horses, 23 from drowning, 5 from poisons, 6 from gunshot wounds; 6 deaths were assigned to homicide and 8 to suicide.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated during the YEAR 1919 (53 weeks), in the principal Dublin Hospitals in which cases of infectious diseases are received.

DISEASES.	No. of Cases in Hospital at close of previous year.	No. admitted during year.	Discharged.	Died.	No. under treatment at close of period.
Enteric Fever, ...	11	78	75	8	6
Typhus, ...	—	14	13	—	1
Small-pox, ...	—	—	—	—	—
Measles, ...	3	299	290	4	8
Scarlet Fever, ...	52	976	823	29	176*
Diphtheria, ...	4	229	171	25	37
Pneumonia, ...	78	760	608	212	18

* Exclusive of 19 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 228 cases the cause of death was uncertified, there having been no medical attendant during the last illness: of these 228 cases, 95, or 41·7 per cent., were deaths of children under 5 year of age; these 95 deaths form 4·6 per cent. of the total number of deaths of children of that age-period. Of the deaths of 490 infants under one month old registered, there were 48 (or 9·8 per cent.) regarding which the cause was uncertified.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities, are set forth in the following Table :—

TABLE II.—Showing the NUMBER OF CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz. :—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the Year 1919 (53 weeks). A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Population.†	Enteric Fever.	Typhus.	Pyrexia—Continued Fever	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
CITY OF DUBLIN ...	310,500	59	13	3	.	.	—	672	—	153	109	—	6	—	175	102	1	199	4	.	734	2,230
RATHMINES & RATHGAR URBAN DISTRICT.	39,400	9	.	.	.	.	—	60	—	32	16	—	.	—	.	17	.	6	1	.	—	141
PEMBROKE URBAN DIST.	29,500	4	.	.	.	.	74	63	21	9	3	2	.	—	13	3	.	17	3	.	13	230
BLACKROCK URBAN DIST.	9,000	1	.	.	.	.	2	9	—	3	.	—	.	—	.	.	.	3	.	.	1	19
KINGSTOWN URBAN DIST.	16,600	7	.	.	.	.	—	38	—	9	2	—	.	—	.	3	.	19	—	.	22	100
CITY OF BELFAST ...	401,000	110	1	9	.	.	—	2793	—	238	149	—	23	—	.	7	.	58	12	.	66	3,466
CITY OF CORK ...	76,673	12	15	3	.	.	3	16	—	287	18	—	4	85	3	30	.	37	—	.	—	513
CITY OF LONDONDERRY	41,000	8	13	.	.	.	—	143	—	30	20	—	.	—	.	.	.	.	.	—	—	214
CITY OF LIMERICK ...	38,518	4	.	.	.	.	—	13	—	13	.	—	.	—	.	.	.	.	.	.	—	30
CITY OF WATERFORD ...	27,464	5	.	.	.	.	—	.	—	3	3	—	.	—	.	.	.	.	—	—	49	60

† See note (†) on page xv.

AGES AT DEATH.

Of the 9,293 deaths registered during the year, 2,052 deaths, or 22·1 per cent., were of children under five years of age, and 2,348, or 25·3 per cent., were of persons aged 65 years and upwards, including those of 1,010 persons aged 75 years and upwards, of whom 43 were stated to have been nonagenarians, and 2 (females) were stated to have been aged 103 and 109 years, respectively.

TABLE III.—Showing by certain Age-Periods, the population of the Dublin Registration Area in 1911, the number of Deaths registered during each of the nine years, 1911-1919, and the proportion which the Deaths at each Age-Period bear to the estimated Population* at the same age.

Year.		Ages.									
		All Ages.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65	65 and under 75.	75 and upwards.
Census Population in 1911 ...		397,957	8,917	31,996		70,937	80,218	124,528	58,889	16,879	5,593
Number of Deaths *Registered.*	Year 1911 ...	9,118	1,808	698	497	406	443	1,426	1,907	1,121	812
	Year 1912 ...	8,728	1,560	578	535	429	435	1,395	1,930	1,132	734
	Year 1913 ...	8,657	1,758	434	310	359	441	1,426	1,996	1,159	774
	Year 1914† ...	9,175	1,653	613	506	386	423	1,426	2,130	1,203	835
	Year 1915 ...	9,521	1,703	538	441	339	499	1,448	2,217	1,365	971
	Year 1916 ...	8,721	1,472	416	355	367	556	1,451	1,977	1,241	886
	Year 1917 ...	8,294	1,343	467	392	359	492	1,233	1,876	1,218	914
	Year 1918 ...	10,202	1,386	508	585	586	949	2,092	2,052	1,201	843
	Year 1919† ...	9,293	1,400	336	316	407	603	1,634	2,249	1,338	1,010
	1st Quarter, 1919	3,811	504	151	157	156	268	757	907	521	390
	2nd ,,	2,042	268	60	67	104	137	369	487	325	225
	3rd ,,	1,558	335	58	42	63	96	213	382	196	173
	4th ,,	1,882	293	67	50	84	102	295	473	296	222
Number of Deaths at each Age-Period to every 1,000 of the Estimated Population at Same Age.	Year 1911 ...	22·6	73·3			5·6	5·4	11·3	31·9	65·5	143·2
	Year 1912 ...	21·8	64·9			6·0	5·4	11·1	32·5	66·6	130·4
	Year 1913 ...	21·5	60·4			5·0	5·4	11·3	33·5	67·8	136·7
	Year 1914 ...	22·2	65·3			5·2	5·1	11·0	34·9	68·7	144·0
	Year 1915 ...	23·3	63·8			4·6	6·1	11·3	36·6	78·7	168·9
	Year 1916 ...	22·0	55·0			5·2	6·9	11·7	33·7	73·7	158·8
	Year 1917 ...	20·8	53·7			5·0	6·1	9·9	31·8	72·0	163·0
	Year 1918 ...	25·6	60·4			8·2	11·8	16·8	34·8	71·0	150·3
	Year 1919 ...	22·6	48·5			5·5	7·3	12·7	36·9	76·6	174·6

* See note (*) on page ix. † See note (†) on page ix.

INFANT MORTALITY.

Excluding 718 births and 41 deaths in Institutions of infants whose mothers were admitted from localities outside the Dublin Registration Area, the infant mortality rate for the year 1919 was 141 per 1,000 births, as against 149 per 1,000 births in 1918, and 152 per 1,000 births in 1917.

The infant mortality, as corrected, for each district of the Dublin Registration Area in 1919 is given in Table V. It will be seen from this table that the rate for the city was 152 per 1,000, the rates for the North and South City districts being respectively, 140 and 166 per 1,000, while for the urban districts the infant mortality rate was 94 per 1,000, the district rates varying from 182 for South City No. 1, 174 for South City No. 4, and 173 for North City No. 2, to 76 for Rathmines and Rathgar urban district, 77 for Clontarf and Howth, No. 1, part of, and 88 for Coolock and Drumcondra, part of.

In 1918 the infant mortality rate for the City of Dublin was 161 per 1,000, the rates for the North and South City districts being, respectively, 150 and 175 per 1,000, and the rate for the urban districts was 98 per 1,000 births.

Basing the infant mortality rate on the total number of births and deaths of infants registered in the Dublin Registration Area, the rate for 1919 amounted to 135 per 1,000 births, as compared with 143 in 1918, 144 in 1917, 147 in 1916, 157 in 1915, and an average of 149 in every 1,000 births registered during the ten years, 1909-1918.

Table IV.—Dublin Registration Area.*—Causes of Death in the years 1909-1919, with the Ratio of the Deaths to the Population.

Causes of Death.	Number of Deaths Registered.																Annual rate for each cause per 10,000 Persons living.	
	1909 (52 weeks).	1910 (52 weeks).	1911 (52 weeks).	1912 (52 weeks).	1913 (52 weeks).	1914 (53 weeks).†	1915 (52 weeks).	1916 (52 weeks).	1917 (52 weeks).	1918 (52 weeks)	Yearly Average. 1909–18.	1919. Total (53 weeks).†	1919. 1st Quarter.	1919. 2nd Quarter.	1919. 3rd Quarter.	1919. 4th Quarter.†	Yearly Average, 1909–1918.	1919 (53 weeks).
Enteric Fever	68	48	83	52	43	69	33	54	23	29	50	16	2	4	8	2	1·2	0·4
Typhus	3	5	4	3	13	2	3	2	.	.	3	.	.	.	.	.	0·1	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	121	20	207	280	29	386	118	91	229	98	158	35	19	6	3	7	3·9	0·8
Scarlet Fever	25	44	77	68	33	41	33	32	7	19	38	29	8	5	4	12	1·0	0·7
Whooping-cough	156	126	183	94	86	59	181	76	79	195	123	26	9	7	.	10	3·1	0·6
Diphtheria	60	64	101	110	90	77	64	35	36	38	68	31	5	5	6	15	1·7	0·8
Croup	4	.	5	3	4	3	6	5	9	5	4	2	.	.	.	2	0·1	0·0
Influenza	102	104	71	72	93	43	161	63	64	1,506	228	912	731	155	13	13	5·7	22·2
Dysentery	—	—	7	4	4	8	10	9	11	5	6	21	.	.	12	9	0·2	0·5
Tuberculosis — Pulmonary ...	1,049	1,006	1,052	1,065	1,070	1,111	1,193	1,065	1,058	1,127	1,080	927	325	262	158	182	26·9	22·5
Tuberculosis — Other Forms ...	459	485	399	375	274	356	350	325	313	352	379	355	85	106	76	88	9·4	8·6
Cancer	418	476	447	470	521	514	510	492	467	526	484	530	141	117	135	137	12·0	12·9
Diseases of — Nervous System ...	1,852	1,841	858	821	814	870	908	818	848	763	1,727	857	290	203	159	205	42·9	20·8
Diseases of — Circulatory System ...			874	874	824	935	944	867	784	775		823	270	190	137	226		20·0
Diseases of — Organs of Special Sense ...	14	9	13	15	15	13	16	8	11	13	13	13	3	5	3	2	0·3	0·3
Diseases of — Respiratory System — Pneumonia	746	647	603	806	622	687	701	595	597	1,149	715	948	552	195	83	118	17·8	23·0
Diseases of — Respiratory System — Others ...	1,175	1,185	1,042	1,160	978	1,127	1,340	1,081	1,072	1,045	1,121	1,234	665	253	111	235	27·9	30·7
Diseases of — Digestive System — Diarrhœa and Enteritis under 2 years ...	396	459	663	235	541	383	433	372	325	307	468	304	40	33	170	61	11·6	7·4
Diseases of — Digestive System — Diarrhœa 2 yrs. and upwards ...			62	15	34	12	13	13	24	16		25	3	.	15	7		0·6
Diseases of — Digestive System — Enteritis 2 yrs. and upwards.			70	35	39	45	44	53	48	41		48	3	12	19	14		1·2
Diseases of — Digestive System — Others ...	362	353	390	347	399	403	415	369	374	314	373	336	98	84	74	80	9·3	8·2
Diseases of — Genito-urinary System ...	319	301	315	311	391	379	360	351	326	351	340	344	114	76	62	92	8·5	8·4
Puerperal Septicæmia, &c. ...	9	16	13	28	18	18	12	5	5	19	14	18	4	4	3	7	0·3	0·4
Other Causes incident to Pregnancy and Childbirth.	27	18	23	21	32	29	31	34	20	29	26	29	9	8	4	8	0·7	0·7
Diseases of Skin and Cellular Tissue	14	16	46	53	56	65	67	55	52	63	49	44	12	10	10	12	1·2	1·1
Diseases of Locomotor System ...	14	10	17	13	18	8	11	16	13	11	13	24	5	5	5	9	0·3	0·6
Violent Deaths	179	220	222	185	204	225	228	595	201	211	247	159	30	35	38	56	6·2	3·9
Other Specified Causes	1,178	1,051	1,084	964	1,081	1,152	1,182	1,119	1,169	1,070	1,240	1,063	340	236	230	257	30·8	25·8
Ill-defined, &c., Causes ...			187	249	231	155	154	121	129	125		110	48	26	20	16		2·7
Deaths from all Causes ...	8,750	8,504	9,118	8,728	8,657	9,175	9,521	8,721	8,294	10,202	8,967	9,293	3,811	2,042	1,558	1,882	223·1	225·8
Annual Death-rate per 1,000 of Pop.*	22·0	21·1	22·6	21·8	21·5	22·2	23·3	22·0	20·8	25·6	22·3	22·6	37·6	20·2	15·4	17·3	.	.
Mean Temperature of the Air (Fahr.)	47·5°	47·8°	49·0°	47·9°	48·7°	48·9a°	47·0°	48·4°	47·3°	48·6°	48·1°	47·2°	38·7°	51·0°	56·1°	42·8°	.	.
Rainfall (in inches)	26·42	31·33	23·33	27·04	28·59	27·24a	24·85	40·87	29·53	29·36	29·86	26·66	6·89	5·51	5·20	9·06	.	.

* The rates for the years 1909 1917 and 1919 are calculated on the population estimated to the middle of the respective years; those for 1918 on the estimated population in the middle of 1917.
† The numbers for the years 1914 and 1919 embrace the returns for 53 weeks and those for the fourth quarter of 1919, the returns for 14 weeks. This arrangement is occasionally necessary in order that the annual series may correspond with the calendar year. (a) For 52 weeks only.

TABLE V.—Showing for the YEAR 1919 (53 weeks) the number of BIRTHS and DEATHS relating to per 1,000 of the Population of the respective Districts represented by the Deaths from All Infants under one year old per 1,000 Births; with the Mortality from some of the principal *and Deaths of Infants occurring in Institutions have been assigned to the Districts containing which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1919.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS		INFANT MORTALITY (DEATHS UNDER ONE YEAR PER 1,000 BIRTHS).	TOTAL BIRTHS.	YEAR (53 WEEKS) ENDED DEATHS.								
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*			TOTAL DEATHS.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.
COLS.	(1).	(2).	(3).	(4).	(5).	(6).	(7).	(8).	(9).	(10).	(11).	(12).	(13).	(14).
North City.														
NORTH CITY, No. 1, E.	30,000	23·4	1·9	152	1,006	713	153	34	36	39	42	122	145	142
" 1, W.	41,100	24·0	1·3	146	1,169	1,004	171	42	33	57	72	161	241	227
" 2 ...	27,500	23·4	1·1	173	706	654	122	34	21	5	43	94	162	143
" 3 ...	34,100	19·9	1·0	122	80	690	98	22	28	30	36	124	175	177
CLONTARF AND HOWTH, No. 1, part of.	5,500	13·8	0·2	77	117	77	9	1	–	3	3	15	25	21
COOLOCK AND DRUMCONDRA, part of.	13,600	17·2	0·8	88	317	238	28	6	2	10	22	53	49	68
FINGLAS AND GLASNEVIN, part of.	11,100	12·1	0·7	119	210	136	25	3	3	6	15	20	22	42
South City.														
SOUTH CITY, No. 1 ...	43,000	21·9	1·3	182	916	956	167	43	35	35	49	145	252	230
" 2 ...	18,200	24·5	1·2	164	408	454	67	17	20	11	18	79	122	120
" 3 ...	43,300	24·2	0·9	148	1,130	1,063	167	30	60	46	59	183	268	250
" 4 ...	32,800	24·1	2·1	174	849	804	148	36	30	44	52	135	172	187
NEW KILMAINHAM ...	10,300	15·8	1·3	159	245	165	39	8	6	9	1	30	31	29
Urban Districts.														
RATHMINES AND RATHGAR	39,400	1·4	0·3	76	673	656	51	21	8	26	37	109	148	256
PEMBROKE	29,500	17·5	0·7	101	642	52	65	17	12	17	29	69	143	174
BLACKROCK	9,000	14·3	0·7	92	120	13	11	4	1	5	4	14	27	65
KINGSTOWN	16,600	19.4	1·1	118	323	328	38	9	7	13	15	46	78	122
Total City. North ...	162,900	21·2	1·2	140	4,327	3,512	606	142	123	180	233	589	819	820
Total City. South ...	147,600	22·9	1·4	166	3,548	3,442	588	134	151	145	191	572	845	816
Total City. North and South	310,500	22·0	1·3	152	7,875	6,954	1,194	276	274	325	424	1,161	1,664	1,636
Total Urban Districts ...	94,500	17·1	0·6	94	1,758	1,641	165	51	28	61	85	238	396	617
Total Registration Area	405,000	20·9	1·1	141	9,633	8,595	1,359	327	0	86	509	1,399	2,060	2,253
Births and Deaths relating to residents of localities situated outside the Dublin Registration Area (not included in above).					718	698	41	9	14	21	94	235	189	95

* See note (*) on page iv.

the Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Rate Causes and by the Deaths from the principal Epidemic Diseases* ; and the Rate for deaths of causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths. *The Births the homes of the mothers, all other deaths in Institutions having been referred to the districts from*

3RD JANUARY, 1920.

DEATHS. CAUSED BY																		IN INSTITUTIONS.			
Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	Hospitals, Prisons, and Lunatic Asylums.	Workhouse Hospitals.	Number of Uncertified Deaths.	REGISTRARS' DISTRICTS, &c.
(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31).	(32)	(33).	(34).	(35)	COLS.
																					North City.
–	–	–	11	1	2	–	1	70	37	31	87	98	42	2	8	62	14	115	90	21	NORTH CITY, No. 1, E.
1	–	–	1	3	2	4	–	97	29	43	115	151	42	1	18	107	19	252	166	22	,, 1, W.
1	–	–	1	1	-	3	–	69	31	24	85	112	22	2	7	56	12	132	112	13	,, 2.
–	–	–	–	6	–	4	–	82	29	33	69	92	21	4	6	76	8	150	154	16	,, 3.
–	–	–	–	–	–	–	–	8	2	10	7	10	1	–	1	6	2	15	3	2	CLONTARF AND HOWTH No. 1, part of.
–	–	–	1	1	–	2	1	25	9	12	30	22	6	–	5	26	6	74	8	3	COOLOCK AND DRUMCONDRA, part of.
–	–	–	1	1	–	1	–	8	4	6	16	16	5	–	–	16	4	19	3	1	FINGLAS AND GLASNEVIN, part of.
																					South City.
4	–	–	2	3	7	4	1	94	29	46	103	151	37	1	15	78	21	155	279	23	SOUTH CITY, No. 1.
–	–	–	4	2	–	–	–	59	21	24	41	76	15	1	3	46	4	91	154	15	,, 2.
2	–	–	–	5	2	2	–	117	36	58	106	188	27	2	17	104	19	223	205	32	.. 3.
–	–	–	3	2	4	1	16	90	32	26	68	118	37	6	14	75	13	212	143	31	,, 4.
–	–	–	–	2	3	1	–	19	2	3	21	27	8	–	2	23	1	27	20	5	NEW KILMAINHAM.
																					Urban Districts
1	–	–	1	–	2	2	–	55	24	51	55	79	8	–	12	82	13	157	35	14	RATHMINES AND RATHGAR.
–	–	–	3	–	–	1	2	42	13	41	59	59	16	–	14	40	9	120	30	13	PEMBROKE.
–	–	–	–	–	–	–	–	12	7	9	7	7	5	1	3	12	1	18	8	4	BLACKROCK.
1	–	–	7	1	4	–	–	22	9	21	22	30	5	1	7	24	2	57	25	11	KINGSTOWN.
2	–	–	15	13	4	14	2	359	141	159	409	501	139	9	45	349	65	757	536	78	**North,** (Total City.)
6	–	–	9	14	16	8	17	379	120	157	339	560	124	10	51	326	58	708	801	106	**South,** (Total City.)
8	–	–	24	27	20	22	19	738	261	316	748	1,061	263	19	96	675	123	1,465	1,337	184	**North and South.** (Total City.)
2	–	–	11	1	6	3	2	131	53	122	143	175	34	2	36	158	25	352	98	42	**Total Urban Districts.**
10	–	–	35	28	26	25	21	869	314	438	891	1,236	297	21	132	833	148	1,817	1,435	226	**Total Registration Area.**
6	–	–	–	1	–	6	–	58	41	92	57	28	7	4	27	79	21	626	72	2	Details relating to outside localities (not included in above).

OCCUPATIONS.—Table VII. exhibits the occupations or social position of the persons whose deaths were registered during the year, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to a rate of 18·3 per 1,000 of the persons in that class according to the Census of 1911; in the "Middle Class" the death-rate was 17·3 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 17·8; and in the "General Service Class" it was 22·1. The number of the living in each of the several classes and orders of occupations in 1911 is shown by age-periods in the following Table:—

TABLE VI.—Showing by AGES, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the INHABITANTS of the Dublin Registration Area in 1911.

Class.	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1911.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.
	ALL PERSONS	397,957	40,913	70,937	80,218	124,528	58,889	16,879	5,593
	CLASSES.								
	Families of the :—								
I.	PROFESSIONAL AND INDEPENDENT CLASS ..	14,658	873	1,844	2,194	4,594	3,491	1,145	517
II.	MIDDLE CLASS	101,798	8,041	16,143	22,941	33,015	15,950	4,138	1,570
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS ..	108,420	12,745	21,352	21,313	33,312	15,179	3,745	774
IV.	GENERAL SERVICE CLASS	167,479	18,987	31,440	33,431	52,329	22,389	6,574	2,329
V.	INMATES OF WORKHOUSES	5,602	267	158	339	1,278	1,880	1,277	403
I.	PROFESSIONAL AND INDEPENDENT CLASS.								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers; and Heads of Public Departments.	7,868	569	983	721	2,924	2,037	464	170
	2. Merchants and Manufacturers, Higher Class	1,347	132	265	128	374	345	90	13
	3. Persons of Rank and Property, not otherwise described.	5,443	172	596	1,345	1,296	1,109	591	334
II.	MIDDLE CLASS.								
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	948	1,649	1,580	3,289	1,708	261	88
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	3,176	5,502	2,134	8,383	4,880	942	182
	6. Clerks and Commercial Assistants	33,249	2,541	4,118	10,931	11,813	3,334	428	84
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above.	33,827	1,376	4,874	8,296	9,530	6,028	2,507	1,216
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers.	11,777	1,762	2,608	1,900	3,951	1,330	196	30
	9. Building and Furnishing Trades	28,823	4,056	6,921	3,752	8,727	4,207	1,000	160
	10. Clothing Trades	20,026	1,270	2,313	6,078	6,173	2,892	1,030	270
	11. Food Supply Trades	8,952	1,321	1,962	1,407	2,965	1,112	163	22
	12. Other Trades and Callings ranking with Trades	32,070	3,582	6,129	7,173	9,320	4,509	1,102	255
	13. Petty Shopkeepers	6,772	754	1,419	1,003	2,176	1,129	254	37
IV.	GENERAL SERVICE CLASS.								
	14. Army, Police, Postal Delivery, and Prison Services &c.	12,977	1,223	1,971	4,205	3,423	1,513	487	155
	15. Domestic Servants	36,041	1,166	2,162	12,812	13,179	4,899	1,496	327
	16. Coach and Car Drivers, Vanmen, &c. ..	15,380	2,610	3,728	1,756	5,318	1,707	230	31
	17. Hawkers, Porters, Labourers, &c.	103,081	13,988	23,579	14,658	30,409	14,270	4,361	1,816
V.	INMATES OF WORKHOUSES.								
	18. Workhouse Inmates	5,602	267	158	339	1,278	1,880	1,277	403

TABLE VII.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the Year 1919 (53 weeks), the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.	Population in each Class and Group in 1911.	REGISTRATION OF DEATHS, YEAR 1919 (53 WEEKS). Annual Death Rate per 1000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary	Tuberculosis: Other Forms	Cancer	Convulsions.	Diseases of the Respiratory System: Pneumonia	Diseases of the Respiratory System: Other	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards	Violence	Other Causes	Number of Uncertified Deaths
	ALL PERSONS	397,957	–	9,293	2052	407	603	1634	2249	1338	1010	16		–	35	29	26	31	21	927	355	530	155	948	1264	304	25	159	4468	228
	CLASSES.																													
	DEATHS IN FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS	14,658	18·3	273	11	4	10	47	61	48	92	2	–	–	–	–	–	–	1	15	6	16	1	21	22	–	1	4	184	1
II.	MIDDLE CLASS	101,798	17·3	1,789	221	57	143	326	458	295	289	2	–	–	6	5	2	5	2	163	57	167	11	162	148	36	4	26	993	29
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	108,420	17·8	1,965	371	79	145	389	557	272	152	3	–	–	7	7	4	7	5	252	60	123	22	226	274	49	4	31	891	55
IV.	GENERAL SERVICE CLASS	167,479	22·1	3,759	1274	248	254	673	730	356	224	7	–	–	22	17	20	19	13	354	173	155	116	418	470	185	16	88	1686	143
V.	INMATES OF WORKHOUSES	5,602	–	1,507	175	19	51	199	443	367	253	2	–	–	–	–	–	–	–	143	59	69	5	121	350	34	–	10	714	–
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers and Heads of Public Departments.	7,868	–	213	10	4	8	43	52	32	64	1	–	–	–	–	–	–	1	13	6	15	1	17	16	–	–	3	140	1
	2. Merchants and Manufacturers, Higher Class.	1,347	–	5	–	–	–	1	1	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	4	–
	3. Persons of Rank and Property, not otherwise described.	5,443	–	55	1	–	2	3	8	14	27	1	–	–	–	–	–	–	–	2	–	–	–	4	6	–	1	1	40	–
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &	9,523	–	169	27	5	16	26	41	27	27	–	–	–	1	1	1	2	–	13	3	12	1	8	11	3	–	3	110	3
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	–	404	46	12	9	68	115	90	64	–	–	–	1	2	–	1	–	20	7	36	2	44	39	5	1	2	244	4
	6. Clerks and Commercial Assistants ..	33,249	–	528	113	17	69	129	112	55	33	1	–	–	4	2	1	1	1	75	22	37	5	59	34	23	1	4	258	10
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above.	33,827	–	688	35	23	49	103	190	123	165	1	–	–	–	–	–	1	1	55	25	82	3	51	64	5	2	17	381	12
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers.	11,777	–	177	36	10	11	33	53	19	15	–	–	–	2	1	–	2	–	14	3	9	3	24	22	10	1	1	85	7
	9. Building and Furnishing Trades ..	28,823	–	433	120	17	22	93	110	45	26	–	–	–	1	1	1	–	–	59	11	33	4	73	63	12	–	7	188	12
	10. Clothing Trades	20,026	–	263	30	8	32	59	70	53	20	2	–	–	–	–	1	1	–	44	6	10	1	25	41	3	2	2	125	8
	11. Food Supply Trades	8,952	–	119	35	6	3	18	29	20	8	–	–	–	1	1	–	–	–	13	7	3	3	14	11	6	1	2	57	3
	12. Other Trades and Callings ranking with Trades.	32,070	–	877	138	34	69	176	266	120	74	1	–	–	3	4	2	4	4	107	28	63	8	99	120	17	–	19	398	18
	13. Petty Shopkeepers	6,772	–	96	12	4	8	19	29	15	9	–	–	–	–	–	–	–	1	15	5	5	3	11	17	1	–	–	38	7
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c.	12,977	–	656	245	51	48	164	78	34	36	3	–	–	3	1	3	4	2	65	39	28	27	78	53	26	2	22	300	23
	15. Domestic Servants	36,041	–	380	64	10	41	91	89	48	37	–	–	–	2	1	2	1	2	38	11	27	2	37	37	14	1	5	200	10
	16 Coach and Car Drivers, Vanmen, &c.	15,380	–	292	95	14	14	54	62	32	21	–		–	–	2	2	2	2	24	11	12	11	28	42	13	1	8	134	8
	17. Hawkers, Porters, Labourers, &c. ..	103,081	–	2,431	870	173	151	364	501	242	130	4		–	17	13	13	12	7	227	112	88	76	275	338	132	12	53	1052	102
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates	5,602	–	1,507	175	19	51	199	443	367	253	2	–	–	–	–	–	–	–	143	59	69	5	121	350	34	–	10	714	–

PROVINCIAL URBAN DISTRICTS.—(See Tables VIII. and IX.)—The respective death-rates per 1,000 of the population represented by the deaths from the principal epidemic diseases* registered during the year in the eighteen urban districts included in the Weekly Returns are as follow, ranging in order from the lowest to the highest—Drogheda, 0·2; Portadown, 0·3; Clonmel, 0·4; Lurgan, 0·4; Limerick, 0·5; Galway, 0·5; Newry, 0·6; Lisburn, 0·6; Tralee, 0·7; Ballymena, 0·8; Dundalk, 0·8; Wexford, 0·9; Cork, 1·1; Kilkenny, 1·2; Waterford, 1·3; Sligo, 1·4; Belfast, 1·5; and Londonderry, 2·2.

ENTERIC FEVER.—Included in the 36 deaths from this cause are 17 appertaining to Belfast, 5 to Limerick, 2 to each of Waterford, Dundalk, and Tralee, and one to each of Cork, Londonderry, Galway, Lisburn, Newry, Portadown, Ballymena, and Sligo.

TYPHUS.—The 11 deaths include 5 for Londonderry, 3 for Cork, 2 for Tralee, and one for Belfast.

SMALL-POX.—No mortality from this disease was reported.

MEASLES.—Of the 159 deaths, 137 belonged to Belfast, 7 to Waterford, 5 to Sligo, 4 to Lisburn, 2 to each of Londonderry and Ballymena, and one to each of Cork and Newry.

SCARLET FEVER.—The 146 deaths include 138 for Belfast, 5 for Londonderry, 2 for Cork, and one for Ballymena.

WHOOPING-COUGH.—There were 105 deaths from this disease, including 60 for Londonderry, 11 for Kilkenny, 9 for Belfast, 7 for each of Cork and Sligo, 3 for Newry, 2 for each of Waterford, Galway, and Clonmel, and one for each of Wexford and Ballymena.

DIPHTHERIA.—Of the 80 deaths, 32 belonged to Cork, 30 to Belfast, 5 to Limerick, 4 to each of Londonderry and Dundalk, 2 to each of Lisburn and Wexford, and one to Newry.

DIARRHŒAL DISEASES.—Included among the deaths grouped under this heading are 292 deaths of children under two years of age from diarrhœa and enteritis, 180 appertaining to Belfast, 38 to Cork, 21 to Waterford, 10 to Londonderry, and 9 to Limerick.

PULMONARY TUBERCULOSIS.—The number of deaths from pulmonary tuberculosis registered in the eighteen urban districts amounted to 1,532, equivalent to an annual rate of 2·0 per 1,000 of the aggregate population of these districts. The deaths in Belfast (853) represent a rate of 2·1 per 1,000 of the estimated population. In the remaining seventeen urban districts the deaths, 679, represent an annual rate of 2·0 per 1,000 of the aggregate population of these areas. In the Dublin Registration Area the rate for deaths from pulmonary tuberculosis (exclusive of deaths in public institutions of persons admitted from outside the Area) is equal to 2·1 per 1,000 of the estimated population.

* See note (†) on page iv.

TABLE VIII.—BIRTHS* and DEATHS Registered during the YEAR 1919 (53 weeks) in the Dublin Registration Area, and in each of the under-mentioned Eighteen Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

Towns and Districts.	Census Statistics of Districts. Population. Total.†	Population. Persons to an Acre.	Registration—Year 1919 (53 weeks). Annual Rate per 1,000 persons Represented by: Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.‡	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
Total of 19 Town Districts	1,142,268	20·0	24·0	19·2	1·2	27,851	22,326	3,344	5,804	46	11	–	194	174	131	105	27	2401	827	1088	2365	3120	589	119	369	457	6922	742
Dublin Registration Area :— Total	405,000	28·9	23·4	20·9	1·1	9,633	8,595a	1,359	2,253	10	–	–	35	28	26	25	21	869	314	438	891	1236	297	21	132	148	3252	226
City of Dublin	310,500	38·0	25·0	22·0	1·3	7,875	6,954	1,194	1,636	8	–	–	24	27	20	22	19	738	261	316	748	1061	263	19	96	123	2802	184
Urban Districts. Rathmines and Rathgar	39,400	23·0	16·8	16·4	0·3	673	656	51	256	1	–	–	1	–	2	2	–	55	24	51	55	79	8	–	12	13	192	14
Pembroke	29,500	18·8	21·4	17·5	0·7	642	526	65	174	–	–	–	3	–	–	1	2	42	13	41	59	59	16	–	14	9	150	13
Blackrock	9,000	8·3	13·1	14·3	0·7	120	131	11	65	–	–	–	–	–	–	–	–	12	7	9	7	7	5	1	3	1	26	4
Kingstown	16,600	11·4	19·1	19·4	1·1	323	328	38	122	1	–	–	7	1	4	–	–	22	9	21	22	30	5	1	7	2	82	11
Urban Districts. Belfast	401,000	26·8	25·7	17·9	1·5	10,464	7,278a	1,179	1,695	17	1	–	137	138	9	30	5	853	269	353	712	1104	180	83	134	188	1941	99
Cork	76,673	28·6	23·4	19·9	1·1	1,825	1,551	183	414	1	3	–	1	2	7	32	–	156	58	69	248	167	38	2	19	26	564	50
Londonderry	41,000	15·9	27·4	21·8	2·2	1,140	908	137	214	1	5	–	2	5	60	4	–	84	32	34	115	148	10	3	19	23	114	31
Limerick	38,518	16·1	24·0	19.0	0·5	940	743	110	175	5	–	–	–	–	–	5	–	94	19	30	75	143	9	–	8	11	243	82
Waterford	27,464	19·1	20·0	18·5	1·3	557	517	69	166	2	–	–	7	–	2	–	–	72	25	24	35	36	21	4	12	16	176	27
Galway	13,255	2·5	25·5	21·5	0·5	343	290	29	105	1	–	–	–	–	2	–	–	26	7	13	40	31	3	1	10	6	92	29
Dundalk	13,128	9·5	25·3	16·2	0·8	337	216	28	67	2	–	–	–	–	–	4	–	25	7	10	22	18	5	–	9	6	36	17
Lurgan	12,553	14·7	21·5	16·2	0·4	274	207	14	59	–	–	–	–	–	–	–	–	31	12	12	10	13	4	1	4	5	45	7
Drogheda	12,501	8·4	20·7	20·1	0·2	263	255	27	106	–	–	–	–	–	–	–	–	24	5	15	25	33	2	–	2	4	50	18
Lisburn	12,388	10·9	22·1	18·8	0·6	278	237	32	78	1	–	–	4	–	–	2	1	17	7	16	37	31	–	–	3	8	47	5
Newry	11,963	17·0	21·4	15·9	0·6	260	193	31	51	1	–	–	1	–	3	1	–	15	14	9	10	10	1	–	–	2	35	5
Portadown	11,727	15·3	21·9	18·7	0·3	261	223	35	64	1	–	–	–	–	–	–	–	22	14	7	21	28	2	–	3	3	41	10
Wexford	11,531	22·8	26·0	17·7	0·9	305	208	29	73	–	–	–	–	–	1	2	–	15	16	11	13	16	5	2	1	1	28	34
Ballymena	11,381	9·3	20·2	15·3	0·8	234	177	19	60	1	–	–	2	1	1	–	–	20	5	12	18	12	3	1	1	–	11	21
Sligo	11,163	3·8	15·6	18·2	1·4	177	207	29	61	1	–	–	5	–	7	–	–	13	5	9	33	25	2	1	3	3	52	37
Kilkenny	10,514	11·4	18·8	18·4	1·2	201	197	16	67	–	–	–	–	–	11	–	–	25	7	11	22	24	2	–	6	4	72	19
Tralee	10,300	17·4	18·7	15·6	0·7	196	163	11	43	2	2	–	–	–	–	–	–	22	6	7	24	5	3	–	1	–	49	10
Clonmel	10,209	7·8	15·7	15·5	0·4	163	161	7	53	–	–	–	–	–	2	–	–	18	5	8	14	10	2	–	2	3	74	15

* The Births are exclusive of those in Institutions of infants whose mothers were admitted from localities outside the respective areas, those occurring in Institutions situated within the Dublin Registration Area being assigned to the various districts comprising such to which the mothers of the infants belong. See also Table V.

† The population given for the Dublin Registration Area and its component parts and for the cities of Belfast and Londonderry, is that estimated to the middle of 1919; that for each of the other districts is the population according to the Census of 1911.

‡ See note (†) on page iv.

a Including 2 deaths from cerebro-spinal fever recorded for Dublin, and 6 for Belfast.

TABLE IX.—Showing by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the YEAR 1919 (53 weeks). Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* OF MORTALITY per 1,000 of the Population according to the Census of 1911 represented by the Deaths from All Causes and from certain Epidemic Diseases†; the number of Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases†.	DEATHS. Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DIST.	15,879	478	20·4	0·8	330	53	26	41	45	94	71	1	–	–		2	–	1	–	33	11	19	26	41	8	1	13	21	118	3
Do. 2 do.	49,500	1,260	16·2	1·0	815	106	68	112	134	181	214	1	1	–	3	13	4	2	1	95	34	52	54	170	22	1	24	27	236	13
Do. 3 do.	50,032	1,334	19·7	2·0	1,004	203	98	140	137	208	218	1			32	22	–	8	–	91	41	37	113	170	29	9	13	23	244	13
Do. 4 do.	32,637	828	20·6	1·3	684	146	45	90	108	151	144	1	–	–	1	9	1	4	1	73	26	33	51	100	15	10	7	11	279	9
Do. 5 do.	16,112	483	21·2	1·5	347	71	31	42	59	85	59				1	12	–			41	11	16	44	57	10	1	3	12	132	6
Do. 6 do.	37,293	838	16·4	0·8	621	73	32	69	94	148	205	1			2	12		2		56	17	41	56	85	10	2	8	9	148	6
Do. 7 do.	2,681	65	10·3	0·4	28	3	1	5	3	12	4	–	–	–	1	–	–	–	–	2	2	4	4	2	–	–	–	–	5	
Do. 8 do.	5,964	129	17·0	0·5	103	8	3	16	15	37	24	–	–	–	–	2	–	–	–	12	1	5	7	19	1	–	2	2	22	
Do. 9 do.	24,427	694	16·6	0·9	411	69	26	69	62	92	93				2	6	–	1		58	18	19	56	70	8	5	4	8	78	13
Do. 10 do.	28,958	878	17·3	1·6	510	74	52	83	77	125	99	1			11	13		2		70	25	30	55	84	16	4	13	16	120	5
Do. 11 do.	39,311	1,072	19·6	2·9	782	115	69	128	117	164	189	6			34	8		2	2	94	27	35	67	93	26	38	8	12	159	9
Do. 12 do.	38,076	1,255	19·4	2·6	751	146	103	101	103	153	145	2			49	19	2	5	1	106	19	24	72	106	16	7	25	28	182	9
Do. 13 do.	23,233	538	15·5	0·9	367	39	18	62	61	74	113	2			1	8	1	1		45	22	20	45	39	4	4	6	8	61	6
Do. 14 do.	175	6	–	–	7	–	2	1	1	1	2	–	–	–	–	–	–	–	–	1	–	–	3	–	–			–		–
Do. 15 do.	22,669	606	22·5	1·4	518	73	45	66	78	141	115	1				12	1	2		76	15	18	59	68	15	1	8	11	157	7
Total, ...	386,947	10,464	17·9	1·5	7,278	1179	619	1025	1094	1666	1695	17	1	–	137	138	9	30	5	853	269	353	712	1104	180	83	134	188	1941	99
City of Cork.																														
CORK URBAN No. 1 DISTRICT	13,455	251	19·2	0·5	262	22	18	35	49	45	93					1	2	2	–	22	5	12	33	25	2	–	1	2	99	4
Do. 2 do.	10,399	291	24·3	2·6	257	33	22	34	43	59	66		1	–	1			16	–	32	8	9	45	34	8	1	4	4	90	11
Do. 3 do.	9,793	248	20·0	1·4	199	27	19	29	25	44	55						4	4		30	7	8	22	26	5	1	–		65	8
Do. 4 do.	9,139	227	21·3	1·0	198	27	13	24	33	48	53		1	–				4	–	18	5	13	40	32	4		2	5	79	7
Do. 5 do.	6,250	151	19·2	0·9	122	17	9	18	17	36	25	1						2		18	3	5	22	9	3		3	4	53	6
Do. 6 do.	11,581	284	16·0	0·2	188	21	15	17	36	47	52		1	–	–		–	–		9	11	8	24	15	1	–	2	2	59	3
Do. 7 do.	16,056	373	19·9	1·3	325	36	25	43	69	82	70				–	1	1	4		27	19	14	62	29	15		7	9	119	11
Total ...	76,673	1,825	19·9	1·1	1,551	183	121	200	272	361	414	1	3	–	1	2	7	32	–	156	58	69	248	167	38	2	19	26	564	50

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) on page iv.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
26th February, 1920.

WILLIAM J. THOMPSON,
Registrar-General.

Printed under the Authority of His Majesty's Stationery Office,
By A. THOM & Co. (Ltd.), Crow Street, Dublin.
13587. Wt. 8424. 3. 380, 2, 1920.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 1. VOL. LVI.] WEEK ENDING SATURDAY, 4TH JANUARY, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 6th January, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 21·9 and 21·3; Dublin Registration Area, 23·4 and 21·2; Dublin City, 24·7 and 22·7; Belfast, 17·3 and 20·2; Cork, 21·1 and 20·1; Londonderry, 39·4 and 26·8; Limerick, 24·4 and 23·7; and Waterford, 26·6 and 19·5.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·6 per 1,000. Among the 133 deaths from all causes for Belfast are one from measles and 2 from diarrhœa and enteritis of children under 2 years. Included in the 31 deaths from all causes for Cork are one from whooping-cough, one from diphtheria, and 2 from diarrhœa and enteritis of children under 2 years. One of the 31 deaths from all causes for Londonderry is from typhus. One death from enteric fever is among the 18 deaths from all causes for Limerick; and included in the 10 deaths from all causes for Sligo is one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 188—95 boys and 93 girls—and the deaths to 197—97 males and 100 females.

The deaths registered, omitting the deaths (numbering 15) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·4 per 1,000 of the population, the rate for the total deaths registered in the Area being 25·4.

Of the 182 deaths appertaining to the Area 2 were from whooping-cough, one from diarrhœa and enteritis of a child under 2 years, and 10 from influenza.

In the 3 preceding weeks deaths from whooping-cough numbered one, 0, and 0, deaths from diarrhœa and enteritis of children under 2 years, 2, 2, and 4, and deaths from influenza 24, 14 and 9, respectively.

Deaths attributed to pneumonia were 22 (comprising 15 from broncho-pneumonia, one from lobar pneumonia, and 6 from pneumonia, type not distinguished), as against 20, 18, and 24 in the three weeks preceding.

Tuberculous disease caused 27 deaths (comprising 19 from pulmonary tuberculosis, 5 from tuberculous meningitis, and 3 from other forms of tuberculosis), as against 22, 13, and 22 in the three weeks preceding.

Nine deaths were caused by cancer, 9 by organic diseases of the heart, and 28 by bronchitis.

Among deaths of infants under one year old, 7 were due to convulsions, 7 to broncho-pneumonia, one to diarrhœa and enteritis, 3 to premature birth, and 10 to congenital debility.

There was one death caused by burns.

Fifty-seven of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 43 being infants under one year, of whom 15 were under one month old, and 48 deaths were those of persons aged 65 and upwards, of whom 35 were 70 years of age or over.

Of the 182 deaths recorded, 56 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 4th January, in 96 large English towns (including London, in which the rate was 16·6 was equal to an average annual death rate of 16·1 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 16·7 per 1,000 persons living, the rate for Glasgow being 15·1 and for Edinburgh 17·8.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 4th January. From this Report it appears that of 29 cases notified, 11 were diphtheria, 8 scarlet fever, 3 pulmonary tuberculosis, 3 other forms of tuberculosis, and 4 erysipelas. Among the 405 cases of infectious diseases in hospital at the close of the week were 158 of pulmonary tuberculosis, 103 of scarlet fever, 69 of diphtheria, 24 of whooping-cough, 13 of influenza, 12 of measles, and 6 of erysipelas.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 4th January, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Dec. 14	.	—	—	8	.	.	1	.	.	7	3	.	—	—	.	—	.	3	22
	Dec. 21	.	—	—	9	.	.	.	.	.	1	1	.	—	—	.	—	.	11	22
	Dec. 28	.	—	—	4	.	.	.	.	.	.	1	.	—	—	.	—	.	1	6
	Jan. 4	.	—	—	7	.	.	2	.	.	4	4	.	—	—	.	—	.	14	31
Rathmines and Rathgar Urban District.	Dec. 14	.	—	—	.	.	.	2	.	.	.	1	.	—	—	.	—	.	—	3
	Dec. 21	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	.	—	1
	Dec. 28	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Jan. 4	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
Pembroke Urban District.	Dec. 14	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	.	.	.
	Dec. 21	.	.	.	.	.	.	.	.	.	.	.	.	—	5	.	—	.	.	5
	Dec. 28	.	.	.	3	.	.	.	.	.	.	1	.	—	.	.	—	.	.	4
	Jan. 4	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	.	1	1
Blackrock Urban District.	Dec. 14	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Dec. 21	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Dec. 28	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Jan. 4	.	.	—	1	.	.	.	.	.	.	.	.	—	—	.	—	.	.	1
Kingstown Urban District.	Dec. 14	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Dec. 21	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Dec. 28	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Jan. 4	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
City of Belfast	Dec. 14	.	—	—	4	.	.	6	.	.	2	1	.	—	—	.	—	.	.	16*a*
	Dec. 21	.	—	—	7	.	.	4	.	.	.	1	.	—	—	.	—	.	.	24*b*
	Dec. 28	.	—	—	3	.	.	3	1	.	1	.	.	—	—	1	—	.	.	11*c*
	Jan. 4	.	—	—	9	.	.	1	.	.	.	.	.	—	—	.	—	.	1	17*d*
City of Cork.	Dec. 14	.	.	—	.	.	.	.	1	.	2	.	.	—	—	—	.	.	—	3
	Dec. 21	.	.	—	.	.	.	3	.	.	.	.	.	—	—	—	.	.	—	3
	Dec. 28	.	.	—	2	.	.	1	.	.	2	1	.	—	—	—	.	.	—	6
	Jan. 4	.	.	—	.	.	.	2	.	.	1	.	.	—	—	—	.	.	—	3
City of Londonderry.	Dec. 14	.	—	—	.	10	.	.	.	.	.	.	.	—	—	.	—	—	—	10
	Dec. 21	.	—	—	1	1	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Dec. 28	.	—	—	3	1	.	.	.	.	.	.	.	—	—	.	—	—	—	4
	Jan. 4	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
City of Limerick.	Dec. 14	.	—	—	.	.	.	.	.	.	2	.	.	—	—	.	—	.	—	2
	Dec. 21	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Dec. 28	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Jan. 4	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
City of Waterford.	Dec. 14	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	1
	Dec. 21	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	1
	Dec. 28	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 4	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.

(*a*) Including 3 cases of septic pneumonia.
(*b*) Including 12 cases of septic pneumonia.
(*c*) Including 2 cases of septic pneumonia.
(*d*) Including 6 cases of septic pneumonia.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 4th January, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 3 and 12; measles 3 and 4; scarlet fever 9 and 49*; and diphtheria 4 and 5. Four cases of pneumonia were admitted during the week and 67 remained under treatment at its close, as compared with 115, 95 and 78 at the close of the three preceding weeks. Of the deaths in hospital during the week one was from each of enteric fever, diphtheria and pneumonia.

* See note (*) at foot of Table IX.

Table II.—BIRTHS and DEATHS registered during the week ending Saturday, 4th January, 1919, in the Dublin Registration Area and in each of the under-mentioned 18 Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the Principal Causes, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 4th January, 1919. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Enteritis under 2 years of age.	Diarrhœa and Diarrhœa, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Meteorology. (c) Week ending 4th January, 1919. Air Temperature. Absolute Highest.	Absolute Lowest	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
Total of 19 Town Districts, ...	1,142,268	20·0	25·5	21·9	0·6	550	480	95	134	1	1	·	1	·	4	1	·	43	17	23	67	73	5	·	6	7	127	30	·	·	·	·	·	·
Dublin Registration Area, ...	405,000	28·9	24·2	23·4	0·4	188	182(g)	43	48	·	·	·	·	·	2	·	·	19	8	9	22	31	1	·	1	3	56	9	(d) 52·6	28·0	41·6	34·3	39·5	0·64
Urban Districts. City of Dublin,	310,500	38·0	25·5	24·7	0·3	152	147	35	37	·	·	·	·	·	1	·	·	18	6	6	18	25	1	·	·	3	51	8	(e) 53·2 (f) 53·0	33·1 29·8	45·1 45·4	36·7 35·7	40·9 40·6	0·72 0·71
Urban Districts. Rathmines and Rathgar,	39,400	23·0	19·9	17·2	·	15	13	2	5	·	·	·	·	·	·	·	·	·	1	·	3	2	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. Pembroke, ..	29,500	18·8	19·4	15·9	·	11	9	3	2	·	·	·	·	·	·	·	·	·	·	3	1	1	·	·	1	·	2	1	·	·	·	·	·	·
Urban Districts. Blackrock, ..	9,000	8·3	17·4	23·2	·	3	4	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Kingstown, ..	16,600	11·4	22·0	28·3	3·1	7	9	3	3	·	·	·	·	·	1	·	·	·	1	·	·	3	·	·	·	·	2	·	55	32	50·3	38·6	44·4	0·90
Urban Districts. Belfast, ..	401,000	26·8	24·1	17·3	0·4	185	133	26	30	·	·	·	1	·	·	·	·	12	7	6	23	22	2	·	3	3	28	5	47·0	31·0	45·3	35·6	40·4	2·72
Urban Districts. Cork, ...	76,673	28·6	32·0	21·1	2·7	47	31	5	13	·	·	·	·	·	1	1	·	4	·	1	2	2	2	·	·	·	12	3	53	33	47·3	40·0	43·7	0·71
Urban Districts. Londonderry, ..	41,000	15·9	42·0	39·4	1·3	33	31	3	11	·	1	·	·	·	·	·	·	2	·	1	6	6	·	·	1	·	9	1	·	·	·	·	·	·
Urban Districts. Limerick, ..	38,518	16·1	42·0	24·4	1·4	31	18	6	4	1	·	·	·	·	·	·	·	·	·	1	·	4	·	·	·	·	·	4	·	·	·	·	·	·
Urban Districts. Waterford, ..	27,464	19·1	34·2	26·6	·	18	14	1	6	·	·	·	·	·	·	·	·	1	2	1	·	3	·	·	·	·	6	·	·	·	·	·	·	·
Urban Districts. Galway, ...	13,255	2·5				8	13	·	6	·	·	·	·	·	·	·	·	·	·	1	3	1	·	·	1	1	6	1	·	·	·	·	·	·
Urban Districts. Dundalk, ..	13,128	9·5				13	6	1	2	·	·	·	·	·	·	·	·	3	·	·	2	·	·	·	·	·	·	2	·	·	·	·	·	·
Urban Districts. Lurgan, ..	12,553	14·7				1	7	1	3	·	·	·	·	·	·	·	·	·	·	1	·	2	·	·	·	·	·	·	50·8	32·0	42·3	34·5	38·4	1·50
Urban Districts. Drogheda, ..	12,501	8·4				8	5	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. Lisburn, ..	12,388	10·9				6	2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	50·8	32·0	42·3	34·5	38·4	1·50
Urban Districts. Newry, ...	11,963	17·0				2	7	1	1	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	1	1	50·8	32·0	42·3	34·5	38·4	1·50
Urban Districts. Portadown, ..	11,727	15·3				1	6	2	2	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	2	·	50·8	32·0	42·3	34·5	38·4	1·50
Urban Districts. Wexford, ..	11,531	22·8				8	4	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·	·
Urban Districts. Ballymena, ..	11,381	9·3				·	6	1	3	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. Sligo, ...	11,163	3·8				4	10	3	2	·	·	·	·	·	1	·	·	·	·	1	4	1	·	·	·	·	4	1	52	30	45	34	39	0·82
Urban Districts. Kilkenny, ..	10,514	11·4				3	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	52	30	45·0	37·[illegible]	41·1	0·65
Urban Districts. Tralee, ...	10,300	17·4				3	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Clonmel, ..	10,209	7·8				·	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
London	4,026,901	—	—	16·6	—	1,572	1,280	171	441	1	—	·	4	·	2	20	—	130	18	22	115	1[illegible]5	16	9	41	106	572	—	55	33	46·4	38·9	42·7	0·85
Edinburgh ...	336,[illegible]00	—	—	17·8	—	95	115	11	35	·	·	·	·	1	3	2	—	—	—	—	—	—	·	—	4	—	—	—	44·0	30·0	39·6	32·9	36·[illegible]	0·94
Glasgow	1,118,700	—	—	15·1	—	445	324	51	91	·	2	·	1	·	6	3	—	—	—	—	—	—	3	—	9	—	—	—	42·1	30·1	40·0	31·9	35·9	1·55

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Lisburn, Newry, and Portadown, those of Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 1st Week of the 5 years, 1914-1918	Deaths registered during week ending Saturday, 4th January, 1919. All Ages.	Ages at Death: 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	215·0	197	15	28	6	8	2	3	7	7	19	20	13	20	32	17	182
Enteric Fever ..	·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Typhus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	2·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	2·0	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2
Diphtheria	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	3·6	12	.	.	1	1	.	.	1	3	.	2	1	3	.	.	10
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	23·2	21	.	.	.	1	.	.	1	3	6	3	.	.	1	.	19
Tuberculous Meningitis	3·2	5	.	.	2	.	.	.	2	.	1	.	.	.	.	.	5
Abdominal Tuberculosis	1·8	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2
Tuberculosis of the Spinal Column.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Venereal Diseases ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	8·4	11	.	.	.	.	.	.	.	.	1	3	2	1	2	2	9
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·6	3	.	.	.	.	.	.	.	.	.	.	1	2	.	.	3
Other General Diseases	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Simple Meningitis ..	1·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	8·0	7	.	.	.	.	.	.	.	.	.	.	.	4	2	1	7
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	3·0	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
Epilepsy, ...	·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Convulsions (non-puerperal).	5·2	7	2	5	.	.	.	.	.	.	.	.	.	.	.	.	7
Other Diseases of Nervous System.	2·6	5	.	1	.	.	.	.	.	.	2	.	1	.	.	1	5
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	19·8	9	.	.	.	.	.	.	.	1	.	.	2	2	4	.	9
Embolism and Thrombosis (including Cerebral).	1·0	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Other Diseases of Circulatory System.	1·6	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	33·6	29	.	6	1	.	1	.	.	.	.	2	2	1	8	8	28
Broncho-pneumonia ..	12·6	15	.	7	1	4	.	.	1	.	.	.	.	1	.	1	15
Lobar pneumonia ..	1·8	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1
Pneumonia (type not distinguished).	8·2	6	.	1	.	1	.	.	.	.	4	.	.	.	.	.	6
Pleurisy	·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	·2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2
Other Diseases of Respiratory System.	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

in the FIRST WEEK, ending Saturday, 4th January, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 1st Week of the 5 years 1914-1918.	Deaths registered during week ending Saturday, 4th January, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx, Tonsillitis.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	4·2	4	1	1	·	·	1	·	·	·	·	·	1	·	·	·	4	
Diarrhœa and Enteritis of Children under 2 years.	4·0	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	
Diarrhœa 2 years and upwards.	·2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	
Enteritis 2 years and upwards.	·6	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	
Appendicitis and Typhlitis.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Hernia and Intestinal Obstructions.	1·4	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	
Cirrhosis of Liver ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Liver	·6	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	
Peritonitis (cause unknown).	·4	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	
Other Diseases of Digestive System.	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Acute Nephritis ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Chronic Bright's Disease	5·6	6	·	·	·	·	·	·	·	·	·	·	·	2	4	·	6	
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Genito-urinary System.	1·2	3	·	1	·	·	·	·	·	·	1	·	·	1	·	·	2	
Puerperal Septicæmia, &c.	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	
Other causes incident to Pregnancy and Childbirth.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Diseases of Skin and Cellular Tissues.	1·6	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	
Diseases of Locomotor System.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Congenital Malformations.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Premature Birth ..	4·0	3	3	·	·	·	·	·	·	·	·	·	·	·	·	·	3	
Congenital Debility ..	4·6	10	7	3	·	·	·	·	·	·	·	·	·	·	·	·	10	
Old Age	10·4	6	·	·	·	·	·	·	·	·	·	·	·	·	3	3	6	
Other Specified Diseases	1·8	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Burns and Scalds ..	1·0	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	
Drowning	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Suffocation in Bed, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Vehicles and Horses ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Gunshot Wounds, &c.	2·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Violent Deaths		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Not included in above—																		
Homicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Suicide, ..	·6	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ill-defined, &c., Causes,	4·6	5	·	·	·	·	·	·	·	·	·	2	1	1	1	·	5	

TABLE IV.—Showing for the WEEK ENDED 4TH JANUARY, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 4TH JANUARY, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes.	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	19·1	1·7	11	2	1	1	1	1	1	1	3	.	.	.	.	.	.	.	.	1	2	.	.	4	.	.	.	3	.	1	1	.
" 1, W., ...	41,100	25·4	.	20	4	.	1	.	.	4	6	5	.	.	.	.	.	.	.	.	2	.	1	1	2	.	.	.	14	1	4	3	1
" 2, ...	27,500	20·9	.	11	3	1	.	.	.	1	3	3	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	7	.	4	1	.
" 3, ...	34,100	18·3	.	12	3	.	.	.	1	3	1	4	.	.	.	.	.	.	.	.	4	.	1	.	5	.	.	.	4	.	2	1	1
CLONTARF AND HOWTH, No. 1, part of	5,500	9·5	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
COOLOCK AND DRUMCONDRA, part of ..	13,600	26·8	3·8	7	1	.	.	.	2	.	1	3	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	4	.	4	.	1
FINGLAS AND GLASNEVIN, part of ..	11,100	9·4	.	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
South City.																																	
SOUTH CITY, No. 1, ..	43,000	30·3	.	25	4	.	.	.	2	7	6	6	.	.	.	.	.	.	.	.	3	1	2	2	3	.	.	.	14	1	5	4	.
" 2, ...	18,200	25·8	.	9	3	.	.	.	.	1	1	4	.	.	.	.	.	.	.	.	1	.	.	1	5	.	.	.	2	.	.	5	.
" 3, ...	43,300	27·7	.	23	5	2	4	1	.	3	3	5	.	.	.	.	.	.	.	.	2	1	1	6	5	.	.	.	8	.	4	2	3
" 4, ...	32,800	38·2	.	24	9	1	2	1	5	1	1	4	.	.	.	.	.	.	.	.	3	2	.	5	1	.	.	.	13	1	8	1	2
NEW KILMAINHAM, ...	10,300	10·1	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	17·2	.	13	2	.	.	.	1	2	3	5	.	.	.	.	.	.	.	.	.	1	.	3	2	.	.	.	7	.	.	1	.
PEMBROKE	29,500	15·9	.	9	3	.	.	.	.	1	3	2	.	.	.	.	.	.	.	.	.	.	3	1	1	.	.	1	3	.	2	.	1
BLACKROCK, ...	9,000	23·2	.	4	.	1	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.	.	.	.
KINGSTOWN, ...	16,600	28·3	3·1	9	3	.	.	1	.	2	.	3	.	.	.	.	.	1	.	.	.	1	.	.	3	.	.	.	4	.	2	.	.
TOTAL CITY. North, ...	162,900	20·5	0·6	64	13	2	2	1	4	10	14	18	.	.	.	.	.	1	.	.	9	2	3	2	11	1	.	.	35	1	16	6	3
TOTAL CITY. South, ...	147,600	29·3	.	83	22	3	6	2	7	13	11	19	.	.	.	.	.	.	.	.	9	4	3	16	14	.	.	.	37	2	17	12	5
TOTAL CITY. North and South, ..	310,500	24·7	0·3	147	35	5	8	3	11	23	25	37	.	.	.	.	.	1	.	.	18	6	6	18	25	1	.	.	72	3	33	18	8
Total Urban Districts, ...	94,500	19·3	0·6	35	8	1	.	1	1	6	7	11	.	.	.	.	.	1	.	.	1	2	3	4	6	.	.	1	17	.	4	1	1
Total Registration Area, ..	405,000	23·4	0·4	182	43	6	8	4	12	29	32	48	.	.	.	.	.	2	.	.	19	8	9	22	31	1	.	1	89	3	37	19	9
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				15	.	.	.	1	2	10	1	1	1	.	.	.	.	.	.	.	2	.	2	1	1	.	1	1	6	1	14	1	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 4th January, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 4TH JANUARY, 1919.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	197	57	5	14	39	33	32	17	1	.	.	.	.	2	.	.	21	8	11	7	23	32	1	1	2	88	9
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	14·2	4	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2	.
II	MIDDLE CLASS	101,798	20·0	39	4	.	7	6	9	8	5	.	.	.	.	.	.	.	.	3	2	3	1	4	3	.	.	.	23	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	18·8	39	9	1	2	7	11	5	4	.	.	.	.	.	.	.	.	5	2	4	.	3	6	1	.	.	18	2
IV.	GENERAL SERVICE CLASS	167,479	29·6	95	37	4	5	22	13	11	3	1	.	.	.	.	2	.	.	11	4	4	6	11	13	.	1	2	40	6
V.	INMATES OF WORKHOUSES, ...	5,602	—	20	7	.	.	2	.	8	3	.	.	.	.	.	.	.	.	1	.	.	.	4	10	.	.	.	5	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	14	2	.	.	2	6	2	2	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	10	.
	6. Clerks and Commercial Assistants,	33,249	—	11	2	.	2	2	2	2	1	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.	5	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	12	.	.	4	2	.	4	2	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1
	9. Building and Furnishing Trades, ..	28,823	—	7	2	1	.	1	2	.	1	.	.	.	.	.	.	.	.	1	1	1	.	1	1	.	.	.	2	.
	10. Clothing Trades, ...	20,026	—	7	1	.	1	2	1	2	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	.	.	3	.
	11. Food Supply Trades, ...	8,952	—	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	21	6	.	1	4	5	3	2	.	.	.	.	.	.	.	.	2	.	2	.	2	3	1	.	.	11	1
	13. Petty Shopkeepers, ...	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	23	8	4	2	6	2	1	.	1	.	.	.	.	.	.	.	2	1	.	2	4	4	.	1	1	7	3
	15. Domestic Servants, ...	36,041	—	6	2	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	4	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	2
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	62	23	.	3	14	11	8	3	.	.	.	.	.	2	.	.	9	2	2	4	7	8	.		1	27	1
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	20	7	.	.	2	.	8	3	.	.	.	.	.	.	.	.	1	.	.	.	4	10	.	.	.	5	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.
No. of weeks in Annual Series ..	41	42	43	44	45	46	47	48	49	50	51	52	1	41	42	43	44	45	46	47	48	49	50	51	52	1
BIRTHS registered	177	173	174	126	198	243	195	177	170	165	150	105	188	199	179	158	158	155	159	167	162	191	185	144	102	185
Average Births in corresponding week of previous 10 years, ...	189	197	191	198	196	195	186	192	176	200	164	153	211	203	198	185	185	188	174	173	181	173	179	172	165	233
Number of Deaths, ...	188	295	362	501	459	349	244	199	172	168	145	156	182	106	83	104	132	256	412	490	463	314	186	145	146	133
Annual Death-rate per 1,000 ..	24·6	38·6	47·3	65·5	60·0	45·6	31·9	26·0	22·5	22·0	18·9	20·4	23·4	14·1	11·0	13·8	17·5	34·0	54·7	65·0	61·4	41·7	24·7	19·2	19·4	17·3
Average Deaths in corresponding week of previous 10 years, ...	139	140	120	137	155	143	156	157	164	161	158	156	189	110	110	119	112	125	126	134	129	144	144	144	155	150
Ages, .. Under one year, ..	27	37	23	40	32	36	33	24	19	32	33	28	43	15	15	18	14	19	45	30	35	48	25	17	16	26
1— 5 years, ..	20	32	45	59	60	37	20	10	14	20	12	13	14	7	6	6	10	30	60	72	79	40	20	17	18	12
5—25 ,, ..	33	62	85	93	96	60	46	23	23	22	17	27	16	16	11	14	30	58	91	100	103	46	27	25	28	13
25—45 ,, ..	31	77	108	161	134	106	54	49	43	29	21	23	29	18	14	24	26	72	106	131	107	84	45	31	30	17
45—65 ,, ..	50	45	58	90	74	57	46	51	29	27	28	31	32	31	19	18	27	57	70	92	81	56	40	39	31	35
65 and upwards, ..	27	42	43	58	63	53	45	42	41	38	34	34	48	19	18	24	25	20	40	56	55	40	29	25	23	30
Deaths from :—																										
Enteric Fever, ...	1	.	2	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	1	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever, ...	1	.	.	.	1	2	.	.	.	1	.	.	.	.	2	.	2	.	1	.	.	1	.	.	.	.
Whooping-cough, ...	.	4	1	2	1	.	.	1	.	1	.	.	2	.	.	1	.	.	.	.	.	.	1	.	.	.
Diphtheria, ...	1	1	1	.	3	3	.	1	1	.	.	.	.	.	2	.	.	.	1	.	.	.	1	1	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	16	11	19	18	18	18	24	12	16	16	11	17	19	12	13	19	18	16	26	34	17	16	19	13	21	12
Tuberculosis { Other Forms, ..	6	5	4	8	.	2	2	6	3	6	2	5	8	7	4	3	4	5	7	.	2	5	4	6	5	7
Cancer, ...	11	7	12	15	11	8	11	9	8	10	4	6	9	12	2	4	5	7	5	4	4	10	4	5	7	6
Diseases of Respiratory System, { Pneumonia ..	25	58	69	89	88	59	27	31	24	20	18	24	22	13	5	13	17	66	127	136	146	75	38	21	17	23
Diseases of Respiratory System, { Others, ..	14	26	24	36	43	27	33	25	12	22	16	19	31	9	8	11	27	71	111	181	171	117	56	33	32	22
Diarrhœa and Enteritis, under 2 years, ...	7	8	3	1	5	4	1	1	5	2	2	4	1	4	5	4	1	2	3	2	.	3	1	2	2	2
Diarrhœa, 2 years and upwards..	.	.	.	.	.	.	1	.	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.
Violent Deaths, ...	1	1	4	3	5	4	3	2	1	8	3	7	1	2	2	4	.	1	2	3	3	5	2	5	2	3
Number of Uncertified Deaths, ..	5	9	8	5	5	4	5	6	4	4	3	5	9	.	.	3	1	2	4	9	3	5	1	2	2	5
A Mean Maximum Temperature in degs.	57·3	53·6	53·0	—	—	—	—	50·6	56·7	52·7	45·4	48·4	44·6	55·6	53·9	51·7	—	—	—	—	49·5	55·0	53·3	45·6	47·0	45·3
B Mean Minimum ,, ,,	42·0	35·6	34·3	—	—	—	—	38·6	46·6	42·0	34·4	34·1	34·3	42·0	40·3	40·5	—	—	—	—	39·6	43·3	43·0	34·0	34·2	35·6
Mean of A and B ,, ,,	49·7	44·6	43·7	—	—	—	—	44·6	51·7	47·4	39·9	41·3	39·5	48·8	47·1	46·1	—	—	—	—	44·6	49·1	48·1	39·8	40·6	40·4
Rainfall in inches	0·77	0·14	0·18	—	—	—	—	0·54	0·31	0·70	1·11	0·75	0·64	1·16	0·30	0·15	—	—	—	—	1·11	1·02	0·89	0·78	0·91	2·72

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 4th January, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	8	26·3	.	8	2	1	1	.	2	2	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	3	.
Do. 2 do.	49,500	20	16·9	.	16	1	1	2	3	4	5	.	.	.	.	.	.	.	.	1	1	.	2	3	.	.	2	2	7	.
Do. 3 do.	50,032	17	13·5	.	13	4	2	2	.	4	1	.	.	.	.	.	.	.	.	.	3	.	3	2	.	.	.	.	2	.
Do. 4 do.	32,637	8	12·8	1·6	8	1	.	2	.	3	2	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.	.	.	3	.
Do. 5 do.	16,112	9	12·9	.	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	1	.
Do. 6 do.	37,293	18	28·0	1·4	20	2	.	1	4	5	8	.	.	.	.	.	.	.	.	4	1	1	3	4	1	.	.	.	4	1
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	.	43·7	.	5	1	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.
Do. 9 do.	24,427	9	29·9	.	14	4	1	.	1	4	4	.	.	.	.	.	.	.	.	.	1	2	2	2	.	.	.	.	.	1
Do. 10 do.	28,958	22	10·8	.	6	1	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1	1	2	.
Do. 11 do.	39,311	26	19·9	1·3	15	4	1	2	2	3	3	.	.	.	1	.	.	.	.	1	.	1	3	.	.	.	.	.	3	2
Do. 12 do.	38,076	31	12·3	.	9	4	3	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	4	1	.	.	.	.	1	1
Do. 13 do.	23,233	7	15·7	.	7	.	.	1	3	2	1	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	2	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	10	18·4	.	8	1	1	1	1	3	1	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.	.	.
Total,	386,947	185	17·3	0·4	133	26	12	13	17	35	30	.	.	.	1	.	.	.	.	12	7	6	23	22	2	.	3	3	28	5
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	10	15·5	3·9	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
Do 2 do.	10,399	8	10·0	.	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
Do. 3 do.	9,793	5	31·9	5·3	6	2	.	.	.	1	3	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	2
Do. 4 do.	9,139	5	28·5	5·7	5	1	.	1	.	.	3	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	3	1
Do. 5 do.	6,250	4	16·7	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 6 do.	11,581	7	18·0	.	4	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 7 do	16,056	8	26·0	3·2	8	.	2	1	1	2	2	.	.	.	.	.	.	1	.	2	.	.	1	.	.	.	.	.	4	.
Total.	76,673	47	21·1	2·7	31	5	2	3	2	6	13	.	.	.	.	.	1	1	.	4	.	1	2	2	2	.	.	.	12	3

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 4th January, 1919.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	1	.	.	.	3	4
" " 1, West ..	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 2, ...	.	.	.	.	1	.	.	.	.	.	.	.	3	4
" " 3, ...	.	3	.	.	.	.	.	1	.	.	.	.	2	6
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	3	.	.	.	.	.	3
South City No. 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " " 3, ...	.	2	.	.	1	.	.	.	1	.	.	.	2	6
" " " 4, ...	.	2	.	.	.	.	.	.	2	.	.	.	2	6
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	7	.	.	2	.	.	4	4	.	.	.	14	31

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 4th January, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 4th January.			
	Dec. 14.	Dec. 21.	Dec. 28.	No. admitted	Discharged.	Died.	No under treatment at close of week.
Enteric Fever, ...	9	10	11	3	1	1	12
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	1	4	3	3	2	.	4
Scarlet Fever	55	59	52	9	12	.	49*
Diphtheria, ...	12	4	4	4	2	1	5
Pneumonia, ...	115	95	78	4	14	1	67

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12446). Wt. 5558. 380. 1, 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 2. VOL. LVI.] WEEK ENDING SATURDAY, 11TH JANUARY, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 13th January, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 21·4 and 20·7; Dublin Registration Area, 21·2 and 21·0; Dublin City, 22·0 and 22·3; Belfast, 20·4 and 19·1; Cork, 16·3 and 18·4; Londonderry, 19·1 and 22·8; Limerick, 29·8 and 24·7; and Waterford, 15·2 and 19·0.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·5 per 1,000. Among the 157 deaths from all causes for Belfast are one from measles and 3 from diarrhœal diseases Included in the 24 deaths from all causes for Cork is one from diphtheria. One of the 15 deaths from all causes for Londonderry is from whooping-cough. One death from diphtheria is among the 8 deaths from all causes for Dundalk; and included in the 5 deaths from all causes for Lisburn is one from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 195—102 boys and 93 girls—and the deaths to 179—77 males and 102 females.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·2 per 1,000 of the population. During the two weeks ending with Saturday last the death-rate averaged 22·3 and was 1·5 below the mean rate for the corresponding portions of the ten years 1909–18. The rate for all deaths registered during the two weeks was 24·2 and for the corresponding period of the preceding ten years 25·0.

Of the 165 deaths appertaining to the Area 2 were from diarrhœa and enteritis of children under 2 years, and 6 from influenza.

In the 3 preceding weeks deaths from diarrhœa and enteritis of children under 2 years numbered 2, 4, and one, and deaths from influenza 14, 9, and 10, respectively.

Deaths attributed to pneumonia were 21 (comprising 13 from broncho-pneumonia, one from lobar pneumonia, and 7 from pneumonia, type not distinguished), as against 18, 24, and 22 in the three weeks preceding.

Tuberculous disease caused 24 deaths (comprising 20 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 2 from other forms of tuberculosis), as against 13, 22, and 27 in the three weeks preceding.

Five deaths were caused by cancer, 15 by organic diseases of the heart, and 25 by bronchitis.

Among deaths of infants under one year old, one was due to convulsions, 7 to broncho-pneumonia, 2 to diarrhœa and enteritis, 2 to congenital malformations, 3 to premature birth, and 5 to congenital debility.

There was one death caused by burns, and one death by suicide was also registered.

Thirty-seven of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 31 being infants under one year, of whom 13 were under one month old, and 48 deaths were those of persons aged 65 and upwards, of whom 39 were 70 years of age or over.

Of the 165 deaths recorded, 63 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 11th January, in 96 large English towns (including London, in which the rate was 15·8 was equal to an average annual death rate of 16·0 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 18·6 per 1,000 persons living, the rate for Glasgow being 18·6 and for Edinburgh 19·1.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 11th January. From this Report it appears that of 45 cases notified, 15 were scarlet fever, 12 pulmonary tuberculosis, 6 other forms of tuberculosis, 10 diphtheria and 2 erysipelas. Among the 405 cases of infectious diseases in hospital at the close of the week were 159 of pulmonary tuberculosis, 95 of scarlet fever, 69 of diphtheria, 34 of whooping-cough, 12 of influenza, 12 of measles, and 8 of erysipelas.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 11th January, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Dec. 21	.	—	—	9	.	.	.	.	.	1	1	.	—	—	.	—	.	11	22
	Dec. 28	.	—	—	4	.	.	.	.	.	.	1	.	—	—	.	—	.	1	6
	Jan. 4	.	—	—	7	.	.	2	.	.	4	4	.	—	—	.	—	.	14	31
	Jan. 11	.	—	—	11	.	.	1	.	1	.	3	.	—	—	.	—	.	8	24
Rathmines and Rathgar Urban District.	Dec. 21	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	.	—	1
	Dec. 28	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Jan. 4	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Jan. 11	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	.	—	2
Pembroke Urban District.	Dec. 21	.	.	.	.	.	.	.	.	.	.	.	.	—	5	.	—	.	.	5
	Dec. 28	.	.	.	3	.	.	.	.	.	.	1	.	—	.	.	—	.	.	4
	Jan. 4	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	.	1	1
	Jan. 11	.	.	.	2	.	.	1	.	.	.	.	.	—	3	.	—	.	.	6
Blackrock Urban District.	Dec. 21	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Dec. 28	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Jan. 4	.	.	—	1	.	.	.	.	.	.	.	.	—	—	.	—	.	.	1
	Jan. 11	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
Kingstown Urban District.	Dec. 21	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Dec. 28	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Jan. 4	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Jan. 11	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
City of Belfast	Dec. 21	.	—	—	7	.	.	4	.	.	.	1	.	—	—	.	—	.	.	24*a*
	Dec. 28	.	—	—	3	.	.	3	1	.	1	.	.	—	—	1	—	.	.	11*b*
	Jan. 4	.	—	—	9	.	.	1	.	.	.	.	.	—	—	.	—	.	1	17*c*
	Jan. 11	.	—	—	6	.	.	5	.	.	1	3	.	—	—	.	—	.	6	22*d*
City of Cork.	Dec. 21	.	.	—	.	.	.	3	.	.	.	.	.	—	—	—	.	.	—	3
	Dec. 28	.	.	—	2	.	.	1	.	.	2	1	.	—	—	—	.	.	—	6
	Jan. 4	.	.	—	.	.	.	2	.	.	1	.	.	—	—	—	.	.	—	3
	Jan. 11	.	.	—	3	.	.	2	.	.	.	.	.	—	—	—	.	.	—	5
City of Londonderry.	Dec. 21	.	—	—	1	1	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Dec. 28	.	—	—	3	1	.	.	.	.	.	.	.	—	—	.	—	—	—	4
	Jan. 4	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Jan. 11	.	—	—	.	.	.	.	.	.	.	1	.	—	—	.	—	—	—	1
City of Limerick.	Dec. 21	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Dec. 28	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Jan. 4	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Jan. 11	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
City of Waterford.	Dec. 21	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	1
	Dec. 28	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 4	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	1
	Jan. 11	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.

(*a*) Including 12 cases of septic pneumonia.
(*b*) Including 2 cases of septic pneumonia.
(*c*) Including 6 cases of septic pneumonia.
(*d*) Including one case of septic pneumonia.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 11th January, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever nil and 10; measles 3 and 4; scarlet fever 12 and 51*; and diphtheria 5 and 9. Eight cases of pneumonia were admitted during the week and 66 remained under treatment at its close, as compared with 95, 78 and 67 at the close of the three preceding weeks. Of the deaths in hospital during the week one was from enteric fever, and 3 were from pneumonia.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 11th January, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 11th January, 1919. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 11th January, 1919. Air Temperature. Absolute Highest.	Absolute Lowest	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
Total of 19 Town Districts, ...	1,142,268	20·0	23·2	21·4	0·5	509	469	76	143	·	·	·	1	·	1	3	·	55	12	17	58	72	4	1	7	7	145	30	° ·	° ·	° ·	° ·	° ·	·
Dublin Registration Area, ...	405,000	28·9	25·1	21·2	0·3	195	165	31	48	·	·	·	·	·	·	·	·	20	4	5	21	25	2	·	2	2	63	6	(d) 45·9	28·4	43·1	32·3	37·7	1·00
Urban Districts. City of Dublin,	310,500	38·0	26·9	22·0	0·3	160	131	28	32	·	·	·	·	·	·	·	·	1	4	3	17	21	2	·	1	1	50	5	(e) 46·0	32·0	43·4	36·4	39·9	0·92
																													(f) 46·8	27·8	44·1	35·0	39·6	0·91
Rathmines and Rathgar,	39,400	23·0	14·6	11·9	·	11	9	·	4	·	·	·	·	·	·	·	·	3	·	1	1	·	·	·	1	1	4	1	·	·	·	·	·	·
Pembroke, ..	29,500	18·8	35·4	26·5	·	20	15	1	8	·	·	·	·	·	·	·	·	1	·	1	2	3	·	·	·	·	6	·	·	·	·	·	·	·
Blackrock, ..	9,000	8·3	·	17·4	·	·	3	·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Kingstown, ..	16,600	11·4	12·6	22·0	·	4	7	2	2	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	3	·	45	34	42·6	36·8	39·7	0·61
Urban Districts. Belfast, ..	401,000	26·8	25·1	20·4	0·5	193	157	26	49	·	·	·	1	·	·	·	·	20	3	7	17	30	2	1	2	3	37	1	47·0	29·5	44·1	35·3	39·7	1·41
Cork, ...	76,673	28·6	11·6	16·3	0·7	17	24	2	9	·	·	·	·	·	·	1	·	2	1	1	4	4	·	·	1	·	13	1	49	33	46·0	36·9	41·5	1·14
Londonderry, ..	41,000	15·9	11·4	19·1	1·3	9	15	4	3	·	·	·	·	·	1	·	·	1	1	1	2	1	·	·	·	·	3	·	·	·	·	·	·	·
Limerick, ..	38,518	16·1	23·0	29·8	·	17	22	4	3	·	·	·	·	·	·	·	·	7	1	·	·	5	·	·	1	1	6	6	45	22	43·4	31·7	37·5	0·8
Waterford, ..	27,464	19·1	11·4	15·2	·	6	8	·	3	·	·	·	·	·	·	·	·	2	·	·	1	·	·	·	·	·	3	1	·	·	·	·	·	·
Galway, ...	13,255	2·5				7	2	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·
Dundalk, ..	13,128	9·5				4	8	1	5	·	·	·	·	·	·	1	·	·	·	1	1	·	·	·	·	·	6	1	·	·	·	·	·	·
Lurgan, ..	12,553	14·7				7	5	·	2	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	1	1	1	·	45·1	31·0	41·4	34·2	37·8	1·08
Drogheda, ..	12,501	8·4				6	4	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·
Lisburn, ..	12,388	10·9				10	5	1	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	1	·	45.1	31·0	41·4	34·2	37·8	1·08
Newry, ...	11,963	17·0				9	5	·	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	1	45·1	31·0	41·4	34·2	37·8	1·08
Portadown, ..	11,727	15·3				5	8	2	3	·	·	·	·	·	·	·	·	·	1	1	1	1	·	·	·	·	1	1	45·1	31·0	41·4	34·2	37·8	1.08
Wexford, ..	11,531	22·8				4	7	1	3	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	2	2	·	·	·	·	·	·
Ballymena, ..	11,381	9·3				5	6	1	·	·	·	·	·	·	·	·	·	·	·	·	2	2	·	·	·	·	1	1	·	·	·	·	·	·
Sligo, ...	11,163	3·8				3	6	2	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	3	45	26	43	32	37	1·19
Kilkenny, ..	10,514	11·4				6	9	1	3	·	·	·	·	·	·	·	·	1	·	·	5	1	·	·	·	·	3	1	47	26	44·1	30·1	37·1	1·30
Tralee, ...	10,300	17·4				3	4	·	1	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·
Clonmel, ..	10,209	7·8				3	9	·	3	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	2	2	·	·	·	·	·	·
London	4,026,901	—	—	15·8	—	1,508	1,219	152	451	2	—	·	2	3	2	27	—	122	15	104	112	153	22	11	34	91	563	5	48	31	45·0	36·0	40·5	0·51
Edinburgh ...	336,500	—	—	19·1	—	91	113	15	38	·	·	·	·	·	11	2	—	—	—	—	—	—	·	—	4	—	—	—	44·0	31·0	41·6	34·9	38·2	0·22
Glasgow	1,118,700	—	—	18·6	—	505	399g	59	99	1	·	·	·	2	9	3	—	—	—	—	—	—	5	—	19	—	—	—	45·0	33·2	42·5	36·2	39·3	0·36

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Lisburn, Newry, and Portadown, those of Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis,

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 2nd Week of the 5 years, 1914-1918	Deaths registered during week ending Saturday, 11th January, 1919.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.														
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards	
ALL CAUSES.	191·6	179	15	18	4	2	4	6	4	3	13	15	15	29	24	27	165
Enteric Fever ..	1·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	2·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1·6	8	.	.	.	.	.	1	1	.	2	.	.	2	1	1	6
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	3	1	.	.	.	.	.	.	.	.	1	.	.	1	.	3
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	16·6	20	.	.	.	.	.	2	1	2	6	5	3	1	.	.	20
Tuberculous Meningitis	2·0	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2
Abdominal Tuberculosis	1·0	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Venereal Diseases ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	9·6	6	.	.	.	.	.	.	.	.	.	1	2	2	1	.	5
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	1·4	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
Anæmia, Leucocythæmia.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	2·2	3	.	1	.	.	.	.	.	.	.	1	.	1	.	.	3
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·8	3	1	.	1	.	.	.	.	.	.	.	1	.	.	.	3
Cerebral Hæmorrhage, Apoplexy.	6·4	14	.	.	.	.	.	.	.	.	.	2	.	4	4	4	14
Softening of Brain ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	1·0	7	.	.	.	.	.	1	.	.	.	.	.	2	2	2	7
Epilepsy, ...	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Convulsions (non-puerperal).	5·0	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Other Diseases of Nervous System.	3·0	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Pericarditis ..	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Acute Endocarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	16·6	17	.	.	.	.	1	.	.	.	.	2	3	6	4	1	15
Embolism and Thrombosis (including Cerebral).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	34·0	25	2	5	2	.	.	.	.	.	.	.	1	3	6	6	25
Broncho-pneumonia ..	10·8	13	.	7	.	2	1	.	1	.	.	.	.	1	.	1	13
Lobar pneumonia ..	1·8	2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Pneumonia (type not distinguished).	5·6	7	.	.	1	.	.	.	.	.	1	1	.	1	.	3	7
Pleurisy	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

in the SECOND WEEK, ending Saturday, 11th January, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 2nd Week of the 5 years 1914-1918.	Deaths registered during week ending Saturday, 11th January, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5												
Diseases of the Pharynx. Tonsillitis.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Diseases of Stomach ..	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	3·4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Diarrhœa 2 years and upwards.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis.	1·4	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Hernia and Intestinal Obstructions.	1·0	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1
Cirrhosis of Liver ..	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown).	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	1·4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Acute Nephritis ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease	5·6	5	.	.	.	.	.	.	.	.	.	.	1	1	1	2	4
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Geni-to-urinary System.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Diseases of Skin and Cellular Tissues.	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System.	·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	1·0	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2
Premature Birth ..	4·4	4	4	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Congenital Debility ..	4·0	5	2	3	.	.	.	.	.	.	.	.	.	.	.	.	5
Old Age	9·4	8	.	.	.	.	.	.	.	.	.	.	.	.	2	6	8
Other Specified Diseases	1·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
VIOLENCE.																	
Poisons or Poisonous Vapours.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	1·8	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Drowning	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c.	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Violent Deaths		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Not included in above—																	
Homicide, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ..	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes,	2·6	3	.	.	.	.	.	.	.	.	.	.	.	3	.	.	3

TABLE IV.—Showing for the WEEK ENDED 11TH JANUARY, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
				WEEK ENDED SATURDAY, 11TH JANUARY, 1919. DEATHS. CAUSED BY																													
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No 1, E., ...	30,000	19·1	·	11	3	·	·	1	·	1	4	2	·	·	·	·	·	·	·	·	·	·	1	1	2	·	·	·	7	·	1	2	·
" 1, W., ...	41,100	19·0	·	15	2	1	·	·	1	1	5	5	·	·	·	·	·	·	·	·	2	1	·	1	4	·	·	1	6	·	5	2	·
" 2, ...	27,500	24·6	1·9	13	3	2	·	1	·	2	2	3	·	·	·	·	·	·	·	·	3	1	·	·	2	1	·	·	6	·	3	2	·
" 3, ...	34,100	16·8	·	11	3	·	·	1	·	1	1	5	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	8	·	1	2	2
CLONTARF AND HOWTH, No. 1, part of	5,500	19·0	·	2	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	1	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	23·0	·	6	2	·	·	·	1	·	1	2	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	3	·	·	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	14·1	·	3	·	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	1	·	2	·	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	25·5	·	21	3	·	1	2	·	2	7	6	·	·	·	·	·	·	·	·	2	·	·	3	5	·	·	·	11	·	3	6	1
" 2, ...	18,200	31·5	·	11	4	·	·	·	·	2	4	1	·	·	·	·	·	·	·	·	3	·	·	2	1	·	·	·	5	·	3	4	·
" 3, ...	43,300	26·5	·	22	5	1	1	1	1	5	4	4	·	·	·	·	·	·	·	·	4	·	1	4	2	·	·	·	11	1	3	3	2
" 4, ...	32,800	23·8	1·6	15	3	·	·	1	1	2	4	4	·	·	·	·	·	·	·	·	·	1	·	1	4	1	·	·	8	·	5	2	·
NEW KILMAINHAM, ...	10,300	5·1	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	11·9	·	9	·	·	·	1	1	2	1	4	·	·	·	·	·	·	·	·	3	·	1	1	·	·	·	1	3	1	4	·	1
PEMBROKE	29,500	26·5	·	15	1	·	·	1	·	3	2	8	·	·	·	·	·	·	·	·	1	·	1	2	3	·	·	·	8	·	3	3	·
BLACKROCK, ...	9,000	17·4	·	3	·	·	·	·	·	1	·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	2	·	·	·	·
KINGSTOWN, ...	16,600	22·0	·	7	2	·	·	·	·	1	2	2	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	5	·	3	·	·
TOTAL CITY. North, ...	162,900	19·5	0·3	61	13	3	·	3	2	8	15	17	·	·	·	·	·	·	·	·	6	3	2	7	9	1	·	1	32	·	13	8	2
TOTAL CITY. South, ...	147,600	24·7	0·4	70	15	1	2	4	3	11	19	15	·	·	·	·	·	·	·	·	9	1	1	10	12	1	·	·	36	1	14	15	3
TOTAL CITY. North and South, ..	310,500	22·0	0·3	131	28	4	2	7	5	19	34	32	·	·	·	·	·	·	·	·	15	4	3	17	21	2	·	1	68	1	27	23	5
Total Urban Districts, ...	94,500	18·8	·	34	3	·	·	2	1	7	5	16	·	·	·	·	·	·	·	·	5	·	2	4	4	·	·	1	18	1	10	3	1
Total Registration Area, ..	405,000	21·2	0·3	165	31	4	2	9	6	26	39	48	·	·	·	·	·	·	·	·	20	4	5	21	25	2	·	2	86	2	37	26	6
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				14	2	·	·	1	1	2	5	3	1	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	11	·	13	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 11th January, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 11TH JANUARY, 1919.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	179	39	10	7	28	44	24	27	1	.	.	.	.	.	.	.	20	4	6	1	22	25	2	.	2	96	6
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	21·3	6	1	.	.	2	1	.	2	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	3	.
II	MIDDLE CLASS	101,798	17·9	35	2	1	1	6	13	7	5	.	.	.	.	.	.	.	.	2	1	3	.	2	2	.	.	1	24	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	13·0	27	9	1	.	5	8	2	2	.	.	.	.	.	.	.	.	3	.	.	.	9	5	.	.	.	10	.
IV.	GENERAL SERVICE CLASS	167,479	26·2	84	23	7	6	12	17	10	9	.	.	.	.	.	.	.	.	13	3	2	1	9	12	2	.	1	41	5
V.	INMATES OF WORKHOUSES, ...	5,602	—	27	4	1	.	3	5	5	9	.	.	.	.	.	.	.	.	1	.	1	.	1	6	.	.	.	18	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	5	1	.	.	2	1	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	4	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	7	1	1	.	1	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	6	.
	6. Clerks and Commercial Assistants,	33,249	—	5	.	.	1	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	19	.	.	.	5	6	4	4	.	.	.	.	.	.	.	.	1	1	2	.	.	2	.	.	.	13	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ..	28,823	—	9	3	.	.	2	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	3	2	.	.	.	3	.
	10. Clothing Trades, ...	20,026	—	4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.
	11. Food Supply Trades, ...	8,952	—	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	9	1	1	.	2	4	.	1	.	.	.	.	.	.	.	.	2	.	.	.	3	2	.	.	.	2	.
	13. Petty Shopkeepers, ...	6,772	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	16	5	2	1	3	2	2	1	.	.	.	.	.	.	.	.	4	1	1	1	1	1	1	.	.	6	.
	15. Domestic Servants, ...	36,041	—	14	2	1	1	2	2	3	3	.	.	.	.	.	.	.	.	2	1	.	.	3	1	.	.	.	7	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	5	1	.	.	.	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	49	15	4	4	7	10	5	4	.	.	.	.	.	.	.	.	7	1	.	.	5	9	1	.	1	25	5
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	27	4	1	.	3	5	5	9	.	.	.	.	.	.	.	.	1	.	1	.	1	6	.	.	.	18	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11	Oct. 19.	Oct. 26.	Nov. 2.	Nov 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.
No of weeks in Annual Series ..	42	43	44	45	46	47	48	49	50	51	52	1	2	42	43	44	45	46	47	48	49	50	51	52	1	2
BIRTHS registered	173	174	126	198	243	195	177	179	165	150	105	188	195	179	158	158	155	159	167	162	191	185	144	102	185	193
Average Births in corresponding week of previous 10 years, ...	197	191	198	196	195	186	192	176	200	164	153	211	225	198	185	185	188	174	173	181	173	179	172	165	233	200
Number of Deaths, ...	295	362	501	459	349	244	199	172	168	145	156	182	165	83	104	132	256	412	490	463	314	186	145	146	133	157
Annual Death-rate per 1,000 ..	38·6	47·3	65·5	60·0	45·6	31·9	26·0	22·5	22·0	18·9	20·4	23·4	21·2	11·0	13·8	17·5	34·0	54·7	65·0	61·4	41·7	24·7	19·2	19·4	17·3	20·4
Average Deaths in corresponding week of previous 10 years, ...	140	120	137	155	143	156	157	164	161	158	156	189	176	110	119	112	125	126	134	129	144	144	144	155	150	157
Ages, .. Under one year, ..	37	23	40	32	36	33	24	19	32	33	28	43	31	15	18	14	19	45	39	35	48	25	17	16	26	26
1— 5 years, ..	32	45	59	60	37	20	10	14	20	12	13	14	6	6	6	10	30	60	72	79	40	20	17	18	12	9
5—25 ,, ..	62	85	93	96	60	46	23	26	22	17	27	16	15	11	14	30	58	91	100	105	46	27	25	28	13	10
25—45 ,, ..	77	108	161	134	106	54	49	43	29	21	23	29	26	14	24	26	72	106	131	107	84	45	31	30	17	25
45—65 ,, ..	45	58	90	74	57	46	51	29	27	28	31	32	39	19	18	27	57	70	92	81	56	40	30	31	35	38
65 and upwards, ..	42	43	58	63	53	45	42	41	38	34	34	48	48	18	24	25	20	40	56	55	40	29	25	23	30	49
Deaths from :—																										
Enteric Fever, ...	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Scarlet Fever, ...	.	.	.	1	2	.	.	.	1	.	.	.	.	2	.	2	.	1	.	.	1	.	.	.	.	.
Whooping-cough, ...	4	1	2	1	.	.	1	.	1	.	.	2	.	.	1	.	.	.	.	.	.	1	.	.	.	.
Diphtheria, ...	1	1	.	3	3	.	1	1	.	.	.	.	.	2	.	.	.	1	.	.	.	1	1	1	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	11	19	18	18	18	24	12	16	16	11	17	19	20	13	19	18	16	26	34	17	16	19	13	21	12	20
Tuberculosis { Other Forms, ..	5	4	8	.	2	2	6	3	6	2	5	8	4	4	3	4	5	7	.	2	5	4	6	5	7	3
Cancer, ...	7	12	15	11	8	11	9	8	10	4	6	9	5	2	4	5	7	5	4	4	10	4	5	7	6	7
Diseases of Respiratory System, { Pneumonia ..	58	69	89	88	59	27	31	24	20	18	24	22	21	5	13	17	66	127	136	146	75	38	21	17	23	17
Diseases of Respiratory System, { Others, ..	26	24	36	43	27	33	25	12	22	16	19	31	25	8	11	27	71	111	181	171	117	56	33	32	22	30
Diarrhœa and Enteritis, under 2 years, ...	8	3	1	5	4	1	1	5	2	2	4	1	2	5	4	1	2	3	2	.	3	1	2	2	2	2
Diarrhœa, 2 years and upwards..	.	.	.	.	.	1	.	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	1
Violent Deaths, ...	1	4	3	5	4	3	2	1	8	3	7	1	2	2	4	.	1	2	3	3	5	2	5	2	3	2
Number of Uncertified Deaths, ..	9	8	5	5	4	5	6	4	4	3	5	9	6	.	3	1	2	4	9	3	5	1	2	2	5	1
A Mean Maximum Temperature in degs.	53·6	53·0	—	—	—	—	50·6	56·7	52·7	45·4	48·4	44·6	43·1	53·9	51·7	—	—	—	—	49·5	55·0	53·3	45·6	47·0	45·3	44·1
B Mean Minimum ,, ,,	35·6	34·3	—	—	—	—	38·6	46·6	42·0	34·4	34·1	34·3	32·3	40·3	40·5	—	—	—	—	39·6	43·3	43·0	34·0	34·2	35·6	35·3
Mean of A and B ,, ,,	44·6	43·7	—	—	—	—	44·6	51·7	47·4	39·9	41·3	39·5	37·7	47·1	46·1	—	—	—	—	44·6	49·1	48·1	39·8	40·6	40·4	39·7
Rainfall in inches	0·14	0·18	—	—	—	—	0·54	0·34	0·70	1·11	0·75	0·64	1·00	0·30	0·15	—	—	—	—	1·11	1·02	0·89	0·78	0·91	2·72	1·41

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 11th January, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	8	23·0	.	7	2	.	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		2	.
Do. 2 do.	49,500	20	17·9	.	17	1	.	1	6	4	5	.	.	.	.	.	.	.	.	3	2	.	1	7	.	.	.	.	4	1
Do. 3 do.	50,032	20	17·7	.	17	4	2	2	2	2	5	.	.	.	.	.	.	.	.	1	1	.	2	3	.	.	1	1	6	.
Do. 4 do.	32,637	14	19·2	3·2	12	4	2	.	2	1	3	.	.	.	.	.	.	.	.	2	.	.	.	1	1	1	.	.	6	.
Do. 5 do.	16,112	8	29·1	.	9	3	1	1	1	2	1	.	.	.	.	.	.	.	.	1	.	1	5	1	.	.	.	.	3	.
Do. 6 do.	37,293	19	22·4	1·4	16	3	1	.	2	4	6	.	.	.	1	.	.	.	.	1	.	.	1	3	.	.	.	.	5	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	26·2	.	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Do. 9 do.	24,427	13	10·7	.	5	2	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.
Do. 10 do.	28,958	24	19·8	1·8	11	3	.	.	1	3	4	.	.	.	.	.	.	.	.	1	.	3	.	2	1	.	.	.	3	.
Do. 11 do.	39,311	16	21·2	.	16	.	.	2	1	8	5	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	1	1	3	.
Do. 12 do.	38,076	20	27·4	.	20	3	2	1	3	3	8	.	.	.	.	.	.	.	.	3	.	.	3	9	.	.	.	.	2	.
Do. 13 do.	23,233	17	18·0	.	8	.	.	.	3	1	4	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	13	34·5	.	15	1	.	.	4	4	6	.	.	.	.	.	.	.	.	2	.	1	2	1	.	.	.	1	2	.
Total,	386,947	193	20·4	0·5	157	26	9	10	25	38	49	.	.	.	1	.	.	.	.	20	3	7	17	30	2	1	2	3	37	1
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	5	19·4	.	5	.	2	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	1	.
Do 2 do.	10,399	.	20·1	5·0	4	.	.	2	.	.	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.	4	.
Do. 3 do.	9,793	2	16·0	.	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
Do. 4 do.	9,139	4	22·8	.	4	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1
Do. 5 do.	6,250	1	16·7	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.
Do. 6 do.	11,581	2	4·5	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 7 do.	16,056	3	16·2	.	5	.	.	.	2	.	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	3	.
Total.	76,673	17	16·3	0·7	24	2	2	5	4	2	9	.	.	.	.	.	.	1	.	2	1	1	4	4	.	.	1	.	13	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 11th January, 1919.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ..	.	1	.	.	.	.	.	.	.	.	.	.	1	2
„ „ 1, West ..	.	.	.	.	.	.	.	.	.	.	.	.	2	2
„ „ 2, ...	.	.	.	.	.	.	.	.	2	.	.	.	1	3
„ „ 3, ...	.	2	.	.	1	.	.	.	.	.	.	.	2	5
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ „ 2, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
„ „ „ 3, ...	.	6	.	.	.	.	.	.	1	.	.	.	.	7
„ „ „ 4, ...	.	.	.	.	.	.	1	.	.	.	.	.	1	2
New Kilmainham, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Total, ...	.	11	.	.	1	.	1	.	3	.	.	.	8	24

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 11th January, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 11th January.			
	Dec. 21.	Dec. 28.	Jan. 4.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	10	11	12	.	1	1	10
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	4	3	4	3	3	.	4
Scarlet Fever	59	52	49	12	10	.	51*
Diphtheria, ...	4	4	5	5	1	.	9
Pneumonia, ...	95	78	67	8	6	3	66

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12446). Wt. 5558. 380. 1, 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1:
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 3. VOL. LVI.] WEEK ENDING SATURDAY, 18TH JANUARY, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 20th January, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 19·5 and 20·4; Dublin Registration Area, 22·1 and 21·8; Dublin City, 24·5 and 23·2; Belfast, 15·7 and 18·2; Cork, 17·7 and 18·4; Londonderry, 17·8 and 21·3; Limerick, 23·0 and 23·7; and Waterford, 45·6 and 27·1.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·6 per 1,000. Among the 121 deaths from all causes for Belfast are one from measles and 6 from diarrhœal diseases. Included in the 26 deaths from all causes for Cork is one from whooping-cough, and one of the 17 deaths from all causes for Limerick is from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 202—102 boys and 100 girls—and the deaths to 188—84 males and 104 females.

The deaths registered, omitting the deaths (numbering 16) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 22·1 per 1,000 of the population. During the three weeks ending with Saturday last the death-rate averaged 22·2 and was 1·5 below the mean rate for the corresponding portions of the ten years 1909–18. The rate for all deaths registered during the three weeks was 24·2 and for the corresponding period of the preceding ten years 25·1.

Of the 172 deaths appertaining to the Area one was from measles, 3 were from diarrhœa and enteritis of children under 2 years, and 10 from influenza.

In the 3 preceding weeks deaths from diarrhœa and enteritis of children under 2 years numbered 4, one, and 2, and deaths from influenza 9, 10, and 6, respectively. One death from measles was registered in the three preceding weeks.

Deaths attributed to pneumonia were 10 (comprising 5 from broncho-pneumonia, 3 from lobar pneumonia, and 2 from pneumonia, type not distinguished), as against 24, 22, and 21 in the three weeks preceding.

Tuberculous disease caused 26 deaths (comprising 22 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 2 from disseminated tuberculosis), as against 22, 27, and 24 in the three weeks preceding.

Seven deaths were caused by cancer, 29 by organic diseases of the heart, and 25 by bronchitis.

Among deaths of infants under one year old, one was due to convulsions, 4 to broncho-pneumonia, 3 to diarrhœa and enteritis, one to congenital malformation, 3 to premature birth, and 4 to congenital debility.

There was one death caused by accidental violence.

Thirty-four of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 25 being infants under one year, of whom 4 were under one month old, and 54 deaths were those of persons aged 65 and upwards, of whom 40 were 70 years of age or over.

Of the 172 deaths recorded, 65 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 18th January, in 96 large English towns (including London, in which the rate was 14·8 was equal to an average annual death rate of 15·5 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 17·0 per 1,000 persons living, the rate for Glasgow being 14·9 and for Edinburgh 21·1.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 18th January. From this Report it appears that of 48 cases notified, 17 were diphtheria, 13 pulmonary tuberculosis, 4 other forms of tuberculosis, 11 scarlet fever and 3 erysipelas. Among the 404 cases of infectious diseases in hospital at the close of the week were 158 of pulmonary tuberculosis, 89 of scarlet fever, 67 of diphtheria, 36 of whooping-cough, 14 of influenza, 8 of measles, and 3 of erysipelas.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 18th January, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Dec. 28	.	—	—	4	.	.	.	.	.	.	1	.	—	—	.	—	.	1	6
	Jan. 4	.	—	—	7	.	.	2	.	.	4	4	.	—	—	.	—	.	14	31
	Jan. 11	.	—	—	11	.	.	1	.	1	.	3	.	—	—	.	—	.	8	24
	Jan. 18	.	—	—	4	.	.	1	.	.	.	5	.	—	—	.	—	.	9	19
Rathmines and Rathgar Urban District.	Dec. 28	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Jan. 4	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Jan. 11	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	.	—	2
	Jan. 18	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
Pembroke Urban District.	Dec. 28	.	.	.	3	.	.	.	.	.	.	1	.	—	.	.	—	.	.	4
	Jan. 4	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	.	1	1
	Jan. 11	.	.	.	2	.	.	1	.	.	.	.	.	—	3	.	—	.	.	6
	Jan. 18	.	2	.	.	.	.	.	.	.	.	.	.	—	3	.	—	.	.	5
Blackrock Urban District.	Dec. 28	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Jan. 4	.	.	—	1	.	.	.	.	.	.	.	.	—	—	.	—	.	.	1
	Jan. 11	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Jan. 18	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
Kingstown Urban District.	Dec. 28	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Jan. 4	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Jan. 11	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Jan. 18	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
City of Belfast	Dec. 28	.	—	—	3	.	.	3	1	.	1	.	.	—	—	1	—	.	.	11*a*
	Jan. 4	.	—	—	9	.	.	1	.	.	.	.	.	—	—	.	—	.	1	17*b*
	Jan. 11	.	—	—	6	.	.	5	.	.	1	3	.	—	—	.	—	.	6	22*c*
	Jan. 18	.	—	—	9	.	.	4	.	.	4	2	.	—	—	1	—	.	.	20
City of Cork.	Dec. 28	.	.	—	2	.	.	1	.	.	2	1	.	—	—	—	.	.	—	6
	Jan. 4	.	.	—	.	.	.	2	.	.	1	.	.	—	—	—	.	.	—	3
	Jan. 11	.	.	—	3	.	.	2	.	.	.	.	.	—	—	—	.	.	—	5
	Jan. 18	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	.	.	—	.
City of Londonderry.	Dec. 28	.	—	—	3	1	.	.	.	.	.	.	.	—	—	.	—	—	—	4
	Jan. 4	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Jan. 11	.	—	—	.	.	.	.	.	.	.	1	.	—	—	.	—	—	—	1
	Jan. 18	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
City of Limerick.	Dec. 28	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Jan. 4	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Jan. 11	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Jan. 18	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
City of Waterford.	Dec. 28	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 4	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	1
	Jan. 11	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 18	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.

(*a*) Including 2 cases of septic pneumonia. (*b*) Including 6 cases of septic pneumonia.
(*c*) Including one case of septic pneumonia.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th January, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever one and 10; measles 3 and 4; scarlet fever 6 and 47*; and diphtheria 2 and 9. Eight cases of pneumonia were admitted during the week and 35 remained under treatment at its close, as compared with 78, 67 and 66 at the close of the three preceding weeks. Of the deaths in hospital during the week one was from scarlet fever.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 18th January, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	POPULATION. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS	Annual Rate per 1,000 Persons Represented by DEATHS. From all Causes.	Annual Rate per 1,000 Persons Represented by DEATHS. From certain Epidemic Diseases (b)	REGISTRATION—WEEK ENDING SATURDAY, 18TH JANUARY, 1919. NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number	Under 1 year of Age	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 18TH JANUARY, 1919. Air Temperature. Absolute Highest.	Absolute Lowest	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	23·7	19·6	0·6	520	429	64	139	1	·	·	2	·	1	·	·	49	17	16	36	61	9	1	8	9	144	11	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	26·0	22·1	0·5	202	172	25	54	·	·	·	1	·	·	·	·	22	4	7	10	28	3	·	1	·	65	3	(d) 52·9	27·9	46·4	35·0	40·7	0·56
Urban Districts. CITY OF DUBLIN,	310,500	38·0	26·7	24·5	0·5	159	146	21	47	·	·	·	·	·	·	·	·	19	4	7	7	26	3	·	1	·	56	3	(e) 53·0 (f) 53·0	31·8 28·4	45·7 46·6	37·7 35·8	41·7 41·2	0·45 0·51
RATHMINES and RATHGAR	39,400	23·0	21·2	17·2	·	16	13	2	4	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	6	·	·	·	·	·	·	·
PEMBROKE, ..	29,500	18·8	33·6	19·4	1·8	19	11	2	2	·	·	·	1	·	·	·	·	1	·	·	3	2	·	·	·	·	2	·	·	·	·	·	·	·
BLACKROCK, ..	9,000	8·3	29·0	·	·	5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ..	16,600	11·4	9·4	6·3	·	3	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	53	32	45·4	38·6	42·0	0·49
Urban Districts. BELFAST, ..	401,000	26·8	26·5	15·7	0·9	204	121	22	29	·	·	·	1	·	·	·	·	16	7	5	10	15	5	1	5	6	35	2	52·0	30·0	44·9	33·3	39·1	0·45
CORK, ...	76,673	28·6	12·2	17·7	0·7	18	26	2	9	·	·	·	·	·	1	·	·	2	1	1	2	1	·	·	·	·	15	3	49	32	47·3	37·3	42·3	1·62
LONDONDERRY, ..	41,000	15·9	24·2	17·8	·	19	14	2	6	·	·	·	·	·	·	·	·	1	1	·	3	2	·	·	1	1	1	·	·	·	·	·	·	·
LIMERICK, ..	38,518	16·1	20·3	23·0	1·4	15	17	·	9	1	·	·	·	·	·	·	·	·	1	·	1	6	·	·	·	·	7	1	·	·	·	·	·	·
WATERFORD, ..	27,464	19·1	34·2	45·6	1·9	18	24	6	7	·	·	·	·	·	·	·	·	2	1	2	3	7	1	·	·	·	5	·	·	·	·	·	·	·
GALWAY, ...	13,255	2·5				2	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	51	26	48	33	40·5	0·97
DUNDALK, ..	13,128	9·5				2	2	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
LURGAN, ..	12,553	14·7				6	3	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	51·6	28·4	45·0	33·9	39·5	0·46
DROGHEDA, ..	12,501	8·4				3	5	1	4	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·
LISBURN, ..	12,388	10·9				2	7	2	4	·	·	·	·	·	·	·	·	·	·	·	2	1	·	·	·	1	2	·	51·6	28·4	45·0	33·9	39·5	0·46
NEWRY, ...	11,963	17·0				7	4	·	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	·	51·6	28·4	45·0	33·9	39·5	0·46
PORTADOWN, ..	11,727	15·3				4	3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	51·6	28·4	45·0	33·9	39·5	0·46
WEXFORD, ..	11,531	22·8				5	5	·	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·
BALLYMENA, ..	11,381	9·3				·	3	·	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
SLIGO, ...	11,163	3·8				3	8	2	1	·	·	·	·	·	·	·	·	1	·	1	3	·	·	·	·	·	3	·	49	24	45	32	38·5	2·13
KILKENNY, ..	10,514	11·4				1	4	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	1	1	1	·	52	24	45·5	30·1	37·8	1·14
TRALEE, ...	10,300	17·4				·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
CLONMEL, ..	10,209	7·8				9	6	·	2	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	3	·	48	23	45·5	30·7	38·1	1·50
LONDON	4,026,901	—	—	14·8	—	1,392	1,141	154	437	2	—	·	2	2	1	11	—	122	20	69	96	157	21	7	29	89	515	2	54	30	47·0	34·6	40·8	0·47
EDINBURGH ...	336,500	—	—	21·1	—	100	135	22	56	·	·	·	·	·	8	4	—	—	—	—	—	—	·	—	5	—	—	—	47·0	33·0	42·3	35·4	38·8	0·21
GLASGOW	1,118,700	—	—	14·9	—	409	319g	55	78	·	·	·	·	1	6	4	—	—	—	—	—	—	2	—	9	—	—	—	46·0	32·1	42·5	36·8	39·6	0·75

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 3rd Week of the 5 years, 1914-1918	Deaths registered during week ending Saturday, 18th January, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15	15—20	20—25	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards		
ALL CAUSES.	194·4	188	5	21	4	5	4	3	4	3	12	16	26	27	30	28	172	
Enteric Fever ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles	4·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	
Scarlet Fever ..	1·0	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
Whooping-cough ..	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diphtheria	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza	2·8	10	.	.	.	2	1	.	.	.	3	.	3	.	1	.	10	
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Pyæmia and Septicæmia (non-puerperal).	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
TUBERCULOSIS.																		
Pulmonary Tuberculosis	19·4	22	.	.	.	.	1	.	3	1	.	6	4	4	3	.	22	
Tuberculous Meningitis	1·0	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	
Abdominal Tuberculosis	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis of the Spinal Column.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis of Joints	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis of other Organs.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Disseminated Tuberculosis.	2·2	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2	
Venereal Diseases ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cancer	10·2	12	.	.	.	.	.	.	.	.	2	2	4	2	2	.	7	
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Rheumatic Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diabetes	1·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	
Anæmia, Leucocythæmia.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other General Diseases	2·4	4	.	1	.	.	.	.	.	.	.	.	.	1	2	.	4	
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Simple Meningitis ..	1·4	3	.	1	.	1	.	1	.	.	.	.	.	.	.	.	3	
Cerebral Hæmorrhage, Apoplexy.	8·6	8	.	.	.	.	.	.	.	.	.	.	.	1	4	3	8	
Softening of Brain ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Paralysis, without specified cause.	2·2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	
Epilepsy, ...	·6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	
Convulsions (non-puerperal).	2·8	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	
Other Diseases of Nervous System.	4·4	2	.	.	.	.	1	.	.	.	.	.	.	1	.	.	2	
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Acute Endocarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Organic Diseases of the Heart.	20·8	32	.	.	.	.	.	.	.	.	.	4	6	9	6	7	29	
Embolism and Thrombosis (including Cerebral).	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Circulatory System.	1·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	
Diseases of the Larynx	·8	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	
Bronchitis	29·2	27	.	5	.	1	.	.	.	.	1	.	2	5	6	7	25	
Broncho-pneumonia ..	8·8	5	.	4	.	.	.	.	.	.	.	.	.	1	.	.	5	
Lobar pneumonia ..	·8	3	.	.	.	.	.	.	.	.	1	1	1	.	.	.	3	
Pneumonia (type not distinguished).	5·4	4	.	.	1	.	.	.	.	2	.	.	1	.	.	.	2	
Pleurisy	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	
Pulmonary Congestion, Pulmonary Apoplexy.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Respiratory System	1·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	

in the THIRD WEEK, ending Saturday, 18th January, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 3rd Week of the 5 years 1914-1918.	Deaths registered during week ending Saturday, 18th January, 1919.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.											
Diseases of the Pharynx. Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	1·6	2	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1
Diarrhœa and Enteritis of Children under 2 years.	2·8	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	3
Diarrhœa 2 years and upwards.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	2·2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	2
Cirrhosis of Liver ..	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown).	·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Other Diseases of Digestive System.	1·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Acute Nephritis ..	1·0	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Chronic Bright's Disease	5·0	4	.	.	.	1	.	.	.	.	2	.	.	1	.	.	4
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	·2	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2
Diseases of Skin and Cellular Tissues.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	1·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Premature Birth ..	4·4	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	3
Congenital Debility ..	6·6	5	2	3	.	.	.	.	.	.	.	.	.	.	.	.	4
Old Age	8·8	10	.	.	.	.	.	.	.	.	.	.	.	.	3	7	10
Other Specified Diseases	·2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
VIOLENCE.																	
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Violent Deaths		1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Not included in above—																	
Homicide, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes,	1·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1

TABLE IV.—Showing for the WEEK ENDED 18TH JANUARY, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 18TH JANUARY, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No 1, E., ...	30,000	20·9	·	12	1	·	·	1	·	·	4	6	·	·	·	·	·	·	·	·	2	1	·	·	2	·	·	·	7	·	·	4	·
" 1, W., ...	41,100	25·4	1·3	20	5	2	1	·	·	1	5	6	·	·	·	·	·	·	·	·	3	·	1	2	3	1	·	1	9	·	2	4	·
" 2, ...	27,500	19·0	·	10	3	·	1	·	1	1	4	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	7	·	3	1	1
" 3, ...	34,100	26·0	·	17	3	·	·	1	1	1	6	5	·	·	·	·	·	·	·	·	2	·	1	·	4	·	·	·	10	·	2	6	·
CLONTARF AND HOWTH, No. 1, part of	5,500	37·9	·	4	1	·	·	·	·	3	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	2	·	1	·	·
CODLOCK AND DRUMCONDRA, part of ..	13,600	26·8	·	7	1	·	·	·	·	·	3	3	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	5	·	1	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	14·1	·	3	·	·	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	20·6	·	17	·	·	2	1	1	1	4	8	·	·	·	·	·	·	·	·	2	1	1	1	3	·	·	·	9	·	·	8	·
" 2, ...	18,200	37·2	·	13	·	·	·	2	·	2	4	5	·	·	·	·	·	·	·	·	5	·	·	·	1	·	·	·	7	·	3	7	·
" 3, ...	43,300	30·1	·	25	2	·	·	·	1	4	8	10	·	·	·	·	·	·	·	·	3	·	·	2	7	·	·	·	13	·	4	5	2
" 4, ...	32,800	23·8	1·6	15	4	·	1	1	·	4	2	3	·	·	·	·	·	·	·	·	·	1	1	1	4	1	·	·	7	·	2	2	·
NEW KILMAINHAM, ...	10,300	15·2	5·1	3	1	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	1	·	·	1	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	17·2	·	13	2	·	·	·	·	4	3	4	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	11	·	5	1	·
PEMBROKE	29,500	19·4	1·8	11	2	2	·	1	1	2	1	2	·	·	·	1	·	·	·	·	1	·	·	3	2	·	·	·	4	·	2	·	·
BLACKROCK, ...	9,000	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ...	16,600	6·3	·	2	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	1	·
TOTAL CITY. North, ...	162,900	23·4	0·3	73	14	2	2	2	2	6	24	21	·	·	·	·	·	·	·	·	8	2	5	3	11	1	·	1	42	·	9	15	1
TOTAL CITY. South, ...	147,600	25·8	0·7	73	7	·	3	4	3	12	18	26	·	·	·	·	·	·	·	·	11	2	2	4	15	2	·	·	37	·	9	23	2
TOTAL CITY. North and South, ..	310,500	24·5	0·5	146	21	2	5	6	5	18	42	47	·	·	·	·	·	·	·	·	19	4	7	7	26	3	·	1	79	·	18	38	3
Total Urban Districts, ...	94,500	14·3	0·6	26	4	2	·	1	1	6	5	7	·	·	·	1	·	·	·	·	3	·	·	3	2	·	·	·	17	·	7	2	·
Total Registration Area, ..	405,000	22·1	0·5	172	25	4	5	7	6	24	47	54	·	·	·	1	·	·	·	·	22	4	7	10	28	3	·	1	96	·	25	40	3
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				16	1	·	·	·	1	4	6	4	·	·	·	·	1	·	·	·	·	·	5	2	2	·	·	·	6	·	12	4	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 18th January, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 18TH JANUARY, 1919.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages: Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	188	35	7	7	28	53	30	28	.	.	.	1	1	.	.	.	22	4	12	2	12	30	3	.	1	100	3
	CLASSES.																													
	DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	10·7	3	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS	101,798	22·0	43	7	1	1	6	15	5	8	.	.	.	.	.	.	.	.	1	.	5	.	2	3	1	.	.	31	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	19·7	41	4	1	4	5	16	8	3	.	.	.	1	.	.	.	.	8	.	1	.	3	3	1	.	1	23	.
IV.	GENERAL SERVICE CLASS	167,479	17·7	57	21	4	1	13	10	2	6	.	.	.	.	1	.	.	.	4	4	3	2	3	14	.	.	.	23	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	44	3	1	1	4	12	14	9	.	.	.	.	.	.	.	.	9	.	3	.	1	10	1	.	.	20	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	5	1	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	12	2	.	.	1	5	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	10	.
	6. Clerks and Commercial Assistants,	33,249	—	14	4	.	.	5	4	1	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	1	.	.	9	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	12	.	.	1	.	3	2	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	10	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	4	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
	9. Building and Furnishing Trades, ..	28,823	—	9	.	.	.	2	4	2	1	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	.	1	4	.
	10. Clothing Trades, ...	20,026	—	5	.	.	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.
	11. Food Supply Trades, ...	8,952	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	19	2	1	2	1	8	4	1	.	.	.	1	.	.	.	.	3	.	.	.	1	1	.	.	.	13	.
	13. Petty Shopkeepers, ...	6,772	—	3	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	9	3	2	.	1	2	.	1	.	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	4	.
	15. Domestic Servants, ...	36,041	—	4	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	5	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	39	15	2	1	7	7	2	5	.	.	.	.	1	.	.	.	4	2	2	2	4	9	.	.	.	15	3
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	44	3	1	1	4	12	14	9	.	.	.	.	.	.	.	.	9	.	3	.	1	10	1	.	.	20	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Oct. 26.	Nov. 2.	Nov 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.
No. of weeks in Annual Series ..	43	44	45	46	47	48	49	50	51	52	1	2	3	43	44	45	46	47	48	49	50	51	52	1	2	3
BIRTHS registered	174	126	198	243	195	177	179	165	150	105	188	195	202	158	158	155	159	167	162	191	185	144	102	185	193	204
Average Births in corresponding week of previous 10 years, ...	191	198	196	195	186	192	176	200	164	153	211	225	206	185	185	188	174	173	181	173	179	172	165	233	200	209
Number of Deaths, ...	362	501	459	349	244	199	172	168	145	156	182	165	172	104	132	256	412	490	463	314	186	145	146	133	157	121
Annual Death-rate per 1,000 ..	47·3	65·5	60·0	45·6	31·9	26·0	22·5	22·0	18·9	20·4	23·4	21·2	22·1	13·8	17·5	34·0	54·7	65·0	61·4	41·7	24·7	19·2	19·4	17·3	20·4	15·7
Average Deaths in corresponding week of previous 10 years, ...	120	137	155	143	156	157	164	161	158	156	189	176	182	119	112	125	126	134	129	144	144	144	155	150	157	144
Ages, .. Under one year, ..	23	40	32	36	33	24	19	32	33	28	43	31	25	18	14	19	45	39	35	48	25	17	16	26	26	22
1— 5 years, ..	45	59	60	37	20	10	14	20	12	13	14	6	9	6	10	30	60	72	79	40	20	17	18	12	9	7
5—25 ,, ..	85	93	96	60	46	23	28	22	17	27	16	15	13	14	30	58	91	100	106	46	27	25	28	13	10	22
25—45 ,, ..	108	161	134	106	54	49	43	29	21	23	29	26	24	24	26	72	106	131	107	84	45	31	30	17	25	19
45—65 ,, ..	58	90	74	57	46	51	29	27	28	31	32	39	47	18	27	57	70	92	81	56	40	30	31	35	38	22
65 and upwards, ..	43	58	63	53	45	42	41	38	34	34	48	48	54	24	25	20	40	56	55	40	29	25	23	30	49	29
Deaths from :—																										
Enteric Fever, ...	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	1	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1
Scarlet Fever, ...	.	.	1	2	.	.	.	1	.	.	.	.	.	.	2	.	1	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	1	2	1	.	.	1	.	1	.	.	2	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.
Diphtheria, ...	1	.	3	3	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	1	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	19	18	18	18	24	12	16	16	11	17	19	20	22	19	18	16	26	34	17	16	19	13	21	12	20	16
Tuberculosis { Other Forms, ..	4	8	.	2	2	6	3	6	2	5	8	4	4	3	4	5	7	.	2	5	4	6	5	7	3	7
Cancer, ...	12	15	11	8	11	9	8	10	4	6	9	5	7	4	5	7	5	4	4	10	4	5	7	6	7	5
Diseases of Respiratory System, { Pneumonia ..	69	89	88	59	27	31	24	20	18	24	22	21	10	13	17	66	127	136	146	75	38	21	17	23	17	10
Diseases of Respiratory System, { Others, ..	24	36	43	27	33	25	12	22	16	19	31	25	28	11	27	71	111	181	171	117	56	33	32	22	30	15
Diarrhœa and Enteritis, under 2 years, ...	3	1	5	4	1	1	5	2	2	4	1	2	3	4	1	2	3	2	.	3	1	2	2	2	2	5
Diarrhœa, 2 years and upwards..	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
Violent Deaths, ...	4	3	5	4	3	2	1	8	3	7	1	2	1	4	.	1	2	3	3	5	2	5	2	3	2	5
Number of Uncertified Deaths, ..	8	5	5	4	5	6	4	4	3	5	9	6	3	3	1	2	4	9	3	5	1	2	2	5	1	2
A Mean Maximum Temperature in degs.	53·0	—	—	—	—	50·6	56·7	52·7	45·4	48·4	44·6	43·1	46·4	51·7	—	—	—	—	49·5	55·0	53·3	45·6	47·0	45·3	44·1	44·9
B Mean Minimum ,, ,,	34·3	—	—	—	—	38·6	46·6	42·0	34·4	34·1	34·3	32·3	35·0	40·5	—	—	—	—	39·6	43·3	43·0	34·0	34·2	35·6	35·3	33·3
Mean of A and B ,, ,,	43·7	—	—	—	—	44·6	51·7	47·4	39·9	41·3	39·5	37·7	40·7	46·1	—	—	—	—	44·6	49·1	48·1	39·8	40·6	40·4	39·7	39·1
Rainfall in inches	0·18	—	—	—	—	0·54	0·34	0·70	1·11	0·75	0·64	1·00	0·56	0·15	—	—	—	—	1·11	1·02	0·89	0·78	0·91	2·72	1·41	0·45

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 18th January, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	5	9·9	·	3	·	·	·	·	3	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	·	1	·
Do. 2 do.	49,500	21	14·7	·	14	1	1	4	5	1	2	·	·	·	·	·	·	·	·	5	·	1	·	2	·	·	1	1	3	·
Do. 3 do.	50,032	25	16·7	3·1	16	5	2	2	4	3	·	·	·	·	·	·	·	·	·	1	2	1	2	2	2	1	·	1	5	1
Do. 4 do.	32,637	18	27·2	3·2	17	3	1	4	1	3	5	·	·	·	·	·	·	·	·	1	·	·	1	3	2	·	2	2	8	1
Do. 5 do.	16,112	9	9·7	·	3	·	1	1	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	1	2	·
Do. 6 do.	37,293	12	15·4	·	11	1	·	1	2	1	6	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	3	·
Do. 7 do.	2,681	2	19.4	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Do. 8 do.	5,964	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 9 do.	24,427	10	12·8	·	6	1	·	1	2	2	·	·	·	·	·	·	·	·	·	1	1	1	·	1	·	·	·	·	2	·
Do. 10 do.	28,958	25	14·4	1·8	8	2	·	2	2	2	·	·	·	·	·	·	·	·	·	4	·	1	·	·	1	·	·	·	·	·
Do. 11 do.	39,311	26	11·9	1.3	9	1	1	1	1	·	5	·	·	·	1	·	·	·	·	1	1	·	·	·	·	·	·	·	2	·
Do. 12 do.	38,076	23	20·5	·	15	6	1	1	·	1	6	·	·	·	·	·	·	·	·	·	·	·	3	2	·	·	1	1	4	·
Do 13 do.	23,233	12	18·0	·	8	1	·	1	·	4	2	·	·	·	·	·	·	·	·	1	1	·	2	·	·	·	·	·	1	·
Do. 14 do	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	12	23·0	·	10	1	·	3	2	2	2	·	·	·	·	·	·	·	·	1	1	·	1	1	·	·	·	·	4	·
Total,	386,947	204	15·7	0·9	121	22	7	22	19	22	29	·	·	·	1	·	·	·	·	16	7	5	10	15	5	1	5	6	35	2
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	5	15·5	·	4	·	·	1	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do 2 do.	10,399	7	20·1	·	4	·	1	1	1	·	1	·	·	·	·	·	·	·	·	1	·	·	2	1	·	·	·	·	2	·
Do. 3 do.	9,793	2	31·9	5·3	6	1	2	·	1	·	2	·	·	·	·	·	1	·	·	·	1	1	·	·	·	·	·	·	3	1
Do. 4 do.	9,139	3	28·5	·	5	1	·	·	·	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	2
Do. 5 do.	6,250	1	8·3	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 6 do.	11,581	·	4·5	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do 7 do	16,056	·	16·2	·	5	·	·	1	3	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	5	·
Total.	76,673	18	17·7	0·7	26	2	3	3	5	4	9	·	·	·	·	·	1	·	·	2	1	1	2	1	·	·	·	·	15	3

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 18th January, 1919.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ..	.	1	.	.	.	.	.	.	2	.	.	.	3	6
" " 1, West ..	.	.	.	.	.	.	.	.	1	.	.	.	3	4
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	1	.	.	.	.	.	.	.	.	.	.	.	1
" " " 2, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
" " " 3, ...	.	2	.	.	.	.	.	.	.	.	.	.	.	2
" " " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
New Kilmainham, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Total, ...	.	4	.	.	1	.	.	.	5	.	.	.	9	19

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 18th January, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 18th January.			
	Dec. 28.	Jan. 4.	Jan. 11.	No. admitted	Dis charged	Died.	No under treatment at close of week.
Enteric Fever, ...	11	12	10	1	1	.	10
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	3	4	4	3	3	.	4
Scarlet Fever	52	49	51	6	9	1	47*
Diphtheria, ...	4	5	9	2	2	.	9
Pneumonia, ...	78	67	66	8	39	.	35

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12446). Wt. 5558. 380. 1, 1919. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 4. VOL. LVI.] WEEK ENDING SATURDAY, 25TH JANUARY, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 27th January, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 20·8 and 20·9; Dublin Registration Area, 23·0 and 22·4; Dublin City, 23·5 and 23·7; Belfast, 18·9 and 18·1; Cork, 21·8 and 19·2; Londonderry, 29·3 and 26·4; Limerick, 23·0 and 25·0; and Waterford, 13·3 and 25·2.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·7 per 1,000. Among the 145 deaths from all causes for Belfast are one from diphtheria and 2 from diarrhœa and enteritis of children under 2 years. Included in the 32 deaths from all causes for Cork are one from scarlet fever and 2 from diarrhœa and enteritis of children under 2 years, and of the 23 deaths from all causes for Londonderry one is from typhus and one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 197—104 boys and 93 girls—and the deaths to 193—92 males and 101 females.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·0 per 1,000 of the population. During the four weeks ending with Saturday last the death-rate averaged 22·4 and was 1·4 below the mean rate for the corresponding portions of the ten years 1909–18. The rate for all deaths registered during the four weeks was 24·4 and for the corresponding period of the preceding ten years 25·2.

Of the 179 deaths appertaining to the Area one was from scarlet fever, one from diphtheria, 3 were from diarrhœa and enteritis of children under 2 years, and 6 from influenza.

In the 3 preceding weeks deaths from diarrhœa and enteritis of children under 2 years numbered one, 2, and 3, and deaths from influenza 10, 6, and 10 respectively. There were no deaths from scarlet fever or diphtheria registered in the three preceding weeks.

Deaths attributed to pneumonia were 15 (comprising 10 from broncho-pneumonia, one from lobar pneumonia, and 4 from pneumonia, type not distinguished), as against 22, 21, and 10 in the three weeks preceding.

Tuberculous disease caused 32 deaths (comprising 21 from pulmonary tuberculosis, 4 from tuberculous meningitis, and 7 from other forms of tuberculosis), as against 27, 24, and 26 in the three weeks preceding.

Ten deaths were caused by cancer, 14 by organic diseases of the heart, and 21 by bronchitis.

Among deaths of infants under one year old, 4 were due to convulsions, 6 to bronchitis, 4 to broncho-pneumonia, 2 to diarrhœa and enteritis, one to congenital malformation, 3 to premature birth, and 2 to congenital debility.

There were 5 deaths caused by accidental violence, 3 of which were by burns, one of the latter being the death of a child aged 3 years.

Fifty-one of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 31 being infants under one year, of whom 11 were under one month old and 45 deaths were those of persons aged 65 and upwards, of whom 32 were 70 years of age or over.

Of the 179 deaths recorded, 70 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 25th January, in 96 large English towns (including London, in which the rate was 14·1 was equal to an average annual death rate of 15·0 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 18·1 per 1,000 persons living, the rate for Glasgow being 16·4 and for Edinburgh 21·4.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 25th January. From this Report it appears that of 42 cases notified, 14 were scarlet fever, 12 diphtheria, 10 pulmonary tuberculosis, 2 other forms of tuberculosis, 3 erysipelas and one cerebro-spinal fever. Among the 421 cases of infectious diseases in hospital at the close of the week were 162 of pulmonary tuberculosis, 90 of scarlet fever, 61 of diphtheria, 40 of whooping-cough, 20 of influenza, 8 of measles, 5 of erysipelas, and one of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 25th January, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Jan. 4	.	—	—	7	.	.	2	.	.	4	4	.	—	—	.	—	.	14	31
	Jan. 11	.	—	—	11	.	.	1	.	1	.	3	.	—	—	.	—	.	8	24
	Jan. 18	.	—	—	4	.	.	1	.	.	.	5	.	—	—	.	—	.	9	19
	Jan. 25	.	—	—	7	.	.	2	.	.	2	.	.	—	—	.	—	.	8	19
Rathmines and Rathgar Urban District.	Jan. 4	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Jan. 11	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	.	—	2
	Jan. 18	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Jan. 25	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	.	—	1
Pembroke Urban District.	Jan. 4	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	.	1	*1
	Jan. 11	.	.	.	2	.	.	1	.	.	.	.	.	—	3	.	—	.	.	6
	Jan. 18	.	2	.	.	.	.	.	.	.	.	.	.	—	3	.	—	.	.	5
	Jan. 25	.	1	.	2	.	.	.	.	.	.	.	.	—	.	.	—	.	.	3
Blackrock Urban District.	Jan. 4	.	.	—	1	.	.	.	.	.	.	.	.	—	—	.	—	.	.	1
	Jan. 11	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Jan. 18	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Jan. 25	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
Kingstown Urban District.	Jan. 4	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Jan. 11	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Jan. 18	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Jan. 25	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
City of Belfast	Jan. 4	.	—	—	9	.	.	1	.	.	.	.	.	—	—	.	—	.	1	17*a*
	Jan. 11	.	—	—	6	.	.	5	.	.	1	3	.	—	—	.	—	.	6	22*b*
	Jan. 18	.	—	—	9	.	.	4	.	.	4	2	.	—	—	1	—	.	.	20
	Jan. 25	.	—	—	9	.	.	.	1	.	2	1	.	—	—	.	—	.	2	15
City of Cork.	Jan. 4	.	.	—	.	.	.	2	.	.	1	.	.	—	—	—	.	.	—	3
	Jan. 11	.	.	—	3	.	.	2	.	.	.	.	.	—	—	—	.	.	—	5
	Jan. 18	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	.	.	—	.
	Jan. 25	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	.	.	—	.
City of Londonderry.	Jan. 4	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Jan. 11	.	—	—	.	.	.	.	.	.	.	1	.	—	—	.	—	—	—	1
	Jan. 18	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 25	.	—	—	1	.	.	1	.	.	.	1	.	—	—	.	—	—	—	3
City of Limerick.	Jan. 4	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Jan. 11	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Jan. 18	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Jan. 25	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
City of Waterford.	Jan. 4	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	1
	Jan. 11	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 18	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 25	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.

(*a*) Including 6 cases of septic pneumonia. (*b*) Including one case of septic pneumonia.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th January, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 3 and 11; measles 5 and 8; scarlet fever 13 and 46*; and diphtheria one and 7. Six cases of pneumonia were admitted during the week and 34 remained under treatment at its close, as compared with 67, 66 and 35 at the close of the three preceding weeks. Of the deaths in hospital during the week one was from each of enteric fever, scarlet fever and diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 25th January, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases (b)	Registration—Week ending Saturday, 25th January, 1919. Numbers Registered. Births. Total Number.	Deaths. Total Number	Under 1 year of Age	At 65 years and upwards	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Meteorology. (c) Week ending 25th January, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	22·2	20·8	0·7	487	456	83	127	·	1	·	·	2	1	2	·	46	22	18	37	74	8	1	9	8	144	29	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	25·4	23·0	0·8	197	179	31	45	·	·	·	·	1	·	1	·	21	11	10	15	24	3	1	5	2	70	8	(d) 49·2	28·0	47·7	34·6	41·2	0·45
Urban Districts. CITY OF DUBLIN,	310,500	38·0	27·7	23·5	1·0	165	140	26	30	·	·	·	·	1	·	1	·	20	9	6	11	20	3	1	3	1	61	5	(e) 48·8 (f) 49·4	32·2 29·6	46·8 47·3	37·8 35·8	42·3 41·5	0·35 0·50
Urban Districts. RATHMINES and RATHGAR	39,400	23·0	17·2	14·6	·	13	11	·	7	·	·	·	·	·	·	·	·	1	1	2	·	2	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ...	29,500	18·8	17·7	19·4	·	10	11	1	2	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	1	1	3	1	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,000	8·3	11·6	23·2	·	2	4	1	2	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	1	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,600	11·4	22·0	40·8	·	7	13	3	4	·	·	·	·	·	·	·	·	·	1	·	2	·	·	·	·	·	3	2	49	32	46·3	39·1	42·7	0·26
Urban Districts. BELFAST, ..	401,000	26·8	19·6	18·9	0·4	151	145	33	39	·	·	·	·	·	·	1	·	13	6	2	10	34	2	·	4	5	39	3	49·0	31·6	46·6	36·3	41·4	0·94
Urban Districts. CORK, ...	76,673	28·6	30·6	21·8	2·0	45	32	5	12	·	·	·	·	1	·	·	·	4	·	3	·	3	2	·	·	·	16	2	51	33	48·7	40·1	44·4	0·83
Urban Districts. LONDONDERRY, ..	41,000	15·9	34·3	29·3	2·5	27	23	2	9	·	1	·	·	·	1	·	·	4	2	·	2	1	·	·	·	·	1	1	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	21·7	23·0	·	16	17	2	7	·	·	·	·	·	·	·	·	1	·	·	4	3	·	·	·	·	5	3	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	19·0	13·3	·	10	7	3	1	·	·	·	·	·	·	·	·	1	·	1	1	3	·	·	·	·	·	4	·	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5				8	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	51	27	48·4	36·4	42·4	0·77
Urban Districts. DUNDALK, ..	13,128	9·5				2	4	·	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				5	5	·	1	·	·	·	·	·	·	·	·	1	·	2	·	·	·	·	·	·	2	·	48·2	35·4	46·7	39·0	42·8	0·67
Urban Districts. DROGHEDA, ..	12,501	8·4	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			3	9	2	2	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				3	4	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	1	1	48·2	35·4	46·7	39·0	42·8	0·67
Urban Districts. NEWRY, ...	11,963	17·0				3	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	48·2	35·4	46·7	39·0	42·8	0·67
Urban Districts. PORTADOWN, ..	11,727	15·3				5	6	2	·	·	·	·	·	·	·	·	·	1	1	·	·	1	·	·	·	·	4	·	48·2	35·4	46·7	39·0	42·8	0·67
Urban Districts. WEXFORD, ..	11,531	22·8				4	5	2	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	2	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				·	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, .. .	11,163	3·8				4	4	·	1	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	1	50	31	47	39	43	1·09
Urban Districts. KILKENNY, ..	10,514	11·4				·	5	·	2	·	·	·	·	·	·	·	·	·	·	·	2	1	·	·	·	·	4	·	48	25	46·7	35·7	41·2	0·59
Urban Districts. TRALEE.	10,300	17·4				3	4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. CLONMEL. ..	10,209	7·8				1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	49	26	45	36	40·5	1·01
LONDON	4,026,901	—	—	14·1	—	1,340	1,091	150	393	2	—	·	3	4	1	10	—	101	23	93	94	159	18	5	28	100	392	2	42	25	39·1	29·4	34·3	0·35
EDINBURGH ...	336,500	—	—	21·4	—	103	138	26	39	·	·	·	3	2	12	1	—	—	—	—	—	—	·	—	1	—	—	—	46·0	30·0	41·1	34·7	37·9	0·57
GLASGOW	1,118,700	—	—	16·4	—	447	351	55	80	·	·	·	3	·	13	3	—	—	—	—	—	—	2	—	12	—	—	—	45·8	29·0	41·1	35·4	38·2	1·02

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 4th Week of the 5 years, 1914-1918	Deaths registered during week ending Saturday, 25th January, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.		
ALL CAUSES.	200·6	193	11	20	9	11	10	2	4	7	18	10	19	23	28	21	179
Enteric Fever ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	3·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough ..	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Croup	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	2·0	6	.	.	1	.	1	.	.	.	2	1	1	.	.	.	6
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	24·0	22	.	1	.	.	.	2	1	2	7	1	4	3	1	.	21
Tuberculous Meningitis	3·2	4	.	1	3	.	.	.	.	.	.	.	.	.	.	.	4
Abdominal Tuberculosis	1·6	3	.	1	.	.	.	.	1	.	1	.	.	.	.	.	3
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·4	2	.	.	.	1	.	.	.	.	.	1	.	.	.	.	2
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·4	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	2
Venereal Diseases ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	9·4	13	.	.	.	.	1	.	.	.	.	.	3	2	6	1	10
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·4	3	.	.	.	.	.	.	1	.	.	.	1	1	.	.	3
Other General Diseases	1·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Alcoholism ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	2·0	5	.	2	.	1	1	.	1	.	.	.	.	.	.	.	5
Cerebral Hæmorrhage, Apoplexy.	5·0	4	.	.	.	.	.	.	.	.	.	.	1	1	1	1	3
Softening of Brain ..	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Paralysis, without specified cause.	3·0	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Epilepsy, ...	1·4	3	.	.	.	.	1	.	.	.	.	1	1	.	.	.	3
Convulsions (non-puerperal).	4·0	6	3	1	1	1	.	.	.	.	.	.	.	.	.	.	6
Other Diseases of Nervous System.	2·6	5	.	.	.	.	.	.	.	1	1	1	.	1	.	1	5
Pericarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	20·6	17	.	.	.	.	.	.	.	1	3	1	1	4	3	4	14
Embolism and Thrombosis (including Cerebral).	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Other Diseases of Circulatory System.	1·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diseases of the Larynx	·2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	2
Bronchitis	29·6	22	1	5	.	.	.	.	.	.	1	1	2	4	4	4	21
Broncho-pneumonia ..	9·2	10	.	4	2	1	1	.	.	.	1	.	.	.	1	.	10
Lobar pneumonia ..	1·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Pneumonia (type not distinguished).	7·0	5	.	1	.	1	1	.	.	.	.	.	.	1	1	.	4
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	1·2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Other Diseases of Respiratory System	2·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1

in the FOURTH WEEK, ending Saturday, 25th January, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 4th Week of the 5 years 1914-1918.	Deaths registered during week ending Saturday, 25th January, 1919.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.											
Diseases of the Pharynx Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	2·0	5	.	1	.	.	.	.	.	1	1	1	.	.	.	1	4
Diarrhœa and Enteritis of Children under 2 years.	4·4	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	3
Diarrhœa 2 years and upwards.	·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Enteritis 2 years and upwards.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Peritonitis (cause unknown).	·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Other Diseases of Digestive System.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis ..	·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Chronic Bright's Disease	5·4	10	.	.	.	.	.	.	.	1	.	.	2	3	4	.	10
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Geni-to-urinary System.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c.	·2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Other causes incident to Pregnancy and Childbirth.	1·0	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Diseases of Skin and Cellular Tissues.	1·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Diseases of Locomotor System.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	1·0	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	2
Premature Birth ..	3·0	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Congenital Debility ..	4·4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2
Old Age	10·0	6	.	.	.	.	.	.	.	.	.	.	.	.	2	4	6
Other Specified Diseases	1·2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2
VIOLENCE.																	
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	2·0	3	.	.	.	1	1	.	.	.	.	.	.	.	.	1	3
Drowning	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c.	} 2·6	{ .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Violent Deaths		2	.	.	.	.	1	.	.	.	.	.	.	.	1	.	2
Not included in above—																	
Homicide, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes,	4·0	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2

TABLE IV.—Showing for the WEEK ENDED 25TH JANUARY, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
					DEATHS.								CAUSED BY																				
					WEEK ENDED SATURDAY, 25TH JANUARY, 1919.																												
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	15·6	·	9	3	·	1	·	1	·	2	2	·	·	·	·	·	·	·	·	1	·	1	1	2	·	·	·	4	·	·	1	1
" 1, W., ...	41,100	19·0	1·3	15	2	1	2	1	·	2	2	5	·	·	·	·	·	·	·	·	3	·	·	·	4	1	·	2	5	1	3	3	·
" 2, ...	27,500	32·2	5·7	17	4	2	1	·	2	5	2	1	·	·	·	·	·	·	1	·	1	1	·	1	3	2	·	·	8	·	6	3	·
" 3, ...	34,100	26·0	·	17	1	2	·	2	·	2	4	6	·	·	·	·	·	·	·	·	2	1	1	3	2	·	·	1	7	·	5	3	2
CLONTARF AND HOWTH, No. 1, part of	5,500	28·4	·	3	·	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2	·	·	·	1
COOLOCK AND DRUMCONDRA, part of ..	13,600	15·3	·	4	·	·	·	1	·	2	·	1	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	2	·	2	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	14·1	·	3	·	·	·	·	1	·	·	2	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	·	·	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	19·4	·	16	3	·	·	·	1	1	6	5	·	·	·	·	·	·	·	·	1	1	·	1	2	·	·	·	11	·	5	4	·
" 2, ...	18,200	14·3	·	5	·	1	·	·	1	1	2	·	·	·	·	·	·	·	·	·	1	2	1	·	1	·	·	·	·	·	2	2	·
" 3, ...	43,300	32·5	1·2	27	2	1	3	2	1	6	6	6	·	·	·	·	1	·	·	·	7	4	·	·	4	·	·	·	11	·	7	6	·
" 4, ...	32,800	30·2	1·6	19	8	·	3	2	·	1	3	2	·	·	·	·	·	·	·	·	1	·	1	2	2	·	1	·	12	·	4	4	1
NEW KILMAINHAM, ...	10,300	25·3	·	5	3	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	3	·	1	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	14·6	·	11	·	·	1	·	·	3	·	7	·	·	·	·	·	·	·	·	1	1	2	·	2	·	·	·	5	·	3	·	·
PEMBROKE	29,500	19·4	·	11	1	·	·	·	4	1	3	2	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	1	7	1	3	·	1
BLACKROCK, ...	9,000	23·2	·	4	1	·	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	1	·	·	·	·	·
KINGSTOWN, ...	16,600	40·8	·	13	3	2	·	·	·	1	3	4	·	·	·	·	·	·	·	·	·	1	·	2	·	·	·	·	10	·	3	·	2
TOTAL CITY. North, ...	162,900	21·8	1·3	68	10	5	4	4	4	12	12	17	·	·	·	·	·	·	1	·	10	2	4	6	11	3	·	3	28	1	16	10	4
TOTAL CITY. South, ...	147,600	25·4	0·7	72	16	2	6	6	3	9	17	13	·	·	·	·	1	·	·	·	10	7	2	5	9	·	1	·	37	·	19	16	1
TOTAL CITY. North and South, ..	310,500	23·5	1·0	140	26	7	10	10	7	21	29	30	·	·	·	·	1	·	1	·	20	9	6	11	20	3	1	3	65	1	35	26	5
Total Urban Districts, ...	94,500	21·5	·	39	5	2	1	·	4	5	7	15	·	·	·	·	·	·	·	·	1	2	4	4	4	·	·	2	22	1	9	·	3
Total Registration Area, ..	405,000	23·0	0·8	179	31	9	11	10	11	28	36	45	·	·	·	·	1	·	1	·	21	11	10	15	24	3	1	5	87	2	44	26	8
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				14	·	·	·	2	·	2	6	4	·	·	·	·	·	·	·	·	1	·	3	1	3	·	·	·	6	·	14	·	·

* See note (†) at foot of first page

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 25th January, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 25TH JANUARY, 1919.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	193	51	12	11	28	42	28	21	.	.	.	.	1	.	1	.	22	11	13	6	16	27	3	1	5	87	8
	CLASSES.																													
	DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	32·0	9	.	.	1	1	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	6	.
II.	MIDDLE CLASS	101,798	23·6	46	7	2	4	8	6	11	8	.	.	.	.	.	.	.	.	4	1	5	1	6	4	.	.	2	23	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	21·6	45	13	1	5	9	12	3	2	.	.	.	.	.	.	1	.	10	2	3	.	2	8	.	.	.	19	2
IV.	GENERAL SERVICE CLASS	167,479	20·9	67	28	9	1	7	12	6	4	.	.	.	.	1	.	.	.	5	7	4	5	8	6	2	1	3	25	6
V.	INMATES OF WORKHOUSES, ...	5,602	—	26	3	.	.	3	8	7	5	.	.	.	.	.	.	.	.	3	1	1	.	.	6	1	.	.	14	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	5	.	.	.	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	4	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	4	.	.	1	1	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	9	.	.	1	4	.	3	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	6	.
	6. Clerks and Commercial Assistants,	33,249	—	6	4	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	1	1	.	2	.	.	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	27	3	2	2	3	5	6	6	.	.	.	.	.	.	.	.	.	.	4	1	2	3	.	.	2	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	6	1	.	1	1	2	1	.	.	.	.	.	.	.	1	.	.	1	1	.	1	1	.	.	.	1	1
	9. Building and Furnishing Trades, ..	28,823	—	10	5	.	.	2	3	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1	2	.	.	.	4	.
	10. Clothing Trades, ...	20,026	—	6	1	.	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5	1
	11. Food Supply Trades, ...	8,952	—	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	17	4	1	2	5	4	.	1	.	.	.	.	.	.	.	.	4	.	2	.	.	4	.	.	.	7	.
	13. Petty Shopkeepers, ...	6,772	—	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	17	8	3	.	1	2	1	2	.	.	.	.	.	.	.	.	1	2	1	4	1	.	.	.	1	7	3
	15. Domestic Servants, ...	36,041	—	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	5	2	.	.	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	1	.	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	41	17	6	1	4	9	2	2	.	.	.	.	1	.	.	.	3	4	2	1	5	5	2	1	1	16	3
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	26	3	.	.	3	8	7	5	.	.	.	.	.	.	.	.	3	1	1	.	.	6	1	.	.	14	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in correspon ling week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Nov. 2.	Nov 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.
No. of weeks in Annual Series ..	44	45	46	47	48	49	50	51	52	1	2	3	4	44	45	46	47	48	49	50	51	52	1	2	3	4
BIRTHS registered	126	198	243	195	177	179	165	150	105	188	195	202	197	158	155	159	167	162	191	185	144	102	185	193	204	151
Average Births in corresponding week of previous 10 years, ...	198	196	195	186	192	176	200	164	153	211	225	206	214	185	188	174	173	181	173	179	172	165	233	200	209	207
Number of Deaths, ...	501	459	349	244	199	172	168	145	156	182	165	172	179	132	256	412	490	463	314	186	145	146	133	157	121	145
Annual Death-rate per 1,000 ..	65·5	60·0	45·6	31·9	26·0	22·5	22·0	18·9	20·4	23·4	21·2	22·1	23·0	17·5	34·0	54·7	65·0	61·4	41·7	24·7	19·2	19·4	17·3	20·4	15·7	18·9
Average Deaths in corresponding week of previous 10 years, ...	137	155	143	156	157	164	161	158	156	189	176	182	186	112	125	126	134	129	144	144	144	155	150	157	144	159
Ages, .. Under one year, ..	40	32	36	33	24	19	32	33	28	43	31	25	31	14	19	45	39	35	48	25	17	16	26	26	22	33
1— 5 years, ..	59	60	37	20	10	14	20	12	13	14	6	9	20	10	30	60	72	79	40	20	17	18	12	9	7	10
5—25 ,, ..	93	96	60	46	23	26	22	17	27	16	15	13	21	30	58	91	100	103	46	27	25	28	13	10	22	16
25—45 ,, ..	161	134	106	54	49	43	29	21	23	29	26	24	26	26	72	106	131	107	84	45	31	30	17	25	19	20
45—65 ,, ..	90	74	57	46	51	29	27	28	31	32	39	47	36	27	57	70	92	81	56	40	30	31	35	38	22	27
65 and upwards, ..	58	63	53	45	42	41	38	34	34	48	48	54	45	25	20	40	56	55	40	29	25	23	30	49	29	39
Deaths from :—																										
Enteric Fever, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	1	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.
Scarlet Fever, ...	.	1	2	.	.	.	1	.	.	.	.	.	1	2	.	1	.	.	1	.	.	.	.	.	.	.
Whooping-cough, ...	2	1	.	.	1	.	1	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Diphtheria, ...	.	3	3	.	1	1	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	1	.	.	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	18	18	18	24	12	16	16	11	17	19	20	22	21	18	16	26	34	17	16	19	13	21	12	20	16	13
Other Forms, ..	8	.	2	2	6	3	6	2	5	8	4	4	11	4	5	7	.	2	5	4	6	5	7	3	7	6
Cancer, ...	15	11	8	11	9	8	10	4	6	9	5	7	10	5	7	5	4	4	10	4	5	7	6	7	5	2
Diseases of Respiratory System, { Pneumonia ..	89	88	59	27	31	24	20	18	24	22	21	10	15	17	66	127	136	146	75	33	21	17	23	17	10	10
Others, ..	36	43	27	33	25	12	22	16	19	31	25	28	24	27	71	111	181	171	117	56	33	32	22	30	15	34
Diarrhœa and Enteritis, under 2 years, ...	1	5	4	1	1	5	2	2	4	1	2	3	3	1	2	3	2	.	3	1	2	2	2	2	5	2
Diarrhœa, 2 years and upwards..	.	.	.	1	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	1	1	.
Violent Deaths, ...	3	5	4	3	2	1	8	3	7	1	2	1	5	.	1	2	3	3	5	2	5	2	3	2	5	4
Number of Uncertified Deaths, ..	5	5	4	5	6	4	4	3	5	9	6	3	8	1	2	4	9	3	5	1	2	2	5	1	2	3
A Mean Maximum Temperature in degs.	—	—	—	—	50·6	56·7	52·7	45·4	48·4	44·6	43·1	46·4	47·7	—	—	—	—	49·5	55·0	53·3	45·6	47·0	45·3	44·1	44·9	46·6
B Mean Minimum ,, ,,	—	—	—	—	38·6	46·6	42·0	34·4	34·1	34·3	32·3	35·0	34·6	—	—	—	—	39·6	43·3	43·0	34·0	34·2	35·6	35·3	33·3	36·3
Mean of A and B ,, ,,	—	—	—	—	44·6	51·7	47·4	39·9	41·3	39·5	37·7	40·7	41·2	—	—	—	—	44·6	49·1	48·1	39·8	40·6	40·4	39·7	39·1	41·4
Rainfall in inches	—	—	—	—	0·54	0·34	0·70	1·11	0·75	0·64	1·00	0·56	0·45	—	—	—	—	1·11	1·02	0·89	0·78	0·91	2·72	1·41	0·45	0·94

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 25th January, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS. Pulmonary.	Other Forms	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	8	6·6	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	1	.
Do. 2 do.	49,500	26	17·9	.	17	4	1	3	3	1	5	.	.	.	.	.	.	.	.	1	2	2	.	4	.	.	1	1	5	.
Do. 3 do.	50,032	14	15·6	.	15	6	1	1	1	2	4	.	.	.	.	.	.	.	.	1	2	.	.	4	.	.	.	.	3	1
Do. 4 do.	32,637	12	35·1	3·2	22	4	.	4	2	5	7	.	.	.	.	.	.	1	.	3	.	.	1	5	1	.	1	1	11	.
Do. 5 do.	16,112	9	12·9	.	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 6 do.	37,293	7	21·0	.	15	.	3	2	1	5	4	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	1	1	5	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	8·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 9 do.	24,427	6	19·2	2·1	9	3	.	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	3	.
Do. 10 do.	28,958	12	10·8	.	6	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	2	.
Do. 11 do.	39,311	19	22·5	.	17	3	1	1	3	4	5	.	.	.	.	.	.	.	.	3	.	.	2	4	.	.	.	1	2	.
Do. 12 do.	38,076	20	30·1	.	22	7	3	3	2	4	3	.	.	.	.	.	.	.	.	.	2	.	2	5	.	.	.	.	1	1
Do. 13 do.	23,233	7	11·2	.	5	.	1	.	2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.	2	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	10	23·0	.	10	1	.	1	3	1	4	.	.	.	.	.	.	.	.	1	.	.	3	1	.	.	.	.	3	1
Total,	386,947	151	18·9	0·4	145	33	10	16	20	27	39	.	.	.	.	.	.	1	.	13	6	2	10	34	2	.	4	5	39	3
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	6	11·6	.	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Do. 2 do.	10,399	2	35·1	5·0	7	3	.	.	1	2	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	4	1
Do. 3 do.	9,793	6	16·0	.	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.
Do. 4 do.	9,139	8	17·1	5·7	3	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Do. 5 do.	6,250	2	16·7	.	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 6 do.	11,581	8	13·5	.	3	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 7 do.	16,056	13	35·7	3·2	11	1	1	2	1	2	4	.	.	.	.	1	.	.	.	1	.	1	.	.	.	.	.	.	7	1
Total.	76,673	45	21·8	2·0	32	5	2	4	3	6	12	.	.	.	.	1	.	.	.	4	.	3	.	3	2	.	.	.	16	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 25th January, 1919.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ..	.	1	.	.	.	.	.	.	.	.	.	.	2	3
" " 1, West ..	.	1	.	.	.	.	.	1	.	.	.	.	2	4
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 3, ...	.	.	.	.	1	.	.	.	.	.	.	.	1	2
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	1	.	.	.	.	.	.	.	.	1
South City No. 1	.	2	.	.	.	.	.	.	.	.	.	.	.	2
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " " 3, ...	.	1	.	.	.	.	.	1	.	.	.	.	.	2
" " " 4, ...	.	1	.	.	.	.	.	.	.	.	.	.	1	2
New Kilmainham, ...	.	1	.	.	.	.	.	.	.	.	.	.	1	2
Total, ...	.	7	.	.	2	.	.	2	.	.	.	.	8	19

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 25th January, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 25th January.			
	Jan. 4.	Jan. 11.	Jan. 18.	No. admitted	Dis-charged	Died.	No. under treatment at close of week.
Enteric Fever, ...	12	10	10	3	1	1	11
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	4	4	4	5	1	.	8
Scarlet Fever	49	51	47	13	13	1	46*
Diphtheria, ...	5	9	9	1	2	1	7
Pneumonia, ...	67	66	35	6	7	.	34

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12446). Wt. 5558. 380. 1, 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1;
37, Peter Street, Manchester; 1, St Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 5. Vol. LVI.] Week ending Saturday, 1st February, 1919. [Price 1½*d.*

General Register Office, Charlemont House,
Dublin, 3rd February, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 20·2 and 20·5; Dublin Registration Area, 23·6 and 22·5; Dublin City, 25·4 and 23·8; Belfast, 16·4 and 17·9; Cork, 16·3 and 18·0; Londonderry, 22·9 and 22·3; Limerick, 19·0 and 23·7; and Waterford, 28·5 and 25·6.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·5 per 1,000. Among the 126 deaths from all causes for Belfast is one from diphtheria, and of the 10 deaths from all causes for Sligo one is from whooping-cough. The only death recorded for Tralee was caused by enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 177—97 boys and 80 girls—and the deaths to 194—104 males and 90 females.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·6 per 1,000 of the population. During the five weeks ending with Saturday last the death-rate averaged 22·7 and was 1·2 below the mean rate for the corresponding portions of the ten years 1909–18. The rate for all deaths registered during the five weeks was 24·5 and for the corresponding period of the preceding ten years 25·3.

Of the 183 deaths appertaining to the Area one was from measles, 2 were from scarlet fever, one from whooping-cough, 3 were from diarrhœa and enteritis of children under 2 years, and 3 from influenza.

In the 3 preceding weeks deaths from measles were 0, one and 0; deaths from scarlet fever were 0, 0 and one; diarrhœa and enteritis of children under 2 years numbered 2, 3, and 3, and deaths from influenza 6, 10, and 6, respectively. There were no deaths from whooping-cough registered in the three preceding weeks.

Deaths attributed to pneumonia were 18 (comprising 11 from broncho-pneumonia, one from lobar pneumonia, and 6 from pneumonia, type not distinguished), as against 21, 10, and 15 in the three weeks preceding.

Tuberculous disease caused 25 deaths (comprising 19 from pulmonary tuberculosis, 4 from tuberculous meningitis, and 2 from other forms of tuberculosis), as against 24, 26, and 32 in the three weeks preceding.

Eight deaths were caused by cancer, 5 by meningitis, 8 by organic diseases of the heart, and 26 by bronchitis.

Among deaths of infants under one year old, 4 were due to convulsions, 2 to bronchitis, 4 to broncho-pneumonia, 3 to diarrhœa and enteritis, 2 to congenital malformations, 12 to premature birth, and 3 to congenital debility.

There were 2 deaths caused by accidental violence, one of which was caused by drowning.

Forty-six of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 36 being infants under one year, of whom 14 were under one month old and 51 deaths were those of persons aged 65 and upwards, of whom 37 were 70 years of age or over.

Of the 183 deaths recorded, 71 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 1st February in 96 large English towns (including London, in which the rate was 16·9 was equal to an average annual death rate of 17·2 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 18·4 per 1,000 persons living, the rate for Glasgow being 16·9 and for Edinburgh 21·4.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 1st February. From this Report it appears that of 41 cases notified, 13 were scarlet fever, 10 diphtheria, 5 pulmonary tuberculosis, 10 other forms of tuberculosis, 2 erysipelas and one cerebro-spinal fever. Among the 448 cases of infectious diseases in hospital at the close of the week were 158 of pulmonary tuberculosis, 91 of scarlet fever, 59 of diphtheria, 48 of influenza, 42 of whooping-cough, 7 of measles, 5 of erysipelas, and 2 of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 1st February, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Jan. 11	.	—	—	11	.	.	1	.	1	.	3	.	—	—	.	—	.	8	24
	Jan. 18	.	—	—	4	.	.	1	.	.	.	5	.	—	—	.	—	.	9	19
	Jan. 25	.	—	—	7	.	.	2	.	.	2	.	.	—	—	.	—	.	8	19
	Feb. 1	.	—	—	7	.	.	1	.	.	.	1	.	—	—	.	—	.	14	23
Rathmines and Rathgar Urban District.	Jan. 11	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	.	—	2
	Jan. 18	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Jan. 25	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	.	—	1
	Feb. 1	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
Pembroke Urban District.	Jan. 11	.	.	.	2	.	.	1	.	.	.	.	.	—	3	.	—	.	.	6
	Jan. 18	.	2	.	.	.	.	.	.	.	.	.	.	—	3	.	—	.	.	5
	Jan. 25	.	1	.	2	.	.	.	.	.	.	.	.	—	.	.	—	.	.	3
	Feb. 1	.	1	.	1	.	.	.	.	.	.	.	.	—	5	.	—	.	1	8
Blackrock Urban District.	Jan. 11	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Jan. 18	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Jan. 25	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Feb. 1	.	.	—	.	.	.	1	.	.	.	.	.	—	—	.	—	.	.	1
Kingstown Urban District.	Jan. 11	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Jan. 18	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Jan. 25	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Feb. 1	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	.	1	3
City of Belfast	Jan. 11	.	—	—	6	.	.	5	.	.	1	3	.	—	—	.	—	.	6	22*a*
	Jan. 18	.	—	—	9	.	.	4	.	.	4	2	.	—	—	1	—	.	.	20
	Jan. 25	.	—	—	9	.	.	.	1	.	2	1	.	—	—	.	—	.	2	15
	Feb. 1	.	—	—	6	.	.	7	.	.	2	1	.	—	—	.	—	.	.	16
City of Cork. (*b*)	Jan. 11	.	.	—	3	.	.	2	.	.	.	.	.	—	—	—	.	.	—	5
	Jan. 18	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	.	.	—	.
	Jan. 25	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	.	.	—	.
	Feb. 1	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	.	.	—	.
City of Londonderry.	Jan. 11	.	—	—	.	.	.	.	.	.	.	1	.	—	—	.	—	—	—	1
	Jan. 18	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 25	.	—	—	1	.	.	1	.	.	.	1	.	—	—	.	—	—	—	3
	Feb. 1	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
City of Limerick.	Jan. 11	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Jan. 18	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Jan. 25	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Feb. 1	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
City of Waterford.	Jan. 11	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 18	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 25	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb. 1	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.

(*a*) Including one case of septic pneumonia.
(*b*) One case of cerebro-spinal fever was reported during the week ended 1st February.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st February, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively were as follows:—Enteric fever 3 and 14; measles 7 and 12; scarlet fever 8 and 43*; and diphtheria 4 and 8. Seventeen cases of pneumonia were admitted during the week and 39 remained under treatment at its close, as compared with 66, 35 and 34 at the close of the 3 preceding weeks. Of the deaths in hospital during the week one was from scarlet fever and 3 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 1st February, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 1st February, 1919. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 1st February, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	22·1	20·2	0·5	484	443	67	136	1	·	·	1	2	2	1	·	45	17	21	50	71	3	·	8	9	147	12	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	22·8	23·6	0·9	177	183	36	51	·	·	·	1	2	1	·	·	19	6	8	18	31	3	·	2	2	71	7	(d) 43·1	28·2	42·7	32·0	37·4	0·39
Urban Districts. CITY OF DUBLIN,	310,500	38·0	23·0	25·4	1·2	137	151	34	38	·	·	·	1	2	1	·	·	15	6	5	14	30	3	·	1	1	63	6	(e) 44·0	30·9	40·2	34·2	37·2	0·24
																													(f) 44	30	40·5	33·1	36·8	0·38
Urban Districts. RATHMINES and RATHGAR.	39,400	23·0	19·9	14·6	·	15	11	1	5	·	·	·	·	·	·	·	·	1	·	1	2	1	·	·	·	·	4	1	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,500	18·8	15·9	19·4	·	9	11	1	3	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	1	1	4	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,000	8·3	23·2	11·6	·	4	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,600	11·4	37·7	25·1	·	12	8	·	4	·	·	·	·	·	·	·	·	1	·	1	2	·	·	·	·	·	·	·	50	32	43·4	33·7	38·6	0·18
Urban Districts. BELFAST, ..	401,000	26·8	21·6	16·4	0·1	166	126	21	31	·	·	·	·	·	·	1	·	16	4	5	17	16	·	·	5	6	33	1	47·0	32·0	41·5	35·3	38·4	0·58
Urban Districts. CORK, ...	76,673	28·6	16·3	16·3	·	24	24	1	9	·	·	·	·	·	·	·	·	4	2	2	3	2	·	·	·	·	11	·	·	·	·	·	·	·
Urban Districts. LONDONDERRY, ..	41,000	15·9	22·9	22·9	·	18	18	2	8	·	·	·	·	·	·	·	·	1	·	·	·	7	·	·	·	1	3	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	17·6	19·0	·	13	14	1	3	·	·	·	·	·	·	·	·	1	·	1	5	2	·	·	·	·	4	·	45	23	39·6	29·0	34·3	0·23
Urban Districts. WATERFORD, ..	27,464	19·1	24·7	28·5	·	13	15	2	11	·	·	·	·	·	·	·	·	·	1	·	1	4	·	·	·	·	7	·	·	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5				13	4	·	2	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. DUNDALK, ..	13,128	9·5				9	6	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	5	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				2	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	43·1	24·5	38·8	31·4	35·1	0·56
Urban Districts. DROGHEDA, ..	12,501	8·4				5	6	·	·	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				2	5	·	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	43·1	24·5	38·8	31·4	35·1	0·56
Urban Districts. NEWRY, ...	11,963	17·0				7	5	2	1	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	·	·	1	·	43·1	24·5	38·8	31·4	35·1	0·56
Urban Districts. PORTADOWN, ..	11,727	15·3				6	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	43·1	24·5	38·8	31·4	35·1	0·56
Urban Districts. WEXFORD, ..	11,531	22·8				8	11	1	6	·	·	·	·	·	·	·	·	·	1	1	1	1	·	·	·	·	4	1	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				4	2	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	1	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				2	10	1	2	·	·	·	·	·	1	·	·	·	·	·	3	1	·	·	·	·	1	3	45	23	41	30	35·5	0·48
Urban Districts. KILKENNY, ..	10,514	11·4				3	6	·	3	·	·	·	·	·	·	·	·	1	1	1	1	1	·	·	·	·	2	·	41	30	38·8	30·1	34·5	0·21
Urban Districts. TRALEE, ...	10,300	17·4				5	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				7	3	·	·	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	·	·	·	42	27	38·5	30·4	34·4	0·43
LONDON	4,026,901	—	—	16·9	—	1,250	1,304	142	473	1	—	·	3	4	2	14	—	129	17	102	140	183	15	5	32	99	575	1	41	27	35·1	30·0	32·6	0·47
EDINBURGH ...	336,500	—	—	21·4	—	106	138	19	47	·	·	·	·	·	7	·	—	—	—	—	—	—	·	—	3	—	—	—	41·0	28·0	37·7	32·[illegible]	34·9	0·40
GLASGOW	1,118,700	—	—	16·9	—	463	352	47	75	·	1	·	2	1	12	4	—	—	—	—	—	—	2	—	10	—	—	—	42·1	25·0	38·5	31·9	35·2	0·3

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 5th Week of the 5 years, 1913-1917.	Deaths registered during week ending Saturday, 1st February, 1919.																Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death.															
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.		
ALL CAUSES.	202·8	194	14	22	3	7	7	.	8	2	16	13	20	30	27	25		183
Enteric Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Typhus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Measles	2·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Scarlet Fever ..	·4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.		2
Whooping-cough ..	3·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.		1
Diphtheria	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Influenza	3·0	6	.	.	.	.	.	.	.	1	2	2	1	.	.	.		3
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pyæmia and Septicæmia (non-puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
TUBERCULOSIS.																		
Pulmonary Tuberculosis	23·0	19	.	.	.	.	2	.	2	1	4	4	2	3	1	.		19
Tuberculous Meningitis	4·0	4	.	1	.	1	1	.	.	.	1	.	.	.	.	.		4
Abdominal Tuberculosis	2·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.		1
Tuberculosis of the Spinal Column.	·4	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1
Tuberculosis of Joints	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of other Organs.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Disseminated Tuberculosis.	2·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		.
Venereal Diseases ..	1·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Cancer	6·0	10	.	.	.	.	.	.	.	.	1	3	2	2	2	.		8
Tumour, situation undefined	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Rheumatic Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diabetes	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Anæmia, Leucocythæmia.	1·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		.
Other General Diseases	1·6	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.		2
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cerebro-spinal Fever..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Simple Meningitis ..	2·6	5	.	1	.	1	2	.	1	.	.	.	.	.	.	.		5
Cerebral Hæmorrhage, Apoplexy.	5·0	6	.	.	.	.	.	.	.	.	.	.	1	1	.	4		6
Softening of Brain ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Paralysis, without specified cause.	3·2	4	.	.	.	.	.	.	.	.	.	.	.	1	3	.		4
Epilepsy.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Convulsions (non-puerperal).	4·0	4	1	3	.	.	.	.	.	.	.	.	.	.	.	.		4
Other Diseases of Nervous System.	3·2	5	.	.	.	.	.	.	.	.	1	.	1	2	1	.		4
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Endocarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Organic Diseases of the Heart.	16·8	9	.	.	.	.	.	.	.	.	1	1	2	2	3	.		8
Embolism and Thrombosis (including Cerebral).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Circulatory System.	1·0	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Bronchitis	34·0	26	.	2	1	.	.	.	.	.	.	.	3	8	4	8		26
Broncho-pneumonia ..	9·4	11	1	3	1	2	.	.	.	.	.	.	.	1	1	2		11
Lobar pneumonia ..	1·8	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Pneumonia (type not distinguished).	6·8	6	.	1	.	1	.	.	.	.	2	.	.	.	1	1		6
Pleurisy	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pulmonary Congestion, Pulmonary Apoplexy.	·4	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.		2
Other Diseases of Respiratory System.	2·8	3	.	.	.	.	.	.	.	.	.	.	1	1	.	1		3

in the FIFTH WEEK, ending Saturday, 1st February, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 5th Week of the 5 years 1913-1917.	Deaths registered during week ending Saturday, 1st February, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx. Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	3·0	3	·	1	·	·	·	·	·	·	·	·	·	1	1	·	3	
Diarrhœa and Enteritis of Children under 2 years.	4·8	3	·	3	·	·	·	·	·	·	·	·	·	·	·	·	3	
Diarrhœa 2 years and upwards.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Enteritis 2 years and upwards.	·4	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	
Appendicitis and Typhlitis.	·8	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	
Hernia and Intestinal Obstructions.	1·4	3	·	·	·	·	·	·	·	·	1	·	2	·	·	·	3	
Cirrhosis of Liver ..	1·0	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	
Other Diseases of Liver	·4	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	
Peritonitis (cause unknown).	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Digestive System.	·2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	
Acute Nephritis ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Chronic Bright's Disease	4·8	12	·	·	·	·	·	·	1	·	·	·	4	1	4	2	11	
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Genito-urinary System.	1·6	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	
Puerperal Septicæmia, &c.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other causes incident to Pregnancy and Childbirth.	·4	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	
Diseases of Skin and Cellular Tissues.	1·8	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	
Diseases of Locomotor System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Congenital Malformations.	1·0	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	2	
Premature Birth ..	4·2	12	12	·	·	·	·	·	·	·	·	·	·	·	·	·	12	
Congenital Debility ..	6·0	3	·	3	·	·	·	·	·	·	·	·	·	·	·	·	3	
Old Age	8·6	6	·	·	·	·	·	·	·	·	·	·	·	·	1	5	6	
Other Specified Diseases	1·6	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Burns and Scalds ..	1·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Drowning	·2	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	
Suffocation in Bed, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Vehicles and Horses ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Gunshot Wounds, &c.	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Violent Deaths		1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	
Not included in above—																		
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Suicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ill-defined, &c., Causes,	4·0	5	·	·	·	1	·	·	·	·	1	·	·	2	1	·	5	

TABLE IV.—Showing for the WEEK ENDED 1ST FEBRUARY, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
					WEEK ENDED SATURDAY, 1ST FEBRUARY, 1919. DEATHS.								CAUSED BY																				
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No 1, E., ...	30,000	20·9	5·2	12	3	·	2	·	1	2	2	2	·	·	·	·	1	·	·	·	·	1	1	·	·	2	·	·	7	·	1	3	1
" 1, W., ...	41,100	29·2	1·3	23	8	·	1	·	2	4	6	2	·	·	·	1	·	·	·	·	2	·	·	3	5	·	·	·	12	·	5	3	1
" 2, ...	27,500	22·8	·	12	3	·	2	·	1	·	3	3	·	·	·	·	·	·	·	·	1	1	1	1	1	·	·	1	6	1	5	3	1
" 3, ...	34,100	20·1	1·5	19	2	·	·	1	3	5	4	4	·	·	·	·	1	·	·	·	5	1	·	1	3	·	·	·	8	·	6	5	·
CLONTARF AND HOWTH, No. 1, part of	5,500	37·9	·	4	1	·	·	·	1	·	2	·	·	·	·	·	·	·	·	·	1	·	..	·	1	·	·	·	2	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	15·3	·	4	1	·	·	·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	1	·	2	·	·	·	1	·	2	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	18·8	·	4	·	1	·	·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	2	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	15·8	1·2	13	3	1	·	·	·	1	5	3	·	·	·	·	·	1	·	·	1	·	1	2	1	·	·	·	7	·	2	5	·
" 2, ...	18,200	17·2	·	6	2	·	·	·	·	·	1	3	·	·	·	·	·	·	·	·	·	·	1	1	2	·	·	·	2	·	·	3	·
" 3, ...	43,300	31·3	·	26	2	1	1	2	·	5	8	7	·	·	·	·	·	·	·	·	5	1	·	4	6	·	·	·	10	·	5	3	·
" 4, ...	32,800	30·2	·	19	3	·	·	2	·	2	2	10	·	·	·	·	·	·	·	·	·	2	·	2	6	·	·	·	9	·	6	4	2
NEW KILMAINHAM, ...	10,300	45·6	5·1	9	8	·	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	7	·	1	1	1
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	14·6	·	11	1	·	·	·	·	2	3	5	·	·	·	·	·	·	·	·	1	·	1	2	1	·	·	·	6	·	4	·	1
PEMBROKE	29,500	19·4	·	11	1	·	·	2	1	·	4	3	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	1	7	1	4	·	·
BLACKROCK, ...	9,000	11·6	·	2	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·
KINGSTOWN, ...	16,600	25·1	·	8	·	·	1	·	·	1	2	4	·	·	·	·	·	·	·	·	1	·	1	2	·	·	·	·	4	·	·	·	·
TOTAL CITY. North, ...	162,900	25·0	1·6	78	18	1	5	1	8	13	19	13	·	·	·	1	2	·	·	·	9	3	3	5	14	2	·	1	38	1	19	14	3
TOTAL CITY. South, ...	147,600	25·8	0·7	73	16	2	1	4	·	8	17	25	·	·	·	·	·	1	·	·	6	3	2	9	16	1	·	·	35	·	14	16	3
TOTAL CITY. North and South, ..	310,500	25·4	1·2	151	34	3	6	5	8	21	36	38	·	·	·	1	2	1	·	·	15	6	5	14	30	3	·	1	73	1	33	30	6
Total Urban Districts, ...	94,500	17·7	·	32	2	·	1	2	1	3	10	13	·	·	·	·	·	·	·	·	4	·	3	4	1	·	·	1	19	1	8	·	1
Total Registration Area, ..	405,000	23·6	0·9	183	36	3	7	7	9	24	46	51	·	·	·	1	2	1	·	·	19	6	8	18	31	3	·	2	92	2	41	30	7
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				11	·	·	·	·	1	5	4	1	·	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·	8	·	9	2	·

* See note (†) at foot of first page

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 1st February, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 1ST FEBRUARY, 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	194	46	7	10	29	50	27	25	.	.	.	1	2	1	.	.	19	7	10	4	18	31	3	.	2	96	7
	CLASSES.																													
	DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	28·5	8	.	1	.	1	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	7	.
II.	MIDDLE CLASS	101,798	20·5	40	5	.	2	9	9	8	7	.	.	.	1	.	.	.	.	4	1	4	.	4	4	1	.	.	21	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	19·2	40	8	3	1	5	12	7	4	.	.	.	.	2	.	.	.	6	2	4	.	3	9	1	.	.	13	.
IV.	GENERAL SERVICE CLASS	167,479	23·0	74	30	3	6	11	17	3	4	.	.	.	.	.	1	.	.	7	4	1	4	7	9	1	.	2	38	6
V.	INMATES OF WORKHOUSES, ...	5,602	—	32	3	.	1	3	11	6	8	.	.	.	.	.	.	.	.	2	.	1	.	3	9	.	.	.	17	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	8	.	1	.	1	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	7	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	10	2	.	.	.	4	3	1	.	.	.	.	.	.	.	.	.	.	2	.	3	1	.	.	.	4	.
	6. Clerks and Commercial Assistants,	33,249	—	10	3	.	1	5	1	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	1	.	.	6	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	17	.	.	.	3	3	5	6	.	.	.	.	.	.	.	.	.	1	2	.	1	3	.	.	.	10	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	6	1	.	.	2	2	1	.	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	2	.
	9. Building and Furnishing Trades, ..	28,823	—	10	2	.	.	2	2	3	1	.	.	.	.	.	.	.	.	.	.	2	.	1	4	1	.	.	2	.
	10. Clothing Trades, ...	20,026	—	9	.	1	1	.	4	1	2	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	3	.
	11. Food Supply Trades, ...	8,952	—	4	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	9	3	1	.	1	3	1	.	.	.	.	.	2	.	.	.	2	.	.	.	.	1	.	.	.	4	.
	13. Petty Shopkeepers, ...	6,772	—	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	14	5	1	1	5	1	.	1	.	.	.	.	.	.	.	.	3	1	.	1	.	2	1	.	.	6	1
	15. Domestic Servants, ...	36,041	—	6	1	.	1	.	4	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	51	23	2	3	6	11	3	3	.	.	.	.	.	.	.	.	3	3	1	3	7	6	.	.	2	26	5
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	32	3	.	1	3	11	6	8	.	.	.	.	.	.	.	.	2	.	1	.	3	9	.	.	.	17	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Nov. 9.	Nov 16.	Nov 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Nov 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14	Dec 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1
No. of weeks in Annual Series ..	45	46	47	48	49	50	51	52	1	2	3	4	5	45	46	47	48	49	50	51	52	1	2	3	4	5
BIRTHS registered	198	243	195	177	179	165	150	105	188	195	202	197	177	155	159	167	162	191	185	144	102	185	193	204	151	166
Average Births in corresponding week of previous 10 years, ...	196	195	186	192	176	200	164	153	211	225	206	214	214	188	174	173	181	173	179	172	165	233	200	209	207	214
Number of Deaths, ...	459	349	244	199	172	168	145	156	182	165	172	179	183	256	412	490	463	314	186	145	146	133	157	121	145	126
Annual Death-rate per 1,000 ..	60·0	45·6	31·9	26·0	22·5	22·0	18·9	20·4	23·4	21·2	22·1	23·0	23·6	34·0	54·7	65·0	61·4	41·7	24·7	19·2	19·4	17·3	20·4	15·7	18·9	16·4
Average Deaths in corresponding week of previous 10 years, ...	155	143	156	157	164	161	158	156	189	176	182	186	186	125	126	134	129	144	144	144	155	150	157	144	159	171
Ages, .. Under one year, ..	32	36	33	24	19	32	33	28	43	31	25	31	36	19	45	39	35	48	25	17	16	26	26	22	33	21
1— 5 years, ..	60	37	20	10	14	20	12	13	14	6	9	20	10	30	60	72	79	40	20	17	18	12	9	7	10	11
5—25 ,, ..	96	60	46	23	28	22	17	27	16	15	13	21	16	58	91	100	103	46	27	25	28	13	10	22	16	17
25—45 ,, ..	134	106	54	49	43	29	21	23	29	26	24	26	24	72	106	131	107	84	45	31	30	17	25	19	20	15
45—65 ,, ..	74	57	46	51	29	27	28	31	32	39	47	36	46	57	70	92	81	56	40	30	31	35	38	22	27	31
65 and upwards, ..	63	53	45	42	41	38	34	34	48	48	54	45	51	20	40	56	55	40	29	25	23	30	49	29	39	31
Deaths from :—																										
Enteric Fever, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	.	.	.	1	1	.	.	1	.	1	.	.	.	.	.	.	.	.	1	1	1	.	.
Scarlet Fever, ...	1	2	.	.	.	1	.	.	.	.	.	1	2	.	1	.	.	1	.	.	.	.	.	.	.	.
Whooping-cough, ...	1	.	.	1	.	1	.	.	2	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.
Diphtheria, ...	3	3	.	1	1	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	1	.	.	.	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	18	18	24	12	16	16	11	17	19	20	22	21	19	16	26	34	17	16	19	13	21	12	20	16	13	16
Tuberculosis { Other Forms, ..	.	2	2	6	3	6	2	5	8	4	4	11	6	5	7	.	2	5	4	6	5	7	3	7	6	4
Cancer, ...	11	8	11	9	8	10	4	6	9	5	7	10	8	7	5	4	4	10	4	5	7	6	7	5	2	5
Diseases of Respiratory System, { Pneumonia ..	88	59	27	31	24	20	18	24	22	21	10	15	18	66	127	136	146	75	38	21	17	23	17	10	10	17
Diseases of Respiratory System, { Others, ..	43	27	33	25	12	22	16	19	31	25	28	24	31	71	111	181	171	117	56	33	32	22	30	15	34	16
Diarrhœa and Enteritis, under 2 years, ...	5	4	1	1	5	2	2	4	1	2	3	3	3	2	3	2	.	3	1	2	2	2	2	5	2	.
Diarrhœa, 2 years and upwards..	.	.	1	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	1	1	.	.
Violent Deaths, ...	5	4	3	2	1	8	3	7	1	2	1	5	2	1	2	3	3	5	2	5	2	3	2	5	4	5
Number of Uncertified Deaths, ..	5	4	5	6	4	4	3	5	9	6	3	8	7	2	4	9	3	5	1	2	2	5	1	2	3	1
A Mean Maximum Temperature in degs.	—	—	—	50·6	56·7	52·7	45·4	48·4	44·6	43·1	46·4	47·7	42·7	—	—	—	49·5	55·0	53·3	45·6	47·0	45·3	44·1	44·9	46·6	41·5
B Mean Minimum ,, ,,	—	—	—	38·6	46·6	42·0	34·4	34·1	34·3	32·3	35·0	34·6	32·0	—	—	—	39·6	43·3	43·0	34·0	34·2	35·6	35·3	33·3	36·3	35·3
Mean of A and B ,, ,,	—	—	—	44·6	51·7	47·4	39·9	41·3	39·5	37·7	40·7	41·2	37·4	—	—	—	44·6	49·1	48·1	39·8	40·6	40·4	39·7	39·1	41·4	38·4
Rainfall in inches	—	—	—	0·54	0·34	0·70	1·11	0·75	0·64	1·00	0·56	0·45	0·39	—	—	—	1·11	1·02	0·89	0·78	0·91	2·72	1·41	0·45	0·94	0·58

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 1st February, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	8	23·0	.	7	3	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	3	.
Do. 2 do.	49,500	18	21·1	.	20	4	1	2	1	4	8	.	.	.	.	.	.	.	.	3	.	2	.	4	.	.	.	.	5	.
Do. 3 do.	50,032	28	13·5	.	13	2	1	3	1	4	2	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.	1	1	3	.
Do. 4 do.	32,637	15	20·8	.	13	.	1	2	3	6	1	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.	10	.
Do. 5 do.	16,112	9	22·7	.	7	3	.	1	1	1	1	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	3	.
Do. 6 do.	37,293	8	11·2	.	8	1	1	1	1	2	2	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.	1	.
Do. 7 do.	2,681	.	19·4	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	4	52.5	.	6	.	.	1	.	1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	1	.
Do. 9 do.	24,427	13	17·1	.	8	.	3	1	1	2	1	.	.	.	.	.	.	.	.	2	1	.	1	2	.	.	.	1	.	.
Do. 10 do.	28,958	11	16·2	1·8	9	1	2	.	3	3	.	.	.	.	.	.	.	1	.	2	1	.	.	1	.	.	.	.	1	1
Do. 11 do.	39,311	18	14·6	.	11	2	.	.	3	2	4	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	1	1	.	.
Do. 12 do.	38,076	19	11·0	.	8	4	.	2	.	1	1	.	.	.	.	.	.	.	.	1	.	.	3	1	.	.	1	1	2	.
Do 13 do.	23,233	7	11·2	.	5	.	.	1	.	1	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	8	23·0	.	10	1	1	2	.	2	4	.	.	.	.	.	.	.	.	.	.	1	3	2	.	.	.	.	2	.
Total,	386,947	166	16·4	0·1	126	21	11	17	15	31	31	.	.	.	.	.	.	1	.	16	4	5	17	16	.	.	5	6	33	1
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	8	15·5	.	4	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do 2 do.	10,399	4	20·1	.	4	1	.	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	1	.
Do. 3 do.	9,793	2	5·3	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 4 do.	9,139	2	11·4	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.
Do. 5 do.	6,250	2	25·0	.	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 6 do.	11,581	3	9·0	.	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do do	16,056	3	26·0	.	8	.	1	3	1	2	1	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.	6	.
Total,	76,673	24	16·3	.	24	1	1	5	3	5	9	.	.	.	.	.	.	.	.	4	2	2	3	2	.	.	.	.	11	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st February, 1919.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ..	.	1	.	.	1	.	.	.	.	.	.	.	2	4
" " 1, West ..	.	.	.	.	.	.	.	.	1	.	.	.	1	2
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 3, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " " 3, ...	.	2	.	.	.	.	.	.	.	.	.	.	4	6
" " " 4, ...	.	3	.	.	.	.	.	.	.	.	.	.	3	6
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	7	.	.	1	.	.	.	1	.	.	.	14	23

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st February, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 1st February.			
	Jan. 11.	Jan. 18.	Jan. 25.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	10	10	11	3	.	.	14
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	4	4	8	7	3	.	12
Scarlet Fever	51	47	46	8	10	1	43*
Diphtheria, ...	9	9	7	4	3	.	8
Pneumonia, ...	66	35	34	17	9	3	39

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12446). Wt. 5558. 380. 1, 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 6. VOL. LVI.] WEEK ENDING SATURDAY, 8TH FEBRUARY, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 10th February, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 24·2 and 21·2; Dublin Registration Area, 25·0 and 23·4; Dublin City, 27·4 and 25·2; Belfast, 21·8 and 18·2; Cork, 34·0 and 22·4; Londonderry, 17·8 and 21·9; Limerick, 24·4 and 22·3; and Waterford, 20·9 and 27·1.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·5 per 1,000. Among the 168 deaths from all causes for Belfast is one from each of enteric fever and diphtheria. One of the 50 deaths from all causes for Cork is from diptheria; of the 14 deaths from all causes for Londonderry one is from whooping-cough, and the 18 deaths recorded for Limerick include one caused by enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 196—111 boys and 85 girls—and the deaths to 208—99 males and 109 females.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 25·0 per 1,000 of the population. During the six weeks ending with Saturday last the death-rate averaged 23·1 and was 0·8 below the mean rate for the corresponding portions of the ten years 1909–18. The rate for all deaths registered during the six weeks was 24·9 and for the corresponding period of the preceding ten years 25·4.

Of the 194 deaths appertaining to the Area 4 were from diarrhœal diseases, and 5 from influenza.

In the 3 preceding weeks deaths from diarrhœal diseases numbered 3, 4, and 3, and deaths from influenza 10, 6, and 3, respectively.

Deaths attributed to pneumonia were 24 (comprising 15 from broncho-pneumonia, and 9 from pneumonia, type not distinguished), as against 10, 15, and 18 in the three weeks preceding.

Tuberculous disease caused 30 deaths (comprising 27 from pulmonary tuberculosis, and 3 from other forms of tuberculosis), as against 26, 32, and 25 in the three weeks preceding.

Eleven deaths were caused by cancer, 15 by organic diseases of the heart, and 34 by bronchitis.

Among deaths of infants under one year old, 2 were due to convulsions, 4 to bronchitis, 6 to broncho-pneumonia, 3 to diarrhœa and enteritis, one to congenital malformation, 3 to premature birth, and 4 to congenital debility.

There were 2 deaths caused by accidental violence, one of which was caused by burns.

Forty of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 27 being infants under one year, of whom 6 were under one month old and 63 deaths were those of persons aged 65 and upwards, of whom 47 were 70 years of age or over.

Of the 194 deaths recorded, 70 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 8th February, in 96 large English towns (including London, in which the rate was 20·2 was equal to an average annual death rate of 21·0 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 23·8 per 1,000 persons living, the rate for Glasgow being 20·9 and for Edinburgh 42·5.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 8th February. From this Report it appears that of 42 cases notified, 14 were scarlet fever, 13 diphtheria, 11 pulmonary tuberculosis, 2 other forms of tuberculosis and 2 erysipelas. Among the 445 cases of infectious diseases in hospital at the close of the week were 143 of pulmonary tuberculosis, 80 of scarlet fever, 74 of influenza, 62 of diphtheria, 37 of whooping-cough, 7 of measles, 5 of erysipelas, and 2 of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 8th February, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Jan. 18	.	—	—	4	.	.	1	.	.	.	5	.	—	—	.	—	.	9	19
	Jan. 25	.	—	—	7	.	.	2	.	.	2	.	.	—	—	.	—	.	8	19
	Feb. 1	.	—	—	7	.	.	1	.	.	.	1	.	—	—	.	—	.	14	23
	Feb. 8	.	—	—	6	.	.	1	.	.	2	2	.	—	—	.	—	.	11	22
Rathmines and Rathgar Urban District.	Jan. 18	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Jan. 25	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	.	—	1
	Feb. 1	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	.	—	2
	Feb. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
Pembroke Urban District.	Jan. 18	.	2	.	.	.	.	.	.	.	.	.	.	—	3	.	—	.	.	5
	Jan. 25	.	1	.	2	.	.	.	.	.	.	.	.	—	.	.	—	.	.	3
	Feb. 1	.	1	.	1	.	.	.	.	.	.	.	.	—	5	.	—	.	1	8
	Feb. 8	.	.	.	.	.	.	.	.	.	.	.	.	—	2	.	—	.	.	2
Blackrock Urban District.	Jan. 18	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Jan. 25	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Feb. 1	.	.	—	.	.	.	1	.	.	.	.	.	—	—	.	—	.	.	1
	Feb. 8	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
Kingstown Urban District.	Jan. 18	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Jan. 25	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Feb. 1	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	.	1	3
	Feb. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	4	4
City of Belfast	Jan. 18	.	—	—	9	.	.	4	.	.	4	2	.	—	—	1	—	.	.	20
	Jan. 25	.	—	—	9	.	.	.	1	.	2	1	.	—	—	.	—	.	2	15
	Feb. 1	.	—	—	6	.	.	7	.	.	2	1	.	—	—	.	—	.	.	16
	Feb. 8	.	—	—	9	.	.	4	.	.	1	1	.	—	—	.	—	.	.	15
City of Cork. (a)	Jan. 18	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	.	.	—	.
	Jan. 25	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	.	.	—	.
	Feb. 1	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	.	.	—	.
	Feb. 8	.	.	—	.	1	.	.	.	.	1	.	.	—	—	—	.	.	—	2
City of Londonderry.	Jan. 18	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 25	.	—	—	1	.	.	1	.	.	.	1	.	—	—	.	—	—	—	3
	Feb. 1	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
	Feb. 8	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
City of Limerick.	Jan. 18	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Jan. 25	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Feb. 1	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Feb. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
City of Waterford.	Jan. 18	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 25	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb. 1	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	2	2

(a) One case of cerebro-spinal fever was reported during the week ended 1st February.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th February, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively were as follows:—Enteric fever 3 and 16; measles 2 and 8; scarlet fever 10 and 39*; and diphtheria nil and 7. Twenty-nine cases of pneumonia were admitted during the week and 47 remained under treatment at its close, as compared with 35, 34 and 39 at the close of the 3 preceding weeks. Of the deaths in hospital during the week 6 were from pneumonia.

* See note (*) at foot of Table IX.

Table II.—BIRTHS and DEATHS registered during the week ending Saturday, 8th February, 1919, in the Dublin Registration Area and in each of the under-mentioned 18 Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the Principal Causes, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 8th February, 1919. Annual Rate per 1,000 Persons Represented by Births	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Deaths Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 8th February, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
Total of 19 Town Districts, ...	1,142,268	20·0	23·6	24·2	0·5	517	531	82	159	2	·	·	·	·	1	2	·	57	14	25	74	94	6	1	9	10	149	20	·	·	·	·	·	·
Dublin Registration Area, ...	405,000	28·9	25·2	25·0	0·5	196	194	27	63	·	·	·	·	·	·	·	·	27	3	11	24	39	3	1	2	2	70	8	(d) 44·9	27·9	41·6	34·3	38·0	0·68
Urban Districts. City of Dublin,	310,500	38·0	28·9	27·4	0·5	172	163	23	46	·	·	·	·	·	·	·	·	27	2	9	19	36	3	·	2	2	63	8	(e) 44·2 (f) 43·8	33·4 30·0	41·9 41·7	35·6 35·9	39·3 38·8	0·64 0·70
Urban Districts. Rathmines and Rathgar,	39,400	23·0	17·2	17·2	·	13	13	2	7	·	·	·	·	·	·	·	·	·	·	1	1	3	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. Pembroke, ..	29,500	18·8	7·1	17·7	·	4	10	1	5	·	·	·	·	·	·	·	·	·	1	1	3	·	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. Blackrock, ..	9,000	8·3	5·8	11·6	·	1	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Kingstown, ..	16,600	11·4	18·8	18·8	3·1	6	6	1	3	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	1	·	42	34	40·1	36·6	38·3	0·94
Urban Districts. Belfast, ..	401,000	26·8	22·1	2·8	0·3	170	168	37	42	1	·	·	·	·	·	1	·	18	5	8	30	30	·	·	5	6	41	·	44·0	30·0	40·8	34·6	37·7	0·14
Urban Districts. Cork, ...	76,673	28·6	19·0	34·0	0·7	28	50	1	14	·	·	·	·	·	·	1	·	4	2	2	7	6	·	·	·	·	19	·	51	37	46·3	39·9	43·1	1.46
Urban Districts. Londonderry, ..	41,000	15·9	16·5	17·8	1·3	13	14	1	7	·	·	·	·	·	1	·	·	·	·	1	·	5	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. Limerick, ..	38,518	16·1	43·3	24·4	1·4	32	18	4	2	1	·	·	·	·	·	·	·	·	·	·	2	6	·	·	1	·	8	3	·	·	·	·	·	·
Urban Districts. Waterford, ..	27,464	19·1	5·7	20·9	1·9	3	11	·	5	·	·	·	·	·	·	·	·	1	1	·	1	3	1	·	·	1	1	·	47	35	44·5	39·0	41·8	1.74
Urban Districts. Galway, ...	13,255	2·5				2	14	4	5	·	·	·	·	·	·	·	·	·	2	·	3	·	·	·	·	·	1	3	·	·	·	·	·	·
Urban Districts. Dundalk, ..	13,128	9·5				6	3	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Lurgan, ..	12,553	14·7				5	6	1	2	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	2	·	44·9	28·5	41·0	36·3	38·6	0·38
Urban Districts. Drogheda, ..	12,501	8·4				7	4	1	2	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	1	1	·	·	·	·	·	·
Urban Districts. Lisburn, ..	12,388	10·9				5	7	1	1	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	1	1	1	·	42	30	39·7	33·4	36.6	0·20
Urban Districts. Newry, ...	11,963	17·0				5	6	1	4	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	44·9	28·5	41·0	36·2	38·6	0·38
Urban Districts. Portadown, ..	11,727	15·3				4	6	1	3	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	1	44·9	28·5	41·0	36·3	38·6	0·38
Urban Districts. Wexford, ..	11,531	22·8				5	3	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Ballymena, ..	11,381	9·3				28	4	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·
Urban Districts. Sligo, ...	11,163	3·8				4	13	·	5	·	·	·	·	·	·	·	·	1	·	·	3	1	·	·	·	·	2	1	51	33	44	36	40	0·50
Urban Districts. Kilkenny, ..	10,514	11·4				·	5	·	2	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	3	·	47	33	42·7	34·8	38·8	1·17
Urban Districts. Tralee, ..	10,300	17·4				2	3	·	1	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Clonmel, ..	10,209	7·8				2	2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	49	28	44	35	39·5	1·54
... ..	4,206,901	—	—	20·2	—	1,168	1,561	168	605	·	—	·	5	·	5	14	—	146	24	103	182	260	14	9	31	115	529	2	31	18	34·0	29·0	31·5	0·31
... ...	336,700	—	—	42·5	—	85	274g	27	71	·	·	·	·	·	13	1	—	—	—	—	—	—	·	—	6	—	—	—	37·0	28·0	35·4	30·1	32·8	0·08
... ...	1,118,700	—	—	20·9	—	304	449g	62	111	·	·	·	4	·	15	3	—	—	—	—	—	—	1	—	9	—	—	—	37·8	29·4	36·5	31·6	34·2	0·05

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis for Edinburgh and 2 for Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 6th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 8th February, 1919.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards	
			Under 1 month	1 month and under 1 year	1—2.	2—5.											
ALL CAUSES.	196·6	208	6	21	10	3	1	1	8	6	18	17	23	30	41	23	194
Enteric Fever ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	3·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	3·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	3·0	7	.	.	.	.	.	1	1	.	1	2	1	1	.	.	5
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	22·2	28	.	.	.	1	.	.	5	2	7	5	4	3	1	.	27
Tuberculous Meningitis	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	1·4	3	.	.	1	.	.	.	.	.	1	.	1	.	.	.	1
Tuberculosis of the Spinal Column.	·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Tuberculosis of Joints	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Venereal Diseases ..	1·0	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2
Cancer	8·6	11	.	.	.	.	.	.	.	.	.	1	2	3	4	1	11
Tumour, situation undefined	·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·8	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Anæmia, Leucocythæmia.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	2·2	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.	7·6	7	.	.	.	.	.	.	.	.	.	.	2	1	2	2	7
Softening of Brain ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·0	3	.	.	.	.	.	.	.	.	.	1	.	.	.	2	3
Epilepsy.	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Convulsions (non puerperal).	5·8	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	4·0	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	12·6	16	.	.	.	.	.	.	.	.	2	3	2	4	4	1	15
Embolism and Thrombosis (including Cerebral).	1·0	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2
Other Diseases of Circulatory System.	1·8	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	3
Diseases of the Larynx	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	31·8	34	.	4	1	.	.	.	.	.	.	1	3	5	18	2	34
Broncho-pneumonia ..	8·2	15	.	6	5	1	.	.	.	.	.	.	1	2	.	.	15
Lobar pneumonia ..	1·0	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Pneumonia (type not distinguished).	5·8	11	.	.	1	.	.	.	.	3	3	1	.	3	.	.	9
Pleurisy	·4	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	·6	3	1	.	.	.	.	.	.	.	.	.	.	.	2	.	3
Other Diseases of Respiratory System	3·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1

in the SIXTH WEEK, ending Saturday, 8th February, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 6th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 8th February, 1919.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.											
Diseases of the Pharynx. Tonsillitis.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	2·0	4	·	2	·	·	·	·	·	·	·	·	1	·	1	·	4
Diarrhœa and Enteritis of Children under 2 years.	4·4	3	·	3	·	·	·	·	·	·	·	·	·	·	·	·	3
Diarrhœa 2 years and upwards.	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Enteritis 2 years and upwards.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Appendicitis and Typhlitis.	·6	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1
Hernia and Intestinal Obstructions.	1·0	3	·	·	·	·	·	·	1	·	·	·	1	1	·	·	2
Cirrhosis of Liver ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·8	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·
Peritonitis (cause unknown).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Nephritis ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Bright's Disease	5·0	4	·	·	·	·	·	·	·	·	1	·	1	1	1	·	4
Urinary Calculi ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	2·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Puerperal Septicæmia, &c.	·4	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Other causes incident to Pregnancy and Childbirth.	·6	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Diseases of Skin and Cellular Tissues.	·4	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Diseases of Locomotor System.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	·8	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Premature Birth ..	6·0	3	3	·	·	·	·	·	·	·	·	·	·	·	·	·	3
Congenital Debility ..	5·2	4	2	2	·	·	·	·	·	·	·	·	·	·	·	·	4
Old Age	8·0	13	·	·	·	·	·	·	·	·	·	·	·	·	4	9	13
Other Specified Diseases	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
VIOLENCE.																	
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	1·4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Drowning	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Not included in above—																	
Homicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	2·4	4	·	·	1	·	·	·	·	·	·	1	1	1	·	·	4

TABLE IV.—Showing for the WEEK ENDED 8TH FEBRUARY, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 8TH FEBRUARY, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population Middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
					DEATHS.								CAUSED BY																				
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No 1, E., ...	30,000	24·3	1·7	14	2	.	.	1	.	2	5	4	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.	.	9	1	2	2	1
" 1, W., ...	41,100	26·6	1·3	21	4	.	.	.	2	1	9	5	.	.	.	.	.	.	.	.	1	.	1	1	5	1	.	1	11	1	5	2	2
" 2, ...	27,500	28·4	.	15	1	2	1	.	1	2	4	4	.	.	.	.	.	.	.	.	2	.	.	4	7	.	.	1	1	.	.	3	1
" 3, ...	34,100	36·7	.	24	3	3	.	.	3	4	6	5	.	.	.	.	.	.	.	.	6	1	1	3	6	.	.	.	7	.	5	5	1
CLONTARF AND HOWTH, No. 1, part of	5,500	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
COOLOCK AND DRUMCONDRA, part of ..	13,600	19·2	.	5	1	.	.	.	.	1	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	4	.	1	.	1
FINGLAS AND GLASNEVIN, part of ..	11,100	18·8	.	4	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1	.	.	.	.
South City.																																	
SOUTH CITY, No. 1, ..	43,000	17·0	.	14	.	.	.	.	.	6	4	4	.	.	.	.	.	.	.	.	4	.	1	.	3	.	.	.	6	.	2	6	.
" 2, ...	18,200	34·4	.	12	2	.	.	.	.	2	4	4	.	.	.	.	.	.	.	.	3	.	1	3	1	.	.	.	4	.	4	3	.
" 3, ...	43,300	21·7	.	18	3	.	.	.	1	3	3	8	.	.	.	.	.	.	.	.	3	.	2	1	4	.	.	.	8	.	2	5	.
" 4, ...	32,800	49·3	1·6	31	8	3	2	.	1	6	6	7	.	.	.	.	.	.	.	.	4	1	2	4	7	1	.	.	12	.	8	7	2
NEW KILMAINHAM, ...	10,300	25·3	.	5	1	1	.	.	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	2	.	.	1	.
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	17·2	.	13	2	.	.	1	1	1	1	7	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	.	8	.	3	.	.
PEMBROKE	29,500	17·7	.	10	1	1	.	.	.	1	2	5	.	.	.	.	.	.	.	.	.	1	1	3	.	.	.	.	5	.	3	.	.
BLACKROCK, ...	9,000	11·6	.	2	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
KINGSTOWN, ...	16,600	18·8	3·1	6	1	.	.	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	4	.	1	.	.
TOTAL CITY. North, ...	162,900	26·6	0·6	83	11	5	1	1	6	10	26	23	.	.	.	.	.	.	.	.	12	1	3	10	20	2	.	2	33	2	13	12	6
TOTAL CITY. South, ...	147,600	28·3	0·4	80	12	4	2	.	4	17	18	23	.	.	.	.	.	.	.	.	15	1	6	9	16	1	.	.	32	.	16	22	2
TOTAL CITY. North and South, ..	310,500	27·4	0·5	163	23	9	3	1	10	27	44	46	.	.	.	.	.	.	.	.	27	2	9	19	36	3	.	2	65	2	29	34	8
Total Urban Districts, ...	94,500	17·1	0·6	31	4	1	.	1	1	2	5	17	.	.	.	.	.	.	.	.	.	1	2	5	3	.	1	.	19	.	7	.	.
Total Registration Area, ..	405,000	25·0	0·5	194	27	10	3	2	11	29	49	63	.	.	.	.	.	.	.	.	27	3	11	24	39	3	1	2	84	2	36	34	8
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				14	.	.	.	.	3	6	4	1	.	.	.	.	.	.	.	.	1	3	.	3	.	.	.	.	7	.	12	2	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 8th February, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 8TH FEBRUARY, 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages: Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	208	40	2	14	35	53	41	23	.	.	.	.	.	.	.	.	28	6	11	2	27	39	3	1	2	89	8
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	24·9	7	.	.	.	.	3	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	6	.
II.	MIDDLE CLASS	101,798	16·4	32	3	1	1	3	8	10	6	.	.	.	.	.	.	.	.	2	1	1	.	4	6	.	.	1	17	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	21·2	44	5	.	2	11	13	9	4	.	.	.	.	.	.	.	.	7	1	3	.	5	9	2	.	.	17	3
IV.	GENERAL SERVICE CLASS	167,479	27·7	89	30	1	9	14	20	10	5	.	.	.	.	.	.	.	.	15	1	6	2	16	16	1	.	.	32	5
V.	INMATES OF WORKHOUSES, ...	5,602	—	36	2	.	2	7	9	12	4	.	.	.	.	.	.	.	.	4	3	1	.	2	8	.	.	1	17	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	4	.	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	10	1	.	1	1	2	4	1	.	.	.	.	.	.	.	.	1	.	.	.	3	2	.	.	.	4	.
	6. Clerks and Commercial Assistants,	33,249	—	9	2	.	.	1	1	3	2	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	6	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	13	.	1	.	1	5	3	3	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.	1	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	3	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1
	9. Building and Furnishing Trades, ..	28,823	—	13	1	.	.	4	4	4	.	.	.	.	.	.	.	.	.	2	.	1	.	.	3	1	.	.	6	2
	10. Clothing Trades, ...	20,026	—	4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	.	.	.	.
	11. Food Supply Trades, ...	8,952	—	5	1	.	.	1	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	3	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	18	3	.	1	5	4	3	2	.	.	.	.	.	.	.	.	2	1	2	.	3	3	1	.	.	6	.
	13. Petty Shopkeepers, ...	6,772	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	15	3	1	3	4	1	.	3	.	.	.	.	.	.	.	.	4	.	2	.	3	2	.	.	.	4	.
	15. Domestic Servants, ...	36,041	—	8	2	.	2	1	1	2	.	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	.	4	1
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	9	3	.	.	2	1	2	1	.	.	.	.	.	.	.	.	2	.	.	1	1	2	.	.	.	3	1
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	57	22	.	4	7	17	6	1	.	.	.	.	.	.	.	.	7	1	2	1	12	12	1	.	.	21	3
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	36	2	.	2	7	9	12	4	.	.	.	.	.	.	.	.	4	3	1	.	2	8	.	.	1	17	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11	Jan. 18.	Jan. 25.	Feb. 1.	Feb 8.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1	Feb 8
No. of weeks in Annual Series ..	46	47	48	49	50	51	52	1	2	3	4	5	6	46	47	48	49	50	51	52	1	2	3	4	5	6
BIRTHS registered	243	195	177	179	165	150	105	188	195	202	197	177	196	159	167	162	191	185	144	102	185	193	204	151	166	170
Average Births in corresponding week of previous 10 years, ...	195	186	192	176	200	164	153	211	225	206	214	214	214	174	173	181	173	179	172	165	233	200	209	207	214	261
Number of Deaths, ...	349	244	199	172	168	145	156	182	165	172	179	183	194	412	490	463	314	186	145	146	133	157	121	145	126	168
Annual Death-rate per 1,000 ..	45·6	31·9	26·0	22·5	22·0	18·9	20·4	23·4	21·2	22·1	23·0	23·6	25·0	54·7	65·0	61·4	41·7	24·7	19·2	19·4	17·3	20·4	15·7	18·9	16·4	21·8
Average Deaths in corresponding week of previous 10 years, ...	143	155	157	164	161	158	156	189	176	182	186	186	186	126	134	129	144	144	144	155	150	157	144	159	171	179
Ages, .. Under one year, ..	36	33	24	19	32	33	28	43	31	25	31	36	27	45	39	35	48	25	17	16	26	26	22	33	21	37
1— 5 years, ..	37	20	10	14	20	12	13	14	6	9	20	10	13	60	72	79	40	20	17	18	12	9	7	10	11	10
5—25 ,, ..	60	46	23	23	22	17	27	16	15	13	21	16	13	91	100	106	46	27	25	28	13	10	22	16	17	21
25—45 ,, ..	106	54	49	43	29	21	23	29	26	24	26	24	29	106	131	107	84	45	31	30	17	25	19	20	15	22
45—65 ,, ..	57	46	51	29	27	28	31	32	39	47	36	46	49	70	92	81	56	40	30	31	35	38	22	27	31	36
65 and upwards, ..	53	45	42	41	38	34	34	48	48	54	45	51	63	40	56	55	40	29	25	23	39	49	29	39	31	42
Deaths from :—																										
Enteric Fever, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	.	.	1	1	.	.	1	.	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.
Scarlet Fever, ...	2	.	.	.	1	.	.	.	.	.	1	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	.	1	.	1	.	.	2	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	3	.	1	1	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	1	.	.	.	1	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	18	24	12	16	16	11	17	19	20	22	21	19	27	26	34	17	16	19	13	21	12	20	16	13	16	19
Tuberculosis { Other Forms, ..	2	2	6	3	6	2	5	8	4	4	11	6	3	7	.	2	5	4	6	5	7	3	7	6	4	5
Cancer, ...	8	11	9	8	10	4	6	9	5	7	10	8	11	5	4	4	10	4	5	7	6	7	5	2	5	8
Diseases of Respiratory System, { Pneumonia ..	59	27	31	24	20	18	24	22	21	10	15	18	24	127	136	146	75	38	21	17	23	17	10	10	17	30
Diseases of Respiratory System, { Others, ..	27	33	25	12	22	16	19	31	25	28	24	31	39	111	181	171	117	56	33	32	22	30	15	34	16	30
Diarrhœa and Enteritis, under 2 years, ...	4	1	1	5	2	2	4	1	2	3	3	3	3	3	2	.	3	1	2	2	2	2	5	2	.	.
Diarrhœa, 2 years and upwards..	.	1	.	.	2	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	1	1	.	.	.
Violent Deaths, ...	4	3	2	1	8	3	7	1	2	1	5	2	2	2	3	3	5	2	5	2	3	2	5	4	5	5
Number of Uncertified Deaths, ..	4	5	6	4	4	3	5	9	6	3	8	7	8	4	9	3	5	1	2	2	5	1	2	3	1	.
A Mean Maximum Temperature in degs.	—	—	50·6	56·7	52·7	45·4	48·4	44·6	43·1	46·4	47·7	42·7	41·6	—	—	49·5	55·0	53·3	45·6	47·0	45·3	44·1	44·9	46·6	41·5	40·8
B Mean Minimum ,, ,,	—	—	38·6	46·6	42·0	34·4	34·1	34·3	32·3	35·0	34·6	32·0	34·3	—	—	39·6	43·3	43·0	34·0	34·2	35·6	35·3	33·3	36·3	35·3	34·6
Mean of A and B ,, ,,	—	—	44·6	51·7	47·4	39·9	41·3	39·5	37·7	40·7	41·2	37·4	38·0	—	—	44·6	49·1	48·1	39·8	40·6	40·4	39·7	39·1	41·4	38·4	37·7
Rainfall in inches	—	—	0·54	0·34	0·70	1·11	0·75	0·64	1·00	0·56	0·45	0·39	0·68	—	—	1·11	1·02	0·89	0·78	0·91	2·72	1·41	0·45	0·94	0·58	0·14

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 8th February, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	7	23·0	.	7	.	.	.	1	3	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	2	.
Do 2 do.	49,500	13	11·6	.	11	2	.	2	1	2	4	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	3	.
Do. 3 do.	50,032	19	28·1	1·0	27	5	2	4	2	3	11	.	.	.	.	.	.	1	.	3	.	2	6	9	.	.	.	.	9	.
Do. 4 do.	32,637	11	24·0	.	15	4	2	3	.	4	2	.	.	.	.	.	.	.	.	1	.	1	4	2	.	.	.	.	5	.
Do. 5 do.	16,112	9	19·4	.	6	2	.	1	2	1	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	1	.
Do. 6 do.	37,293	16	16·8	.	12	3	2	.	1	3	3	.	.	.	.	.	.	.	.	.	.	.	2	3	.	.	1	1	2	.
Do. 7 do.	2,681	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	4	8·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 9 do.	24,427	12	47·0	.	22	5	2	3	3	4	5	.	.	.	.	.	.	.	.	2	1	.	8	2	.	.	.	.	2	.
Do. 10 do.	28,958	14	19·8	.	11	2	.	2	2	4	1	.	.	.	.	.	.	.	.	3	1	1	1	1	.	.	.	.	4	.
Do. 11 do.	39,311	23	22·5	.	17	4	1	2	2	4	4	.	.	.	.	.	.	.	.	1	1	1	1	4	.	.	1	1	4	.
Do. 12 do.	38,076	19	30·1	.	22	8	.	3	4	3	4	.	.	.	.	.	.	.	.	1	2	1	2	4	.	.	2	2	2	.
Do 13 do.	23,233	12	15·7	.	7	.	.	.	2	2	3	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.	.
Do. 14 do	175	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	8	23·0	2·3	10	2	1	1	2	2	2	1	.	.	.	.	.	.	.	1	.	.	1	2	.	.	1	2	6	.
Total	386,947	170	21·8	0·3	168	37	10	21	22	36	42	1	.	.	.	.	.	1	.	18	5	8	30	30	.	.	5	6	41	.
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	1	34·9	.	9	.	2	2	.	3	2	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	2	.
Do 2 do.	10,399	2	30·1	.	6	.	.	1	.	3	2	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1	.
Do 3 do.	9,793	8	53·2	.	10	.	2	1	1	4	2	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	6	.
Do. 4 do.	9,139	5	62·8	.	11	1	.	2	1	3	4	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.	4	.
Do. 5 do.	6,250	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 6 do.	11,581	6	31·5	.	7	.	.	.	1	3	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
Do do	16,056	5	22·7	3·2	7	.	1	.	1	4	1	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	.	3	.
Total.	76,673	28	34·0	0.7	50	1	5	6	4	20	14	.	.	.	.	.	.	1	.	4	2	2	7	6	.	.	.	.	19	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th February, 1919.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ..	.	2	.	.	.	.	.	1	.	.	.	.	1	4
" " 1, West ..	.	1	.	.	.	.	.	.	1	.	.	.	4	6
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	3	3
" " 3, ...	.	1	.	.	.	.	.	1	.	.	.	.	1	3
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1	.	1	.	.	.	.	.	.	.	.	.	.	1	2
" " " 2, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	1
" " " 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " " 4, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	6	.	.	1	.	.	2	2	.	.	.	11	22

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th February, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 8th February.			
	Jan. 18.	Jan. 25.	Feb. 1.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	10	11	14	3	1	.	16
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	4	8	12	2	6	.	8
Scarlet Fever	47	46	43	10	14	.	39*
Diphtheria, ...	9	7	8	.	1	.	7
Pneumonia, ...	35	34	39	29	15	6	47

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12549). Wt. 8531. 380. 2, 1919 G, III. Sch. c. 7

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 7. VOL. LVI.] WEEK ENDING SATURDAY, 15TH FEBRUARY, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House, Dublin, 17th February, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 27·7 and 23·2; Dublin Registration Area, 33·3 and 26·2; Dublin City, 36·4 and 28·2; Belfast, 22·8 and 20·0; Cork, 28·6 and 25·2; Londonderry, 24·2 and 23·5; Limerick, 16·2 and 20·7; and Waterford, 26·6 and 22·3.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·8 per 1,000. Among the 175 deaths from all causes for Belfast are 2 from diphtheria, one from diarrhœa and enteritis of a child under 2 years, and one from cerebro-spinal fever. Of the 14 deaths from all causes for Waterford one is from measles and one from diarrhœa and enteritis of a child under 2 years, and the 6 deaths recorded for Sligo include one caused by enteric fever and one by whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 199—89 boys and 110 girls—and the deaths to 283—149 males and 134 females.

The deaths registered, omitting the deaths (numbering 24) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 33·3 per 1,000 of the population. During the seven weeks ending with Saturday last the death-rate averaged 24·5 and was 0·6 above the mean rate for the corresponding portions of the ten years 1909–18. The rate for all deaths registered during the seven weeks was 26·5 and for the corresponding period of the preceding ten years 25·4.

Of the 259 deaths appertaining to the Area there was one from measles, one from scarlet fever, there were 2 from whooping-cough, 6 from diarrhœal diseases, and 21 from influenza.

In the 3 preceding weeks deaths from measles numbered 0, one and 0; deaths from scarlet fever were one, 2, and 0; deaths from whooping-cough 0, one, and 0; diarrhœal diseases 4, 3, and 4, and deaths from influenza 6, 3, and 5, respectively.

Deaths attributed to pneumonia were 43 (comprising 16 from broncho-pneumonia, 3 from lobar pneumonia, and 24 from pneumonia, type not distinguished), as against 15, 18, and 24 in the three weeks preceding.

Tuberculous disease caused 31 deaths (comprising 30 from pulmonary tuberculosis, and one from tuberculosis of kidney), as against 32, 25, and 30 in the three weeks preceding.

Ten deaths were caused by cancer, 8 by organic diseases of the heart, and 57 by bronchitis.

Among deaths of infants under one year old, 3 were due to convulsions, 3 to bronchitis, 4 to broncho-pneumonia, 6 to diarrhœa and enteritis, one to congenital malformation, 9 to premature birth, and 4 to congenital debility.

There were 2 deaths by accidental violence, one of which was caused by burns.

Fifty-four of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 37 being infants under one year, of whom 16 were under one month old and 67 deaths were those of persons aged 65 and upwards, of whom 55 were 70 years of age or over.

Of the 259 deaths recorded, 112 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 15th February, in 96 large English towns (including London, in which the rate was 27·2 was equal to an average annual death rate of 27·8 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 32·6 per 1,000 persons living, the rate for Glasgow being 31·6 and for Edinburgh 51·6.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 15th February. From this Report it appears that of 44 cases notified, 13 were scarlet fever, 12 diphtheria, 11 pulmonary tuberculosis, 6 other forms of tuberculosis and 2 erysipelas. Among the 441 cases of infectious diseases in hospital at the close of the week were 141 of pulmonary tuberculosis, 85 of influenza, 81 of scarlet fever, 48 of diphtheria, 36 of whooping-cough, 7 of measles, 4 of erysipelas, and 2 of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 15th February, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Jan. 25	.	—	—	7	.	.	2	.	.	2	.	.	—	—	.	—	.	8	19
	Feb. 1	.	—	—	7	.	.	1	.	.	.	1	.	—	—	.	—	.	14	23
	Feb. 8	.	—	—	6	.	.	1	.	.	2	2	.	—	—	.	—	.	11	22
	Feb. 15	.	—	—	5	.	.	1	.	.	.	2	.	—	—	.	—	.	24	32
Rathmines and Rathgar Urban District.	Jan. 25	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	.	—	1
	Feb. 1	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	.	—	2
	Feb. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Feb. 15	.	—	—	.	.	.	1	.	.	.	1	.	—	—	.	—	.	—	2
Pembroke Urban District.	Jan. 25	.	1	.	2	.	.	.	.	.	.	.	.	—	.	.	—	.	.	3
	Feb. 1	.	1	.	1	.	.	.	.	.	.	.	.	—	5	.	—	.	1	8
	Feb. 8	.	.	.	.	.	.	.	.	.	.	.	.	—	2	.	—	.	.	2
	Feb. 15	.	.	.	2	.	.	.	.	.	.	.	.	—	.	.	—	.	.	2
Blackrock Urban District.	Jan. 25	.	.	—		.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Feb. 1	.	.	—	.	.	.	1	.	.	.	.	.	—	—	.	—	.	.	1
	Feb. 8	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Feb. 15	.	.	—	1	.	.	1	.	.	1	.	.	—	—	.	—	.	.	3
Kingstown Urban District.	Jan. 25	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Feb. 1	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	.	1	3
	Feb. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	4	4
	Feb. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	2	2
City of Belfast	Jan. 25	.	—	—	9	.	.	.	1	.	2	1	.	—	—	.	—	.	2	15
	Feb 1	.	—	—	6	.	.	7	.	.	2	1	.	—	—	.	—	.	.	16
	Feb. 8	.	—	—	9	.	.	4	.	.	1	1	.	—	—	.	—	.	.	15
	Feb. 15	.	—	—	3	.	.	6	1	.	1	2	.	—	—	.	—	.	.	14*a*
City of Cork. (*b*)	Jan. 25	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	.	.	—	.
	Feb. 1	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	.	.	—	.
	Feb. 8	.	.	—	.	1	.	.	.	.	1	.	.	—	—	—	.	.	—	2
	Feb. 15	.	.	—	1	.	.	4	.	.	.	.	1	—	—	—	.	.	—	6
City of Londonderry.	Jan. 25	.	—	—	1	.	.	1	.	.	.	1	.	—	—	.	—	—	—	3
	Feb. 1	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
	Feb. 8	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
	Feb. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
City of Limerick.	Jan. 25	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Feb. 1	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Feb. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Feb. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
City of Waterford.	Jan. 25	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb. 1	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	2	2
	Feb. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.

(*a*) Including one case of septic-pneumonia.
(*b*) One case of cerebro-spinal fever was reported during the week ended 1st February.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th February, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively were as follows:—Enteric fever nil and 13; measles 21 and 22; scarlet fever 10 and 46*; and diphtheria 4 and 7. Thirty-three cases of pneumonia were admitted during the week and 66 remained under treatment at its close, as compared with 34, 39 and 47 at the close of the 3 preceding weeks. Of the deaths in hospital during the week one was from scarlet fever and 7 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 15th February, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow

Towns and Districts	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases (b)	Registration—Week ending Saturday, 15th February, 1919. Numbers Registered. Births. Total Number.	Deaths. Total Number	Under 1 year of Age	At 65 years and upwards	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Meteorology. (c) Week ending 15th February, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	22·6	27·7	0·8	495	607	90	158	1	·	·	2	1	3	2	·	79	13	22	85	132	8	·	6	5	195	18	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	25·6	33·3	1·3	199	259	37	67	·	·	·	1	1	2	·	·	30	1	10	43	60	6	·	2	1	112	8	(d) 46·9	27·0	43·5	31·4	37·5	0·16
Urban Districts. CITY OF DUBLIN,	310,500	38·0	26·7	36·4	1·5	159	217	34	56	·	·	·	·	1	2	·	·	24	·	8	35	55	6	·	1	1	95	8	(e) 45·9 (f) 47·0	32·1 30·0	43·4 44·2	35·1 35·8	39·3 40·0	0·19 0·26
Urban Districts. RATHMINES and RATHGAR.	39,400	23·0	22·5	19·9	·	17	15	·	5	·	·	·	·	·	·	·	·	2	1	1	1	1	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,500	18·8	24·7	26·5	1·8	14	15	3	3	·	·	·	1	·	·	·	·	1	·	1	2	3	·	·	1	·	8	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,000	8·3	17·4	23·2	·	3	4	·	2	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,600	11·4	18·8	25·1	·	6	8	·	1	·	·	·	·	·	·	·	·	2	·	·	4	1	·	·	·	·	4	·	51	32	44·3	37·0	40·6	0·29
Urban Districts. BELFAST, ..	401,000	26·8	22·0	22·8	0·4	169	175	33	45	·	·	·	·	·	·	2	·	25	7	7	24	45	1	·	3	2	45	2	46·0	29·5	43·8	37·4	40·6	0·09
Urban Districts. CORK, ...	76,673	28·6	23·1	28·6	·	34	42	3	9	·	·	·	·	·	·	·	·	6	·	·	6	6	·	·	·	1	9	1	49	36	44·6	40·6	42·6	0·43
Urban Districts. LONDONDERRY, ..	41,000	15·9	16·5	24·2	·	13	19	1	4	·	·	·	·	·	·	·	·	2	1	·	·	6	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	10·8	16·2	·	8	12	3	1	·	·	·	·	·	·	·	·	3	·	·	·	3	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	24·7	26·6	3·8	13	14	3	7	·	·	·	1	·	·	·	·	·	·	2	·	1	1	·	1	1	4	1	·	·	·	·	·	·
Urban Districts. GALWAY, ..	13,255	2·5				9	4	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	48	27	44·1	32·7	38·4	0·14
Urban Districts. DUNDALK, ..	13,128	9·5				9	4	1	2	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				9	6	·	1	·	·	·	·	·	·	·	·	2	1	·	·	·	·	·	·	·	4	·	44·5	24·5	42·7	31·1	36·9	0·29
Urban Districts. DROGHEDA, ..	12,501	8·4	The annual rates			3	6	2	2	·	·	·	·	·	·	·	·	2	·	·	1	·	·	·	·	·	·	2	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9	represented by the			5	11	2	2	·	·	·	·	·	·	·	·	·	·	·	5	4	·	·	·	·	1	1	44·5	24·5	42·7	31·1	36·9	0·29
Urban Districts. NEWRY, ..	11,963	17·0	numbers of births			7	11	1	2	·	·	·	·	·	·	·	·	·	2	1	·	·	·	·	·	·	2	·	44·5	24·5	42·7	31·1	36·9	0·29
Urban Districts. PORTADOWN, ..	11,727	15·3	and deaths regis-			2	6	2	2	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·	2	·	44·5	24·5	42·7	31·1	36·9	0·29
Urban Districts. WEXFORD, ..	11,531	22·8	tered for these			4	6	·	4	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	3	1	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3	urban districts will			2	7	·	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8	be shown in the			1	6	2	2	1	·	·	·	·	1	·	·	·	·	·	1	2	·	·	·	·	1	1	49	31	45	34	39·5	0·15
Urban Districts. KILKENNY, ..	10,514	11·4	Quarterly Summary			5	6	·	1	·	·	·	·	·	·	·	·	2	1	·	2	·	·	·	·	·	1	·	49	32	43·7	35·5	39·6	0·40
Urban Districts. TRALEE, ...	10,300	17·4	of the Weekly			·	6	·	3	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8	Returns.			3	7	·	2	·	·	·	·	·	·	·	·	3	·	1	·	1	·	·	·	·	5	·	·	·	·	·	·	·
LONDON ...	4,206,901	—	—	27·2	—	1,262	2,104	171	775	·	—	·	8	6	2	13	—	172	18	114	264	382	15	13	31	149	803	6	46	16	40·3	23·4	31·9	0·04
EDINBURGH ...	336,500	—	—	51·6	—	75	333	35	99	·	·	·	1	1	10	4	—	—	—	—	—	—	·	—	·	—	—	—	44·0	23·0	39·1	29·0	34·2	0·54
GLASGOW ...	1,118,700	—	—	31·6	—	368	677	80	162	·	·	·	2	·	23	9	—	—	—	—	—	—	5	—	9	—	—	—	38·2	21·1	37·2	29·1	33·1	0·45

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick [illegible] at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 7th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 15th February, 1919. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	191·4	283	18	21	8	10	7	4	11	10	19	29	37	38	40	31	259
Enteric Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	3·0	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever ..	·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Whooping-cough ..	4·0	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Diphtheria	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	3·6	24	.	.	.	2	1	.	2	4	6	3	4	2	.	.	21
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
TUBERCULOSIS.																	
Pulmonary Tuberculosis	21·8	32	.	.	.	.	1	2	6	2	2	10	5	3	1	.	30
Tuberculous Meningitis	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·6	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	10·2	11	.	.	.	.	.	.	.	.	.	1	4	3	2	1	10
Tumour, situation undefined.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Rheumatic Fever ..	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Diabetes	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	2·0	3	.	.	.	.	.	.	.	.	.	1	.	1	1	.	3
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	2·6	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	2
Cerebral Hæmorrhage, Apoplexy.	4·6	4	.	.	.	.	.	.	.	.	1	.	.	1	.	2	4
Softening of Brain ..	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Paralysis, without specified cause.	3·2	4	.	.	.	.	.	.	.	.	.	1	1	2	.	.	4
Epilepsy.	1·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Convulsions (non-puerperal).	6·0	4	1	2	.	1	.	.	.	.	.	.	.	.	.	.	4
Other Diseases of Nervous System.	3·2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2
Pericarditis ..	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Acute Endocarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	16·8	9	.	.	.	.	.	.	.	.	.	.	1	1	4	3	8
Embolism and Thrombosis (including Cerebral).	·6	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1
Other Diseases of Circulatory System.	·6	4	.	.	.	.	.	.	.	.	.	.	.	1	.	3	4
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	25·6	58	.	3	2	.	1	.	.	.	.	1	9	11	17	14	57
Broncho-pneumonia ..	10·0	18	.	4	2	3	1	.	.	.	.	1	2	2	2	1	16
Lobar pneumonia ..	2·0	4	.	.	.	.	.	1	.	1	.	.	2	.	.	.	3
Pneumonia (type not distinguished).	6·6	25	.	2	1	2	.	.	2	2	6	6	1	2	1	.	24
Pleurisy	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	·6	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Other Diseases of Respiratory System	1·8	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1

in the SEVENTH WEEK, ending Saturday, 15th February, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 7th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 15th February, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	1·6	3	.	2	.	.	.	.	.	.	1	.	.	.	.	.	3	
Diarrhœa and Enteritis of Children under 2 years.	3·2	6	1	5	.	.	.	.	.	.	.	.	.	.	.	.	6	
Diarrhœa 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Enteritis 2 years and upwards.	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	
Appendicitis and Typhlitis.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Hernia and Intestinal Obstructions.	·8	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	2	
Cirrhosis of Liver ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Liver	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Peritonitis (cause unknown).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Digestive System	·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	
Acute Nephritis ..	·6	2	.	.	.	1	.	.	.	.	.	1	.	.	.	.	1	
Chronic Bright's Disease	5·8	14	.	.	.	.	.	.	.	.	1	.	4	5	2	2	13	
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Uterine Tumour (non-cancerous).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Genito-urinary System.	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
Puerperal Septicæmia, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other causes incident to Pregnancy and Childbirth.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of Skin and Cellular Tissues	1·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	
Diseases of Locomotor System.	·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	
Congenital Malformations.	·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
Premature Birth ..	3·8	9	8	1	.	.	.	.	.	.	.	.	.	.	.	.	9	
Congenital Debility ..	3·4	5	5	.	.	.	.	.	.	.	.	.	.	.	.	.	4	
Old Age	11·6	8	.	.	.	.	.	.	.	.	.	.	.	.	5	3	7	
Other Specified Diseases	1·0	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Burns and Scalds ..	·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	
Drowning	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Suffocation in Bed, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Railways, ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Vehicles and Horses ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Gunshot Wounds, &c.	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Violent Deaths		2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	
Not included in above—																		
Homicide. ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Suicide, ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Ill-defined, &c., Causes,	4·2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	

TABLE IV.—Showing for the WEEK ENDED 15TH FEBRUARY, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 15TH FEBRUARY, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes.	From certain Epidemic Diseases*	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	29·5	1·7	17	5	.	.	1	.	3	4	4	.	.	.	.	.	.	.	.	.	.	.	4	2	1	.	.	10	.	3	3	2
" 1, W., ...	41,100	36·8	1·3	29	4	.	1	1	.	6	8	9	.	.	.	.	.	.	.	.	2	.	1	3	8	1	.	.	14	.	6	9	2
" 2, ...	27,500	37·9	1·9	20	7	1	.	.	1	1	6	4	.	.	.	.	.	.	.	.	1	.	.	2	9	1	.	.	7	.	1	4	.
" 3, ...	34,100	44·3	3·1	29	1	.	3	2	2	5	6	10	.	.	.	.	1	.	.	.	4	.	1	5	6	1	.	.	11	.	7	8	1
CLONTARF AND HOWTH, No. 1, part of	5,500	19·0	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.
COOLOCK AND DRUMCONDRA, part of ..	13,600	23·0	.	6	1	1	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	2	.	2	.	.
FINGLAS AND GLASNEVIN, part of ..	11,100	18·8	.	4	1	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	2	.	.	.	.
South City.																																	
SOUTH CITY, No. 1, ..	43,000	37·6	2·4	31	8	1	1	2	4	4	6	7	.	.	.	.	.	1	.	.	4	.	2	4	10	1	.	.	9	.	6	6	2
" 2, ...	18,200	43·0	.	15	1	.	1	1	1	2	5	4	.	.	.	.	.	.	.	.	2	.	1	3	5	.	.	.	4	.	2	10	.
" 3, ...	43,300	53·0	1·2	44	6	1	3	.	4	8	11	11	.	.	.	.	.	.	.	.	6	.	1	8	8	1	.	.	20	.	11	9	1
" 4, ...	32,800	27·0	1·6	17	1	1	1	2	2	5	4	1	.	.	.	.	.	1	.	.	3	.	.	2	4	.	.	1	6	1	4	4	.
NEW KILMAINHAM, ..	10,300	15·2	.	3	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	19·9	.	15	.	.	.	.	2	.	8	5	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	9	.	2	1	.
PEMBROKE	29,500	26·5	1·8	15	3	.	.	.	.	3	6	3	.	.	.	1	.	.	.	.	1	.	1	2	3	.	.	1	6	.	6	2	.
BLACKROCK, ...	9,000	23·2	.	4	.	.	.	2	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	2	.	2	.	.
KINGSTOWN, ...	16,600	25·1	.	8	.	2	.	.	1	1	3	1	.	.	.	.	.	.	.	.	2	.	.	4	1	.	.	.	1	.	2	2	.
TOTAL CITY. North, ...	162,900	34·2	1·6	107	19	2	4	4	3	17	26	32	.	.	.	.	1	.	.	.	8	.	4	17	27	4	.	.	46	.	19	24	5
TOTAL CITY. South, ...	147,600	38·9	1·4	110	15	3	6	5	12	19	26	24	.	.	.	.	.	2	.	.	16	.	4	18	28	2	.	1	39	1	23	29	3
TOTAL CITY. North and South, ..	310,500	36·4	1·5	217	34	5	10	9	15	36	52	56	.	.	.	.	1	2	.	.	24	.	8	35	55	6	.	1	85	1	42	53	8
Total Urban Districts, ...	94,500	23·2	0·6	42	3	2	.	2	3	4	17	11	.	.	.	1	.	.	.	.	6	1	2	8	5	.	.	1	18	.	12	5	.
Total Registration Area, ..	405,000	33·3	1·3	259	37	7	10	11	18	40	69	67	.	.	.	1	1	2	.	.	30	1	10	43	60	6	.	2	103	1	54	58	8
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				24	2	1	.	.	3	8	6	4	.	.	.	.	.	.	.	.	2	1	1	4	1	.	.	1	14	.	23	1	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 15th February, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 15TH FEBRUARY, 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	283	57	11	21	48	75	40	31	.	.	.	1	1	2	.	.	32	2	11	4	47	61	6	.	3	113	8
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	28·5	8	.	.	.	1	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	5	.
II.	MIDDLE CLASS	101,798	24·6	48	9	1	6	10	9	5	8	.	.	.	1	.	.	.	.	8	1	3	.	10	2	.	.	.	23	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	28·9	60	7	4	3	14	16	10	6	.	.	.	.	.	1	.	.	8	.	3	.	10	16	.	.	2	20	2
IV.	GENERAL SERVICE CLASS	167,479	33·6	108	39	6	7	13	25	11	7	.	.	.	.	1	1	.	.	9	.	2	4	6	24	5	.	1	45	5
V.	INMATES OF WORKHOUSES, ...	5,602	—	59	2	.	5	10	21	14	7	.	.	.	.	.	.	.	.	7	.	3	.	9	19	1	.	.	20	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	8	.	.	.	1	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	5	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	6	1	.	1	1	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	4	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	13	3	.	.	2	4	3	1	.	.	.	.	.	.	.	.	1	.	1	.	2	1	.	.	.	8	.
	6. Clerks and Commercial Assistants,	33,249	—	12	3	1	2	4	1	.	1	.	.	.	1	.	.	.	.	3	.	2	.	1	.	.	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	17	2	.	3	3	4	1	4	.	.	.	.	.	.	.	.	4	.	.	.	6	1	.	.	.	6	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	5	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.	1	.
	9. Building and Furnishing Trades, ..	28,823	—	14	3	1	.	3	2	5	.	.	.	.	.	.	.	.	.	2	.	1	.	1	5	.	.	.	5	.
	10. Clothing Trades, ...	20,026	—	6	.	.	1	1	3	.	1	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	.	1	1
	11. Food Supply Trades, ...	8,952	—	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	33	2	2	1	8	10	5	5	.	.	.	.	.	1	.	.	2	.	1	.	6	8	.	.	2	13	1
	13. Petty Shopkeepers, ...	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	21	9	1	2	3	4	.	2	.	.	.	.	.	.	.	.	2	.	.	1	5	3	.	.	.	10	1
	15. Domestic Servants, ...	36,041	—	8	2	.	.	.	5	.	1	.	.	.	.	.	1	.	.	.	.	2	.	1	1	.	.	.	3	1
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	8	2	1	.	.	4	.	1	.	.	.	.	1	.	.	.	.	.	.	1	.	2	.	.	1	3	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	71	26	4	5	10	12	11	3	.	.	.	.	.	.	.	.	7	.	.	2	10	18	5	.	.	29	3
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	59	2	.	5	10	21	14	7	.	.	.	.	.	.	.	.	7	.	3	.	9	19	1	.	.	20	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb 8.	Feb. 15.
No. of weeks in Annual Series ..	47	48	49	50	51	52	1	2	3	4	5	6	7	47	48	49	50	51	52	1	2	3	4	5	6	7
BIRTHS registered	195	177	179	165	150	105	188	195	202	197	177	196	199	167	162	191	185	144	102	185	193	201	151	166	170	169
Average Births in corresponding week of previous 10 years, ...	186	192	176	200	164	153	211	225	206	214	214	214	208	173	181	173	179	172	165	233	200	209	207	214	201	198
Number of Deaths, ...	244	199	172	168	145	156	182	165	172	179	183	194	259	490	463	314	186	145	146	133	157	121	145	126	163	175
Annual Death-rate per 1,000 ..	31·9	26·0	22·5	22·0	18·9	20·4	23·4	21·2	22·1	23·0	23·6	25·0	33·3	65·0	61·4	41·7	24·7	19·2	19·4	17·3	20·4	15·7	18·9	16·4	21·8	22·8
Average Deaths in corresponding week of previous 10 years, ...	156	157	164	161	158	156	189	176	182	186	186	186	185	134	129	144	144	144	155	150	157	144	159	171	179	167
Ages. Under one year, ..	33	24	19	32	33	28	43	31	25	31	36	27	37	39	35	48	25	17	16	26	26	22	33	21	37	33
1— 5 years, ..	20	10	14	20	12	13	14	6	9	20	10	13	17	72	79	40	20	17	18	12	9	7	10	11	10	17
5—25 ,, ..	46	23	28	22	17	27	16	15	13	21	16	13	29	100	106	46	27	25	28	13	10	22	16	17	21	21
25—45 ,, ..	54	49	43	29	21	23	29	26	24	26	24	29	40	131	107	84	45	31	30	17	25	19	20	15	22	28
45—65 ,, ..	46	51	29	27	28	31	32	39	47	33	46	49	69	92	81	56	40	30	31	35	38	22	27	31	36	31
65 and upwards, ..	45	42	41	38	34	34	48	48	54	45	51	63	67	56	55	40	29	25	23	30	49	29	39	31	42	45
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	1	1	.	.	1	.	1	.	1	.	.	.	.	.	.	1	1	1	.	.	.	.
Scarlet Fever, ...	.	.	.	1	.	.	.	.	.	1	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	1	.	1	.	.	2	.	.	.	1	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.
Diphtheria, ...	.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	1	.	.	.	1	1	1	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis Pulmonary, ..	24	12	16	16	11	17	19	20	22	21	19	27	30	34	17	16	19	13	21	12	20	16	13	16	19	25
Tuberculosis Other Forms, ..	2	6	3	6	2	5	8	4	4	11	6	3	1	.	2	5	4	6	5	7	3	7	6	4	5	7
Cancer, ...	11	9	8	10	4	6	9	5	7	10	8	11	10	4	4	10	4	5	7	6	7	5	2	5	8	7
Diseases of Respiratory System, Pneumonia ..	27	31	24	20	18	24	22	21	10	15	18	24	43	136	146	75	38	21	17	23	17	10	10	17	30	24
Diseases of Respiratory System, Others, ..	33	25	12	22	16	19	31	25	28	24	31	39	60	181	171	117	56	33	32	22	30	15	34	16	30	45
Diarrhœa and Enteritis, under 2 years, ...	1	1	5	2	2	4	1	2	3	3	3	3	6	2	.	3	1	2	2	2	2	5	2	.	.	1
Diarrhœa, 2 years and upwards..	1	.	.	2	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	1	1	.	.	.	.
Violent Deaths, ...	3	2	1	8	3	7	1	2	1	5	2	2	2	3	3	5	2	5	2	3	2	5	4	5	5	3
Number of Uncertified Deaths, ..	5	6	4	4	3	5	9	6	3	8	7	8	8	9	3	5	1	2	2	5	1	2	3	1	.	2
A Mean Maximum Temperature in degs	—	50·6	56·7	52·7	45·4	48·4	44·6	43·1	46·4	47·7	42·7	41·6	43·5	—	49·5	55·0	53·3	45·6	47·0	45·3	44·1	44·9	46·6	41·5	40·8	43·8
B Mean Minimum ,, ,,	—	38·6	46·6	42·0	34·4	34·1	34·3	32·3	35·0	34·6	32·0	34·3	31·4	—	39·6	43·3	43·0	34·0	34·2	35·6	35·3	33·3	36·3	35·3	34·6	37·4
Mean of A and B ,, ,,	—	44·6	51·7	47·4	39·9	41·3	39·5	37·7	40·7	41·2	37·4	38·0	37·5	—	44·6	49·1	48·1	39·8	40·6	40·4	39·7	39·1	41·4	38·4	37·7	40·6
Rainfall in inches	—	0·54	0·34	0·70	1·11	0·75	0·64	1·00	0·56	0·45	0·39	0·68	0·16	—	1·11	1·02	0·89	0·78	0·91	2·72	1·41	0·45	0·94	0·58	0·14	0·09

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 15th February, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS. Pulmonary.	Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	10	13·1	.	4	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
Do. 2 do.	49,500	24	17·9	.	17	3	1	2	5	3	3	.	.	.	.	.	.	.	.	3	2	.	1	8	.	.	1	.	5	.
Do. 3 do.	50,032	14	28·1	1·0	27	5	.	3	4	4	11	.	.	.	.	.	.	.	.	2	.	1	4	11	1	.	.	.	8	2
Do. 4 do.	32,637	14	24·0	.	15	6	.	3	1	4	1	.	.	.	.	.	.	.	.	1	.	.	2	3	.	.	.	.	5	.
Do. 5 do.	16,112	6	35·6	.	11	2	1	2	5	1	.	.	.	.	.	.	.	.	.	1	1	.	4	2	.	.	.	.	4	.
Do. 6 do.	37,293	11	25.2	1·4	18	2	3	1	3	4	5	.	.	.	.	.	.	1	.	3	1	1	2	4	.	.	.	.	3	.
Do. 7 do.	2,681	1	19·4	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 8 do.	5,964	2	8·7	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 9 do.	24,427	18	12·8	.	6	2	.	1	1	1	1	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.	.	.
Do. 10 do.	28,958	12	28·8	1·8	16	4	3	2	2	1	4	.	.	.	.	.	.	1	.	3	2	1	.	3	.	.	1	1	3	.
Do. 11 do.	39,311	15	17·2	.	13	1	3	1	2	2	4	.	.	.	.	.	.	.	.	2	.	1	2	4	.	.	.	.	3	.
Do. 12 do.	38,076	24	26.0	.	19	5	1	3	3	5	2	.	.	.	.	.	.	.	.	4	.	2	3	2	.	.	1	1	5	.
Do 13 do.	23,233	10	29·2	.	13	.	.	1	2	3	7	.	.	.	.	.	.	.	.	.	.	1	1	4	.	.	.	.	2	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	8	32·2	.	14	1	5	1	.	3	4	.	.	.	.	.	.	.	.	4	1	.	2	1	.	.	.	.	3	.
Total,	386,947	169	22·8	0·4	175	33	17	21	28	31	45	.	.	.	.	.	.	2	.	25	7	7	24	45	1	.	3	2	45	2
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	2	19·4	.	5	.	2	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do 2 do.	10,399	6	45·1	.	9	1	.	.	2	4	2	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	.	.	1
Do. 3 do.	9,793	3	21·3	.	4	1	.	1	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
Do. 4 do.	9,139	4	28·5	.	5	1	.	2	1	.	1	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	2	.
Do. 5 do.	6,250	1	25.0	.	3	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
Do. 6 do.	11,581	13	40·5	.	9	.	2	1	1	3	2	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	3	.
Do 7 do	16,056	5	22·7	.	7	.	.	2	3	2	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	1	1	.
Total.	76,673	34	28·6	.	42	3	4	8	9	9	9	.	.	.	.	.	.	.	.	6	.	.	6	6	.	.	.	1	9	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th February, 1919.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	2	.	.	.	1	3
" " 1, West ..	.	.	.	.	.	.	.	.	.	.	.	.	5	5
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 3, ...	.	1	.	.	.	.	.	.	.	.	.	.	3	4
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.		.	.	.	.
South City No. 1	.	.	.	.	.	.	.	.	.	.	.	.	3	3
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " " 3, ...	.	3	.	.	1	.	.	.	.	.	.	.	3	7
" " " 4, ...	.	1	.	.	.	.	.	.	.	.	.	.	4	5
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Total, ...	.	5	.	.	1	.	.	.	2	.	.	.	24	32

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th February, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 15th February.			
	Jan. 25.	Feb. 1.	Feb. 8.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	11	14	16	.	3	.	13
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	8	12	8	21	7	.	22
Scarlet Fever	46	43	39	10	2	1	46*
Diphtheria, ...	7	8	7	4	4	.	7
Pneumonia, ...	34	39	47	33	7	7	66

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12549). Wt. 8531. 380. 2, 1919 G, III. Sch. c. 7

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37 PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 8. VOL. LVI.] WEEK ENDING SATURDAY, 22ND FEBRUARY, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 24th February, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 35·8 and 27·0; Dublin Registration Area, 45·2 and 31·8; Dublin City, 50·2 and 34·8; Belfast, 28·3 and 22·3; Cork, 39·4 and 29·6; Londonderry, 29·3 and 23·6; Limerick, 42·0 and 25·4; and Waterford, 30·4 and 26·6.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·7 per 1,000. Among the 218 deaths from all causes for Belfast is one from diarrhœa and enteritis of a child under 2 years. Of the 58 deaths from all causes for Cork one is from measles and one from diarrhœa and enteritis of a child under 2 years. Included in the 23 deaths from all causes for Londonderry are 5 from whooping-cough, and the 6 deaths recorded for Wexford include one caused by diphtheria and one by diarrhœa.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 170—84 boys and 86 girls—and the deaths to 376—177 males and 199 females.

The deaths registered, omitting the deaths (numbering 25) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 45·2 per 1,000 of the population. During the eight weeks ending with Saturday last the death-rate averaged 27·1 and was 3·0 above the mean rate for the corresponding portions of the ten years 1909–18. The rate for all deaths registered during the eight weeks was 29·3 and for the corresponding period of the preceding ten years 25·5.

Of the 351 deaths appertaining to the Area there were 5 from diarrhœa and enteritis of children under 2 years.

There were 88 deaths from influenza, being equivalent to an annual rate of 11·3 per 1,000 of the population, and of these 80 belonged to the City, affording a rate of 13·4 per 1,000 of the population the latter including 39 or (12·5 per 1,000) assigned to North City Districts and 41 (or 14·5 per 1,000) to South City Districts. Eight deaths from influenza (or 4·4 per 1,000 of the population) were referred to the urban districts (see Table IV., col. 29). In the three preceding weeks deaths from this cause for the Registration Area numbered 3, 5, and 21 respectively.

Deaths attributed to pneumonia were 50 (comprising 25 from broncho-pneumonia, 4 from lobar pneumonia, and 21 from pneumonia, type not distinguished), as against 18, 24, and 43 in the three weeks preceding.

Tuberculous disease caused 29 deaths (comprising 26 from pulmonary tuberculosis, one from tuberculous meningitis, and 2 from other forms of tuberculosis disease), as against 25, 30, and 31 in the three weeks preceding.

Ten deaths were caused by cancer, 19 by organic diseases of the heart, and 63 by bronchitis.

Among deaths of infants under one year old, 2 were due to convulsions, 3 to bronchitis, 7 to broncho-pneumonia, 4 to diarrhœa and enteritis, 3 to premature birth, and 6 to congenital debility.

There was one death by an accident on a railway.

Forty-eight of the deaths registered during the week appertaining to the Area were those of children under 5 years of age 29 being infants under one year, of whom 10 were under one month old and 102 deaths were those of persons aged 65 and upwards, of whom 71 were 70 years of age or over.

Of the 351 deaths recorded, 136 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 22nd February, in 96 large English towns (including London, in which the rate was 34·2 was equal to an average annual death rate of 35·8 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 38·4 per 1,000 persons living, the rate for Glasgow being 42·3 and for Edinburgh 52·1.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 22nd February. From this Report it appears that of 53 cases notified, 16 were scarlet fever, 14 pulmonary tuberculosis, 10 other forms of tuberculosis, 9 diphtheria, 2 erysipelas, one enteric fever and one puerperal fever. Among the 444 cases of infectious diseases in hospital at the close of the week were 136 of pulmonary tuberculosis, 90 of influenza, 90 of scarlet fever, 42 of diphtheria, 33 of whooping-cough, 5 of measles, 5 of erysipelas, 2 of cerebro-spinal fever, and one of enteric fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 22nd February, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Feb. 1	.	—	—	7	.	.	1	.	.	.	1	.	—	—	.	—	.	14	23
	Feb. 8	.	—	—	6	.	.	1	.	.	2	2	.	—	—	.	—	.	11	22
	Feb. 15	.	—	—	5	.	.	1	.	.	.	2	.	—	—	.	—	.	24	32
	Feb. 22	.	—	—	4	.	.	.	.	.	.	.	.	—	—	.	—	.	10	14
Rathmines and Rathgar Urban District.	Feb. 1	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	.	—	2
	Feb. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Feb. 15	.	—	—	.	.	.	1	.	.	.	1	.	—	—	.	—	.	—	2
	Feb. 22	.	—	—	2	.	.	2	.	.	.	.	.	—	—	.	—	.	—	4
Pembroke Urban District.	Feb. 1	.	1	.	1	.	.	.	.	.	.	.	.	—	5	.	—	.	1	8
	Feb. 8	.	.	.	.	.	.	.	.	.	.	.	.	—	2	.	—	.	.	2
	Feb. 15	.	.	.	2	.	.	.	.	.	.	.	.	—	.	.	—	.	.	2
	Feb. 22	.	.	.	1	.	.	1	.	.	.	.	.	—	3	.	—	.	1	6
Blackrock Urban District.	Feb. 1	.	.	—	.	.	.	1	.	.	.	.	.	—	—	.	—	.	.	1
	Feb. 8	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Feb. 15	.	.	—	1	.	.	1	.	.	1	.	.	—	—	.	—	.	.	3
	Feb. 22	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	1	1
Kingstown Urban District.	Feb. 1	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	.	1	3
	Feb. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	4	4
	Feb. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	2	2
	Feb. 22	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
City of Belfast	Feb 1	.	—	—	6	.	.	7	.	.	2	1	.	—	—	.	—	.	.	16
	Feb. 8	.	—	—	9	.	.	4	.	.	1	1	.	—	—	.	—	.	.	15
	Feb. 15	.	—	—	3	.	.	6	1	.	1	2	.	—	—	.	—	.	.	14*a*
	Feb. 22	.	—	—	6	.	.	4	.	.	2	1	.	—	—	.	—	.	2	18*b*
City of Cork. (*c*)	Feb. 1	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	.	.	—	.
	Feb. 8	.	.	—	.	1	.	.	.	.	1	.	.	—	—	—	.	.	—	2
	Feb. 15	.	.	—	1	.	.	4	.	.	.	.	1	—	—	—	.	.	—	6
	Feb. 22	.	1	—	.	3	.	1	.	.	.	.	.	—	—	—	.	.	—	5
City of Londonderry.	Feb. 1	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
	Feb. 8	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
	Feb. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 22	.	—	—	4	.	.	.	.	.	.	.	.	—	—	.	—	—	—	4
City of Limerick.	Feb. 1	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Feb. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Feb. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Feb. 22	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
City of Waterford.	Feb. 1	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	2	2
	Feb. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb. 22	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	.	1

(*a*) Including one case of septic-pneumonia.
(*b*) Including 3 cases of septic-pneumonia.
(*c*) One case of cerebro-spinal fever was reported during the week ended 1st February.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd February, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively were as follows:—Enteric fever nil and 11; measles 6 and 19; scarlet fever 8 and 38*; and diphtheria 3 and 6. Seventy-three cases of pneumonia were admitted during the week and 97 remained under treatment at its close, as compared with 39, 47 and 66 at the close of the 3 preceding weeks. Of the deaths in hospital during the week 29 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 22nd February, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS	DEATHS: From all Causes.	DEATHS: From certain Epidemic Diseases (b)	BIRTHS Total Number.	DEATHS Total Number	Under 1 year of Age.	At 65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	METEOROLOGY. (c) Week ending 22nd February, 1919. Air Temperature: Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	21·7	35·8	0·7	476	785	88	211	·	·	·	1	·	5	1	·	74	16	20	141	157	7	1	6	6	248	17	·	·	·	·	·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	21·9	45·2	0·6	170	351	29	102	·	·	·	·	·	·	·	·	26	3	10	50	71	5	·	1	3	136	8	(d) 48·0	25·0	45·2	36·1	40·7	0·57
Urban Districts. CITY OF DUBLIN,	310,500	38·0	23·7	50·2	0·8	141	299	27	86	·	·	·	·	·	·	·	·	21	2	8	40	62	5	·	·	1	122	6	(e) 46·9 (f) 47·0	31·2 28·0	45·1 45·3	38·8 37·8	42·0 41·6	0·54 0·73
RATHMINES and RATHGAR,	39,400	23·0	17·2	34·4	·	13	26	1	7	·	·	·	·	·	·	·	·	4	·	1	6	3	·	·	·	1	6	1	·	·	·	·	·	·
PEMBROKE, ..	29,500	18·8	17·7	26·5	·	10	15	1	4	·	·	·	·	·	·	·	·	1	·	1	4	3	·	·	1	1	4	·	·	·	·	·	·	·
BLACKROCK, ..	9,000	8·3	·	17·4	·	·	3	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·
KINGSTOWN, ..	16,600	11·4	18·8	25·1	·	6	8	·	4	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	2	1	47	32	44·2	39·1	41·7	0·56
Urban Districts. BELFAST, ..	401,000	26·8	22·4	28·3	0·1	172	218	34	57	·	·	·	·	·	·	·	·	28	8	7	37	51	1	·	3	3	51	2	45·5	27·5	44·3	34·8	39·6	0·91
CORK, ...	76,673	28·6	21·1	39·4	1·4	31	58	7	7	·	·	·	1	·	·	·	·	2	1	2	24	10	1	·	·	·	25	1	·	·	·	·	·	·
LONDONDERRY, ..	41,000	15·9	30·5	29·3	6·4	24	23	5	3	·	·	·	·	·	5	·	·	2	1	·	6	2	·	·	·	·	1	·	·	·	·	·	·	·
LIMERICK, ..	38,518	16·1	20·3	42·0	·	15	31	1	8	·	·	·	·	·	·	·	·	5	1	·	7	5	·	·	1	·	16	2	·	·	·	·	·	·
WATERFORD, ..	27,464	19·1	20·9	30·4	·	11	16	·	5	·	·	·	·	·	·	·	·	1	1	·	2	2	·	·	·	·	4	·	·	·	·	·	·	·
GALWAY, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			3	4	·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	53	26	47·5	35	41·3	0·51
DUNDALK, ...	13,128	9·5				7	10	2	4	·	·	·	·	·	·	·	·	·	·	·	3	4	·	·	1	·	·	1	·	·	·	·	·	·
LURGAN, ..	12,553	14·7				5	3	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	1	·	47·0	25·1	43·6	35·9	39·7	0·24
DROGHEDA, ..	12,501	8·4				4	9	2	3	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	·	·	2	·	·	·	·	·	·	·
LISBURN, ..	12,388	10·9				5	19	3	6	·	·	·	·	·	·	·	·	2	1	·	6	4	·	·	·	·	3	·	47·0	25·1	43·6	35·9	39·7	0·24
NEWRY, ...	11,963	17·0				2	5	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	47·0	25·1	43·6	35·9	39·7	0·24
PORTADOWN, ..	11,727	15·3				5	7	1	·	·	·	·	·	·	·	·	·	2	·	·	·	2	·	·	·	·	·	1	47·0	25·1	43·6	35·9	39·7	0·24
WEXFORD, ..	11,531	22·8				5	6	2	3	·	·	·	·	·	·	1	·	·	·	·	·	1	·	1	·	·	2	·	·	·	·	·	·	·
BALLYMENA, ..	11,381	9·3				1	6	1	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·
SLIGO, ...	11,163	3·8				3	4	·	3	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	1	1	50	25	46	34	40	0·48
KILKENNY, ..	10,514	11·4				7	7	·	3	·	·	·	·	·	·	·	·	1	·	·	1	3	·	·	·	·	3	·	52	29	46·2	36·6	41·1	0·58
TRALEE, ...	10,300	17·4				2	4	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
CLONMEL, ..	10,209	7·8				4	4	·	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	·	·	1	·	·	·	·	·	·	·
LONDON	4,206,901	—	—	34·2	—	1,201	2,644	209	941	1	—	·	9	7	4	11	—	155	31	93	358	466	13	12	53	188	942	5	53	31	48·3	37·9	43·1	1·61
EDINBURGH ...	336,500	—	—	52·1	—	77	336	21	100	·	·	·	·	1	6	3	—	—	—	—	—	—	3	—	3	—	—	—	43·0	28·0	39·0	33·0	36·0	0·70
GLASGOW	1,118,700	—	—	42·3	—	399	907g	95	199	·	·	·	2	2	52	6	—	—	—	—	—	—	4	—	12	—	—	—	43·0	25·3	39·0	32·4	5·7	0·4

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis.

TABLE III — DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 8th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 22nd February, 1919.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death.														
			0—5.														
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards	
ALL CAUSES.	204·0	376	10	19	11	9	5	8	9	11	44	51	41	54	63	41	351
Enteric Fever ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Typhus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles	2·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Scarlet Fever ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Whooping-cough ..	3·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diphtheria	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Croup	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	4·8	95	·	1	2	4	·	4	6	3	21	22	12	10	6	4	88
Dysentery	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Erysipelas	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Epidemic Diseases	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pyæmia and Septicæmia (non-puerperal).	·4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Tetanus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
TUBERCULOSIS.																	
Pulmonary Tuberculosis	24·8	29	·	·	·	·	·	1	2	5	4	10	4	3	·	·	26
Tuberculous Meningitis	3·6	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1
Abdominal Tuberculosis	1·8	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Tuberculosis of the Spinal Column.	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Tuberculosis of Joints	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of other Organs.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Scrofula	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Disseminated Tuberculosis.	2·2	1	·	·	·	·	·	·	2	·	·	·	·	·	·	·	1
Venereal Diseases ..	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cancer	7·6	12	·	·	·	·	·	·	·	·	1	·	2	6	3	·	10
Tumour, situation undefined.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Rheumatic Fever ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diabetes	1·2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Anæmia, Leucocythæmia.	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other General Diseases	1·6	5	·	·	1	·	·	1	·	·	·	·	·	·	2	1	5
Alcoholism ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Poisonings ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cerebro-spinal Fever..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Simple Meningitis ..	2·0	2	·	·	·	·	2	·	·	·	·	·	·	·	·	·	2
Cerebral Hæmorrhage, Apoplexy.	7·2	5	·	·	·	·	·	·	·	·	·	·	2	·	3	·	5
Softening of Brain ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Paralysis, without specified cause.	2·0	10	·	·	·	·	·	·	·	·	1	·	1	2	2	4	10
Epilepsy, ...	·6	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Convulsions (non-puerperal).	5·4	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	2
Other Diseases of Nervous System.	4·0	3	·	·	·	·	·	·	·	·	·	1	1	·	1	·	2
Pericarditis ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Endocarditis ..	·4	3	·	·	·	·	·	·	·	·	·	1	1	1	·	·	2
Organic Diseases of the Heart.	16·0	20	·	·	·	·	·	·	·	·	1	2	1	5	6	5	19
Embolism and Thrombosis (including Cerebral).	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Circulatory System.	1·6	2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	2
Diseases of the Larynx	·4	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Bronchitis	29·4	64	1	2	1	·	2	·	·	·	1	1	7	15	21	13	63
Broncho-pneumonia ..	10·8	26	·	7	5	1	1	1	·	·	2	·	3	3	3		25
Lobar pneumonia ..	1·2	4	·	·	·	·	·	·	·	1	·	3	·	·	·	·	4
Pneumonia (type not distinguished).	5·4	25	·	·	1	2	·	·	·	·	10	7	2	1	2	·	21
Pleurisy	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pulmonary Congestion, Pulmonary Apoplexy.	·	3	·	·	·	·	·	·	·	1	·	·	1	·	1	·	3
Other Diseases of Respiratory System	2·2	4	·	·	·	·	·	·	·	1	·	·	·	·	1	2	4

in the EIGHTH WEEK, ending Saturday, 22nd February, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 8th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 22nd February, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx. Tonsillitis.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Stomach ..	2·0	3	·	1	·	1	·	·	·	·	·	·	·	·	1	·		3
Diarrhœa and Enteritis of Children under 2 years.	3·8	5	·	4	1	·	·	·	·	·	·	·	·	·	·	·		5
Diarrhœa 2 years and upwards.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Enteritis 2 years and upwards.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		1
Appendicitis and Typhlitis.	·4	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		·
Hernia and Intestinal Obstructions.	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Cirrhosis of Liver ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Liver	·6	3	·	·	·	·	·	·	·	·	·	1	·	·	1	1		3
Peritonitis (cause unknown).	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Digestive System	1·2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		1
Acute Nephritis ..	1·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Chronic Bright's Disease	4·4	8	·	·	·	·	·	·	·	·	·	·	2	2	3	1		7
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Uterine Tumour (non-cancerous).	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Genito-urinary System.	1·4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1		1
Puerperal Septicæmia, &c.	·4	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		1
Other causes incident to Pregnancy and Childbirth.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Skin and Cellular Tissues.	1·4	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·		1
Diseases of Locomotor System.	·2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1		1
Congenital Malformations.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Premature Birth ..	5·4	3	2	1	·	·	·	·	·	·	·	·	·	·	·	·		3
Congenital Debility ..	5·6	6	4	2	·	·	·	·	·	·	·	·	·	·	·	·		6
Old Age	7·6	11	·	·	·	·	·	·	·	·	·	·	·	·	4	7		11
Other Specified Diseases	3·4	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·		1
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Burns and Scalds ..	2·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Drowning	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suffocation in Bed, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Railways, ..	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·		1
Vehicles and Horses ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ships, Boats, Docks, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Gunshot Wounds, &c.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Violent Deaths		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Not included in above—																		
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ill-defined, &c., Causes,	5·8	7	·	·	·	·	·	·	·	·	1	·	1	4	1	·		6

TABLE IV.—Showing for the WEEK ENDED 22ND FEBRUARY, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population Middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
					WEEK ENDED SATURDAY, 22ND FEBRUARY, 1919. DEATHS. CAUSED BY																												
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
North City, No. 1, E., ...	30,000	50·4	3·5	29	5	·	1	2	3	3	8	7	·	·	·	·	·	·	·	·	2	·	·	4	8	2	·	·	8	·	4	4	1
,, 1, W., ...	41,100	54·6	1·3	43	3	1	2	1	4	8	11	13	·	·	·	·	·	·	·	·	2	1	2	5	7	1	·	·	11	1	·	9	·
,, 2, ...	27,500	75·8	1·9	40	3	1	2	1	1	9	11	12	·	·	·	·	·	·	·	·	2	·	1	7	10	1	·	·	7	·	11	9	·
,, 3, ...	34,100	53·5	·	35	4	1	1	·	2	9	10	8	·	·	·	·	·	·	·	·	3	·	1	5	3	·	·	·	12	·	4	9	·
Clontarf and Howth, No. 1, part of	5,500	19·0	·	2	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·
Coolock and Drumcondra, part of ..	13,600	15·3	·	4	·	·	·	·	1	3	·	·	·	·	·	·	·	·	·	·	2	·	·	2	·	·	·	·	·	·	3	·	·
Finglas and Glasnevin, part of ..	11,100	14·1	·	3	2	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
South City.																																	
South City, No. 1, ..	43,000	60·6	·	50	5	2	1	1	3	14	11	13	·	·	·	·	·	·	·	·	4	1	2	7	8	·	·	·	11	·	5	21	3
,, 2, ...	18,200	65·9	·	23	·	·	2	·	·	10	1	10	·	·	·	·	·	·	·	·	1	·	1	1	5	·	·	·	8	·	5	8	1
,, 3, ...	43,300	49·4	·	41	4	3	·	8	2	6	9	11	·	·	·	·	·	·	·	·	4	·	·	6	13	·	·	·	12	·	10	9	1
,, 4, ...	32,800	36·6	·	23	1	1	·	·	·	8	6	7	·	·	·	·	·	·	·	·	1	·	1	2	3	·	·	·	10	·	4	7	·
New Kilmainham, ...	10,300	30·4	5·1	6	·	1	·	·	·	·	2	3	·	·	·	·	·	·	·	·	·	·	·	·	4	1	·	·	·	·	·	·	·
Urban Districts																																	
Rathmines and Rathgar, ..	39,400	34·4	·	26	1	·	·	·	2	5	11	7	·	·	·	·	·	·	·	·	4	·	1	6	3	·	·	·	5	1	5	1	1
Pembroke	29,500	26·5	·	15	1	·	·	1	1	4	4	4	·	·	·	·	·	·	·	·	1	·	1	4	3	·	·	1	2	1	4	·	·
Blackrock, ...	9,000	17·4	·	3	·	·	·	1	·	·	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	2	·	·
Kingstown, ...	16,600	25·1	·	8	·	·	·	·	·	·	4	4	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	1	1	1
TOTAL CITY. North, ...	162,900	49·9	1·3	156	17	3	6	4	11	33	40	42	·	·	·	·	·	·	·	·	11	1	4	24	29	4	·	·	39	1	22	31	1
TOTAL CITY. South, ...	147,600	50·5	0·4	143	10	7	3	7	5	38	29	44	·	·	·	·	·	·	·	·	10	1	4	16	33	1	·	·	41	·	24	45	5
TOTAL CITY. North and South, ..	310,500	50·2	0·8	299	27	10	9	11	16	71	69	86	·	·	·	·	·	·	·	·	21	2	8	40	62	5	·	·	80	1	46	76	6
Total Urban Districts, ...	94,500	28·7	·	52	2	·	·	2	3	9	20	16	·	·	·	·	·	·	·	·	5	1	2	10	9	·	·	1	8	2	12	2	2
Total Registration Area, ..	405,000	45·2	0·6	351	29	10	9	13	19	80	89	102	·	·	·	·	·	·	·	·	26	3	10	50	71	5	·	1	88	3	58	78	8
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				25	·	1	·	·	1	15	6	2	·	·	·	·	·	·	·	·	3	1	2	5	1	·	·	·	7	·	24	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 22nd February, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 22ND FEBRUARY, 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children, under 2 years of age.	Diarrhœa, 2 years of age and up wards.	Violence.	Other Causes	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	376	49	13	20	95	95	63	41	.	.	.	.	.	.	.	.	29	4	12	2	55	72	5	.	1	196	8
	CLASSES.																													
	DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	14·2	4	.	.	.	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
II.	MIDDLE CLASS	101,798	27·7	54	6	1	4	18	13	8	4	.	.	.	.	.	.	.	.	5	.	3	1	10	4	.	.	1	30	3
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	42·8	89	13	2	2	24	23	18	7	.	.	.	.	.	.	.	.	8	2	4	.	12	18	1	.	.	44	2
IV.	GENERAL SERVICE CLASS	167,479	46·7	150	26	10	13	38	41	12	10	.	.	.	.	.	.	.	.	12	2	2	1	25	26	4	.	.	78	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	79	4	.	1	12	18	25	19	.	.	.	.	.	.	.	.	4	.	3	.	7	24	.	.	.	41	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	4	.	.	.	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	9	1	.	2	1	2	2	1	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	1	4	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	10	.	.	.	4	4	.	2	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.	6	.
	6. Clerks and Commercial Assistants,	33,249	—	19	4	1	2	6	2	3	1	.	.	.	.	.	.	.	.	2	.	1	.	5	3	.	.	.	8	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	16	1	.	.	7	5	3	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	12	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	6	1	.		1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4	.
	9. Building and Furnishing Trades, ..	28,823	—	25	4	.	1	8	7	3	2	.	.	.	.	.	.	.	.	3	.	3	.	5	2	.	.	.	12	1
	10. Clothing Trades, ...	20,026	—	15	.	.	1	2	6	6	.	.	.	.	.	.	.	.	.	2	1	.	.	.	4	.	.	.	8	.
	11. Food Supply Trades, ...	8,952	—	10	2	1	.	3	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1	1	.	.	5	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	31	6	1	.	9	8	5	2	.	.	.	.	.	.	.	.	3	.	1	.	5	8	.	.	.	14	1
	13. Petty Shopkeepers, ...	6,772	—	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	29	11	1	1	11	3	2	.	.	.	.	.	.	.	.	.	2	1	.	.	5	5	2	.	.	14	1
	15. Domestic Servants, ...	36,041	—	15	1	.	1	6	4	2	1	.	.	.	.	.	.	.	.	1	.	.	.	4	2	.	.	.	8	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	13	.	.	1	5	5	2	.	.	.	.	.	.	.	.	.	1	.	.	.	3	1	.	.	.	8	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	93	14	9	10	16	29	6	9	.	.	.	.	.	.	.	.	8	1	2	1	13	18	2	.	.	48	2
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	79	4	.	1	12	18	25	19	.	.	.	.	.	.	.	.	4	.	3	.	7	24	.	.	.	41	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Nov. 30.	Dec. 7.	Dec. 14	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb 8	Feb. 15.	Feb. 22.
No. of weeks in Annual Series ..	48	49	50	51	52	1	2	3	4	5	6	7	8	48	49	50	51	52	1	2	3	4	5	6	7	8
BIRTHS registered	177	179	165	150	105	188	195	202	197	177	156	159	170	162	191	185	144	102	185	193	204	151	166	170	169	172
Average Births in corresponding week of previous 10 years, ...	192	176	200	164	153	211	225	206	214	214	214	208	205	181	173	179	172	165	233	200	209	207	214	201	198	199
Number of Deaths, ...	199	172	168	145	156	182	165	172	179	183	194	259	351	463	314	186	145	146	133	157	121	145	126	163	175	218
Annual Death-rate per 1,000 ..	26·0	22·5	22·0	18·9	20·4	23·4	21·2	22·1	23·0	23·6	25·0	33·3	45·2	61·4	41·7	24·7	19·2	19·4	17·3	20·4	15·7	18·9	16·4	21·8	22·8	28·3
Average Deaths in corresponding week of previous 10 years, ...	157	164	161	158	156	189	176	182	186	186	186	185	195	129	144	144	144	155	150	157	144	159	171	179	167	166
Ages, .. Under one year, ..	24	19	32	33	28	43	31	25	31	36	27	37	29	35	48	25	17	16	26	26	22	33	21	37	33	34
1— 5 years, ..	10	14	20	12	13	14	6	9	20	10	13	17	19	79	40	20	17	18	12	9	7	10	11	10	17	13
5—25 ,, ..	23	23	22	17	27	16	15	13	21	16	13	29	32	106	46	27	25	28	13	10	22	16	17	21	21	29
25—45 ,, ..	49	43	29	21	23	29	26	24	26	24	29	40	80	107	84	45	31	30	17	25	19	20	15	22	28	33
45—65 ,, ..	51	29	27	28	31	32	39	47	33	46	49	69	89	81	56	40	30	31	35	38	22	27	31	36	31	52
65 and upwards, ..	42	41	38	34	34	48	48	54	45	51	63	67	102	55	40	29	25	23	30	49	29	39	31	42	45	57
Deaths from :—																										
Enteric Fever, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	·	·	·	1	1	·	·	1	·	1	·	1	·	·	·	·	·	·	1	1	1	·	·	·	·	·
Scarlet Fever, ...	·	·	1	·	·	·	·	·	1	2	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·
Whooping-cough, ...	1	·	1	·	·	2	·	·	·	1	·	2	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Diphtheria, ...	1	1	·	·	·	·	·	·	1	·	·	·	·	·	·	1	1	1	·	·	·	1	1	1	2	·
Dysentery, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis { Pulmonary, ..	12	16	16	11	17	19	20	22	21	19	27	30	26	17	16	19	13	21	12	20	16	13	16	19	25	28
Tuberculosis { Other Forms, ..	6	3	6	2	5	8	4	4	11	6	3	1	3	2	5	4	6	5	7	3	7	6	4	5	7	8
Cancer, ...	9	8	10	4	6	9	5	7	10	8	11	10	10	4	10	4	5	7	6	7	5	2	5	8	7	7
Diseases of Respiratory System, { Pneumonia ..	31	24	20	18	24	22	21	10	15	18	24	43	50	146	75	38	21	17	23	17	10	10	17	30	24	37
Diseases of Respiratory System, { Others, ..	25	12	22	16	19	31	25	28	24	31	39	60	71	171	117	56	33	32	22	30	15	34	16	30	45	51
Diarrhœa and Enteritis, under 2 years, ...	1	5	2	2	4	1	2	3	3	3	3	6	5	·	3	1	2	2	2	2	5	2	·	·	1	1
Diarrhœa, 2 years and upwards..	·	·	2	·	·	·	·	·	1	·	1	·	·	·	·	·	1	·	·	1	1	·	·	·	·	·
Violent Deaths, ...	2	1	8	3	7	1	2	1	5	2	2	2	1	3	5	2	5	2	3	2	5	4	5	5	3	3
Number of Uncertified Deaths, ..	6	4	4	3	5	9	6	3	8	7	8	8	8	3	5	1	2	2	5	1	2	3	1	·	2	2
A Mean Maximum Temperature in degs.	50·6	56·7	52·7	45·4	48·4	44·6	43·1	46·4	47·7	42·7	41·6	43·5	45·2	49·5	55·0	53·3	45·6	47·0	45·3	44·1	44·9	46·6	41·5	40·8	43·8	44·3
B Mean Minimum ,, ,,	38·6	46·6	42·0	34·4	34·1	34·3	32·3	35·0	34·6	32·0	34·3	31·4	36·1	39·6	43·3	43·0	34·0	34·2	35·6	35·3	33·3	36·3	35·3	34·6	37·4	34·8
Mean of A and B ,, ,,	44·6	51·7	47·4	39·9	41·3	39·5	37·7	40·7	41·2	37·4	38·0	37·5	40·7	44·6	49·1	48·1	39·8	40·6	40·4	39·7	39·1	41·4	38·4	37·7	40·6	39·6
Rainfall in inches	0·54	0·34	0·70	1·11	0·75	0·64	1·00	0·56	0·45	0·39	0·68	0·16	0·57	1·11	1·02	0·89	0·78	0·91	2·72	1·41	0·45	0·94	0·58	0·14	0·09	0·91

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 22nd February, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS. Pulmonary.	Other Forms	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	4	42·7	·	13	3	·	4	2	1	3	·	·	·	·	·	·	·	·	3	1	·	·	4	·	·	1	1	4	·
Do 2 do.	49,500	24	22·1	·	21	2	2	3	3	4	7	·	·	·	·	·	·	·	·	2	1	·	5	5	·	·	·	·	4	·
Do. 3 do.	50,032	23	27·1	·	26	5	1	4	1	5	10	·	·	·	·	·	·	·	·	4	2	1	3	7	·	·	·	·	4	1
Do. 4 do.	32,637	11	43·1	·	27	6	3	4	5	8	1	·	·	·	·	·	·	·	·	3	1	1	2	8	·	·	·	·	10	·
Do. 5 do.	16,112	5	45·3	·	14	4	·	2	1	5	2	·	·	·	·	·	·	·	·	2	2	·	1	4	·	·	·	·	8	·
Do. 6 do.	37,293	12	21·0	·	15	1	·	·	1	4	9	·	·	·	·	·	·	·	·	·	·	2	1	3	·	·	·	·	2	·
Do. 7 do.	2,681	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	1	8·7	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Do. 9 do.	24,427	9	44·8	2·1	21	3	1	3	4	4	6	·	·	·	·	·	·	·	·	2	·	·	5	9	1	·	·	·	2	·
Do. 10 do.	28,958	14	5·2	·	14	1	2	2	4	3	2	·	·	·	·	·	·	·	·	1	·	·	7	1	·	·	1	1	5	·
Do. 11 do.	39,311	21	26·5	·	20	4	·	2	4	5	5	·	·	·	·	·	·	·	·	·	·	1	2	5	·	·	·	·	3	·
Do. 12 do	38,076	31	30·1	·	22	2	·	2	4	8	6	·	·	·	·	·	·	·	·	5	·	2	3	3	·	·	·	·	7	·
Do 13 do.	23,233	10	24·7	·	11	2	2	·	2	1	4	·	·	·	·	·	·	·	·	2	1	·	4	2	·	·	·	·	·	1
Do. 14 do	175	·	·	·	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·
Do. 15 do.	22,669	6	25·3	·	11	1	·	2	2	4	2	·	·	·	·	·	·	·	·	3	·	·	2	·	·	·	1	1	2	·
Total,	386,947	172	28·3	0·1	218	34	13	29	33	52	57	·	·	·	·	·	·	·	·	28	8	7	37	51	1	·	3	3	51	2
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	2	54·3	·	14	·	2	3	5	2	2	·	·	·	·	·	·	·	·	·	·	·	8	2	·	·	·	·	6	·
Do 2 do.	10,399	4	35·1	5·0	7	2	·	1	1	3	·	·	·	·	1	·	·	·	·	·	·	1	2	1	·	·	·	·	5	·
Do. 3 do.	9,793	4	16·0	·	3	1	·	1	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·	1	·
Do. 4 do.	9,139	2	62.8	·	11	2	·	2	3	3	1	·	·	·	·	·	·	·	·	·	·	1	4	3	·	·	·	·	6	·
Do. 5 do.	6,250	3	50·1	·	6	·	1	·	1	3	1	·	·	·	·	·	·	·	·	1	·	·	2	1	·	·	·	·	4	·
Do. 6 do.	11,581	2	22·5	·	5	1	·	1	1	2	·	·	·	·	·	·	·	·	·	·	·	·	2	1	·	·	·	·	·	·
o. 7 do	16,056	14	39·0	3·2	12	1	1	3	4	1	2	·	·	·	·	·	·	·	·	·	1	·	6	·	1	·	·	·	3	1
Total.	76,673	31	39·4	1·4	58	7	4	11	15	14	7	·	·	·	1	·	·	·	·	2	1	2	24	10	1	·	·	·	25	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd February, 1919.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West ..	.	.	.	.	.	.	.	.	.	.	.	.	3	3
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	3	3
" " 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	2
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	1	.	.	.	.	.	.	.	.	.	.	.	1
" " " 2, ...	.	1	.	.	.	.	.	.	.	.	.	.	2	3
" " " 3, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
" " " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	4	.	.	.	.	.	.	.	.	.	.	10	14

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd February, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 22nd February.			
	Feb. 1.	Feb. 8.	Feb. 15.	No. admitted	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	14	16	13	.	2	.	11
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	12	8	22	6	9	.	19
Scarlet Fever	43	39	46	8	16	.	38*
Diphtheria, ...	8	7	7	3	4	.	6
Pneumonia, ...	39	47	66	73	13	29	97

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12549). Wt. 8531. 380. 2. 1919 G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 9. VOL. LVI.] WEEK ENDING SATURDAY, 1ST MARCH, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House
Dublin, 3rd March, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 42·9 and 32·6; Dublin Registration Area, 60·0 and 40·9; Dublin City, 70·4 and 46·1; Belfast, 30·9 and 26·0; Cork, 59·8 and 40·4; Londonderry, 39·4 and 27·7; Limerick, 31·1 and 28·4; and Waterford, 17·1 and 23·8.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·9 per 1,000. Among the 238 deaths from all causes for Belfast are one from each of whooping-cough, diphtheria, and diarrhœa and enteritis of a child under 2 years. Of the 31 deaths from all causes for Londonderry 4 are from whooping-cough. Included in the 9 deaths from all causes for Waterford are one from measles and one from diarrhœa and enteritis of a child under 2 years, and the 7 deaths recorded for Dundalk include 2 caused by diarrhœa and enteritis of children under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 192—109 boys and 83 girls—and the deaths to 504—224 males and 280 females.

The deaths registered, omitting the deaths (numbering 38) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 60·0 per 1,000 of the population. During the nine weeks ending with Saturday last the death-rate averaged 30·8 and was 6·6 above the mean rate for the corresponding portions of the ten years 1909–18. The rate for all deaths registered during the nine weeks was 33·2 and for the corresponding period of the preceding ten years 25·6.

Of the 466 deaths appertaining to the Area there were 2 from measles, one from whooping-cough and 4 from diarrhœa and enteritis of children under 2 years.

There were 153 deaths from influenza, being equivalent to an annual rate of 19·7 per 1,000 of the population, and of these 142 belonged to the City, affording a rate of 23·8 per 1,000 of the population, the latter including 66 (or 21·1 per 1,000) assigned to North City Districts and 76 (or 26·8 per 1,000) to South City Districts. Eleven deaths from influenza (or 6·1 per 1,000 of the population) were referred to the urban districts (see Table IV., col. 29). In the three preceding weeks deaths from this cause for the Registration Area numbered 5, 21, and 88 respectively.

Deaths attributed to pneumonia were 83 (comprising 38 from broncho-pneumonia, 3 from lobar pneumonia, and 42 from pneumonia, type not distinguished), as against 24, 43, and 50 in the three weeks preceding.

Tuberculous disease caused 32 deaths (comprising 21 from pulmonary tuberculosis, one from tuberculous meningitis, and 10 from other forms of tuberculosis disease), as against 30, 31, and 29 in the three weeks preceding.

Eight deaths were caused by cancer, 21 by organic diseases of the heart, and 70 by bronchitis.

Among deaths of infants under one year old, 11 were due to influenza, 4 to convulsions, 7 to bronchitis, 18 to broncho-pneumonia, 4 to diarrhœa and enteritis, 9 to premature birth, and 5 to congenital debility.

There was one death of a child aged 5½ years from burns.

One hundred and eleven of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 66 being infants under one year, of whom 16 were under one month old and 89 deaths were those of persons aged 65 and upwards, of whom 66 were 70 years of age or over.

Of the 466 deaths recorded, 155 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 1st March, in 96 large English towns (including London, in which the rate was 32·4 was equal to an average annual death rate of 35·7 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 40·0 per 1,000 persons living, the rate for Glasgow being 48·3 and for Edinburgh 41·2.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 1st March. From this Report it appears that of 53 cases notified. 19 were diphtheria, 15 pulmonary tuberculosis, 11 other forms of tuberculosis, 5 scarlet fever, 2 puerperal fever and one erysipelas. Among the 467 cases of infectious diseases in hospital at the close of the week were 141 of pulmonary tuberculosis, 103 of influenza. 79 of scarlet fever, 47 of diphtheria. 36 of whooping-cough, 7 of measles, 3 of erysipelas, 2 of cerebro-spinal fever, and one of enteric fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford during the week ended 1st March, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small pox	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin un certain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Feb. 8	·	—	—	6	·	·	1	·	·	2	2	·	—	—	·	—	·	11	22
	Feb. 15	·	—	—	5	·	·	1	·	·	·	2	·	—	—	·	—	·	24	32
	Feb. 22	·	—	—	4	·	·	·	·	·	·	·	·	—	—	·	—	·	10	14
	Mar 1	·	—	—	9	·	·	1	·	·	1	1	·	—	—	·	—	·	6	18
Rathmines and Rathgar Urban District	Feb. 8	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	·	—	·
	Feb. 15	·	—	—	·	·	·	1	·	·	·	1	·	—	—	·	—	·	—	2
	Feb. 22	·	—	—	2	·	·	2	·	·	·	·	·	—	—	·	—	·	—	4
	Mar. 1	·	—	—	1	·	·	1	·	·	·	1	·	—	—	·	—	·	—	3
Pembroke Urban District.	Feb. 8	·	·	·	·	·	·	·	·	·	·	·	·	—	2	·	—	·	·	2
	Feb. 15	·	·	·	2	·	·	·	·	·	·	·	·	—	·	·	—	·	·	2
	Feb. 22	·	·	·	1	·	·	1	·	·	·	·	·	—	3	·	—	·	1	6
	Mar. 1	·	2	·	2	·	·	·	·	·	·	·	·	—	·	·	—	·	·	4
Blackrock Urban District.	Feb. 8	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	·	·	·
	Feb. 15	·	·	—	1	·	·	1	·	·	1	·	·	—	—	·	—	·	·	3
	Feb. 22	·	·	—		·	·	·	·	·	·	·	·	—	—	·	—	·	1	1
	Mar. 1	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	·	·	·
Kingstown Urban District.	Feb. 8	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	·	4	4
	Feb. 15	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	·	2	2
	Feb. 22	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	·	·	·
	Mar. 1	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	·	·	·
City of Belfast	Feb. 8	·	—	—	9	·	·	4	·	·	1	1	·	—	—	·	—	·	·	15
	Feb. 15	·	—	—	3	·	·	6	1	·	1	2	·	—	—	·	—	·	·	14*a*
	Feb. 22	·	—	—	6	·	·	4	·	·	2	1	·	—	—	·	—	·	2	18*b*
	Mar. 1	·	—	—	11	·	·	7	·	·	·	·	·	—	—	·	—	·	·	28*c*
City of Cork.	Feb. 8	·	·	—	·	1	·	·	·	·	1	·	·	—	—	—	·	·	—	2
	Feb. 15	·	·	—	1	·	·	4	·	·	·	·	1	—	—	—	·	·	—	6
	Feb. 22	·	1	—	·	3	·	1	·	·	·	·	·	—	—	—	·	·	—	5
	Mar. 1	·	·	—	·	·	·	1	1	·	·	·	·	—	—	—	·	·	—	4*d*
City of Londonderry.	Feb. 8	·	—	—	·	·	·	2	·	·	·	·	·	—	—	·	—	—	—	2
	Feb. 15	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
	Feb. 22	·	—	—	4	·	·	·	·	·	·	·	·	—	—	·	—	—	—	4
	Mar. 1	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
City of Limerick.	Feb. 8	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	·	—	·
	Feb. 15	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	·	—	·
	Feb. 22	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	·	—	·
	Mar. 1	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	·	—	·
City of Waterford.	Feb. 8	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	2	2
	Feb. 15	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Feb. 22	·	—	—	·	·	·	·	·	·	·	1	·	—	—	—	—	—	·	1
	Mar. 1	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·

(*a*) Including one case of septic-pneumonia. (*b*) Including 3 cases of septic-pneumonia.
(*c*) Including 10 cases of septic-pneumonia. (*d*) Including 2 cases of septic-pneumonia.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st March, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively were as follows:—Enteric fever one and 9; measles 14 and 19; scarlet fever 13 and 44*; and diphtheria 3 and 6. Eighty-three cases of pneumonia were admitted during the week and 119 remained under treatment at its close, as compared with 47, 66 and 97 at the close of the 3 preceding weeks. Of the deaths in hospital during the week 28 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 1st March, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week: also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow

TOWNS AND DISTRICTS.	POPULATION. Total (a)	POPULATION. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS	Annual Rate per 1,000 Persons Represented by DEATHS. From all Causes.	Annual Rate per 1,000 Persons Represented by DEATHS. From certain Epidemic Diseases (b)	REGISTRATION—WEEK ENDING SATURDAY, 1ST MARCH, 1919. NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number	Under 1 year of Age	At 65 years and upwards	Caused by: Enteric Fever	Typhus	Small-pox	Measles	Scarlet Fever	Whooping-cough	Diphtheria	Dysentery	Tuberculosis: Pulmonary	Tuberculosis: Other Forms	Cancer	Diseases of the Respiratory System: Pneumonia	Diseases of the Respiratory System: Other	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards	Violence	Inquest Cases	No. of Deaths in Public Institutions	Number of Uncertified Deaths	METEOROLOGY. (c) WEEK ENDING 1ST MARCH, 1919. Air Temperature. Absolute Highest	Absolute Lowest	Mean Maximum (A)	Mean Minimum (B)	Mean of (A) and (B)	Rainfall in Inches
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	23·1	42·9	0·9	505	939	111	208	·	·	·	3	·	6	1	·	59	21	22	182	201	9	·	6	13	271	19	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	24·7	60·0	0·9	192	466	66	89	·	·	·	2	·	1	·	·	21	11	8	83	82	4	·	1	5	155	10	(d) 46·0	20·0	44·6	25·7	35·2	0·10
Urban Districts. CITY OF DUBLIN,	310,500	38·0	25·2	70·4	1·0	150	419	62	73	·	·	·	2	·	1	·	·	20	9	7	80	72	3	·	1	5	141	10	(e) 45·2	28·1	44·2	32·5	38·4	0·04
																													(f) 46·8	23·0	45·3	27·8	36·5	0·06
RATHMINES and RATHGAR,	39,400	23·0	22·5	30·4	·	17	23	2	6	·	·	·	·	·	·	·	·	·	·	·	2	7	·	·	·	·	6	·	·	·	·	·	·	·
PEMBROKE, ..	29,500	18·8	30·0	30·0	1·8	17	17	1	7	·	·	·	·	·	·	·	·	1	·	1	1	2	1	·	·	·	6	·	·	·	·	·	·	·
BLACKROCK, ..	9,000	8·3	23·2	5·8	·	4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ..	16,600	11·4	12·6	18·8	·	4	6	1	3	·	·	·	·	·	·	·	·	·	2	·	·	1	·	·	·	·	2	·	48	29	45·3	33·7	39·5	0·10
Urban Districts. BELFAST, ..	401,000	26·8	23·9	30·9	0·4	184	238	21	60	·	·	·	·	·	1	1	·	21	6	7	39	73	1	·	4	6	50	2	48·0	27·5	45·7	32·7	39·2	0·30
CORK, ...	76,673	28·6	16·3	59·8	·	24	88	7	20	·	·	·	·	·	·	·	·	6	1	2	31	12	·	·	·	1	29	·	·	·	·	·	·	·
LONDONDERRY, ..	41,000	15·9	24·2	39·4	5·1	19	31	4	8	·	·	·	·	·	4	·	·	1	1	·	5	8	·	·	1	1	4	1	·	·	·	·	·	·
LIMERICK, ..	38,518	16·1	16·2	31·1	·	12	23	2	7	·	·	·	·	·	·	·	·	3	·	2	1	12	·	·	·	·	7	·	50	25	46·4	28·0	37·2	0.05
WATERFORD, ..	27,464	19·1	22·8	17·1	3·8	12	9	2	1	·	·	·	1	·	·	·	·	·	1	·	1	·	1	·	·	·	2	1	·	·	·	·	·	·
GALWAY, ..	13,255	2·5				3	7	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	1	50	27	48	31·3	39·7	0·06
DUNDALK, ..	13,128	9·5				9	7	·	2	·	·	·	·	·	·	·	·	1	1	·	1	·	2	·	·	·	·	1	·	·	·	·	·	·
LURGAN, ..	12,553	14·7				5	9	·	1	·	·	·	·	·	·	·	·	2	·	·	1	2	1	·	·	·	1	1	47·3	24·9	44·4	28·6	36·5	0·06
DROGHEDA, ..	12,501	8·4	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			5	7	·	3	·	·	·	·	·	·	·	·	2	·	2	1	2	·	·	·	·	3	·	·	·	·	·	·	·
LISBURN, ..	12,388	10·9				4	7	1	3	·	·	·	·	·	·	·	·	·	·	·	1	4	·	·	·	·	2	·	47·3	24.9	44·4	28·6	36·5	0·06
NEWRY, ...	11,963	17·0				7	5	·	3	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	47·3	24·9	44·4	28·6	36·5	0·06
PORTADOWN, ..	11,727	15·3				4	11	4	3	·	·	·	·	·	·	·	·	1	·	·	3	1	·	·	·	·	4	·	47·3	24·9	44·4	28·6	36·5	0·06
WEXFORD, ..	11,531	22·8				6	3	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2	·	·	·	·	·	·	·
BALLYMENA, ..	11,381	9·3				6	3	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
SLIGO, ...	11,163	3·8				5	5	·	2	·	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	·	2	1	48	23	47	28	37·5	0·37
KILKENNY, ..	10,514	11·4				3	5	1	1	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	·	·	·	·	48	24	45·7	28·8	37·3	0·09
TRALEE, ...	10,300	17·4				3	13	·	2	·	·	·	·	·	·	·	·	·	·	·	9	2	·	·	·	·	9	·	·	·	·	·	·	·
CLONMEL, ..	10,209	7·8				2	2	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·
LONDON	4,206,901	—	—	32·4	—	1,307	2,501	197	784	·	—	·	8	5	3	13	—	144	19	91	307	380	14	5	39	126	950	2	48	29	33·9	34·6	34·3	0·28
EDINBURGH ...	336,500	—	—	41·2	—	97	266	22	80	·	·	·	·	2	9	2	—	—	—	—	—	—	·	—	2	—	—	—	44·0	29·0	40·6	31·6	36·1	0·43
GLASGOW	1,118,700	—	—	48·3	—	414	1,037	131	227	·	·	·	9	2	37	4	—	—	—	—	—	—	1	—	10	—	—	—	45·7	27·3	42·2	31·8	37·0	0·09

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 9th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 1st March, 1919.																Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death.															
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20	20—25	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards		
ALL CAUSES.	204·4	504	16	50	23	22	13	10	21	22	66	51	64	55	48	43		466
Enteric Fever ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Measles	4·2	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.		2
Scarlet Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Whooping-cough ..	4·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1
Diphtheria	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Croup	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Influenza	4·8	164	.	11	4	12	6	4	10	13	35	17	25	16	8	3		153
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
TUBERCULOSIS.																		
Pulmonary Tuberculosis	27·0	24	.	.	.	.	.	1	5	4	5	6	1	2	.	.		21
Tuberculous Meningitis	1·6	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.		1
Abdominal Tuberculosis	·6	2	.	.	.	.	1	.	.	.	.	1	.	.	.	.		2
Tuberculosis of the Spinal Column.	·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.		.
Tuberculosis of Joints	·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Tuberculosis of other Organs.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Disseminated Tuberculosis.	1·2	7	.	.	1	.	.	1	1	.	3	1	.	.	.	.		7
Venereal Diseases ..	·6	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.		2
Cancer	10·2	14	.	.	.	.	.	.	.	.	.	3	7	3	1	.		8
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Rheumatic Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diabetes	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Anæmia, Leucocythæmia.	·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Other General Diseases	2·0	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.		2
Alcoholism ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cerebro-spinal Fever..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Simple Meningitis ..	1·6	4	.	.	1	.	.	.	2	.	.	1	.	.	.	.		3
Cerebral Hæmorrhage, Apoplexy.	7·2	3	.	.	.	.	.	.	.	.	.	.	3	.	.	.		2
Softening of Brain ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Paralysis, without specified cause.	2·2	5	.	.	.	.	.	.	.	.	.	.	.	2	1	2		5
Epilepsy, ...	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Convulsions (non-puerperal).	4·0	4	2	2	.	.	.	.	.	.	.	.	.	.	.	.		4
Other Diseases of Nervous System.	4·2	5	.	.	.	.	.	.	.	.	1	1	1	1	.	1		3
Pericarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Endocarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Organic Diseases of the Heart.	19·6	24	.	.	.	.	1	.	.	.	1	1	3	10	3	5		21
Embolism and Thrombosis (including Cerebral).	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Circulatory System.	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Diseases of the Larynx	·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.		1
Bronchitis	32·2	70	.	7	2	1	.	.	1	1	2	4	10	7	19	16		70
Broncho-pneumonia ..	9·2	39	1	7	7	4	1	.	.	1	2	2	.	1	1	2		38
Lobar pneumonia ..	1·6	3	.	.	.	.	.	1	.	.	2	.	.	.	.	.		3
Pneumonia (type not distinguished).	5·0	47	.	2	3	3	2	1	1	2	13	9	6	3	2	.		42
Pleurisy	.	2	.	.	.	.	.	.	1	.	.	1	.	.	.	.		2
Pulmonary Congestion, Pulmonary Apoplexy.	1·4	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.		2
Other Diseases of Respiratory System	1·2	7	.	1	.	.	.	.	.	.	.	.	2	1	2	1		7

in the NINTH WEEK, ending Saturday, 1st March, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 9th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 1st March, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx. Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Stomach ..	2·6	6	.	1	2	.	.	.	.	.	.	.	2	.	1	.		5
Diarrhœa and Enteritis of Children under 2 years.	4·8	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.		4
Diarrhœa 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Enteritis 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Appendicitis and Typhlitis.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Hernia and Intestinal Obstructions.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cirrhosis of Liver ..	·8	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1
Other Diseases of Liver	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Peritonitis (cause unknown).	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1
Other Diseases of Digestive System	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Nephritis ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Bright's Disease	6·6	7	.	.	.	.	.	.	.	.	.	1	2	2	2	.		6
Urinary Calculi ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	1·0	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.		1
Puerperal Septicæmia, &c.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other causes incident to Pregnancy and Childbirth.	.	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.		1
Diseases of Skin and Cellular Tissues.	·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Diseases of Locomotor System.	·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1
Congenital Malformations.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Premature Birth ..	4·0	9	8	1	.	.	.	.	.	.	.	.	.	.	.	.		9
Congenital Debility ..	4·8	5	2	3	.	.	.	.	.	.	.	.	.	.	.	.		5
Old Age	7·4	16	.	.	.	.	.	.	.	.	.	.	.	.	4	12		16
Other Specified Diseases	1·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
VIOLENCE.																		
Poisons or Poisonous Vapours.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds ..	·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.		1
Drowning	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suffocation in Bed, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Railways, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Vehicles and Horses ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Gunshot Wounds, &c.	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Violent Deaths		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Not included in above—																		
Homicide, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suicide, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes,	2·4	6	.	.	1	.	.	.	.	1	.	.	.	4	.	.		6

TABLE IV.—Showing for the WEEK ENDED 1ST MARCH, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 1ST MARCH, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
North City, No 1, E., ...	30,000	67·8	3·5	39	6	5	2	1	4	12	3	8	.	.	.	2	.	.	.	.	2	1	1	12	4	.	.	.	8	4	10	9	.
" 1, W., ...	41,100	79·9	.	63	12	4	3	1	7	13	13	10	.	.	.	.	.	.	.	.	5	1	.	18	8	.	.	.	21	.	15	8	1
" 2, ...	27,500	64·5	.	34	3	1	1	2	5	5	8	9	.	.	.	.	.	.	.	.	1	1	.	7	5	.	.	.	14	.	3	6	.
" 3, ...	34,100	64·2	.	42	3	2	1	2	.	11	14	9	.	.	.	.	.	.	.	.	.	2	.	5	11	.	.	.	18	.	5	7	2
Clontarf and Howth, No. 1, part of	5,500	19·0	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra, part of ..	13,600	46·0	.	12	4	.	.	1	.	5	2	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	.	3	.	3	.	.
Finglas and Glasnevin, part of ..	11,100	32·9	.	7	.	.	.	.	1	2	3	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.	1	.	.
South City.																																	
South City, No. 1, ..	43,000	97·0	2·4	80	12	5	3	5	7	11	23	14	.	.	.	.	.	1	.	.	3	2	1	16	15	1	.	.	25	1	9	17	3
" 2, ...	18,200	68·8	.	24	5	1	2	1	1	4	7	3	.	.	.	.	.	.	.	.	2	1	2	2	5	.	.	.	8	.	4	9	.
" 3, ...	43,300	75·9	1·2	63	12	1	5	4	3	14	14	10	.	.	.	.	.	.	.	.	1	1	1	11	11	1	.	1	22	.	10	5	2
" 4, ...	32,800	57·2	1·6	36	2	3	2	.	5	8	8	8	.	.	.	.	.	.	.	.	5	.	.	4	7	1	.	.	12	.	7	9	1
New Kilmainham, ...	10,300	86·1	.	17	3	.	1	1	1	5	4	2	.	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.	9	.	2	2	1
Urban Districts.																																	
Rathmines and Rathgar, ..	39,400	30·4	.	23	2	.	2	1	2	6	4	6	.	.	.	.	.	.	.	.	.	.	.	2	7	.	.	.	7	.	4	2	.
Pembroke	29,500	30·0	1·8	17	1	1	.	.	1	3	4	7	.	.	.	.	.	.	.	.	1	.	1	1	2	1	.	.	4	.	5	1	.
Blackrock, ...	9,000	5·8	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, ...	16,600	18·8	.	6	1	.	.	.	1	.	1	3	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	1	1	.
TOTAL CITY. North, ...	162,900	63·7	0·6	199	28	12	7	7	17	48	44	36	.	.	.	2	.	.	.	.	9	5	3	44	32	.	.	.	66	4	37	30	3
TOTAL CITY. South, ...	147,600	77·7	1·4	220	34	10	13	11	17	42	56	37	.	.	.	.	.	1	.	.	11	1	4	36	40	3	.	1	76	1	32	42	7
TOTAL CITY. North and South, ..	310,500	70·4	1·0	419	62	22	20	18	34	90	100	73	.	.	.	2	.	1	.	.	20	9	7	80	72	3	.	1	142	5	69	72	10
Total Urban Districts, ...	94,500	25·9	0·6	47	4	1	2	1	4	9	10	16	.	.	.	.	.	.	.	.	1	2	1	3	10	1	.	.	11	.	10	4	.
Total Registration Area, ..	405,000	60·0	0·9	466	66	23	22	19	38	99	110	89	.	.	.	2	.	1	.	.	21	11	8	83	82	4	.	1	153	5	79	76	10
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				38	.	.	.	4	5	18	9	2	.	.	.	.	.	.	.	.	3	1	6	6	.	.	.	.	11	1	30	8	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 1st March, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 1ST MARCH, 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	504	111	23	43	117	119	48	43	.	.	.	2	.	1	.	.	24	12	14	4	89	82	4	.	1	271	10
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	35·6	10	.	.	1	3	.	1	5	.	.	.	.	.	.	.	.	1	.	.	.	3	1	.	.	.	5	.
II.	MIDDLE CLASS	101,798	32·8	64	10	1	7	17	21	4	4	.	.	.	.	.	.	.	.	2	1	8	1	9	5	1	.	.	37	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	48·6	101	20	2	9	25	29	7	9	.	.	.	1	.	.	.	.	2	2	1	.	17	18	1	.	1	58	2
IV.	GENERAL SERVICE CLASS	167,479	76·3	245	76	16	22	49	48	19	15	.	.	.	1	.	1	.	.	13	5	4	3	38	35	2	.	.	143	8
V.	INMATES OF WORKHOUSES, ...	5,602	—	84	5	4	4	23	21	17	10	.	.	.	.	.	.	.	.	6	4	1	.	22	23	.	.	.	28	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	10	.	.	1	3	.	1	5	.	.	.	.	.	.	.	.	1	.	.	.	3	1	.	.	.	5	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	6	.	.	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	13	1	.	2	5	3	1	1	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.	8	.
	6. Clerks and Commercial Assistants,	33,249	—	28	8	1	4	7	6	2	.	.	.	.	.	.	.	.	.	2	.	2	1	5	2	1	.	.	15	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	17	1	.	1	3	9	.	3	.	.	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	12	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	11	2	1	2	3	3	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	2	1	.	.	3	.
	9. Building and Furnishing Trades, ..	28,823	—	23	8	.	1	4	7	.	3	.	.	.	.	.	.	.	.	1	.	.	.	5	6	.	.	.	11	1
	10. Clothing Trades, ...	20,026	—	10	1	.	.	4	2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	7	1
	11. Food Supply Trades, ...	8,952	—	5	1	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	46	8	1	6	9	15	5	2	.	.	.	.	.	.	.	.	1	2	1	.	5	8	.	.	1	28	.
	13. Petty Shopkeepers, ...	6,772	—	6	.	.	.	3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	42	14	5	5	13	2	1	2	.	.	.	.	.	.	.	.	3	2	.	.	7	4	.	.	.	26	.
	15. Domestic Servants, ...	36,041	—	18	1	1	3	2	5	.	6	.	.	.	.	.	.	.	.	.	.	.	.	3	3	.	.	.	12	2
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	24	9	.	1	10	2	.	2	.	.	.	.	.	.	.	.	2	.	.	1	6	1	.	.	.	14	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	161	52	10	13	24	39	18	5	.	.	.	1	.	1	.	.	8	3	4	2	22	27	2	.	.	91	6
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	84	5	4	4	23	21	17	10	.	.	.	.	.	.	.	.	6	4	1	.	22	23	.	.	.	28	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Dec. 7	Dec. 14	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan 18.	Jan. 25.	Feb. 1.	Feb 8.	Feb. 15.	Feb 22.	Mar. 1.
No. of weeks in Annual Series ..	49	50	51	52	1	2	3	4	5	6	7	8	9	49	50	51	52	1	2	3	4	5	6	7	8	9
BIRTHS registered	179	165	150	105	188	195	202	197	177	196	199	170	192	191	185	144	102	185	193	204	151	166	170	169	172	184
Average Births in corresponding week of previous 10 years, ...	176	200	164	153	211	225	206	214	214	214	208	205	207	173	179	172	165	233	200	209	207	214	201	198	199	216
Number of Deaths, ...	172	168	145	156	182	165	172	179	183	194	259	351	466	314	186	145	146	133	157	121	145	126	168	175	218	238
Annual Death-rate per 1,000 ..	22·5	22·0	18·9	20·4	23·4	21·2	22·1	23·0	23·6	25·0	33·3	45·2	60·0	41·7	24·7	19·2	19·4	17·3	20·4	15·7	18·9	16·4	21·8	22·8	28·3	30·9
Average Deaths in corresponding week of previous 10 years, ...	164	161	158	156	189	176	182	186	186	186	185	195	193	144	144	144	155	150	157	144	159	171	179	167	166	162
Ages, .. Under one year, ..	19	32	33	28	43	31	25	31	36	27	37	29	66	48	25	17	16	26	26	22	33	21	37	33	34	21
1— 5 years, ..	14	20	12	13	14	6	9	20	10	13	17	19	45	40	20	17	18	12	9	7	10	11	10	17	13	20
5—25 ,, ..	28	22	17	27	16	15	13	21	16	13	29	32	57	46	27	25	28	13	10	22	16	17	21	21	29	32
25—45 ,, ..	43	29	21	23	29	26	24	26	24	29	40	80	99	84	45	31	30	17	25	19	20	15	22	28	33	48
45—65 ,, ..	29	27	28	31	32	39	47	36	46	49	69	89	110	56	40	30	31	35	38	22	27	31	36	31	52	57
65 and upwards, ..	41	38	34	34	48	48	54	45	51	63	67	102	89	40	29	25	23	30	49	29	39	31	42	45	57	60
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	1	1	.	.	1	.	1	.	1	.	2	.	.	.	.	1	1	1	.	.	.	.	.	.
Scarlet Fever, ...	.	1	.	.	.	.	.	1	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	1	.	.	2	.	.	.	1	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1
Diphtheria, ...	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	1	.	.	.	1	1	1	2	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	16	16	11	17	19	20	22	21	19	27	30	26	21	16	19	13	21	12	20	16	13	16	19	25	28	21
Tuberculosis { Other Forms, ..	3	6	2	5	8	4	4	11	6	3	1	3	11	5	4	6	5	7	3	7	6	4	5	7	8	6
Cancer, ...	8	10	4	6	9	5	7	10	8	11	10	10	8	10	4	5	7	6	7	5	2	5	8	7	7	7
Diseases of Respiratory System, { Pneumonia ..	24	20	18	24	22	21	10	15	18	24	43	50	83	75	38	21	17	23	17	10	10	17	30	24	37	39
Diseases of Respiratory System, { Others, ..	12	22	16	19	31	25	28	24	31	39	60	71	82	117	56	33	32	22	30	15	34	16	30	45	51	73
Diarrhœa and Enteritis, under 2 years, ...	5	2	2	4	1	2	3	3	3	3	6	5	4	3	1	2	2	2	2	5	2	.	.	1	1	1
Diarrhœa, 2 years and upwards..	.	2	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.
Violent Deaths, ...	1	8	3	7	1	2	1	5	2	2	2	1	1	5	2	5	2	3	2	5	4	5	5	3	3	4
Number of Uncertified Deaths, ..	4	4	3	5	9	6	3	8	7	8	8	8	10	5	1	2	2	5	1	2	3	1	.	2	2	2
A Mean Maximum Temperature in degs.	56·7	52·7	45·4	48·4	44·6	43·1	46·4	47·7	42·7	41·6	43·5	45·2	44·6	55·0	53·3	45·6	47·0	45·3	44·1	44·9	46·6	41·5	40·8	43·8	44·3	45·7
B Mean Minimum ,, ,,	46·6	42·0	34·4	34·1	34·3	32·3	35·0	34·6	32·0	34·3	31·4	36·1	25·7	43·3	43·0	34·0	34·2	35·6	35·3	33·3	36·3	35·3	34·6	37·4	34·8	32·7
Mean of A and B ,, ..	51·7	47·4	39·9	41·3	39·5	37·7	40·7	41·2	37·4	38·0	37·5	40·7	35·2	49·1	48·1	39·8	40·6	40·4	39·7	39·1	41·4	38·4	37·7	40·6	39·6	39·2
Rainfall in inches	0·34	0·70	1·11	0·75	0·64	1·00	0·56	0·45	0·39	0·68	0·16	0·57	0·10	1·02	0·89	0·78	0·91	2·72	1·41	0·45	0·94	0·58	0·14	0·09	0·91	0·30

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 1st March, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: Certain Epidemic Diseases†	Total Number of DEATHS.	DEATHS. Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	3	29·6	.	9	1	1	.	3	1	3	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	1	1	4	.
Do. 2 do.	49,500	26	28·4	.	27	2	1	4	5	7	8	.	.	.	.	.	.	.	.	2	2	1	2	18	.	.	1	1	4	.
Do. 3 do.	50,032	28	35·4	.	34	5	5	4	6	5	9	.	.	.	.	.	.	.	.	2	.	.	8	13	.	.	.	.	4	.
Do. 4 do.	32,637	14	33·6	.	21	1	4	2	4	5	5	.	.	.	.	.	.	.	.	.	.	.	5	3	.	.	.	1	6	1
Do. 5 do.	16,112	5	19·4	.	6	.	.	1	2	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.
Do. 6 do.	37,293	14	29·4	1·4	21	.	2	1	2	8	8	.	.	.	.	.	.	1	.	1	1	2	4	7	.	.	.	.	6	.
Do. 7 do.	2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	4	26·2	.	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 9 do.	24,427	13	34·2	.	16	1	2	4	4	3	2	.	.	.	.	.	.	.	.	3	1	2	2	5	.	.	.	.	4	.
Do. 10 do.	28,958	16	45·0	.	25	.	3	8	3	5	6	.	.	.	.	.	.	.	.	4	1	.	6	7	.	.	.	.	6	.
Do. 11 do.	39,311	18	34·5	1·3	26	1	.	3	4	10	8	.	.	.	.	.	.	.	.	2	.	2	2	7	1	.	.	.	1	.
Do. 12 do.	38,076	17	31·5	1·4	23	8	1	1	6	4	3	.	.	.	.	.	1	.	.	3	1	.	4	3	.	.	1	2	6	1
Do. 13 do.	23,233	9	24·7	.	11	.	.	3	4	3	1	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	1	1	3	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	16	36·8	.	16	2	1	.	5	4	4	.	.	.	.	.	.	.	.	1	.	.	3	5	.	.	.	.	3	.
Total,	386,947	184	30·9	0·4	238	21	20	32	48	57	60	.	.	.	.	.	1	1	.	21	6	7	39	73	1	.	4	6	50	2
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	2	42·6	.	11	2	1	3	2	.	3	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.	.	5	.
Do. 2 do.	10,399	4	85·2	.	17	1	1	6	5	3	1	.	.	.	.	.	.	.	.	2	1	.	7	1	.	.	.	1	4	.
Do. 3 do.	9,793	5	79·9	.	15	1	3	1	2	2	6	.	.	.	.	.	.	.	.	.	.	.	3	5	.	.	.	.	1	.
Do. 4 do.	9,139	4	74·2	.	13	2	2	3	3	.	3	.	.	.	.	.	.	.	.	1	.	2	6	1	.	.	.	.	3	.
Do. 5 do.	6,250	2	50·1	.	6	.	1	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	4	.
Do. 6 do.	11,581	2	49·5	.	11	.	1	1	2	4	3	.	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.	.	7	.
Do. 7 do.	16,056	5	48·7	.	15	1	1	3	4	4	2	.	.	.	.	.	.	.	.	1	.	.	6	2	.	.	.	.	5	.
Total.	76,673	24	59·8	.	88	7	10	18	19	14	20	.	.	.	.	.	.	.	.	6	1	2	31	12	.	.	.	1	29	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st March, 1919.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ..	.	2	.	.	.	.	.	.	.	.	.	.	1	3
" " 1, West ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3, ...	.	.	.	.	1	.	.	1	.	.	.	.	.	2
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Finglas and Glasnevin (part of)	.	5	.	.	.	.	.	.	.	.	.	.	.	5
South City No. 1	.	1	.	.	.	.	.	.	.	.	.	.	2	3
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " " 3, ...	.	1	.	.	.	.	.	.	1	.	.	.	.	2
" " " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	9	.	.	1	.	.	1	1	.	.	.	6	18

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st March, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 1st March.			
	Feb. 8.	Feb. 15.	Feb. 22.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	16	13	11	1	3	.	9
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	8	22	19	14	14	.	19
Scarlet Fever	39	46	38	13	7	.	44*
Diphtheria, ...	7	7	6	3	3	.	6
Pneumonia, ...	47	66	97	83	33	28	119

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12639). Wt. 8531. 3. 380. 3, 1919 G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 10. VOL. LVI.] WEEK ENDING SATURDAY, 8TH MARCH, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House, Dublin, 10th March, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 45·3 and 37·9; Dublin Registration Area, 63·0 and 50·4; Dublin City, 65·0 and 55·5; Belfast, 30·3 and 28·1; Cork, 66·0 and 48·4; Londonderry, 28·0 and 30·2; Limerick, 36·6 and 31·5; and Waterford, 34·2 and 27·1.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·8 per 1,000. Among the 233 deaths from all causes for Belfast are one from each of whooping-cough, diphtheria, dysentery, and diarrhœa. The 97 deaths from all causes for Cork include one from whooping-cough and one from diarrhœa and enteritis of a child under 2 years. Two of the 22 deaths from all causes for Londonderry are from whooping-cough. Included in the 6 deaths from all causes for Ballymena is one from enteric fever, and one of the 11 deaths from all causes for Sligo is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 208—98 boys and 110 girls—and the deaths to 524—244 males and 280 females.

The deaths registered, omitting the deaths (numbering 35) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 63·0 per 1,000 of the population. During the ten weeks ending with Saturday last the death-rate averaged 34·0 and was 9·7 above the mean rate for the corresponding portions of the ten years 1909–18. The rate for all deaths registered during the ten weeks was 36·6 and for the corresponding period of the preceding ten years 25·7.

Of the 489 deaths appertaining to the Area there were 3 from measles, 2 from whooping cough and one from diarrhœa and enteritis of a child under 2 years.

There were 148 deaths from influenza, being equivalent to an annual rate of 19·1 per 1,000 of the population, and of these 114 belonged to the City, affording a rate of 19·1 per 1,000 of the population, the latter including 56 (or 17·9 per 1,000) assigned to North City Districts and 58 (or 20·5 per 1,000) to South City Districts. Thirty-four deaths from influenza (or 18·8 per 1,000 of the population) were referred to the urban districts (see Table IV., col. 2). In the three preceding weeks deaths from this cause for the Registration Area numbered 21, 88, and 153 respectively.

Deaths attributed to pneumonia were 89 (comprising 41 from broncho-pneumonia, 6 from lobar pneumonia, and 42 from pneumonia, type not distinguished), as against 43, 50, and 83 in the three weeks preceding.

Tuberculous disease caused 37 deaths (comprising 30 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 5 from other forms of tuberculous disease), as against 31, 29, and 32 in the three weeks preceding.

Sixteen deaths were caused by cancer, 22 by organic diseases of the heart, and 86 by bronchitis.

Among deaths of infants under one year old, 9 were due to influenza, 4 to convulsions, 5 to bronchitis, 13 to pneumonia, one to diarrhœa and enteritis, 9 to premature birth, and 3 to congenital debility.

There was one death caused by a motor.

One hundred and one of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 51 being infants under one year, of whom 12 were under one month old and 112 deaths were those of persons aged 65 and upwards, of whom 82 were 70 years of age or over.

Of the 489 deaths recorded, 157 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 8th March, in 96 large English towns (including London, in which the rate was 26·6 was equal to an average annual death rate of 31·9 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 34·5 per 1,000 persons living, the rate for Glasgow being 42·9 and for Edinburgh 27·9.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 8th March. From this Report it appears that of 57 cases notified, 18 were pulmonary tuberculosis, 7 other forms of tuberculosis, 16 diphtheria, 14 scarlet fever, and 2 erysipelas. Among the 447 cases of infectious diseases in hospital at the close of the week were 141 of pulmonary tuberculosis, 86 of influenza, 79 of scarlet fever, 55 of diphtheria, 27 of whooping-cough, 7 of measles, 3 of erysipelas, and one of enteric fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 8th March, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small pox	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Poliomyelitis.	Pulmonary Tuberculosis.	Influenzal or Septic Pneumonia.	Total.
City of Dublin.	Feb. 15	·	—	—	5	·	·	1	·	·	·	2	·	—	—	·	—	·	24	—	32
	Feb. 22	·	—	—	4	·	·	·	·	·	·	·	·	—	—	·	—	·	10	—	14
	Mar. 1	·	—	—	9	·	·	1	·	·	1	1	·	—	—	·	—	·	6	—	18
	Mar. 8	·	—	—	10	·	·	1	·	·	·	·	·	—	—	·	—	·	27	10	49
Rathmines and Rathgar Urban District.	Feb. 15	·	—	—	·	·	·	1	·	·	·	1	·	—	—	·	—	·	—	—	2
	Feb. 22	·	—	—	2	·	·	2	·	·	·	·	·	—	—	·	—	·	—	—	4
	Mar. 1	·	—	—	1	·	·	1	·	·	·	1	·	—	—	·	—	·	—	—	3
	Mar. 8	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	·	—	—	·
Pembroke Urban District.	Feb. 15	·	·	·	2	·	·	·	·	·	·	·	·	—	·	·	—	·	·	—	2
	Feb. 22	·	·	·	1	·	·	1	·	·	·	·	·	—	3	·	—	·	1	—	6
	Mar. 1	·	2	·	2	·	·	·	·	·	·	·	·	—	·	·	—	·	·	—	4
	Mar. 8	·	4	·	1	·	·	·	·	·	·	·	·	—	·	·	—	·	·	—	5
Blackrock Urban District.	Feb. 15	·	·	—	1	·	·	1	·	·	1	·	·	—	—	·	—	·	·	—	3
	Feb. 22	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	·	1	—	1
	Mar. 1	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	·	·	—	·
	Mar. 8	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	·	·	—	·
Kingstown Urban District.	Feb. 15	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	·	2	—	2
	Feb. 22	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	·	·	—	·
	Mar. 1	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	·	·	—	·
	Mar. 8	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	·	·	—	·
City of Belfast	Feb. 15	·	—	—	3	·	·	6	1	·	1	2	·	—	—	·	—	·	·	1	14
	Feb. 22	·	—	—	6	·	·	4	·	·	2	1	·	—	—	·	—	·	2	3	18
	Mar. 1	·	—	—	11	·	·	7	·	·	·	·	·	—	—	·	—	·	·	10	28
	Mar. 8	·	—	—	4	·	·	7	·	·	·	2	·	—	—	·	—	·	1	15	29
City of Cork.	Feb. 15	·	·	—	1	·	·	4	·	·	·	·	1	—	—	—	·	·	—	—	6
	Feb. 22	·	1	—	·	3	·	1	·	·	·	·	·	—	—	—	·	·	—	—	5
	Mar. 1	·	·	—	·	·	·	1	1	·	·	·	·	—	—	—	·	·	—	2	4
	Mar. 8	·	·	—	·	·	·	1	1	1	·	·	·	—	—	—	·	·	—	11	14
City of Londonderry.	Feb. 15	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	—	·
	Feb. 22	·	—	—	4	·	·	·	·	·	·	·	·	—	—	·	—	—	—	—	4
	Mar. 1	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	—	·
	Mar. 8	·	—	—	1	·	·	·	·	·	·	2	·	—	—	·	—	—	—	—	3
City of Limerick.	Feb. 15	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	·	—	—	·
	Feb. 22	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	·	—	—	·
	Mar. 1	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	·	—	—	·
	Mar. 8	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	·	—	—	·
City of Waterford.	Feb. 15	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	—	·
	Feb. 22	·	—	—	·	·	·	·	·	·	·	1	·	—	—	—	—	—	·	—	1
	Mar. 1	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	1	—	1
	Mar. 8	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	—	·

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th March, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively were as follows:—Enteric fever nil and 7; measles 8 and 21; scarlet fever 10 and 52*; and diphtheria 2 and 6. Sixty-nine cases of pneumonia were admitted during the week and 139 remained under treatment at its close, as compared with 66, 97 and 119 at the close of the 3 preceding weeks. Of the deaths in hospital during the week one was from scarlet fever, and 17 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 8th March, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases (b)	Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Meteorology (c) Week ending 8th March, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	23·7	45·3	0·8	520	993	115	231	1	·	·	3	·	7	1	1	66	20	28	214	226	3	1	2	6	286	29	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	26·8	63·0	0·8	208	489	51	112	·	·	·	3	·	2	·	·	30	7	16	89	99	1	·	1	2	157	8	(d) 53·0	26·9	47·5	33·6	40·6	0·64
Urban Districts. CITY OF DUBLIN,	310,500	38·0	30·7	65·0	0·8	183	387	43	81	·	·	·	3	·	1	·	·	24	6	9	76	81	1	·	1	2	137	5	(e) 53·9	30·7	47·2	36·9	42·1	0·55
																													(f) 54·8	28·0	48·0	35·2	41·6	0·60
Urban Districts. RATHMINES and RATHGAR	39,400	23·0	13·2	59·6	1·3	10	45	1	12	·	·	·	·	·	1	·	·	2	1	2	6	4	·	·	·	·	9	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,500	18·8	10·6	56·6	·	6	32	6	8	·	·	·	·	·	·	·	·	1	·	1	4	11	·	·	·	·	5	3	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,000	8·3	5·8	23·2	·	1	4	·	2	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,600	11·4	25·1	66·0	·	8	21	1	9	·	·	·	·	·	·	·	·	1	·	4	3	2	·	·	·	·	4	·	53	34	46·8	35·7	41·3	0·52
Urban Districts. BELFAST, ..	401,000	26·8	21·3	30·3	0·5	164	233	21	69	·	·	·	·	·	1	1	1	19	6	8	41	83	·	1	·	3	63	3	49·8	27·8	44·5	32·0	38·3	0·67
Urban Districts. CORK, ...	76,673	28·6	19·7	66·0	1·4	29	97	16	14	·	·	·	·	·	1	·	·	4	·	2	47	14	1	·	·	·	24	1	52	34	46·9	37·1	42·0	0·71
Urban Districts. LONDONDERRY, ..	41,000	15·9	10·2	28·0	2·5	8	22	4	3	·	·	·	·	·	2	·	·	1	1	·	6	7	·	·	·	·	4	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	55·5	36·6	·	41	27	6	5	·	·	·	·	·	·	·	·	2	·	·	5	9	·	·	·	·	10	4	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	26·6	34·2	1·9	14	18	4	2	·	·	·	·	·	·	·	·	5	2	·	1	2	1	·	·	·	7	2	·	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5				4	21	·	8	·	·	·	·	·	·	·	·	1	·	·	7	5	·	·	·	·	13	4	53	28	50	31	40·5	0·54
Urban Districts. DUNDALK, ..	13,128	9·5				6	6	3	·	·	·	·	·	·	·	·	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				7	12	·	3	·	·	·	·	·	·	·	·	·	·	1	2	2	·	·	·	·	2	1	50·0	23·1	46·3	30·9	38·6	0·49
Urban Districts. DROGHEDA, ..	12,501	8·4	The annual rates			6	5	1	·	·	·	·	·	·	·	·	·	1	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9	represented by the			3	8	1	2	·	·	·	·	·	·	·	·	2	·	·	1	1	·	·	·	·	·	·	50·0	23·1	46·3	30·9	38·6	0·49
Urban Districts. NEWRY, ...	11,963	17·0	numbers of births			5	8	2	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	50·0	23·1	46·3	30·9	38·6	0·49
Urban Districts. PORTADOWN, ..	11,727	15·3	and deaths regis-			4	14	1	2	·	·	·	·	·	·	·	·	·	·	·	4	1	·	·	·	·	2	2	50·0	23·1	46·3	30·9	38·6	0·49
Urban Districts. WEXFORD, ..	11,531	22·8	tered for these			13	3	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	2	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3	urban districts will			·	6	·	2	1	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8	be shown in the			3	11	1	4	·	·	·	·	·	1	·	·	·	1	·	4	·	·	·	·	·	·	1	51	22	47	31	39	0·51
Urban Districts. KILKENNY, ..	10,514	11·4	Quarterly Summary			2	5	1	1	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	1	1	·	1	54	29	46·4	32·5	39·5	0·59
Urban Districts. TRALEE, ...	10,300	17·4	of the Weekly			2	7	2	·	·	·	·	·	·	·	·	·	·	1	·	2	1	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8	Returns.			1	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	53	30	46	34	40	1·12
LONDON	4,206,901	—	—	26·6	—	1,245	2,054	172	656	1	—	·	3	5	3	16	—	137	27	111	218	294	9	7	36	103	796	·	56	35	50·9	39·0	45·0	1·89
EDINBURGH ...	336,500	—	—	27·9	—	98	180	13	61	·	·	·	1	·	11	1	—	—	—	—	—	—	·	—	5	—	—	—	50·0	23·0	41·9	30·4	36·1	0·23
GLASGOW	1,118,700	—	—	42·9	—	383	920	118	196	1	·	·	9	·	38	4	—	—	—	—	—	—	4	—	5	—	—	—	50·0	23·2	41·3	30·1	35·7	0·47

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 10th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 8th March, 1919. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	0—25	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	207·2	524	13	41	25	26	15	10	15	32	59	52	52	68	64	52	489
Enteric Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	4·8	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	3
Scarlet Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	2·8	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2
Diphtheria	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	4·8	165	.	9	3	6	5	3	7	22	37	27	15	13	14	4	148
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	28·0	31	.	.	.	.	3	4	4	1	7	7	4	.	1	.	30
Tuberculous Meningitis	3·2	2	.	.	.	.	1	.	.	1	.	.	.	.	.	.	2
Abdominal Tuberculosis	1·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Tuberculosis of other Organs.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Disseminated Tuberculosis.	2·4	2	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2
Venereal Diseases ..	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	9·0	18	.	.	.	.	.	.	.	.	.	.	6	10	2	.	16
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Other General Diseases	2·6	4	.	.	.	.	.	.	.	.	.	.	.	3	1	.	4
Alcoholism ..	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Chronic Poisonings ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	2·4	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	5·2	5	.	.	.	.	.	.	.	.	.	.	.	1	2	2	5
Softening of Brain ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·2	7	.	.	.	.	.	.	.	.	.	.	3	.	2	2	6
Epilepsy.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	4·6	5	.	4	1	.	.	.	.	.	.	.	.	.	.	.	5
Other Diseases of Nervous System.	4·8	2	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·4	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
Organic Diseases of the Heart.	15·0	23	.	.	.	.	.	1	.	.	1	1	5	4	6	5	22
Embolism and Thrombosis (including Cerebral).	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	2·2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
Diseases of the Larynx	·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Bronchitis	28·0	87	.	5	4	2	1	.	.	.	1	2	4	19	26	23	86
Broncho-pneumonia ..	11·4	43	.	10	11	11	4	.	.	.	1	1	2	1	2	.	41
Lobar pneumonia ..	1·6	6	.	.	.	.	1	.	.	1	1	2	1	.	.	.	6
Pneumonia (type not distinguished).	6·8	48	.	4	3	2	.	1	4	5	8	7	4	6	2	2	42
Pleurisy	1·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	1·0	4	.	.	.	.	.	.	.	1	.	.	.	1	.	2	4
Other Diseases of Respiratory System	1·4	7	.	.	.	.	.	.	.	.	.	.	2	5	.	.	7

in the TENTH WEEK, ending Saturday, 8th March, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 10th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 8th March, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx Tonsillitis.	·2	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1
Diseases of Stomach ..	1·0	3	·	1	·	·	·	·	·	·	·	·	·	·	1	1	3
Diarrhœa and Enteritis of Children under 2 years.	5·4	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Diarrhœa 2 years and upwards.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Appendicitis and Typhlitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	2·0	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Cirrhosis of Liver ..	·6	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Other Diseases of Liver	·4	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Peritonitis (cause unknown).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Nephritis ..	·4	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·	2
Chronic Bright's Disease	6·2	5	·	·	·	·	·	·	·	·	·	1	2	·	1	1	5
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·
Other Diseases of Genito-urinary System.	2·6	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	2
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	1·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Locomotor System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	1·6	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1
Premature Birth ..	5·0	9	9	·	·	·	·	·	·	·	·	·	·	·	·	·	9
Congenital Debility ..	3·6	4	·	4	·	·	·	·	·	·	·	·	·	·	·	·	3
Old Age	10·2	8	·	·	·	·	·	·	·	·	·	·	·	·	2	6	8
Other Specified Diseases	1·4	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1
VIOLENCE.																	
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·6	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Not included in above—																	
Homicide. ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	2·4	3	·	·	·	·	·	·	·	·	·	·	·	3	·	·	3

TABLE IV.—Showing for the WEEK ENDED 8TH MARCH, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Week ended Saturday, 8th March, 1919. Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
North City, No 1, E., ...	30,000	60·8	5·2	35	7	5	3	2	4	2	5	7	·	·	·	2	·	1	·	·	1	·	2	7	3	·	·	·	7	·	6	3	·
" 1, W., ...	41,100	81·2	·	64	7	4	4	2	11	13	13	10	·	·	·	·	·	·	·	·	5	1	1	16	13	·	·	·	18	·	13	7	2
" 2, ...	27,500	79·6	·	42	4	3	1	2	3	6	12	11	·	·	·	·	·	·	·	·	4	·	·	7	12	·	·	1	9	1	7	3	·
" 3, ...	34,100	68·8	·	45	5	1	1	2	2	12	11	11	·	·	·	·	·	·	·	·	3	·	1	12	6	·	·	·	14	·	9	15	·
Clontarf and Howth, No. 1, part of	5,500	28·4	·	3	·	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	1	·	1
Coolock and Drumcondra, part of ..	13,600	34·5	·	9	·	1	·	·	·	5	1	2	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	·	5	·	1	1	·
Finglas and Glasnevin, part of ..	11,100	14·1	·	3	1	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	1	·	·	·
South City.																																	
South City, No. 1, ..	43,000	58·2	·	48	7	3	5	2	2	4	14	11	·	·	·	·	·	·	·	·	1	·	2	13	14	·	·	·	11	·	6	12	·
" 2, ...	18,200	83·1	2·9	29	4	·	2	·	1	10	4	8	·	·	·	1	·	·	·	·	2	2	·	2	8	·	·	·	11	·	5	8	·
" 3, ...	43,300	73·5	1·2	61	6	·	5	4	6	14	16	10	·	·	·	·	·	·	·	·	2	2	1	9	14	1	·	·	20	·	5	10	·
" 4, ...	32,800	65·2	·	41	2	4	1	4	3	3	15	9	·	·	·	·	·	·	·	·	3	1	2	7	11	·	·	·	12	·	8	14	2
New Kilmainham, ...	10,300	35·4	·	7	·	·	1	1	·	2	2	1	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	4	·	2	1	·
Urban Districts.																																	
Rathmines and Rathgar, ..	39,400	59·6	1·3	45	1	4	·	3	5	14	6	12	·	·	·	·	·	1	·	·	2	1	2	6	4	·	·	·	23	·	6	3	·
Pembroke	29,500	56·6	·	32	6	·	2	1	1	4	10	8	·	·	·	·	·	·	·	·	1	·	1	4	11	·	·	·	8	·	3	2	3
Blackrock, ...	9,000	23·2	·	4	·	·	·	·	·	2	·	2	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	1	·	2	·	·
Kingstown, ...	16,600	66·0	·	21	1	·	·	1	1	4	5	9	·	·	·	·	·	·	·	·	1	·	4	3	2	·	·	·	2	·	·	4	·
Total City, North, ...	162,900	64·3	1·0	201	24	14	9	8	20	41	43	42	·	·	·	2	·	1	·	·	15	1	4	44	34	·	·	1	56	2	37	29	3
Total City, South, ...	147,600	65·7	0·7	186	19	7	14	11	12	33	51	39	·	·	·	1	·	·	·	·	9	5	5	32	47	1	·	·	58	·	26	45	2
Total City, North and South, ..	310,500	65·0	0·8	387	43	21	23	19	32	74	94	81	·	·	·	3	·	1	·	·	24	6	9	76	81	1	·	1	114	2	63	74	5
Total Urban Districts, ...	94,500	56·3	0·6	102	8	4	2	5	7	24	21	31	·	·	·	·	·	1	·	·	6	1	7	13	18	·	·	·	34	·	11	9	3
Total Registration Area, ..	405,000	63·0	0·8	489	51	25	25	24	39	98	115	112	·	·	·	3	·	2	·	·	30	7	16	89	99	1	·	1	148	2	74	83	8
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				35	3	·	1	1	8	13	5	4	·	·	·	·	·	·	·	·	1	·	2	8	1	·	·	·	17	·	22	13	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 8th March, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 8TH MARCH, 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	524	105	25	47	111	120	64	52	.	.	.	3	.	2	.	.	31	7	18	5	97	100	1	.	1	259	8
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	35·6	10	2	.	.	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	9	.
II.	MIDDLE CLASS	101,798	46·1	90	7	3	12	22	18	13	15	.	.	.	.	.	.	.	.	5	.	6	.	19	11	.	.	.	49	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	52·4	109	23	2	11	22	30	13	8	.	.	.	.	.	1	.	.	5	3	6	2	18	17	.	.	.	57	4
IV.	GENERAL SERVICE CLASS	167,479	68·2	219	63	19	16	54	38	18	11	.	.	.	3	.	1	.	.	16	4	2	3	41	38	1	.	1	109	4
V.	INMATES OF WORKHOUSES, ...	5,602	—	96	10	1	8	9	32	20	16	.	.	.	.	.	.	.	.	5	.	4	.	19	33	.	.	.	35	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	10	2	.	.	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	9	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	10	2	.	.	1	3	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	6	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	13	1	1	1	1	2	4	3	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	9	.
	6. Clerks and Commercial Assistants,	33,249	—	35	3	1	6	14	5	5	1	.	.	.	.	.	.	.	.	4	.	1	.	8	2	.	.	.	20	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	32	1	1	5	6	8	4	7	.	.	.	.	.	.	.	.	1	.	4	.	8	5	.	.	.	14	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	9	3	.	1	2	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	.	.	4	1
	9. Building and Furnishing Trades, ..	28,823	—	23	5	1	3	4	9	1	.	.	.	.	.	.	.	.	.	1	.	4	.	5	4	.	.	.	9	1
	10. Clothing Trades, ...	20,026	—	19	4	.	1	1	7	5	1	.	.	.	.	.	1	.	.	.	.	.	.	2	5	.	.	.	11	1
	11. Food Supply Trades, ...	8,952	—	7	1	.	1	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	3	1
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	47	10	1	4	11	11	6	4	.	.	.	.	.	.	.	.	2	2	2	2	8	3	.	.	.	28	.
	13. Petty Shopkeepers, ...	6,772	—	4	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	34	14	3	3	11	3	.	.	.	.	.	1	.	.	.	.	.	1	.	.	8	1	1	.	.	22	.
	15. Domestic Servants, ...	36,041	—	33	1	1	5	15	7	3	1	.	.	.	.	.	.	.	.	1	.	1	.	4	4	.	.	.	23	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	23	8	2	1	4	5	2	1	.	.	.	.	.	.	.	.	2	.	.	1	4	6	.	.	.	10	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	129	40	13	7	24	23	13	9	.	.	.	2	.	1	.	.	13	3	1	2	25	27	.	.	1	54	4
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	96	10	1	8	9	32	20	16	.	.	.	.	.	.	.	.	5	.	4	.	19	33	.	.	.	35	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Dec. 14	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.
No. of weeks in Annual Series ..	50	51	52	1	2	3	4	5	6	7	8	9	10	50	51	52	1	2	3	4	5	6	7	8	9	10
BIRTHS registered	165	150	105	188	195	202	197	177	196	199	170	192	208	185	144	102	185	193	204	151	166	170	169	172	184	164
Average Births in corresponding week of previous 10 years, ...	200	164	153	211	225	206	214	214	214	208	205	207	215	179	172	165	233	200	209	207	214	201	198	199	216	203
Number of Deaths, ...	168	145	156	182	165	172	179	183	194	259	351	466	489	186	145	146	133	157	121	145	126	163	175	218	238	233
Annual Death-rate per 1,000 ..	22·0	18·9	20·4	23·4	21·2	22·1	23·0	23·6	25·0	33·3	45·2	60·0	63·0	24·7	19·2	19·4	17·3	20·4	15·7	18·9	16·4	21·8	22·8	28·3	30·9	30·3
Average Deaths in corresponding week of previous 10 years, ...	161	158	156	189	176	182	186	186	186	185	195	193	194	144	144	155	150	157	144	159	171	179	167	166	162	165
Ages, .. Under one year, ..	32	33	28	43	31	25	31	36	27	37	29	66	51	25	17	16	26	26	22	33	21	37	33	34	21	21
1— 5 years, ..	20	12	13	14	6	9	20	10	13	17	19	45	50	20	17	18	12	9	7	10	11	10	17	13	29	16
5—25 ,, ..	22	17	27	16	15	13	21	16	13	29	32	57	63	27	25	28	13	10	22	16	17	21	21	29	32	27
25—45 ,, ..	29	21	23	29	26	24	26	24	29	40	80	99	98	45	31	30	17	25	19	20	15	22	28	33	48	40
45—65 ,, ..	27	28	31	32	39	47	36	46	49	69	89	110	115	40	30	31	35	38	22	27	31	36	31	52	57	60
65 and upwards, ..	38	34	34	48	48	54	45	51	63	67	102	89	112	29	25	23	30	49	29	39	31	42	45	57	60	69
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	1	.	.	1	.	1	.	1	.	2	3	.	.	.	1	1	1	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	.	.	.	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	1	.	.	2	.	.	.	1	.	2	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	1
Diphtheria, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	1	.	.	.	1	1	1	2	.	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Tuberculosis { Pulmonary, ..	16	11	17	19	20	22	21	19	27	30	26	21	30	19	13	21	12	20	16	13	16	19	25	28	21	19
Tuberculosis { Other Forms, ..	6	2	5	8	4	4	11	6	3	1	3	11	7	4	6	5	7	3	7	6	4	5	7	8	6	6
Cancer, ...	10	4	6	9	5	7	10	8	11	10	10	8	16	4	5	7	6	7	5	2	5	8	7	7	7	8
Diseases of Respiratory System, { Pneumonia ..	20	18	24	22	21	10	15	18	24	43	50	83	89	38	21	17	23	17	10	10	17	30	24	37	39	41
Diseases of Respiratory System, { Others, ..	22	16	19	31	25	28	24	31	39	60	71	82	99	56	33	32	22	30	15	34	16	30	45	51	73	83
Diarrhœa and Enteritis, under 2 years, ...	2	2	4	1	2	3	3	3	3	6	5	4	1	1	2	2	2	2	5	2	.	.	1	1	1	.
Diarrhœa, 2 years and upwards..	2	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	1
Violent Deaths, ...	8	3	7	1	2	1	5	2	2	2	1	1	1	2	5	2	3	2	5	4	5	5	3	3	4	.
Number of Uncertified Deaths, ..	4	3	5	9	6	3	8	7	8	8	8	10	8	1	2	2	5	1	2	3	1	.	2	2	2	3
A Mean Maximum Temperature in degs.	52·7	45·4	48·4	44·6	43·1	46·4	47·7	42·7	41·6	43·5	45·2	44·6	47·5	53·3	45·6	47·0	45·3	44·1	44·9	46·6	41·5	40·8	43·8	44·3	45·7	44·5
B Mean Minimum ,, ,,	42·0	34·4	34·1	34·3	32·3	35·0	34·6	32·0	34·3	31·4	36·1	25·7	33·6	43·0	34·0	34·2	35·6	35·3	33·3	36·3	35·3	34·6	37·4	34·8	32·7	32·0
Mean of A and B ,, ,,	47·4	39·9	41·3	39·5	37·7	40·7	41·2	37·4	38·0	37·5	40·7	35·2	40·6	48·1	39·8	40·6	40·4	39·7	39·1	41·4	38·4	37·7	40·6	39·6	39·2	38·3
Rainfall in inches	0·70	1·11	0·75	0·64	1·00	0·56	0·45	0·30	0·68	0·16	0·57	0·10	0·64	0·89	0·78	0·91	2·72	1·41	0·45	0·94	0·58	0·14	0·09	0·91	0·30	0·67

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 8th March, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	9	46.0	.	14	2	2	.	5	4	1	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	.	.	5	.
Do. 2 do.	49,500	23	22.1	.	21	2	1	2	9	3	4	.	.	.	.	.	.	.	.	4	.	.	2	10	.	.	.	.	10	.
Do. 3 do.	50,032	26	36.5	.	35	3	4	7	3	8	10	.	.	.	.	.	.	.	.	2	3	.	10	13	.	.	.	1	7	.
Do. 4 do.	32,637	12	43.1	1.6	27	2	2	3	7	7	6	.	.	.	.	.	.	.	1	1	1	2	3	11	.	.	.	.	12	1
Do. 5 do.	16,112	11	42.1	.	13	2	.	2	.	6	3	.	.	.	.	.	.	.	.	2	.	1	.	6	.	.	.	.	5	.
Do. 6 do.	37,293	9	26.6	.	19	2	.	1	3	6	7	.	.	.	.	.	.	.	.	.	.	2	3	3	.	.	.	1	3	.
Do. 7 do.	2,681	1	19.4	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	4	26.2	.	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 9 do.	24,427	11	34.2	.	16	2	1	.	2	5	6	.	.	.	.	.	.	.	.	1	1	.	3	8	.	.	.	.	3	1
Do. 10 do.	28,958	14	37.8	.	21	1	2	2	1	5	10	.	.	.	.	.	.	.	.	2	.	.	4	9	.	.	.	.	5	.
Do. 11 do.	39,311	9	34.5	1.3	26	.	1	5	4	5	11	.	.	.	.	.	.	.	.	4	.	1	6	7	.	1	.	.	8	.
Do. 12 do.	38,076	14	26.0	1.4	19	1	2	.	4	6	6	.	.	.	.	.	.	1	.	2	.	1	2	8	.	.	.	1	2	.
Do. 13 do.	23,233	15	24.7	2.2	11	3	1	2	2	1	2	.	.	.	.	.	1	.	.	.	.	.	6	2	.	.	.	.	.	1
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	6	16.1	.	7	1	.	1	.	3	2	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	2	.
Total,	386,947	164	30.3	0.5	233	21	16	27	40	60	69	.	.	.	.	.	1	1	1	19	6	8	41	83	.	1	.	3	63	3
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	3	50.4	.	13	1	.	.	5	3	4	.	.	.	.	.	.	.	.	.	.	.	3	3	.	.	.	.	3	.
Do 2 do.	10,399	4	105.3	.	21	4	1	3	4	5	4	.	.	.	.	.	.	.	.	1	.	.	13	3	.	.	.	.	5	.
Do. 3 do.	9,793	5	79.9	5.3	15	3	2	6	.	3	1	.	.	.	.	.	1	.	.	2	.	.	5	2	.	.	.	.	3	.
Do. 4 do.	9,139	3	62.8	.	11	1	2	3	1	3	1	.	.	.	.	.	.	.	.	1	.	1	7	2	.	.	.	.	2	.
Do. 5 do.	6,250	2	50.1	8.3	6	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	4	.
Do. 6 do.	11,581	8	31.5	.	7	1	1	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	4	1	.	.	.	.	2	.
Do. 7 do	16,056	4	77.9	.	24	3	3	4	5	6	3	.	.	.	.	.	.	.	.	.	.	1	12	3	.	.	.	.	5	1
Total.	76,673	29	66.0	1.4	97	16	9	16	18	24	14	.	.	.	.	.	1	.	.	4	.	2	47	14	1	.	.	.	24	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th March, 1919.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Influenza-Pneumonia.	Total.
North City No. 1, East, ..	.	3	.	.	.	.	.	.	.	.	.	.	4	.	7
" " 1, West ..	.	.	.	.	.	.	.	.	.	.	.	.	7	.	7
" " 2, ...	.	.	.	.	.	.	.	.	1	.	.	.	6	.	7
" " 3, ...	.	1	.	.	.	.	.	.	.	.	.	.	2	2	5
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	2	.	.	.	.	.	.	.	.	.	.	.	4	6
Finglas and Glasnevin (part of)	.	1	.	.	.	.	.	.	.	.	.	.	.	2	3
South City No. 1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
" " " 2, ...	.	1	.	.	.	.	.	.	.	.	.	.	4	.	5
" " " 3, ...	.	1	.	.	1	.	.	.	.	.	.	.	1	2	5
" " " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Total, ...	.	10	.	.	1	.	.	.	1	.	.	.	27	10	49

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th March, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 8th March.			
	Feb. 15.	Feb. 22.	Mar. 1.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	13	11	9	.	2	.	7
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	22	19	19	8	6	.	21
Scarlet Fever	46	38	44	10	1	1	52*
Diphtheria, ...	7	6	6	2	2	.	6
Pneumonia, ...	66	97	119	69	32	17	139

* Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12639). Wt. 8531. 3. 380. 3, 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 11. VOL. LVI.] WEEK ENDING SATURDAY, 15TH MARCH, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 18th March, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 40·4 and 41·1; Dublin Registration Area, 47·8 and 54·0; Dublin City, 49·5 and 58·8; Belfast, 33·9 and 30·9; Cork, 51·0 and 54·1; Londonderry, 43·2 and 35·0; Limerick, 36·6 and 35·0; and Waterford, 28·5 and 27·6.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·9 per 1,000. Among the 261 deaths from all causes for Belfast are one from each of diphtheria and dysentery, and there were 2 deaths from diarrhœa and enteritis of children under 2 years. The 75 deaths from all causes for Cork include one from typhus. The 34 deaths from all causes for Londonderry include one from typhus and 6 from whooping-cough; and one of the 15 deaths from all causes for Waterford is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 189—100 boys and 89 girls—and the deaths to 393—188 males and 205 females.

The deaths registered, omitting the deaths (numbering 22) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 47·8 per 1,000 of the population. During the eleven weeks ending with Saturday last the death-rate averaged 35·2 and was 10·9 above the mean rate for the corresponding portions of the ten years 1909–18. The rate for all deaths registered during the eleven weeks was 37·9 and for the corresponding period of the preceding ten years 25·7.

Of the 371 deaths appertaining to the Area there were 2 from measles, 3 from scarlet fever, one from diphtheria and one from diarrhœa and enteritis of a child under 2 years.

There were 104 deaths from influenza, being equivalent to an annual rate of 13·4 per 1,000 of the population, and of these 81 belonged to the City, affording a rate of 13·6 per 1,000 of the population, the latter including 48 (or 15·4 per 1,000) assigned to North City Districts and 33 (or 11·7 per 1,000) to South City Districts. Twenty-three deaths from influenza (or 12·7 per 1,000 of the population) were referred to the urban districts (see Table IV., col. 29). In the three preceding weeks deaths from this cause for the Registration Area numbered 88, 153, and 148 respectively.

Deaths attributed to pneumonia were 60 (comprising 32 from broncho-pneumonia, 5 from lobar pneumonia, and 23 from pneumonia, type not distinguished), as against 50, 83, and 89 in the three weeks preceding.

Tuberculous disease caused 36 deaths (comprising 29 from pulmonary tuberculosis, 4 from tuberculous meningitis, and 3 from other forms of tuberculous disease), as against 29, 32, and 37 in the three weeks preceding.

Eight deaths were caused by cancer, 21 by organic diseases of the heart, and 55 by bronchitis.

Among deaths of infants under one year old, 6 were due to influenza, 7 to convulsions, 6 to bronchitis, 11 to pneumonia, one to diarrhœa and enteritis, 5 to premature birth, and 3 to congenital debility.

There were 2 accidental deaths, one being that of a child aged 3 years caused by burns and there was one homicidal death.

Ninety-three of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 44 being infants under one year, of whom 10 were under one month old and 79 deaths were those of persons aged 65 and upwards, of whom 55 were 70 years of age or over.

Of the 371 deaths recorded, 117 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 15th March, in 96 large English towns (including London, in which the rate was 21·4 was equal to an average annual death rate of 26·4 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 28·1 per 1,000 persons living, the rate for Glasgow being 32·7 and for Edinburgh 23·6.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 15th March. From this Report it appears that of 43 cases notified, 18 were scarlet fever, 12 diphtheria 7 pulmonary tuberculosis, 4 other forms of tuberculosis, and 2 erysipelas. Among the 442 cases of infectious diseases in hospital at the close of the week were 139 of pulmonary tuberculosis, 87 of scarlet fever, 66 of influenza, 57 of diphtheria, 31 of whooping-cough, 18 of measles, 2 of erysipelas, and one of enteric fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 15th March, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small pox	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Poliomyelitis.	Pulmonary Tuberculosis.	Influenzal or Septic Pneumonia.	Total.
City of Dublin.	Feb. 22	.	—	—	4	.	.	.	.	.	.	.	.	—	—	.	—	.	10	—	14
	Mar. 1	.	—	—	9	.	.	1	.	.	1	1	.	—	—	.	—	.	6	—	18
	Mar. 8	.	—	—	10	.	.	1	.	.	.	1	.	—	—	.	—	.	27	10	49
	Mar. 15	.	—	—	4	.	.	2	.	.	.	1	.	—	—	.	—	.	9	51	67
Rathmines and Rathgar Urban District	Feb. 22	.	—	—	2	.	.	2	.	.	.	.	.	—	—	.	—	.	—	—	4
	Mar. 1	.	—	—	1	.	.	1	.	.	.	1	.	—	—	.	—	.	—	—	3
	Mar. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
	Mar. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
Pembroke Urban District.	Feb. 22	.	.	.	1	.	.	1	.	.	.	.	.	—	3	.	—	.	1	—	6
	Mar. 1	.	2	.	2	.	.	.	.	.	.	.	.	—	.	.	—	.	.	—	4
	Mar. 8	.	4	.	1	.	.	.	.	.	.	.	.	—	.	.	—	.	.	—	5
	Mar. 15	.	2	.	.	.	.	.	.	.	.	.	.	—	.	.	—	.	.	—	2
Blackrock Urban District.	Feb. 22	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	1	—	1
	Mar. 1	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	—	.
	Mar. 8	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	—	.
	Mar. 15	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	—	.
Kingstown Urban District.	Feb. 22	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	—	.
	Mar. 1	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	—	.
	Mar. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	—	.
	Mar. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	—	.
City of Belfast	Feb. 22	.	—	—	6	.	.	4	.	.	2	1	.	—	—	.	—	.	2	3	18
	Mar. 1	.	—	—	11	.	.	7	.	.	.	.	.	—	—	.	—	.	.	10	28
	Mar. 8	.	—	—	4	.	.	7	.	.	.	2	.	—	—	.	—	.	1	15	29
	Mar. 15	.	—	—	2	.	.	8	.	.	.	.	.	—	—	1	—	.	.	3	14
City of Cork.	Feb. 22	.	1	—	.	3	.	1	.	.	.	.	.	—	—	—	.	.	—	—	5
	Mar. 1	.	.	—	.	.	.	1	1	.	.	.	.	—	—	—	.	.	—	2	4
	Mar. 8	.	.	—	.	.	.	1	1	1	.	.	.	—	—	—	.	.	—	11	14
	Mar. 15	.	.	—	.	.	.	.	.	.	.	1	.	—	—	—	.	.	—	19	20
City of Londonderry.	Feb. 22	.	—	—	4	.	.	.	.	.	.	.	.	—	—	.	—	—	—	—	4
	Mar 1	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	—	.
	Mar. 8	.	—	—	1	.	.	.	.	.	.	2	.	—	—	.	—	—	—	—	3
	Mar. 15	.	—	—	2	2	.	.	.	.	.	1	.	—	—	.	—	—	—	—	5
City of Limerick.	Feb. 22	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
	Mar. 1	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
	Mar. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
	Mar. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
City of Waterford.	Feb. 22	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	.	—	1
	Mar. 1	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	—	1
	Mar. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	—	.
	Mar. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	2	—	2

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th March, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively were as follows:—Enteric fever 2 and 8; measles 5 and 18; scarlet fever 7 and 50*; and diphtheria 6 and 9. Fifty-four cases of pneumonia were admitted during the week and 123 remained under treatment at its close, as compared with 97, 119 and 139 at the close of the 3 preceding weeks. Of the deaths in hospital during the week one was from each of measles, scarlet fever, and diphtheria, and 25 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 15th March, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	POPULATION. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	Annual Rate per 1,000 Persons Represented by DEATHS. From all Causes.	Annual Rate per 1,000 Persons Represented by DEATHS. From certain Epidemic Diseases. (b)	BIRTHS. Total Number.	DEATHS. Total Number	Under 1 year of Age	At 65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) Week ending 15th March, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches
	REGISTRATION—WEEK ENDING SATURDAY, 15TH MARCH, 1919. NUMBERS REGISTERED. DEATHS. Caused by																																		
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	22·7	40·4	0·9	497	886	111	223	·	2	·	3	3	6	2	1	67	15	24	182	157	3	·	9	13	217	21	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	24·3	47·8	0·9	189	371	44	79	·	·	·	2	3	·	1	·	29	7	8	60	57	1	·	3	5	117	9	(d) 56·6	22·0	47·9	32·2	40·1	0·18
Urban Districts. CITY OF DUBLIN,	310,500	38·0	24·9	49·5	1·2	148	295	35	62	·	·	·	2	3	·	1	·	26	4	5	50	44	1	·	3	5	105	7	(e) 56·2 (f) 57·8	30·0 24·0	47·8 49·1	37·3 34·2	42·6 41·6	0·12 0·13
Urban Districts. RATHMINES and RATHGAR.	39,400	23·0	19·9	47·6	·	15	36	3	7	·	·	·	·	·	·	·	·	2	1	2	6	7	·	·	·	·	8	1	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,500	18·8	31·8	44·2	·	18	25	4	5	·	·	·	·	·	·	·	·	1	1	·	4	4	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,000	8·3	11·6	23·2	·	2	4	·	2	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,600	11·4	18·8	34·6	·	6	11	2	3	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	2	1	59	29	50·3	37·8	44	0·12
Urban Districts. BELFAST, ..	401,000	26·8	20·8	33·9	0·5	160	261	42	74	·	·	·	·	·	·	1	1	21	4	8	55	61	2	·	1	2	51	1	54·0	27·2	48·6	34·7	41·7	0·20
Urban Districts. CORK, ...	76,673	28·6	33·3	51·0	0·7	49	75	10	10	·	1	·	·	·	·	·	·	2	·	2	35	8	·	·	3	4	23	1	51	35	48·7	37·3	43·0	1·18
Urban Districts. LONDONDERRY, ..	41,000	15·9	21·6	43·2	8·9	17	34	6	11	·	1	·	·	·	6	·	·	2	·	·	4	9	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	24·4	36·6	·	18	27	1	8	·	·	·	·	·	·	·	·	3	·	·	6	6	·	·	·	·	5	3	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	17·1	28·5	1·9	9	15	1	3	·	·	·	1	·	·	·	·	2	1	1	1	1	·	·	2	2	1	·	52	33	48	36	42	1·18
Urban Districts. GALWAY, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			5	9	·	3	·	·	·	·	·	·	·	·	1	·	·	3	2	·	·	·	·	1	·	53	29	49	35	42	0·65
Urban Districts. DUNDALK, ..	13,128	9·5				2	10	·	6	·	·	·	·	·	·	·	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				5	8	1	·	·	·	·	·	·	·	·	·	1	1	·	1	1	·	·	·	·	·	·	52·6	25·3	48·4	32·7	40·5	0·21
Urban Districts. DROGHEDA, ..	12,501	8·4				5	12	·	4	·	·	·	·	·	·	·	·	1	·	·	2	2	·	·	·	·	2	1	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				8	8	1	3	·	·	·	·	·	·	·	·	2	1	·	3	·	·	·	·	·	3	·	52·6	25·3	48·4	32·7	40·5	0·21
Urban Districts. NEWRY, ...	11,963	17·0				5	6	·	1	·	·	·	·	·	·	·	·	·	·	1	2	1	·	·	·	·	1	1	52·6	25·3	48·4	32·7	40·5	0·21
Urban Districts. PORTADOWN, ..	11,727	15·3				7	11	2	4	·	·	·	·	·	·	·	·	·	·	·	3	2	·	·	·	·	1	·	52·6	25·3	48·4	32·7	40·5	0·21
Urban Districts. WEXFORD, ..	11,531	22·8				4	7	2	4	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	1	3	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				2	7	1	3	·	·	·	·	·	·	·	·	1	·	1	2	3	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				6	4	·	1	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	1	51	23	49	32	40·5	0·58
Urban Districts. KILKENNY, ..	10,514	11·4				2	9	·	5	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·	5	·	53	27	47·2	33·7	40·5	0·88
Urban Districts. TRALEE, ...	10,300	17·4				3	7	·	1	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				1	5	·	3	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	5	·	52	27	48	35	41·5	1·11
LONDON	4,206,901	—	—	21·4	—	1,506	1,649	114	553	2	—	1	9	4	4	12	—	116	26	92	158	229	9	7	29	110	710	2	55	31	50·4	38·3	44·4	0·16
EDINBURGH ...	336,500	—	—	23·6	—	85	152	15	55	·	—	·	·	·	10	4	—	—	—	—	—	—	1	—	6	—	—	—	49·0	32·0	42·7	35·1	38·9	0·46
GLASGOW	1,118,700	—	—	32·7	—	441	701g	122	137	2	—	·	12	·	35	3	—	—	—	—	—	—	4	—	14	—	—	—	47·0	31·5	44·7	35·4	40·0	0·62

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis.

TABLE III — DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 11th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 15th March, 1919. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	192·2	393	10	35	24	25	8	7	9	18	48	37	41	50	53	28	371
Enteric Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	3·4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2
Scarlet Fever ..	·6	3	.	1	.	2	.	.	.	.	.	.	.	.	.	.	3
Whooping-cough ..	5·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	·4	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1
Croup	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	4·2	114	.	6	10	3	5	.	4	10	28	17	12	13	5	1	104
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
TUBERCULOSIS.																	
Pulmonary Tuberculosis	23·0	30	.	.	.	3	.	2	2	3	5	7	7	.	1	.	29
Tuberculous Meningitis	3·6	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	4
Abdominal Tuberculosis	1·8	2	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Venereal Diseases ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	9·0	9	.	.	.	.	.	.	.	.	.	2	3	4	.	.	8
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Other General Diseases	1·6	3	.	1	.	.	.	.	.	1	.	.	.	.	1	.	2
Alcoholism ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	3·4	10	.	.	.	.	.	.	.	.	1	.	2	2	4	1	10
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	3·2	3	.	.	.	.	.	.	.	.	1	1	.	.	.	1	2
Epilepsy, ...	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	5·0	10	4	3	2	1	.	.	.	.	.	.	.	.	.	.	10
Other Diseases of Nervous System.	3·4	4	.	.	.	.	.	.	.	.	.	1	.	1	.	2	4
Pericarditis ..	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Acute Endocarditis ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	15·8	21	.	.	.	.	.	.	.	1	1		2	4	13	.	21
Embolism and Thrombosis (including Cerebral).	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Other Diseases of Circulatory System.	1·0	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	29·0	57	.	7	1	2	.	.	.	1	2	2	5	10	18	9	55
Broncho-pneumonia ..	10·4	32	.	8	10	5	1	.	1	1	.	.	.	5	.	1	32
Lobar pneumonia ..	1·4	5	.	1	.	.	.	1	.	.	1	1	1	.	.	.	5
Pneumonia (type not distinguished).	5·6	24	.	2	.	3	.	1	.	1	4	3	4	4	1	1	23
Pleurisy	·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	1·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1

in the ELEVENTH WEEK, ending Saturday, 15th March, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 11th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 15th March, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx. Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	3·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	3·0	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diarrhœa 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	1·8	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	3
Cirrhosis of Liver ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown).	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis ..	1·0	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
Chronic Bright's Disease	5·0	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	3
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	1·0	3	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	3
Puerperal Septicæmia, &c.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	1·0	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Diseases of Skin and Cellular Tissues.	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System.	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Congenital Malformations.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth ..	5·0	5	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	5
Congenital Debility ..	4·8	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Old Age	7·6	13	.	.	.	.	.	.	.	.	.	.	.	.	6	7	.	13
Other Specified Diseases	1·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Drowning	·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Suffocation in Bed, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c.	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Violent Deaths		1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Not included in above—																		
Homicide, ..	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Suicide, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes,	3·6	6	.	.	1	.	.	.	.	.	2	.	1	1	.	1	.	5

TABLE IV.—Showing for the WEEK ENDED 15TH MARCH, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	In Institutions. Inquest Cases.	In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	59·1	1·7	34	9	·	4	·	2	12	7	·	·	·	·	1	·	·	·	·	3	·	1	11	2	·	·	·	11	·	6	1	·
,, 1, W., ...	41,100	59·6	1·3	47	6	1	1	3	3	7	17	9	·	·	·	·	·	·	·	·	·	2	1	5	10	1	·	1	17	1	13	7	1
,, 2, ...	27,500	49·3	1·9	26	5	4	1	3	1	5	1	6	·	·	·	1	·	·	·	·	3	1	·	4	3	·	·	·	7	·	7	4	·
,, 3, ...	34,100	45·9	3·1	30	4	1	5	·	3	4	8	5	·	·	·	·	1	·	1	·	6	·	1	5	4	·	·	·	6	·	6	4	·
CLONTARF AND HOWTH, No. 1, part of	5,500	28·4	·	3	1	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	1	1	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	49·8	·	13	1	1	·	·	1	6	2	2	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	1	6	1	4	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	18·8	·	4	·	·	·	·	1	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	53·4	·	44	5	4	2	2	1	10	9	11	·	·	·	·	·	·	·	·	7	·	·	7	6	·	·	·	12	·	4	8	4
,, 2, ...	18,200	45·8	2·8	16	·	4	1	·	1	3	3	4	·	·	·	·	1	·	·	·	1	·	·	3	4	·	·	·	4	·	3	5	1
,, 3, ...	43,300	49·4	1·2	41	2	4	4	1	2	5	15	8	·	·	·	·	1	·	·	·	·	·	1	8	7	·	·	·	13	1	7	9	1
,, 4, ...	32,800	54·1	·	34	2	·	1	1	2	7	9	12	·	·	·	·	·	·	·	·	4	1	·	5	5	·	·	·	4	1	7	9	·
NEW KILMAINHAM, ...	10,300	15·2	·	3	·	·	1	·	1	1	·	·	·	·	·	·	·	·	·	·	2	·	·	1	·	·	·	·	·	·	·	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	47·6	·	36	3	3	3	2	1	9	8	7	·	·	·	·	·	·	·	·	2	1	2	6	7	·	·	·	14	·	5	3	1
PEMBROKE	29,500	44·2	·	25	4	2	2	1	·	7	4	5	·	·	·	·	·	·	·	·	1	1	·	4	4	·	·	·	6	·	2	·	·
BLACKROCK, ...	9,000	23·2	·	4	·	·	·	1	·	1	·	2	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	1	·	·	·	·
KINGSTOWN, ...	16,600	34·6	·	11	2	·	·	·	2	·	4	3	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	2	·	2	·	1
TOTAL CITY. North, ...	162,900	50·3	1·6	157	26	7	11	6	11	34	35	27	·	·	·	2	1	·	1	·	12	3	4	26	22	1	·	3	48	3	36	17	1
TOTAL CITY. South, ...	147,600	48·8	0·7	138	9	12	9	4	7	26	36	35	·	·	·	·	2	·	·	·	4	1	1	24	22	·	·	·	33	2	21	31	6
TOTAL CITY. North and South, ..	310,500	49·5	1·2	295	35	19	20	10	18	60	71	62	·	·	·	2	3	·	1	·	26	4	5	50	44	1	·	3	81	5	57	48	7
Total Urban Districts, ...	94,500	41·9	·	76	9	5	5	4	3	17	16	17	·	·	·	·	·	·	·	·	3	3	3	10	13	·	·	·	23	·	9	3	2
Total Registration Area, ..	405,000	47·8	0·9	371	44	24	25	14	21	77	87	79	·	·	·	2	3	·	1	·	29	7	8	60	57	1	·	3	104	5	66	51	9
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				22	1	·	·	1	6	8	4	2	·	·	·	·	·	·	1	·	1	1	1	1	2	·	·	1	10	1	18	4	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 15th March, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 15TH MARCH, 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	393	94	15	27	85	91	53	28	.	.	.	2	3	.	2	.	30	8	9	10	61	59	1	.	4	204	9
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	28·5	8	.	.	.	3	3	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	5	1
II.	MIDDLE CLASS	101,798	42·0	82	10	2	9	22	21	8	10	.	.	.	.	.	.	.	.	4	.	2	.	15	7	.	.	.	54	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	48·6	101	25	2	8	27	27	8	4	.	.	.	2	2	.	.	.	11	1	3	2	16	13	.	.	2	49	2
IV.	GENERAL SERVICE CLASS	167,479	45·8	147	57	10	9	25	21	22	3	.	.	.	.	1	.	2	.	10	5	2	8	22	22	1	.	2	72	4
V.	INMATES OF WORKHOUSES, ...	5,602	—	55	2	1	1	8	19	15	9	.	.	.	.	.	.	.	.	5	1	1	.	8	16	.	.	.	24	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	6	.	.	.	3	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	4	1
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
II	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	9	1	.	.	3	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	7	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	21	2	.	1	6	7	1	4	.	.	.	.	.	.	.	.	.	.	1	.	5	1	.	.	.	14	.
	6. Clerks and Commercial Assistants,	33,249	—	30	6	2	3	11	4	2	2	.	.	.	.	.	.	.	.	3	.	1	.	7	2	.	.	.	17	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	22	1	.	5	2	7	3	4	.	.	.	.	.	.	.	.	1	.	.	.	2	3	.	.	.	16	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	8	.	.	1	3	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	5	.
	9. Building and Furnishing Trades, ..	28,823	—	21	10	2	.	2	5	.	2	.	.	.	1	.	.	.	.	3	1	1	1	5	1	.	.	1	7	2
	10. Clothing Trades, ...	20,026	—	17	1	.	3	9	1	2	1	.	.	.	.	.	.	.	.	3	.	.	.	2	3	.	.	.	9	.
	11. Food Supply Trades, ...	8,952	—	6	3	.	.	3	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	4	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	46	10	.	3	10	17	5	1	.	.	.	1	1	.	.	.	4	.	1	.	8	8	.	.	1	22	.
	13. Petty Shopkeepers, ...	6,772	—	3	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	27	15	1	2	4	2	2	1	.	.	.	.	.	.	1	.	1	.	.	4	4	3	.	.	.	14	1
	15. Domestic Servants, ...	36,041	—	12	.	.	3	4	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	9	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	13	5	1	.	2	1	4	.	.	.	.	.	1	.	.	.	1	.	1	.	.	1	.	.	.	9	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	95	37	8	4	15	16	15	.	.	.	.	.	.	.	1	.	8	5	1	4	16	17	1	.	2	40	3
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	55	2	1	1	8	19	15	9	.	.	.	.	.	.	.	.	5	1	1	.	8	16	.	.	.	24	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.
No. of weeks in Annual Series ..	51	52	1	2	3	4	5	6	7	8	9	10	11	51	52	1	2	3	4	5	6	7	8	9	10	11
BIRTHS registered	150	105	188	195	202	197	177	196	199	170	192	208	189	144	102	185	193	204	151	166	170	169	172	184	164	160
Average Births in corresponding week of previous 10 years, ...	164	153	211	225	206	214	214	214	208	205	207	215	201	172	165	233	200	209	207	214	201	198	199	216	203	211
Number of Deaths, ...	145	156	182	165	172	179	183	194	259	351	466	489	371	145	146	133	157	121	145	126	168	175	218	238	233	261
Annual Death-rate per 1,000 ..	18·9	20·4	23·4	21·2	22·1	23·0	23·6	25·0	33·3	45·2	60·0	63·0	47·8	19·2	19·4	17·3	20·4	15·7	18·9	16·4	21·8	22·8	28·3	30·9	30·3	33·9
Average Deaths in corresponding week of previous 10 years, ...	158	156	189	176	182	186	186	186	185	195	193	194	185	144	155	150	157	144	159	171	179	167	166	162	165	162
Ages, .. Under one year, ..	33	28	43	31	25	31	36	27	37	29	66	51	44	17	16	26	26	22	33	21	37	33	34	21	21	42
1— 5 years, ..	12	13	14	6	9	20	10	13	17	19	45	50	49	17	18	12	9	7	10	11	10	17	13	20	16	21
5—25 ,, ..	17	27	16	15	13	21	16	13	29	32	57	63	35	25	28	13	10	22	16	17	21	21	29	32	27	24
25—45 ,, ..	21	23	29	26	24	26	24	29	40	80	99	98	77	31	30	17	25	19	20	15	22	28	33	48	40	33
45—65 ,, ..	28	31	32	39	47	36	46	49	69	89	110	115	87	30	31	35	38	22	27	31	36	31	52	57	60	67
65 and upwards, ..	34	34	48	48	54	45	51	63	67	102	89	112	79	25	23	30	49	29	39	31	42	45	57	60	69	74
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	1	.	.	1	.	1	.	1	.	2	3	2	.	.	1	1	1	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	.	.	1	2	.	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	.	2	.	.	.	1	.	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Diphtheria, ...	.	.	.	.	.	1	.	.	.	.	.	.	1	1	1	.	.	.	1	1	1	2	.	1	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Tuberculosis { Pulmonary, ..	11	17	19	20	22	21	19	27	30	26	21	30	29	13	21	12	20	16	13	16	19	25	28	21	19	21
Tuberculosis { Other Forms, ..	2	5	8	4	4	11	6	3	1	3	11	7	7	6	5	7	3	7	6	4	5	7	8	6	6	4
Cancer, ...	4	6	9	5	7	10	8	11	10	10	8	16	8	5	7	6	7	5	2	5	8	7	7	7	8	8
Diseases of Respiratory System, { Pneumonia ..	18	24	22	21	10	15	18	24	43	50	83	89	60	21	17	23	17	10	10	17	30	24	37	39	41	55
Diseases of Respiratory System, { Others, ..	16	19	31	25	28	24	31	39	60	71	82	99	57	33	32	22	30	15	34	16	30	45	51	73	83	61
Diarrhœa and Enteritis, under 2 years, ...	2	4	1	2	3	3	3	3	6	5	4	1	1	2	2	2	2	5	2	.	.	1	1	1	.	2
Diarrhœa, 2 years and upwards..	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	1	.
Violent Deaths, ...	3	7	1	2	1	5	2	2	2	1	1	1	3	5	2	3	2	5	4	5	5	3	3	4	.	1
Number of Uncertified Deaths, ..	3	5	9	6	3	8	7	8	8	8	10	8	9	2	2	5	1	2	3	1	.	2	2	2	3	1
A Mean Maximum Temperature in degs.	45·4	48·4	44·6	43·1	46·4	47·7	42·7	41·6	43·5	45·2	44·6	7·5	47·9	45·6	47·0	45·3	44·1	44·9	46·6	41·5	40·8	43·8	44·3	45·7	44·5	48·6
B Mean Minimum ,, ,,	34·4	34·1	34·3	32·3	35·0	34·6	32·0	34·3	31·4	36·1	25·7	33·6	32·2	34·0	34·2	35·6	35·3	33·3	36·3	35·3	34·6	37·4	34·8	32·7	32·0	34·7
Mean of A and B ,, ,,	39·9	41·3	39·5	37·7	40·7	41·2	37·4	38·0	37·5	40·7	35·2	40·6	40·1	39·8	40·6	40·4	39·7	39·1	41·4	38·4	37·7	40·6	39·6	39·2	38·3	41·7
Rainfall in inches	1·11	0·75	0·64	1·00	0·56	0·45	0·39	0·68	0·16	0·57	0·10	0·64	0·18	0·78	0·91	2·72	1·41	0·45	0·94	0·58	0·14	0·09	0·91	0·30	0·67	0·20

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 15th March, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	5	46·0	.	14	.	2	2	3	4	3	.	.	.	.	.	.	.	.	.	.	1	4	2	.	.	.	1	4	.
Do. 2 do.	49,500	19	33·7	1·1	32	2	5	2	5	8	10	.	.	.	.	.	.	.	1	3	1	3	2	16	.	.	.	.	9	.
Do. 3 do.	50,032	20	44·8	.	43	6	1	5	8	10	13	.	.	.	.	.	.	.	.	3	1	1	9	8	.	.	1	1	10	.
Do. 4 do.	32,637	11	24·0	.	15	3	2	1	1	3	5	.	.	.	.	.	.	.	.	2	.	.	3	4	.	.	.	.	6	.
Do. 5 do.	16,112	10	35·6	.	11	2	.	.	3	4	2	.	.	.	.	.	.	.	.	2	.	.	2	3	.	.	.	.	5	.
Do. 6 do.	37,293	13	22·4	2·8	16	3	2	3	2	1	5	.	.	.	.	.	.	.	.	2	.	1	2	2	2	.	.	.	1	.
Do. 7 do.	2,681	2	38·9	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	43·7	.	5	.	.	.	1	2	2	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	1	.
Do. 9 do.	24,427	11	17·1	.	8	1	2	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	3	3	.	.	.	.	.	.
Do. 10 do.	28,958	12	41·4	.	23	5	2	1	1	8	6	.	.	.	.	.	.	.	.	1	.	.	9	8	.	.	.	.	4	.
Do. 11 do.	39,311	20	47·8	.	36	7	2	7	5	5	10	.	.	.	.	.	.	.	.	2	2	2	6	4	.	.	.	.	4	1
Do. 12 do.	38,076	24	34·2	.	25	7	2	.	3	6	7	.	.	.	.	.	.	.	.	5	.	.	3	6	.	.	.	.	3	.
Do 13 do.	23,233	8	38·2	2.2	17	1	1	3	.	9	3	.	.	.	.	.	.	1	.	.	.	.	6	.	.	.	.	.	2	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	4	32·2	.	14	4	.	.	.	6	4	.	.	.	.	.	.	.	.	.	.	.	5	3	.	.	.	.	2	.
Total,	386,947	160	33·9	0·5	261	42	21	24	33	67	74	.	.	.	.	.	.	1	1	21	4	8	55	61	2	.	1	2	51	1
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	2	42·6	.	11	.	1	.	4	2	4	.	.	.	.	.	.	.	.	.	.	.	3	3	.	.	.	.	3	.
Do 2 do.	10,399	7	70·2	.	14	2	2	1	4	3	2	.	.	.	.	.	.	.	.	1	.	.	4	2	.	.	1	2	6	.
Do. 3 do.	9,793	7	58·6	.	11	1	2	3	2	2	1	.	.	.	.	.	.	.	.	1	.	.	7	.	.	.	.	.	1	.
Do. 4 do.	9,139	11	39·9	.	7	2	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	6	1	.	.	.	.	2	.
Do. 5 do.	6,250	4	33·4	.	4	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	3	.
Do 6 do.	11,581	10	40·5	.	9	2	.	1	1	3	2	.	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.	3	.
Do. 7 do	16,056	8	61·7	3·2	19	3	3	1	5	6	1	.	1	.	.	.	.	.	.	.	.	.	9	1	.	.	2	2	5	1
Total.	76,673	49	51·0	0·7	75	10	10	6	20	19	10	.	1	.	.	.	.	.	.	2	.	2	35	8	.	.	3	4	23	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th March, 1919.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Influenzal Pneumonia.	Total.
North City No. 1, East, ..	.	1	.	.	.	.	.	.	.	.	.	.	1	8	10
" " 1, West ..	.	.	.	.	.	.	.	.	.	.	.	.	1	10	11
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	6	7
" " 3, ...	.	2	.	.	2	.	.	.	.	.	.	.	1	4	9
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
South City No. 1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
" " " 3, ...	.	1	.	.	.	.	.	.	1	.	.	.	2	9	13
" " " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	8	9
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	4	.	.	2	.	.	.	1	.	.	.	9	51	67

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th March, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 15th March.			
	Feb 22.	Mar. 1.	Mar. 8.	No. admitted	Dis charged	Died.	No. under treatment at close of week.
Enteric Fever, ...	11	9	7	2	1	.	8
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	19	19	21	5	7	1	18
Scarlet Fever	38	44	52	7	8	1	50*
Diphtheria, ...	6	6	6	6	2	1	9
Pneumonia, ...	97	119	139	54	45	25	123

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12639). Wt. 8531. 3. 380 3. 1919. G. III. Sch. c. 7

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 12. VOL. LVI.] WEEK ENDING SATURDAY, 22ND MARCH, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 24th March, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 33·8 and 40·6; Dublin Registration Area, 37·1 and 52·0; Dublin City, 38·8 and 55·9; Belfast, 30·9 and 31·5; Cork, 31·3 and 52·0; Londonderry, 54·7 and 41·3; Limerick, 25·7 and 32·5; and Waterford, 19·0 and 24·7.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·2 per 1,000. Among the 238 deaths from all causes for Belfast are one from whooping-cough 2 from diphtheria and one from diarrhœa and enteritis of a child under 2 years. The 46 deaths from all causes for Cork include one from typhus. The 43 deaths from all causes for Londonderry include 8 from whooping-cough; and one of the 8 deaths from all causes for Kilkenny is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 171—90 boys and 81 girls—and the deaths to 307—134 males and 173 females.

The deaths registered, omitting the deaths (numbering 19) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 37·1 per 1,000 of the population. During the twelve weeks ending with Saturday last the death-rate averaged 35·4 and was 11·0 above the mean rate for the corresponding portions of the ten years 1909–18. The rate for all deaths registered during the twelve weeks was 38·0 and for the corresponding period of the preceding ten years 25·8.

Of the 288 deaths appertaining to the Area there were 6 from measles, one from diphtheria, and 5 from diarrhœa and enteritis of children under 2 years.

There were 77 deaths from influenza, being equivalent to an annual rate of 9·9 per 1,000 of the population, and of these 63 belonged to the City, affording a rate of 10·6 per 1,000 of the population, the latter including 38 (or 12·2 per 1,000) assigned to North City Districts and 25 (or 8·8 per 1,000) to South City Districts. Fourteen deaths from influenza (or 7·7 per 1,000 of the population) were referred to the urban districts (see Table IV., col. 29). In the three preceding weeks deaths from this cause for the Registration Area numbered 153, 148 and 104 respectively.

Deaths attributed to pneumonia were 45 (comprising 20 from broncho-pneumonia, 7 from lobar pneumonia, and 18 from pneumonia, type not distinguished), as against 83, 89, and 60 in the three weeks preceding.

Tuberculous disease caused 27 deaths (comprising 23 from pulmonary tuberculosis, and 4 from other forms of tuberculous disease), as against 32, 37, and 36 in the three weeks preceding.

Seven deaths were caused by cancer, 13 by organic diseases of the heart, and 50 by bronchitis.

Among deaths of infants under one year old, 7 were due to influenza, 2 to convulsions, 6 to bronchitis, 9 to pneumonia, 5 to diarrhœa and enteritis, 4 to premature birth, and one to congenital debility.

Sixty-four of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 36 being infants under one year, of whom 7 were under one month old and 64 deaths were those of persons aged 65 and upwards, of whom 42 were 70 years of age or over.

Of the 288 deaths recorded, 98 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 22nd March, in 96 large English towns (including London, in which the rate was 18·0 was equal to an average annual death rate of 20·9 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 22·9 per 1,000 persons living, the rate for Glasgow being 25·5 and for Edinburgh 18·3.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 22nd March. From this Report it appears that of 47 cases notified, 16 were scarlet fever, 13 diphtheria, 7 pulmonary tuberculosis, 7 other forms of tuberculosis, 2 erysipelas, one enteric fever, and one cerebro-spinal fever. Among the 429 cases of infectious diseases in hospital at the close of the week were 137 of pulmonary tuberculosis, 97 of scarlet fever, 68 of diphtheria, 48 of influenza, 24 of whooping-cough, 20 of measles, 3 of erysipelas, and 2 of enteric fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 22nd March, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small pox	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Poliomyelitis.	Pulmonary Tuberculosis.	Influenzal or Septic Pneumonia.	Total.
City of Dublin.	Mar. 1	.	—	—	9	.	.	1	.	.	1	1	.	—	—	.	—	.	6	—	18
	Mar. 8	.	—	—	10	.	.	1	.	.	.	1	.	—	—	.	—	.	27	10	49
	Mar. 15	.	—	—	4	.	.	2	.	.	.	1	.	—	—	.	—	.	9	51	67
	Mar. 22	.	—	—	2	.	.	2	.	.	1	4	.	—	—	.	—	.	18	24	51
Rathmines and Rathgar Urban District.	Mar. 1	.	—	—	1	.	.	1	.	.	.	1	.	—	—	.	—	.	—	—	3
	Mar. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
	Mar. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
	Mar. 22	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
Pembroke Urban District.	Mar. 1	.	2	.	2	.	.	.	.	.	.	.	.	—	.	.	—	.	.	—	4
	Mar. 8	.	4	.	1	.	.	.	.	.	.	.	.	—	.	.	—	.	.	—	5
	Mar. 15	.	2	.	.	.	.	.	.	.	.	.	.	—	.	.	—	.	.	—	2
	Mar. 22	.	.	.	3	.	.	.	.	.	.	.	.	—	.	.	—	.	.	—	3
Blackrock Urban District.	Mar. 1	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	—	.
	Mar. 8	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	—	.
	Mar. 15	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	—	.
	Mar. 22	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	—	.
Kingstown Urban District.	Mar. 1	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	—	.
	Mar. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	—	.
	Mar. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	—	.
	Mar. 22	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	3	—	4
City of Belfast	Mar. 1	.	—	—	11	.	.	7	.	.	.	.	.	—	—	.	—	.	.	10	28
	Mar. 8	.	—	—	4	.	.	7	.	.	.	2	.	—	—	.	—	.	1	15	29
	Mar. 15	.	—	—	2	.	.	8	.	.	.	.	.	—	—	1	—	.	.	3	14
	Mar. 22	.	—	—	6	.	.	1	.	.	1	2	.	—	—	1	—	.	2	6	19
City of Cork.	Mar. 1	.	.	—	.	.	.	1	1	.	.	.	.	—	—	—	.	.	—	2	4
	Mar. 8	.	.	—	.	.	.	1	1	1	.	.	.	—	—	—	.	.	—	11	14
	Mar. 15	.	.	—	.	.	.	.	.	.	.	1	.	—	—	—	.	.	—	19	20
	Mar. 22	.	.	—	.	.	.	1	.	.	.	1	.	—	—	—	.	.	—	3	7a
City of Londonderry.	Mar. 1	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	—	.
	Mar. 8	.	—	—	1	.	.	.	.	.	.	2	.	—	—	.	—	—	—	—	3
	Mar. 15	.	—	—	2	2	.	.	.	.	.	1	.	—	—	.	—	—	—	—	5
	Mar. 22	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	—	2
City of Limerick.	Mar. 1	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
	Mar. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
	Mar. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
	Mar. 22	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
City of Waterford.	Mar. 1	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	—	1
	Mar. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	—	.
	Mar. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	2	—	2
	Mar. 22	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	—	.

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd March, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively were as follows:—Enteric fever nil and 6; measles 7 and 17; scarlet fever 7 and 45*; and diphtheria 5 and 9. Forty-seven cases of pneumonia were admitted during the week and 111 remained under treatment at its close, as compared with 119, 139 and 123 at the close of the 3 preceding weeks. Of the deaths in hospital during the week one was from each of measles and diphtheria, and 12 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 22nd March, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	POPULATION. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	Annual Rate per 1,000 Persons Represented by DEATHS. From all Causes.	Annual Rate per 1,000 Persons Represented by DEATHS. From certain Epidemic Diseases (b)	REGISTRATION—WEEK ENDING SATURDAY, 22ND MARCH, 1919. NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age	At 65 years and upwards	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 22ND MARCH, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	23·3	33·8	1·2	511	741	92	182	·	1	·	6	·	10	3	·	63	12	22	143	148	6	1	5	4	202	17	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	22·0	37·1	1·5	171	288	36	64	·	·	·	6	·	·	1	·	23	4	7	45	51	5	·	1	·	98	5	(d) 53·9	28·0	46·1	32·0	39·1	1·18
Urban Districts. CITY OF DUBLIN,	310,500	38·0	23·5	38·8	1·8	140	231	32	47	·	·	·	5	·	·	1	·	21	3	5	34	46	5	·	·	·	86	4	(e) 51·9 (f) 54·0	32·4 30·6	46·0 46·6	35·4 33·2	40·7 39·9	0·96 1·16
Urban Districts. RATHMINES and RATHGAR	39,400	23·0	15·9	43·7	1·3	12	33	2	9	·	·	·	1	·	·	·	·	2	1	1	7	2	·	·	1	·	9	1	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,500	18·8	21·2	24·7	·	12	14	2	4	·	·	·	·	·	·	·	·	·	·	1	4	2	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,000	8·3	5·8	11·6	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,600	11·4	18·8	25·1	·	6	8	·	4	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	2	·	53	33	48·3	36·7	42·5	0·79
Urban Districts. BELFAST, ..	401,000	26·8	25·7	30·9	0·5	198	238	33	61	·	·	·	·	·	1	2	·	22	5	13	46	61	1	·	3	3	57	1	49·0	31·0	44·6	34·4	39·5	1·98
Urban Districts. CORK, ...	76,673	28·6	17·7	3·3	0·7	26	46	4	11	·	1	·	·	·	·	·	·	4	·	·	17	6	·	·	·	·	16	1	54	32	47·9	37·4	42·7	0·47
Urban Districts. LONDONDERRY, ..	41,000	15·9	34·3	54·7	10·2	27	43	8	4	·	·	·	·	·	8	·	·	4	1	·	13	9	·	·	·	1	1	1	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	25·7	25·7	·	19	19	2	3	·	·	·	·	·	·	·	·	4	·	·	2	3	·	·	·	·	8	1	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	26·6	19·0	·	14	10	2	2	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	3	2	55	34	49	39	44	0·68
Urban Districts. GALWAY, ...	13,255	2·5				2	16	·	7	·	·	·	·	·	·	·	·	2	·	·	3	4	·	·	1	·	8	·	51	26	48·3	35	41·7	0·53
Urban Districts. DUNDALK, ..	13,128	9·5				2	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				3	7	·	3	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	·	·	2	50·3	27·0	45·1	32·1	38·6	1·09
Urban Districts. DROGHEDA, ..	12,501	8·4				4	15	1	7	·	·	·	·	·	·	·	·	1	·	·	3	4	·	·	·	·	3	1	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				2	4	·	3	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	50·3	27·0	45·1	32·1	38·6	1·09
Urban Districts. NEWRY, ...	11,963	17·0				6	5	1	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	50·3	27·0	45·1	32·1	38·6	1·09
Urban Districts. PORTADOWN, ..	11,727	15·3				6	7	1	2	·	·	·	·	·	·	·	·	·	1	·	4	1	·	·	·	·	·	·	50·3	27·0	45·1	32·1	38·6	1·09
Urban Districts. WEXFORD, ..	11,531	22·8				8	6	3	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				3	9	1	4	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				4	6	·	·	·	·	·	·	·	·	·	·	·	·	·	1	2	·	1	·	·	·	1	52	25	46	31	38·5	1·41
Urban Districts. KILKENNY, ..	10,514	11·4				12	8	·	4	·	·	·	·	·	1	·	·	·	·	·	·	3	·	·	·	·	2	·	53	29	45·8	33·5	39·6	0·55
Urban Districts. TRALEE, ...	10,300	17·4				3	6	·	1	·	·	·	·	·	·	·	·	2	·	·	2	·	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				1	5	·	1	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·	52	28	46	34	40	0·60
LONDON	4,206,901	—	—	18·0	—	1,289	1,390	133	511	1	—	·	5	3	4	10	—	118	16	103	124	189	14	8	50	111	608	4	48	31	42·6	33·4	38·0	0·47
EDINBURGH ...	336,500	—	—	18·3	—	91	118(g)	10	43	·	—	·	1	1	5	4	—	—	—	—	—	—	·	—	2	—	—	—	46·0	26·0	39·1	31·[illegible]	35·3	0·35
GLASGOW	1,118,700	—	—	25·5	—	436	546(g)	80	118	·	—	·	7	2	27	3	—	—	—	—	—	—	3	—	13	—	—	—	47·1	29·1	39·7	32·6	36·2	1·56

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis for Edinburgh and 2 for Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 12th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 22nd March, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	0—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards		
ALL CAUSES.	215·6	307	8	30	13	15	10	4	10	21	38	26	29	39	40	24	288
Enteric Fever ..	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	7·8	6	.	.	2	4	.	.	.	.	.	.	.	.	.	.	6
Scarlet Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	7·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Croup	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	4·0	80	.	7	4	3	4	2	4	7	16	11	9	6	5	2	77
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	29·6	25	.	.	.	.	2	.	1	5	6	5	2	3	.	1	23
Tuberculous Meningitis	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Tuberculosis of Joints	·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Tuberculosis of other Organs.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·2	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	2
Venereal Diseases ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	9·6	9	.	.	.	.	.	.	.	.	1	1	4	1	2	.	7
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	.	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.	3
Anæmia, Leucocythæmia.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	·8	2	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	6·6	6	.	.	.	.	.	.	.	1	.	.	1	1	2	1	6
Softening of Brain ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·8	7	.	.	.	.	.	.	.	.	.	1	1	2	3	.	6
Epilepsy, ...	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	3·6	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	2·6	3	.	.	.	.	.	.	.	.	1	1	.	.	1	.	3
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Organic Diseases of the Heart.	16·2	14	.	.	.	.	.	.	.	1	.	1	3	4	3	2	13
Embolism and Thrombosis (including Cerebral).	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diseases of the Larynx	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	31·2	50	.	6	.	2	.	1	.	.	.	2	3	9	14	13	50
Broncho-pneumonia ..	10·0	21	.	7	4	3	1	.	.	.	2	1	1	1	1	.	20
Lobar pneumonia ..	1·4	7	.	1	.	.	.	.	.	2	3	.	.	.	1	.	7
Pneumonia (type not distinguished).	7·4	20	.	2	3	.	1	.	2	2	5	1	2	1	.	1	18
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	1·4	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1

in the TWELFTH WEEK, ending Saturday, 22nd March, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 12th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 22nd March, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Diseases of Stomach ..	2·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
Diarrhœa and Enteritis of Children under 2 years.	4·8	5	.	5	.	.	.	.	.	.	.	.	.	.	.	.		5
Diarrhœa 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Enteritis 2 years and upwards.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Appendicitis and Typhlitis.	·6	2	.	.	.	.	.	.	.	1	.	.	.	1	.	.		.
Hernia and Intestinal Obstructions.	1·8	4	1	1	.	.	.	.	.	.	.	.	1	1	.	.		2
Cirrhosis of Liver ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Liver	·2	2	.	.	.	.	.	.	.	1	.	.	.	1	.	.		1
Peritonitis (cause unknown).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Digestive System.	1·0	2	.	.	.	1	.	.	.	.	.	.	.	1	.	.		2
Acute Nephritis ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Bright's Disease	7·0	8	.	.	.	.	.	.	.	.	1	.	1	4	2	.		8
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Puerperal Septicæmia, &c.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other causes incident to Pregnancy and Childbirth.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Skin and Cellular Tissues.	1·0	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Diseases of Locomotor System.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Congenital Malformations.	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Premature Birth ..	4·0	4	4	.	.	.	.	.	.	.	.	.	.	.	.	.		4
Congenital Debility ..	5·0	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
Old Age	7·6	6	.	.	.	.	.	.	.	.	.	.	.	.	4	2		6
Other Specified Diseases	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Drowning	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suffocation in Bed, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Railways, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Vehicles and Horses ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Gunshot Wounds, &c.	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Violent Deaths		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Not included in above—																		
Homicide, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suicide, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes,	3·4	3	.	.	.	.	1	.	1	.	.	.	.	1	.	.		3

TABLE IV.—Showing for the WEEK ENDED 22ND MARCH, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 22ND MARCH, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population Middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	41·7	3·5	24	4	·	1	4	1	5	2	7	·	·	·	1	·	·	·	·	1	1	·	2	2	1	·	·	11	·	3	1	1
" 1, W., ...	41,100	55·8	1·3	44	6	3	1	2	3	12	9	8	·	·	·	·	·	·	·	·	6	1	2	4	7	1	·	·	13	·	12	11	·
" 2, ...	27,500	60·7	·	32	5	3	·	1	3	6	9	5	·	·	·	·	·	·	·	·	4	·	1	9	3	·	·	·	7	·	7	6	1
" 3, ...	34,100	29·1	·	19	4	·	2	2	1	2	6	2	·	·	·	·	·	·	·	·	2	1	·	5	4	·	·	·	5	·	4	2	·
CLONTARF AND HOWTH, No. 1, part of	5,[illegible]00	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	26·8	7·7	7	2	·	1	·	1	1	1	1	·	·	·	1	·	·	·	·	1	·	·	1	1	1	·	·	2	·	·	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	18·8	·	4	·	·	·	·	1	·	·	3	·	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	36·4	3·6	30	4	·	4	1	2	2	8	9	·	·	·	1	·	·	1	·	1	·	·	4	10	1	·	·	4	·	3	9	·
" 2, ...	18,200	45·8	8·6	16	1	1	1	·	3	5	2	3	·	·	·	2	·	·	·	·	1	·	1	·	2	1	·	·	4	·	5	3	1
" 3, ...	43,300	37·3	·	31	5	1	3	·	6	5	8	3	·	·	·	·	·	·	·	·	2	·	·	4	8	·	·	·	13	·	4	5	·
" 4, ...	32,800	33·4	·	21	1	·	2	1	2	7	3	5	·	·	·	·	·	·	·	·	3	·	1	3	6	·	·	·	4	·	7	3	1
NEW KILMAINHAM, ...	10,300	15·2	·	3	·	·	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	1	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	43·7	1·3	33	2	2	·	1	3	9	7	9	·	·	·	1	·	·	·	·	2	1	1	7	2	·	·	1	9	·	9	·	1
PEMBROKE	29,500	24·7	·	14	2	3	·	·	1	·	4	4	·	·	·	·	·	·	·	·	·	·	1	4	2	·	·	·	1	·	1	·	·
BLACKROCK, ...	9,000	11·6	·	2	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
KINGSTOWN, ...	16,600	25·1	·	8	·	·	·	·	·	3	1	4	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	3	·	·	2	·
TOTAL CITY. North, ...	162,900	41·6	1·6	130	21	6	5	9	10	26	27	26	·	·	·	2	·	·	·	·	14	3	3	22	19	3	·	·	38	·	26	20	2
TOTAL CITY. South, ...	147,600	35·7	2·1	101	11	2	10	2	13	19	23	21	·	·	·	3	·	·	1	·	7	·	2	12	27	2	·	·	25	·	19	21	2
TOTAL CITY. North and South, ..	310,500	38·8	1·8	231	32	8	15	11	23	45	50	47	·	·	·	5	·	·	1	·	21	3	5	34	46	5	·	·	63	·	45	41	4
Total Urban Districts, ...	94,500	31·5	0·6	57	4	5	·	1	4	13	13	17	·	·	·	1	·	·	·	·	2	1	2	11	5	·	·	1	14	·	10	2	1
Total Registration Area, ..	405,000	37·1	1·5	288	36	13	15	12	27	58	63	64	·	·	·	6	·	·	1	·	23	4	7	45	51	5	·	1	77	·	55	43	5
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				19	2	·	·	2	4	6	5	·	·	·	·	·	·	·	·	·	2	·	2	3	1	·	·	·	3	·	18	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 22nd March, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 22ND MARCH, 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	307	66	14	31	64	68	40	24	·	·	·	6	·	·	1	·	25	4	9	2	48	52	5	·	1	154	5
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	39·1	11	·	·	·	2	5	1	3	·	·	·	·	·	·	·	·	1	·	1	·	·	1	·	·	·	8	·
II.	MIDDLE CLASS	101,798	31·2	61	8	2	5	16	14	7	9	·	·	·	2	·	·	·	·	7	1	1	·	6	10	·	·	1	33	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	33·2	60	12	5	10	12	21	6	3	·	·	·	·	·	·	·	·	3	1	4	·	15	12	·	·	·	34	2
IV.	GENERAL SERVICE CLASS	167,479	38·0	122	40	6	14	26	16	17	3	·	·	·	4	·	·	1	·	8	·	2	2	24	18	4	·	·	59	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	44	6	1	2	8	12	9	6	·	·	·	·	·	·	·	·	6	2	1	·	3	11	1	·	·	20	·
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	9	·	·	·	2	4	1	2	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	7	·
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	5	2	·	·	1	·	2	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	4	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	13	2	·	·	3	2	3	3	·	·	·	1	·	·	·	·	1	·	·	·	·	3	·	·	·	8	·
	6. Clerks and Commercial Assistants,	33,249	—	21	3	1	3	7	3	2	2	·	·	·	·	·	·	·	·	2	·	·	·	4	4	·	·	1	10	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	22	1	1	2	5	9	·	4	·	·	·	·	·	·	·	·	4	1	1	·	2	3	·	·	·	11	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	4	1	·	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	2	1
	9. Building and Furnishing Trades, ..	28,823	—	15	3	1	1	5	2	3	·	·	·	·	·	·	·	·	·	·	·	2	·	3	4	·	·	·	6	·
	10. Clothing Trades, ...	20,026	—	7	2	·	2	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	5	·
	11. Food Supply Trades, ...	8,952	—	6	·	·	·	1	4	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	5	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	32	6	3	6	4	9	2	2	·	·	·	·	·	·	·	·	1	1	2	·	8	6	·	·	·	14	·
	13. Petty Shopkeepers, ...	6,772	—	5	·	1	1	·	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	2	·	·	·	2	1
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	25	10	1	3	8	1	·	2	·	·	·	1	·	·	·	·	2	·	·	1	5	3	·	·	·	13	1
	15. Domestic Servants, ...	36,041	—	11	2	·	4	3	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	3	2	·	·	·	4	·
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	5	2	·	1	·	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	3	·
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	81	26	5	6	15	12	16	1	·	·	·	3	·	·	1	·	4	·	1	1	16	12	4	·	·	39	1
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	44	6	1	2	8	12	9	6	·	·	·	·	·	·	·	·	6	2	1	·	3	11	1	·	·	20	·

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Dec. 28.	Jan. 4.	Jan. 11	Jan. 18.	Jan. 25.	Feb. 1.	Feb 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15	Mar. 22.	Dec. 28.	Jan. 4.	Jan. 11.	Jan 18.	Jan. 25.	Feb. 1	Feb 8.	Feb 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.
No. of weeks in Annual Series ..	52	1	2	3	4	5	6	7	8	9	10	11	12	52	1	2	3	4	5	6	7	8	9	10	11	12
BIRTHS registered	105	188	195	202	197	177	196	199	170	192	208	189	171	102	185	193	204	151	166	170	169	172	184	164	160	198
Average Births in corresponding week of previous 10 years, ...	153	211	225	206	214	214	214	208	205	207	215	201	226	165	233	200	209	207	214	201	198	199	216	203	211	215
Number of Deaths, ...	156	182	165	172	179	183	194	259	351	466	489	371	288	146	133	157	121	145	126	163	175	218	238	233	261	238
Annual Death-rate per 1,000 ..	20·4	23·4	21·2	22·1	23·0	23·6	25·0	33·3	45·2	60·0	63·0	47·8	37·1	19·4	17·3	20·4	15·7	18·9	16·4	21·8	22·8	28·3	30·9	30·3	33·9	30·9
Average Deaths in corresponding week of previous 10 years, ...	156	189	176	182	186	186	186	185	195	193	194	185	196	155	150	157	144	159	171	179	167	166	162	165	162	164
Ages, .. Under one year, ..	28	43	31	25	31	36	27	37	29	66	51	44	36	16	26	26	22	33	21	37	33	34	21	21	42	33
1— 5 years, ..	13	14	6	9	20	10	13	17	19	45	50	49	28	18	12	9	7	10	11	10	17	13	20	16	21	22
5—25 ,, ..	27	16	15	13	21	16	13	29	32	57	63	35	39	28	13	10	22	16	17	21	21	29	32	27	24	31
25—45 ,, ..	23	29	26	24	26	24	29	40	80	99	98	77	58	30	17	25	19	20	15	22	28	33	48	40	33	34
45—65 ,, ..	31	32	39	47	36	46	49	69	89	110	115	87	63	31	35	38	22	27	31	36	31	52	57	60	67	57
65 and upwards, ..	34	48	48	54	45	51	63	67	102	89	112	79	64	23	30	49	29	39	31	42	45	57	60	69	74	61
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	1	.	1	.	1	.	2	3	2	6	.	1	1	1	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	.	1	2	.	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	2	.	.	.	1	.	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
Diphtheria, ...	.	.	.	.	1	.	.	.	.	.	.	1	1	1	.	.	.	1	1	1	2	.	1	1	1	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Tuberculosis { Pulmonary, ..	17	19	20	22	21	19	27	30	26	21	30	29	23	21	12	20	16	13	16	19	25	28	21	19	21	22
Tuberculosis { Other Forms, ..	5	8	4	4	11	6	3	1	3	11	7	7	4	5	7	3	7	6	4	5	7	8	6	6	4	5
Cancer, ...	6	9	5	7	10	8	11	10	10	8	16	8	7	7	6	7	5	2	5	8	7	7	7	8	8	13
Diseases of Respiratory System, { Pneumonia ..	24	22	21	10	15	18	24	43	50	83	89	60	45	17	23	17	10	10	17	30	24	37	39	41	55	46
Diseases of Respiratory System, { Others, ..	19	31	25	28	24	31	39	60	71	82	99	57	51	32	22	30	15	34	16	30	45	51	73	83	61	61
Diarrhœa and Enteritis, under 2 years, ...	4	1	2	3	3	3	3	6	5	4	1	1	5	2	2	2	5	2	.	.	1	1	1	.	2	1
Diarrhœa, 2 years and upwards..	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.	.
Violent Deaths, ...	7	1	2	1	5	2	2	2	1	1	1	3	1	2	3	2	5	4	5	5	3	3	4	.	1	3
Number of Uncertified Deaths, ..	5	9	6	3	8	7	8	8	8	10	8	9	5	2	5	1	2	3	1	.	2	2	2	3	1	1
A Mean Maximum Temperature in degs.	48·4	44·6	43·1	46·4	47·7	42·7	41·6	43·5	45·2	44·6	47·5	47·9	46·1	47·0	45·3	44·1	44·9	46·6	41·5	40·8	43·8	44·3	45·7	44·5	48·6	44·6
B Mean Minimum ,, ,,	34·1	34·3	32·3	35·0	34·6	32·0	34·3	33·4	36·1	25·7	33·6	32·2	32·0	34·2	35·6	35·3	33·3	36·3	35·3	34·6	37·4	34·8	32·7	32·0	34·7	34·4
Mean of A and B ,, ,,	41·3	39·5	37·7	40·7	41·2	37·4	38·0	37·5	40·7	35·2	40·6	40·1	39·1	40·6	40·4	39·7	39·1	41·4	38·4	37·7	40·6	39·6	39·2	38·3	41·7	39·5
Rainfall in inches	0·75	0·64	1·00	0·56	0·45	0·39	0·68	0·46	0·57	0·10	0·64	0·18	1·18	0·91	2·72	1·41	0·45	0·94	0·58	0·14	0·09	0·91	0·36	0·67	0·20	1·98

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 22nd March, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	9	32·8	·	10	·	1	2	1	4	2	·	·	·	·	·	·	·	·	1	·	1	1	2	·	·	·	·	3	·
Do. 2 do.	49,500	27	22·1	·	21	·	5	2	4	3	7	·	·	·	·	·	·	·	·	2	·	2	2	11	·	·	·	·	4	1
Do. 3 do.	50,032	40	39·6	·	38	6	3	4	5	11	9	·	·	·	·	·	·	·	·	3	2	1	12	9	·	·	·	·	10	·
Do. 4 do.	32,637	13	38·3	·	24	4	1	·	5	4	10	·	·	·	·	·	·	·	·	2	·	4	2	9	·	·	·	·	7	·
Do. 5 do.	16,112	14	25·9	·	8	2	1	1	1	1	2	·	·	·	·	·	·	·	·	·	·	1	3	2	·	·	·	·	2	·
Do. 6 do.	37,293	7	36·4	1·4	26	4	1	5	3	5	8	·	·	·	·	·	·	·	·	2	1	1	3	6	1	·	1	1	8	·
Do. 7 do.	2,681	·	58·3	·	3	·	·	·	·	2	1	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·
Do. 8 do.	5,964	2	17·5	·	2	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·
Do. 9 do.	24,427	7	19·2	2·1	9	2	1	1	1	1	3	·	·	·	·	·	·	1	·	·	·	·	2	2	·	·	·	·	3	·
Do. 10 do.	28,958	23	23·4	·	13	3	1	2	2	4	1	·	·	·	·	·	·	·	·	3	·	1	3	3	·	·	1	1	2	·
Do. 11 do.	39,311	21	41·1	·	31	6	4	6	6	5	4	·	·	·	·	·	·	·	·	3	2	1	10	1	·	·	·	·	4	·
Do. 12 do.	38,076	15	32·9	2·7	24	3	3	3	4	6	5	·	·	·	·	·	1	1	·	2	·	1	6	6	·	·	1	1	7	·
Do. 13 do.	23,233	6	26·9	·	12	2	·	2	1	3	4	·	·	·	·	·	·	·	·	2	·	·	·	4	·	·	·	·	1	·
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	14	39·1	·	17	1	1	3	1	6	5	·	·	·	·	·	·	·	·	1	·	·	1	4	·	·	·	·	6	·
Total,	386,947	198	30·9	0·5	238	33	22	31	34	57	61	·	·	·	·	·	1	2	·	22	5	13	46	61	1	·	3	3	57	1
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	5	19·4	·	5	·	·	2	·	·	3	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	2	·
Do. 2 do.	10,399	3	45·1	5·0	9	·	1	2	3	1	2	·	1	·	·	·	·	·	·	·	·	·	4	·	·	·	·	·	6	·
Do. 3 do.	9,793	4	37·3	·	7	1	·	1	2	1	2	·	·	·	·	·	·	·	·	2	·	·	1	1	·	·	·	·	3	·
Do. 4 do.	9,139	1	34·2	·	6	·	1	·	2	3	·	·	·	·	·	·	·	·	·	1	·	·	2	1	·	·	·	·	1	1
Do. 5 do.	6,250	3	25·0	·	3	1	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	2	·
Do. 6 do.	11,581	3	22·5	·	5	1	1	·	2	1	·	·	·	·	·	·	·	·	·	·	·	·	2	1	·	·	·	·	·	·
Do. 7 do.	16,056	7	35·7	·	11	1	2	·	2	2	4	·	·	·	·	·	·	·	·	·	·	·	5	2	·	·	·	·	2	·
Total.	76,673	26	31·3	0·7	46	4	5	5	12	9	11	·	1	·	·	·	·	·	·	4	·	·	17	6	·	·	·	·	16	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd March, 1919.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Influenzal Pneumonia.	Total.
North City No. 1, East, ..	.	.	.	.	1	.	.	.	.	.	.	.	3	3	7
" " 1, West ..	.	.	.	.	.	.	.	.	.	.	.	.	4	.	4
" " 2, ...	.	.	.	.	.	.	.	.	2	.	.	.	4	.	6
" " 3, ...	.	1	.	.	1	.	.	.	.	.	.	.	2	4	8
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
South City No. 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	3	1	4
" " " 3, ...	.	.	.	.	.	.	.	1	2	.	.	.	1	5	9
" " " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	8	9
New Kilmainham, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1	2
Total, ...	.	2	.	.	2	.	.	1	4	.	.	.	18	24	51

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd March, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 22nd March.			
	Mar. 1.	Mar. 8.	Mar. 15.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	9	7	8	.	2	.	6
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	19	21	18	7	7	1	17
Scarlet Fever	44	52	50	7	12	.	45*
Diphtheria, ...	6	6	9	5	4	1	9
Pneumonia, ...	119	139	123	47	47	12	111

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12639). Wt. 8531. 3. 380. 3, 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 13. VOL. LVI.] WEEK ENDING SATURDAY, 29TH MARCH, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 31*st March,* 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 31·0 and 37·6; Dublin Registration Area, 31·5 and 44·8; Dublin City, 33·1 and 46·6; Belfast, 26·9 and 30·5; Cork, 38·1 and 46·6; Londonderry, 56·0 and 45·5; Limerick, 29·8 and 32·2; and Waterford, 20·9 and 25·7.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·2 per 1,000. Among the 207 deaths from all causes for Belfast are one from diphtheria, 3 from diarrhœa and enteritis of children under 2 years, and one from cerebro-spinal meningitis. The 44 deaths from all causes for Londonderry include 11 from whooping-cough. Included in the 9 deaths from all causes for Dundalk is one from diphtheria; and 2 of the 4 deaths from all causes for Kilkenny are from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 192—94 boys and 98 girls—and the deaths to 265—144 males and 121 females.

The deaths registered, omitting the deaths (numbering 20) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 31·5 per 1,000 of the population. During the thirteen weeks ending with Saturday last the death-rate averaged 35·1 and was 10·8 above the mean rate for the corresponding portions of the ten years 1909–18. The rate for all deaths registered during the thirteen weeks was 37·7 and for the corresponding period of the preceding ten years 25·8.

Of the 245 deaths appertaining to the Area there were 3 from measles, one from whooping-cough, one from diphtheria, one from malaria, and 3 from diarrhœa and enteritis of children under 2 years.

There were 34 deaths from influenza, being equivalent to an annual rate of 4·4 per 1,000 of the population, and of these 29 belonged to the City, affording a rate of 4·9 per 1,000 of the population, the latter including 18 (or 5·8 per 1,000) assigned to North City Districts and 11 (or 3·9 per 1,000) to South City Districts. Five deaths from influenza (or 2·8 per 1,000 of the population) were referred to the urban districts (see Table IV., col. 29). In the three preceding weeks deaths from this cause for the Registration Area numbered 148, 104 and 77 respectively.

Deaths attributed to pneumonia were 37 (comprising 25 from broncho-pneumonia, one from lobar pneumonia, and 11 from pneumonia, type not distinguished), as against 89, 60, and 45 in the three weeks preceding.

Tuberculous disease caused 28 deaths (comprising 21 from pulmonary tuberculosis, 4 from tuberculous meningitis, and 3 from other forms of tuberculous disease), as against 37, 36, and 27 in the three weeks preceding.

Three deaths was caused by cancer, 20 by organic diseases of the heart, and 48 by bronchitis.

Among deaths of infants under one year old, one was due to influenza, 3 to tuberculous disease, 2 to convulsions, 11 to bronchitis, 5 to broncho-pneumonia, 3 to diarrhœa and enteritis, one to congenital malformation, one to premature birth, and 3 to congenital debility.

Of the 3 deaths attributed to violence 2 were from burns and one was by poison (corrosive sublimate).

Sixty-two of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 37 being infants under one year, of whom 8 were under one month old and 59 deaths were those of persons aged 65 and upwards, of whom 44 were 70 years of age or over.

Of the 245 deaths recorded, 90 occurred in hospitals and other public institutions

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 29th March, in 96 large English towns (including London, in which the rate was 17·6 was equal to an average annual death rate of 19·3 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 20·5 per 1,000 persons living, the rate for Glasgow being 22·8 and for Edinburgh 15·3.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 29th March. From this Report it appears that of 56 cases notified, 21 were scarlet fever, 17 pulmonary tuberculosis, 4 other forms of tuberculosis, 11 diphtheria, 2 cerebro-spinal fever, and one enteric fever. Among the 428 cases of infectious diseases in hospital at the close of the week were 139 of pulmonary tuberculosis, 105 of scarlet fever, 64 of diphtheria, 42 of influenza, 27 of whooping-cough, 15 of measles, 3 of erysipelas, 3 of enteric fever, and 2 of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 29th March, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Poliomyelitis.	Pulmonary Tuberculosis.	Influenzal or Septic Pneumonia.	Total.
City of Dublin.	Mar. 8	.	—	—	10	.	.	1	.	.	.	1	.	—	—	.	—	.	27	10	49
	Mar. 15	.	—	—	4	.	.	2	.	.	.	1	.	—	—	.	—	.	9	51	67
	Mar. 22	.	—	—	2	.	.	2	.	.	1	4	.	—	—	.	—	.	18	24	51
	Mar 29	.	—	—	9	.	.	5	.	.	1	1	.	—	—	.	—	.	8	20	44
Rathmines and Rathgar Urban District.	Mar. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
	Mar. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
	Mar. 22	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
	Mar. 29	.	—	—	.	.	.	.	.	.	.	1	.	—	—	.	—	.	—	—	1
Pembroke Urban District.	Mar. 8	.	4	.	1	.	.	.	.	.	.	.	.	—	.	.	—	.	.	—	5
	Mar. 15	.	2	.	.	.	.	.	.	.	.	.	.	—	.	.	—	.	.	—	2
	Mar. 22	.	.	.	3	.	.	.	.	.	.	.	.	—	.	.	—	.	.	—	3
	Mar. 29	.	1	.	1	.	.	.	.	.	.	.	.	—	1	.	—	.	.	—	3
Blackrock Urban District.	Mar. 8	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	—	.
	Mar. 15	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	—	.
	Mar. 22	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	—	.
	Mar. 29	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	—	.
Kingstown Urban District.	Mar. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	—	.
	Mar. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	—	.
	Mar. 22	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	3	—	4
	Mar. 29	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	.	—	1
City of Belfast	Mar. 8	.	—	—	4	.	.	7	.	.	.	2	.	—	—	.	—	.	1	15	29
	Mar. 15	.	—	—	2	.	.	8	.	.	.	.	.	—	—	1	—	.	.	3	14
	Mar. 22	.	—	—	6	.	.	1	.	.	1	2	.	—	—	1	—	.	2	6	19
	Mar. 29	.	—	—	4	.	.	4	.	.	1	1	.	—	—	.	—	.	1	.	11
City of Cork.	Mar. 8	.	.	—	.	.	.	1	1	1	.	.	.	—	—	—	.	.	—	11	14
	Mar. 15	.	.	—	.	.	.	.	.	.	.	1	.	—	—	—	.	.	—	19	20
	Mar. 22	.	.	—	.	.	.	1	.	.	.	1	.	—	—	—	.	.	—	3	5a
	Mar. 29	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	.	.	—	1	1
City of Londonderry.	Mar. 8	.	—	—	1	.	.	.	.	.	.	2	.	—	—	.	—	—	—	—	3
	Mar. 15	.	—	—	2	2	.	.	.	.	.	1	.	—	—	.	—	—	—	—	5
	Mar. 22	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	—	2
	Mar. 29	.	—	—	.	1	.	.	.	.	.	.	.	—	—	.	—	—	—	—	1
City of Limerick.	Mar. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
	Mar. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
	Mar. 22	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
	Mar. 29	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
City of Waterford.	Mar. 8	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	—	.
	Mar. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	2	—	2
	Mar. 22	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	—	.
	Mar. 29	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	3	—	3

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 29th March, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 2 and 7; measles 9 and 18; scarlet fever 9 and 44*; and diphtheria 5 and 12. Twenty-seven cases of pneumonia were admitted during the week and 101 remained under treatment at its close, as compared with 139, 123 and 111 at the close of the 3 preceding weeks. Of the deaths in hospital during the week one was from each of measles and diphtheria, and 12 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 29th March, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	POPULATION. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases (b)	BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) Week ending 29th March, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,112,268	20·0	23·1	31·0	1·2	505	680	87	179	·	·	·	3	·	14	3	·	71	18	15	89	139	6	·	10	14	210	17	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	24·7	31·5	1·0	192	245	37	59	·	·	·	3	·	1	1	·	21	7	3	37	54	3	·	3	3	90	4	(d) 46·6	23·0	42·4	29·3	35·9	0·37
Urban Districts. CITY OF DUBLIN,	310,500	38·0	27·5	33·1	1·3	164	197	34	42	·	·	·	3	·	1	1	·	19	6	3	33	40	3	·	1	2	77	3	(e) 47·0 (f) 47·0	28·0 25·0	43·1 43·3	32·6 30·8	37·8 37·1	0·33 0·37
Urban Districts. RATHMINES and RATHGAR	39,400	23·0	13·2	25·1	·	10	19	1	8	·	·	·	·	·	·	·	·	2	·	·	1	7	·	·	·	·	6	1	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,500	18·8	19·4	21·2	·	11	12	1	3	·	·	·	·	·	·	·	·	·	·	·	2	4	·	·	1	1	5	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,000	8·3	5·8	11·6	·	1	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,600	11·4	18·8	47·1	·	6	15	1	4	·	·	·	·	·	·	·	·	·	1	·	1	3	·	·	1	·	1	·	47	27	43·1	33	38	0·20
Urban Districts. BELFAST, ..	401,000	26·8	21·7	26·9	0·5	167	207g	29	53	·	·	·	·	·	·	1	·	26	5	5	23	52	3	·	2	2	60	2	46·2	26·0	43·1	29·4	36·3	0·37
Urban Districts. CORK, ...	76,673	28·6	20·4	38·1	·	39	56	5	20	·	·	·	·	·	·	·	·	6	1	3	6	11	·	·	1	2	20	1	49	31	45·0	32·3	38·6	0·28
Urban Districts. LONDONDERRY, ..	41,000	15·9	22·9	56·0	14·0	18	44	4	7	·	·	·	·	·	11	·	·	2	1	1	7	8	·	·	3	3	7	1	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	9·5	29·8	·	7	22	1	8	·	·	·	·	·	·	·	·	3	1	·	2	3	·	·	1	2	7	2	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	45·6	20·9	·	24	11	2	3	·	·	·	·	·	·	·	·	2	·	·	2	·	·	·	·	·	5	·	48	30	45	34	39·5	0·39
Urban Districts. GALWAY, ...	13,255	2·5				10	13	·	6	·	·	·	·	·	·	·	·	1	·	·	3	1	·	·	·	·	4	3	53	25	47	28·5	37·8	0·34
Urban Districts. DUNDALK, ..	13,128	9·5				2	9	1	3	·	·	·	·	·	·	1	·	1	·	1	1	1	·	·	·	·	4	1	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				4	6	·	1	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	1	45·4	23·5	43·0	27·6	35·3	0·48
Urban Districts. DROGHEDA, ..	12,501	8·4				7	17	3	5	·	·	·	·	·	·	·	·	2	·	2	3	3	·	·	·	2	3	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				5	8	1	2	·	·	·	·	·	·	·	·	·	·	·	2	1	·	·	·	·	2	·	45	24	42·9	27·6	35·3	0·65
Urban Districts. NEWRY, ...	11,963	17·0				4	11	1	5	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	3	·	45·4	23·5	43·0	27·6	35·3	0·48
Urban Districts. PORTADOWN, ..	11,727	15·3				6	9	·	4	·	·	·	·	·	·	·	·	1	1	·	·	1	·	·	·	·	3	1	45·4	23·5	43·0	27·6	35·3	0·48
Urban Districts. WEXFORD, ..	11,531	22·8				6	3	·	1	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				1	3	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				6	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	48	22	44	28	36	0·94
Urban Districts. KILKENNY, ..	10,514	11·4				11	4	2	·	·	·	·	·	·	2	·	·	1	·	·	·	·	·	·	·	·	·	·	48	24	43·1	29·4	36·2	0·38
Urban Districts. TRALEE, ...	10,300	17·4				4	4	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ...	10,209	7·8				1	7	1	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	48	24	42	30	36	0·49
LONDON	4,206,901	—	—	17·6	—	1,355	1,359	123	484	2	—	·	8	2	4	20	—	—	20	100	—	185	12	2	44	112	643	2	49	25	44·1	31·1	37·6	0·43
EDINBURGH ...	336,500	—	—	15·3	—	63	99	10	34	·	—	·	3	·	4	·	—	—	—	—	—	—	·	—	5	—	—	—	42·0	23·0	38·6	27·6	33·1	0·27
GLASGOW	1,118,700	—	—	22·8	—	394	489g	85	124	·	—	·	8	2	31	4	—	—	—	—	—	—	7	—	10	—	—	—	42·3	24·9	39·4	28·2	33·8	0·47

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College, and those for Waterford by De La Salle College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis for Belfast and one for Glasgow.

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 13th Week of the 5 years, 1914-1918.	All Ages.	Deaths registered during week ending Saturday, 29th March, 1919. Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	198·8	265	8	29	11	14	7	5	11	5	27	23	25	39	31	30	245
Enteric Fever ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	10·0	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	3
Scarlet Fever ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	4·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Diphtheria	1·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	3·2	40	.	1	1	1	1	2	3	2	8	10	3	3	4	1	34
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Pyæmia and Septicæmia (non-puerperal).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	26·2	22	.	.	.	1	1	1	3	1	8	1	3	2	1	.	21
Tuberculous Meningitis	3·0	4	.	2	.	1	.	1	.	.	.	.	.	.	.	.	4
Abdominal Tuberculosis	1·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·6	2	.	1	.	.	.	.	.	.	1	.	.	.	.	.	2
Venereal Diseases ..	·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	11·8	5	.	.	.	.	.	.	1	.	.	.	3	1	.	.	3
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	2·0	3	.	1	.	.	.	.	.	.	.	.	.	1	.	1	3
Alcoholism ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	2·0	4	.	.	.	1	.	1	1	.	.	1	.	.	.	.	4
Cerebral Hæmorrhage, Apoplexy.	5·8	9	.	.	.	.	.	.	.	.	.	.	1	2	5	1	9
Softening of Brain ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·2	4	.	.	.	.	.	.	1	.	.	.	2	.	1	.	3
Epilepsy.	·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	4·0	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	2·2	5	.	.	.	.	.	.	.	.	.	.	1	2	2	.	4
Pericarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Organic Diseases of the Heart.	11·8	20	.	.	.	.	.	.	.	1	.	2	1	10	1	5	20
Embolism and Thrombosis (including Cerebral)	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Diseases of the Larynx	·4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2
Bronchitis	28·4	49	1	10	3	2	.	.	.	.	.	2	3	8	9	11	48
Broncho-pneumonia ..	10·4	25	.	5	5	4	2	.	.	.	3	2	1	1	1	1	25
Lobar pneumonia ..	1·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Pneumonia (type not distinguished).	4·8	11	.	.	1	.	.	.	.	.	1	1	2	3	1	2	11
Pleurisy	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	1·0	4	.	.	.	.	.	.	.	.	.	.	1	2	1	.	4

in the THIRTEENTH WEEK, ending Saturday, 29th March, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 13th Week of the 5 years 1914-1918.	Deaths registered during week ending Saturday, 29th March, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx Tonsillitis.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	1·8	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2
Diarrhœa and Enteritis of Children under 2 years.	4·8	3	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	3
Diarrhœa 2 years and upwards.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Appendicitis and Typhlitis.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	2·2	5	·	·	·	·	·	·	·	·	2	1	1	1	·	·	·	2
Cirrhosis of Liver ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·6	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Peritonitis (cause unknown).	1·2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·
Other Diseases of Digestive System.	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Nephritis ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Bright's Disease	6·8	4	·	·	·	·	·	·	·	·	·	·	·	·	3	1	·	4
Urinary Calculi ..	·4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Uterine Tumour (non-cancerous).	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Puerperal Septicæmia, &c.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	1·0	4	·	·	·	1	1	·	·	1	·	·	1	·	·	·	·	4
Diseases of Locomotor System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	1·4	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Premature Birth ..	2·4	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Congenital Debility ..	4·8	3	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	3
Old Age	7·8	7	·	·	·	·	·	·	·	·	·	·	·	·	1	6	·	7
Other Specified Diseases	·8	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	1·0	2	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	2
Drowning	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	1·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Not included in above—																		
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	3·4	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1

TABLE IV.—Showing for the WEEK ENDED 29TH MARCH, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 29TH MARCH, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes	From certain Epidemic Diseases*	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No 1, E., ...	30,000	43·5	1·7	25	7	1	4	3	.	6	1	3	.	.	.	1	.	.	.	.	5	2	.	4	9	.	.	.	2	.	3	2	.
" 1, W., ...	41,100	36·8	1·3	29	3	.	3	2	3	6	10	2	.	.	.	.	.	1	.	.	3	.	.	6	5	.	.	.	3	.	7	4	1
" 2, ...	27,500	37·9	.	20	4	1	1	1	1	4	5	3	.	.	.	.	.	.	.	.	1	.	1	4	4	.	.	.	2	.	4	3	.
" 3, ...	34,100	42·8	1·5	28	2	.	2	3	.	7	7	7	.	.	.	.	.	.	.	.	4	3	.	3	4	1	.	.	5	.	10	4	.
CLONTARF AND HOWTH, No. 1, part of	5,500	19·0	.	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
COOLOCK AND DRUMCONDRA, part of ..	13,600	42·2	.	11	1	.	.	1	3	2	2	2	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	4	.	4	.	.
FINGLAS AND GLASNEVIN, part of ..	11,100	14·1	4 7	3	1	1	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.
South City.																																	
SOUTH CITY, No. 1, ..	43,000	20·6	2·4	17	5	.	.	1	.	2	4	5	.	.	.	.	.	.	1	.	3	.	.	2	3	1	.	.	3	.	2	5	.
" 2, ...	18,200	45·8	5·7	16	2	2	1	.	.	.	6	5	.	.	.	1	.	.	.	.	.	.	.	2	4	1	.	.	2	.	.	9	.
" 3, ...	43,300	24·1	.	20	1	3	.	.	1	4	5	6	.	.	.	.	.	.	.	.	1	.	1	5	3	.	.	.	2	2	5	7	1
" 4, ...	32,800	25·4	.	16	5	1	.	1	1	1	2	5	.	.	.	.	.	.	.	.	.	1	.	2	4	.	.	1	3	.	2	2	.
NEW KILMAINHAM, ...	10,300	50·6	.	10	3	.	.	.	1	.	2	4	.	.	.	.	.	.	.	.	1	.	.	2	3	.	.	.	1	.	1	1	1
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	25·1	.	19	1	1	.	.	1		6	8	.	.	.	.	.	.	.	.	2	.	.	1	7	.	.	.	2	.	5	1	1
PEMBROKE	29,500	21·2	.	12	1	.	1	.	1	3	3	3	.	.	.	.	.	.	.	.	.	.	.	2	4	.	.	1	2	1	5	.	.
BLACKROCK, ...	9,000	11·6	.	2	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
KINGSTOWN, ...	16,600	47·1	.	15	1	1	2	.	1	2	4	4	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.	1	1	.	1	.	.
TOTAL CITY. North, ...	162,900	37·8	1·3	118	18	3	10	10	8	25	27	17	.	.	.	2	.	1	.	.	14	5	2	20	23	1	.	.	18	.	29	14	1
TOTAL CITY. South, ...	147,600	27·9	1·4	79	16	6	1	2	3	7	19	25	.	.	.	1	.	.	1	.	5	1	1	13	17	2	.	1	11	2	10	24	2
TOTAL CITY. North and South, ..	310,500	33·1	1·3	197	34	9	11	12	11	32	46	42	.	.	.	3	.	1	1	.	19	6	3	33	40	3	.	1	29	2	39	38	3
Total Urban Districts, ...	94,500	26·5	.	48	3	2	3	.	3	7	13	17	.	.	.	.	.	.	.	.	2	1	.	4	11	.	..	2	5	1	11	2	1
Total Registration Area, ..	405,000	31·5	1·0	245	37	11	14	12	14	39	59	59	.	.	.	3	.	1	1	.	21	7	3	7	54	3	.	3	34	3	50	40	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				20	.	.	.	.	2	11	5	2	.	.	.	.	.	.	.	.	1	1	2	.	1	.	.	2	6	2	19	1	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 29th March, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 29TH MARCH, 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	265	62	12	16	50	64	31	30	.	.	.	3	.	1	1	.	22	8	5	2	37	55	3	.	5	123	4
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	39·1	11	.	.	1	3	1	2	4	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	.	.	7	.
II.	MIDDLE CLASS	101,798	17·4	34	4	3	2	8	8	3	6	.	.	.	.	.	.	.	.	2	3	2	.	1	4	.	.	.	22	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	25·0	52	11	1	3	9	17	7	4	.	.	.	1	.	.	.	.	4	1	.	.	11	9	.	.	1	25	.
IV.	GENERAL SERVICE CLASS	167,479	39·	127	43	8	7	27	24	11	7	.	.	.	2	.	1	1	.	13	3	3	2	20	28	.	.	4	50	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	41	4	.	3	3	14	8	9	.	.	.	.	.	.	.	.	2	1	.	.	5	11	3	.	.	19	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	9	.	.	1	3	1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	6	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	5	.	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	3	.	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	6. Clerks and Commercial Assistants,	33,249	—	13	1	1	1	3	3	3	1	.	.	.	.	.	.	.	.	2	1	1	.	.	1	.	.	.	8	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	13	3	.	.	3	3	.	4	.	.	.	.	.	.	.	.	.	2	1	.	1	2	.	.	.	7	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	8	1	.	.	1	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	5	.
	9. Building and Furnishing Trades, ..	28,823	—	15	5	.	1	2	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	4	.	.	1	8	.
	10. Clothing Trades, ...	20,026	—	5	.	.	1	1	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	3	.
	11. Food Supply Trades, ...	8,952	—	4	3	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	17	1	.	1	4	6	3	2	.	.	.	.	.	.	.	.	2	.	.	.	4	4	.	.	.	7	.
	13. Petty Shopkeepers, ...	6,772	—	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	20	8	1	.	6	1	2	2	.	.	.	.	.	.	.	.	2	1	.	.	5	2	.	.	2	8	.
	15. Domestic Servants, ...	36,041	—	10	1	1	2	2	3	1	.	.	.	.	1	.	.	.	.	2	.	1	.	1	1	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	12	5	1	.	3	2	.	1	.	.	.	.	.	.	.	.	2	.	.	.	1	2	.	.	1	6	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	85	29	5	5	16	18	8	4	.	.	.	1	.	1	1	.	7	2	2	2	13	23	.	.	1	32	3
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	41	4	.	3	3	14	8	9	.	.	.	.	.	.	.	.	2	1	.	.	5	11	3	.	.	19	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Jan. 4.	Jan. 11	Jan. 18.	Jan. 25.	Feb. 1.	Feb 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1	Feb. 8.	Feb 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.
No. of weeks in Annual Series ..	1	2	3	4	5	6	7	8	9	10	11	12	13	1	2	3	4	5	6	7	8	9	10	11	12	13
BIRTHS registered	188	195	202	197	177	196	199	170	192	208	189	171	192	185	193	204	151	166	170	169	172	184	164	160	198	167
Average Births in corresponding week of previous 10 years, ...	211	225	206	214	214	214	208	205	207	215	201	226	215	233	200	209	207	214	201	198	199	216	203	211	215	207
Number of Deaths, ...	182	165	172	179	183	194	259	351	466	489	371	288	245	133	157	121	145	126	163	175	218	238	233	261	238	207
Annual Death-rate per 1,000 ..	23·4	21·2	22·1	23·0	23·6	25·0	33·3	45·2	60·0	63·0	47·8	37·1	31·5	17·3	20·4	15·7	18·9	16·4	21·8	22·8	28·3	30·9	30·3	33·9	30·9	26·9
Average Deaths in corresponding week of previous 10 years, ...	189	176	182	186	186	186	185	195	193	194	185	196	186	150	157	144	159	171	179	167	166	162	165	162	164	158
Ages, .. Under one year, ..	43	31	25	31	36	27	37	29	66	51	44	36	37	26	26	22	33	21	37	33	34	21	21	42	33	29
1— 5 years, ..	14	6	9	20	10	13	17	19	45	50	49	28	25	12	9	7	10	11	10	17	13	20	16	21	22	12
5—25 ,, ..	16	15	13	21	16	13	29	32	57	63	35	39	26	13	10	22	16	17	21	21	29	32	27	24	31	21
25—45 ,, ..	29	26	24	26	24	29	40	80	99	98	77	58	39	17	25	19	20	15	22	23	33	48	40	33	34	42
45—65 ,, ..	32	39	47	36	46	49	69	89	110	115	87	63	59	35	38	22	27	31	36	31	52	57	60	67	57	50
65 and upwards, ..	48	48	54	45	51	63	67	102	89	112	79	64	59	30	49	29	39	31	42	45	57	60	69	74	6[illegible]	53
Deaths from :—																										
Enteric Fever, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	·	·	1	·	1	·	1	·	2	3	2	6	3	1	1	1	·	·	·	·	·	·	·	·	·	·
Scarlet Fever, ...	·	·	·	1	2	·	1	·	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Whooping-cough, ...	2	·	·	·	1	·	2	·	1	2	·	·	1	·	·	·	·	·	·	·	·	1	1	·	1	·
Diphtheria, ...	·	·	·	1	·	·	·	·	·	·	1	1	1	·	·	·	1	1	1	2	·	1	1	1	2	1
Dysentery, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·
Tuberculosis { Pulmonary, ..	19	20	22	21	19	27	30	26	21	30	29	23	21	12	20	16	13	16	19	25	28	21	19	21	22	26
Tuberculosis { Other Forms, ..	8	4	4	11	6	3	1	3	11	7	7	4	7	7	3	7	6	4	5	7	8	6	6	4	5	5
Cancer, ...	9	5	7	10	8	11	10	10	8	16	8	7	3	6	7	5	2	5	8	7	7	7	8	8	13	5
Diseases of Respiratory System, { Pneumonia ..	22	21	10	15	18	24	43	50	83	89	60	45	37	23	17	10	10	17	30	24	37	39	41	55	46	23
Diseases of Respiratory System, { Others, ..	31	25	28	24	31	30	60	71	82	99	57	51	54	22	30	15	34	16	30	45	51	73	83	61	61	52
Diarrhœa and Enteritis, under 2 years, ...	1	2	3	3	3	3	6	5	4	1	1	5	3	2	2	5	2	·	·	1	1	1	·	2	1	3
Diarrhœa, 2 years and upwards..	·	·	·	1	·	1	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	1	·	·	·
Violent Deaths, ...	1	2	1	5	2	2	2	1	1	1	3	1	3	3	2	5	4	5	5	3	3	4	·	1	3	2
Number of Uncertified Deaths, ..	9	6	3	8	7	8	8	8	10	8	9	5	4	5	1	2	3	1	·	2	2	2	3	1	1	2
A Mean Maximum Temperature in degs.	44·6	43·1	46·4	47·7	42·7	41·6	43·5	45·2	44·6	47·5	47·9	46·1	42·4	45·3	44·1	44·9	46·6	41·5	40·8	43·8	44·3	45·7	44·5	48·6	44·6	43·1
B Mean Minimum ,, ,,	34·3	32·3	35·0	34·6	32·0	34·3	31·4	36·1	25·7	33·6	32·2	32·0	29·3	35·6	35·3	33·3	36·3	35·3	34·6	37·4	34·8	32·7	32·0	34·7	34·4	29·4
Mean of A and B ,, ,,	39·5	37·7	40·7	41·2	37·4	38·0	37·5	40·7	35·2	40·6	40·1	39·1	35·9	40·4	39·7	39·1	41·4	38·4	37·7	40·6	39·6	39·2	38·3	41·7	39·5	36·3
Rainfall in inches	0·64	1·00	0·56	0·45	0·39	0·68	0·16	0·57	0·10	0·64	0·18	1·18	0·37	2·72	1·41	0·45	0·94	0·58	0·14	0·09	0·91	0·30	0·67	0·20	1·98	0·37

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 29th March, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	6	19·7	3·3	6	2	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Do 2 do.	49,500	22	28·4	2·1	27	4	3	4	7	4	5	.	.	.	.	.	.	.	.	5	.	.	6	9	2	.	.	.	6	.
Do. 3 do.	50,032	21	34·4	.	33	5	2	2	5	11	8	.	.	.	.	.	.	.	.	5	1	.	3	12	.	.	.	.	7	.
Do. 4 do.	32,637	9	39·9	.	25	3	.	4	8	2	8	.	.	.	.	.	.	.	.	4	1	1	2	4	.	.	.	.	10	.
Do. 5 do.	16,112	4	25·9	.	8	.	1	1	.	3	3	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	5	.
Do. 6 do.	37,293	10	15·4	.	11	2	1	.	2	2	4	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.	1	.
Do. 7 do.	2,681	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	8·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 9 do.	24,427	15	27·8	.	13	4	1	.	2	2	4	.	.	.	.	.	.	.	.	2	.	1	1	4	.	.	.	.	2	.
Do. 10 do.	28,958	13	28·8	.	16	.	.	2	3	6	5	.	.	.	.	.	.	.	.	1	2	.	3	5	.	.	.	.	5	.
Do. 11 do.	39,311	21	34·5	.	26	3	1	4	4	7	7	.	.	.	.	.	.	.	.	3	.	.	1	8	.	.	.	.	8	1
Do. 12 do	38,076	23	30·1	1·4	22	4	2	3	6	5	2	.	.	.	.	.	.	1	.	4	.	.	4	4	.	.	2	2	7	.
Do 13 do.	23,233	8	18·0	.	8	1	1	.	2	.	4	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	2	1
Do. 14 do	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	11	25·3	.	11	1	.	.	3	5	2	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	4	.
Total,	386,947	167	26·9	0·5	207	29	12	21	42	50	53	.	.	.	.	.	.	1	.	26	5	5	23	52	3	.	2	2	10	2
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	2	54·3	.	14	1	1	.	2	2	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.	10	.
Do 2 do.	10,399	4	45·1	.	9	.	.	1	1	2	5	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	1	1	1	.
Do. 3 do.	9,793	6	21·3	.	4	1	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1
Do. 4 do	9,139	3	45·6	.	8	1	.	.	3	3	1	.	.	.	.	.	.	.	.	2	.	1	.	3	.	.	.	.	4	.
Do. 5 do.	6,250	1	41·7	.	5	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.
Do 6 do.	11,581	6	45·0	.	10	2	2	.	3	2	1	.	.	.	.	.	.	.	.	1	.	.	3	1	.	.	.	.	1	.
Do. 7 do	16,056	8	19·5	.	6	.	.	2	1	2	1	.	.	.	.	.	.	.	.	1	1	1	2	1	.	.	.	.	2	.
Total.	76,673	30	38·1	.	56	5	3	4	11	13	20	.	.	.	.	.	.	.	.	6	1	3	6	11	.	.	1	2	20	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 29th March, 1919.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Influenzal-Pneumonia	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 1, West ..	.	3	.	.	.	.	.	.	.	.	.	.	3	1	7
" " 2, ...	.	1	.	.	1	.	.	.	.	.	.	.	2	1	5
" " 3, ...	.	1	.	.	1	.	.	.	.	.	.	.	.	1	3
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.		.	.	.	1	1
South City No. 1	.	1	.	.	3	.	.	.	.	.	.	.	2	2	8
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	5	5
" " " 3, ...	.	2	.	.	.	.	.	.	1	.	.	.	1	.	4
" " " 4, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	4	5
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	9	.	.	5	.	.	1	1	.	.	.	8	20	44

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 29th March, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 29th March.			
	Mar. 8.	Mar. 15.	Mar. 22.	No. admitted	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	7	8	6	2	1	.	7
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	21	18	17	9	7	1	18
Scarlet Fever	52	50	45	9	10	.	44*
Diphtheria, ...	6	9	9	5	1	1	12
Pneumonia, ...	139	123	111	27	25	12	101

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12639). Wt. 8531. 3. 380 3. 1919. G. III. Sch. c. 7.

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN EIGHTEEN OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LIMITED, 116, GRAFTON STREET, DUBLIN; or from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

1919.

Price 1½*d. Net.*

VOL. LVI.] QUARTER ENDING SATURDAY, 29TH MARCH, 1919. [No. 13A.

DUBLIN REGISTRATION AREA.—BIRTHS.—In the Dublin Registration Area, which consists of the city of Dublin, and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, there were registered during the thirteen weeks ended on Saturday, 29th March, 1919, 2,476 births—1,275 boys and 1,201 girls—being equal to an annual rate of 24·5 in every 1,000 of the population.

The number of births recorded for the city was 2,030, equivalent to an annual rate of 26·2 in every 1,000 of the population; and for the urban districts named above, 446, equal to an annual rate of 18·9 in every 1,000 of the population.

During the same period the births in London were equivalent to an annual rate of 15·5 per 1,000 of the population; in Glasgow the birth-rate was 19·7 per 1,000, and in Edinburgh 13·9 per 1,000.

DEATHS.—Omitting the deaths (267) referred to localities outside the Dublin Registration Area, the deaths for the Area, numbering 3,544, were equivalent to an annual rate of 35·0 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 24·3. The total number of deaths registered in the Dublin Registration Area during the quarter was 3,811—1,813 males and 1,998 females—affording an annual ratio of 37·6 in every 1,000 of the estimated population, as compared with 25·7 per 1,000 for the first quarter of the ten years, 1909-1918.

The number of deaths of inhabitants* of the North City districts registered last quarter was 1,495, representing an annual mortality of 36·7 in every 1,000 of the population; and the number in the South City districts was 1,428, equivalent to a rate of 38·7 per 1,000. For the urban districts the number of deaths registered was 621, being equal to an annual death-rate of 26·3 in every 1,000.

The deaths among civilians in London during the same period were equivalent to an annual rate of mortality of 21·2 in every 1,000 of the civil population; in Glasgow the death-rate was 26·7 per 1,000 of the total population, and in Edinburgh the annual rate was 28·6 per 1,000.

* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

CAUSES OF DEATH IN DUBLIN REGISTRATION AREA.

The number of deaths from the principal epidemic diseases* registered in the Dublin Registration Area during last quarter was 86, being equal to an annual rate of 0·85 per 1,000 of the population.

ENTERIC FEVER.—Only 2 deaths from this cause were registered during the 13 weeks ended 29th March last, as compared with an average of 9 for the first quarter of the five years preceding.

Of 28 cases under treatment in Dublin hospitals during the period, 19 were discharged, 2 died, and 7 remained under treatment at the close of the quarter. Both deaths were those of persons admitted from localities outside the Registration Area.

TYPHUS.—There were no deaths from this cause.

SMALL-POX.—No case of small-pox was reported.

MEASLES.—Nineteen fatal cases of this disease were recorded, being 35 under the average (54) for the corresponding quarter of the 5 years, 1914-18. Of the 19 deaths, 11 appertained to North City districts, 5 to South City districts, one to Rathmines and Rathgar urban district, and 2 to Pembroke.

The cases of this disease under treatment in Dublin hospitals numbered 96, and of these 75 were discharged, 3 died, and 18 remained under treatment at the end of the quarter.

SCARLET FEVER.—To this cause 8 deaths were attributed, being one above the average (7) for the first quarter of the five years preceding. Four of the deaths related to North City districts, 3 to South City districts, and one was that of a person admitted to an institution from a locality outside the Area. Of 174 cases of scarlet fever under treatment in Dublin hospitals during the quarter, 124 were discharged, 6 died, and 44† cases remained under treatment at the close of the quarter.

WHOOPING-COUGH.—Deaths from whooping-cough numbered 9, as against an average of 46 for the first quarter of the five years preceding.

DIPHTHERIA.—Only 5 deaths from this disease were recorded during the quarter, being 9 under the average (14) for the first quarter of the five preceding years.

Forty-eight cases of diphtheria were treated in Dublin hospitals, 31 of these having been discharged, 5 died, leaving 12 cases under treatment in hospitals at the end of the period.

DIARRHŒAL DISEASES.—Included under this heading are 40 deaths from diarrhœa and enteritis of children under 2 years of age, a number which is 14 under the average (54) for the corresponding quarter of the 5 years, 1914-18.

INFLUENZA.—Deaths ascribed to influenza amounted to 731 (representing an annual rate of 7·2 per 1,000 of the population), as compared with 24 in the second quarter of 1918, 252 in the third, and 1,210, in the fourth quarter and an average of 45 for the first quarter of the five years, 1914-18.

Of the 731 deaths, 665 (or 6·6 per 1,000 of the population) appertained to residents of the Registration Area, 558 (or 7·2 per 1,000) belonging to the City, 63 (or 6·4 per 1,000) to Rathmines and Rathgar urban district, 28 (or 3·8 per 1,000) to Pembroke, 7 (or 3·1 per 1,000) to Blackrock, 9 (or 2·2 per 1,000) to Kingstown, and there were 66 deaths of persons admitted to public institutions from localities outside the Area. (See Table III., col. 29).

For the districts comprising the Registration Area the rate per 1,000 of the population varied from 9·0 per 1,000 for North City No. 1 West, 8·3 per 1,000 for South City No. 2, and 8·1 per 1,000 for South City No. 3 to 2·2 per 1,000 for Kingstown, 2·9 per 1,000 for Clontarf and Howth No. 1, part of, and 2·9 per 1,000 for Finglas and Glasnevin, part of.

Of the 731 deaths, 95 (or 13·0 per cent.) were those of children under 5 years of age, 41 (or 5·6 per cent.) were between 5 and 15 years, 104 (or 14·2 per cent.) were between 15 and 25 years, 161 (or 22·0 per cent.) were deaths of persons 25 and under 35 years of age, 114 (or 15·6 per cent.) were between 35 and 45 years, 87 (or 11·9 per cent.) were between 45 and 55 years and 129 (or 17·7 per cent.) were deaths of persons 55 years of age and upwards. (See remarks under "Pneumonia").

CEREBRO-SPINAL FEVER.—Deaths from this cause numbered 2, as compared with one, 3 and 3, respectively, in the three preceding quarters.

TUBERCULOSIS.—The number of deaths from all forms of tuberculous disease registered during the quarter was 410, being equivalent to an annual rate of 4·05 per 1,000 of the population. This number is 10 above the average (400) for the first quarter of the five years preceding. The 410 deaths include 325 from pulmonary tuberculosis, 29 from tuberculous meningitis, 17 from abdominal tuberculosis and 39 from all other forms of tuberculosis.

Of these deaths, 330 (affording an annual rate of 4·25 per 1,000) were those of Dublin City residents —168 (or 4·13 per 1,000) belonging to North City districts, 162 (or 4·39 per 1,000) to South City—27 (or 2·74 per 1,000) appertained to the urban district of Rathmines and Rathgar, 11 (or 1·49 per 1,000) to Pembroke, 6 (or 2·67 per 1,000) to Blackrock, and 10 (or 2·41 per 1,000) to Kingstown.

* See note (*) page 130*d*. † See note (*) at foot of Table I.

Cancer.—To this heading 141 deaths (equivalent to an annual rate of 1·39 per 1,000 of the population) were assigned, as compared with 138, 126 and 130 in the three preceding quarters, and an average of 120 for the first quarter of the five years, 1914-18.

Pneumonia.—Deaths from all forms of pneumonia numbered 552 (equivalent to an annual rate of 5·45 per 1,000), and include 273 deaths registered as from broncho-pneumonia, 40 as from lobar pneumonia, and 239 as from pneumonia (type not distinguished). It must be borne in mind that these are cases in which the cause of death was not stated to be in connection with influenza.

In the three preceding quarters deaths from pneumonia in its various forms numbered 159, 195 and 604, respectively, the average for the first quarter of the five years, 1914–18, being 231.

Of the 552 deaths registered as from pneumonia, 233 (or 42·2 per cent.) were those of children under 5 years of age, 25 (or 4·5 per cent.) were between 5 and 15 years, 36 (or 6·5 per cent.) were between 15 and 25 years, 78 (or 14·2 per cent.) were between 25 and 35 years, 52 (or 9·4 per cent.) were between 35 and 45 years, 38 (or 6·9 per cent.) were between 45 and 55 years, and 90 (or 16·3 per cent.) were those of persons aged 55 years and upwards. (See remarks under "Influenza").

There were 537 cases treated in Dublin hospitals during the quarter, and of these 292 were discharged, 144 died, and 101 remained under treatment at its close.

Diseases of the Brain and Nervous System.—Under this heading 290 deaths, representing an annual rate of 2·86 per 1,000 of the population, were returned, as compared with an average of 259 for the first quarter of the five years, 1914-18. The 290 deaths include 2 from cerebro-spinal fever and 51 from convulsions, all of the latter being those of children under 5 years of age.

Diseases of the Circulatory System.—The deaths attributed to these causes numbered 270, affording an annual rate of 2·67 per 1,000 of the population. The 270 deaths, which include 231 from organic diseases of the heart, are 20 above the average (250) for the corresponding quarter of the five years preceding.

Bronchitis.—Deaths from bronchitis, which numbered 215 in the second quarter of the year 1918, 141 in the third, and 283 in the fourth, rose to 598 in the quarter under review, the latter (equivalent to an annual rate of 5·91 per 1,000) being 202 above the average (396) for the first quarter of the five years, 1914-18.

Congenital Conditions.—To congenital malformations 11 deaths were ascribed; to premature birth 68; and to congenital debility, 56 deaths.

Violence.—Among the deaths under this heading, which includes accidental as well as homicidal and suicidal cases, 11 (2 being those of children under 5 years of age) were caused by burns and scalds, 2 by poison (one by corrosive sublimate and one by gas), 2 by drowning, and 2 by vehicles.

One case of homicide and two cases of suicide were recorded.

Table I.—Showing the Number of Cases of the undermentioned Diseases treated in Dublin Hospitals during the Quarter (13 weeks) ended Saturday, 29th March, 1919.

Diseases.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Enteric Fever, ...	11	17	19	2	7
Typhus, ...	.	.	.	.	.
Small-pox, ...	.	.	.	.	.
Measles, ...	3	93	75	3	18
Scarlet Fever, ...	52	122	124	6	44*
Diphtheria, ...	4	44	31	5	12
Pneumonia, ...	78	459	292	144	101

* Exclusive of 13 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 93 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 93 cases, 37 (or 39·8 per cent.) were deaths of children under 5 years of age. Of the deaths of 149 infants under one month old registered, there were 17 (or 11·4 per cent.) regarding which the cause was uncertified.

From Table III., page 130*f*, it will be seen that the annual rate represented by the mortality from the principal epidemic diseases† in the Dublin Registration Area was 0·8 per 1,000, that in the City it was 1·0, and in the urban districts 0·3, the rates for the several districts varying from 0·0 in each of Clontarf and Howth No. 1., part of, and Blackrock urban district to 2·3 in North City, No. 1, East, the 272 deaths from all causes for that district including 7 from measles, one from scarlet fever, 2 from whooping-cough, and 7 from diarrhœa and enteritis of children under 2 years of age.

Occupations.—In Table IV., page 130*g*, it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 27·0 per 1,000 of the persons in that class according to the Census of 1911; the rate for the "Middle Class" was 26·2 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 30·1; and in the "General Service Class" it was 37·8.

† See note (*) on page 130*d*.

Ages.—Of the 3,811 persons whose deaths were registered in the Dublin Registration Area during the quarter, 812 were under 5 years of age, including 504 infants under one year of age, the latter representing a rate of 204 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 79·4 in every 1,000 children at that age (according to the Census of 1911), the deaths of persons between the ages of 5 and 15 representing an annual rate of 8·8 per 1,000 persons at that age-period; those between the ages of 15 and 25 were equivalent to an annual rate of 13·4 per 1,000, the total number under 25 years being equal to an annual mortality of 25·7 per 1,000 of the population at that age-period (according to the Census of 1911); for those between 25 and 45 the rate was 24·3; for those between 45 and 65 it was 61·6; among persons between 65 and 75 the rate was 123·5; and among those aged 75 and upwards the average annual death rate was 279·0 per 1,000. The deaths of 19 persons aged 90 years and upwards were registered, including that of a woman whose age was stated to be 109 years.

Public Institutions.—Of the 3,811 deaths recorded during the quarter, 1,527, or 40·1 per cent., occurred in public institutions, viz., 884 in the various hospitals, prisons, and lunatic asylums; 632 in the Dublin Union Workhouse; and 11 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for thirteen weeks, deducted from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 38·7°. At Greenwich it was 38·6°; at Glasgow it was 36·5°; and at Edinburgh, 36·0°.

The rainfall at Dublin during the thirteen weeks measured 6·89 inches; at Greenwich it was 7·87 inches; at Glasgow, 8·11 inches; and at Edinburgh, 5·40 inches.

NINETEEN PRINCIPAL TOWN DISTRICTS OF IRELAND.

As shown in Table II., the annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and eighteen of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 29·5 per 1,000 of the population, the respective rates for the several districts being as follows, ranging in order from the lowest to the highest:—Clonmel, 20·8; Ballymena, 22·5; Dundalk, 23·8; Wexford, 23·9; Belfast, 24·1; Tralee, 24·5; Waterford, 25·1; Lurgan, 25·2; Newry, 27·1; Limerick, 27·7; Kilkenny, 28·5; Lisburn, 30·7; Sligo, 31·5; Londonderry, 32·3; Portadown, 32·7; Drogheda, 33·3; Galway, 33·5; Cork, 33·8; and Dublin Registration Area, 35·0.

The annual rate represented by the deaths from the principal epidemic diseases* in the 19 districts is 0·7 per 1,000 of the population, the rates varying from 0·0 in four of the districts to 4·1 in Londonderry, the 331 deaths from all causes for that district including 3 from typhus and 39 from whooping-cough.

Enteric Fever.—Of 7 deaths from enteric fever, 3 appertained to Limerick and one death each to Belfast, Ballymena, Sligo and Tralee.

Typhus.—Three deaths from this disease were recorded for Londonderry, and one for Cork.

Small-pox.—No case of this disease was reported.

Measles.—There were 3 deaths each in Belfast and Waterford and one in Cork.

Scarlet Fever.—The only death recorded was one for Cork county borough.

Whooping-cough.—Of 52 deaths appertaining to these districts, 39 were registered in Londonderry, 4 in Sligo, and 3 each in Belfast, Cork and Kilkenny.

Diphtheria.—The 18 deaths from this cause include 11 recorded for Belfast, 3 for Cork, 2 for Dundalk, and one death each for Lisburn and Wexford.

Diarrhœal Diseases.—Among deaths under this heading are 37 deaths from diarrhœa and enteritis of children under 2 years of age, and of these 20 appertained to Belfast, 6 to Cork, 5 to Waterford and 3 to Dundalk.

Pulmonary Tuberculosis.—The annual death-rate from pulmonary tuberculosis for the 19 towns in the aggregate was 2·7 per 1,000 of the estimated population; for the Dublin Registration Area it was 3·0 per 1,000; for Belfast county borough 2·6 per 1,000, and for the urban districts collectively (not including Dublin Registration Area and Belfast), it was 2·5 per 1,000. (See Table II.).

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

TABLE II.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ended Saturday, 29th March, 1919,** in the Dublin Registration Area, and n each of the undermentioned Eighteen Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

Towns and Districts	Population. Total.*	Population. Persons to an Acre.	Annual Rate per 1,000 persons Represented by Births	Deaths. From all Causes	Deaths. From certain Epidemic Diseases.†	Registration—Quarter (13 Weeks) ended Saturday, 29th March, 1919. Births. Total Number.	Deaths. Total Number	Under 1 year of Age	At 65 Years and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths
Total of 19 Town Districts	1,142,268	20·0	23·1	29·5	0·7	6,585	8,438	1,161	2,230	7	4	·	26	8	61	22	2	774	214	273	1,358	1,605	77	7	91	111	2,484	270
Dublin Registration Area.—																												
Total	405,000	28·9	24·5	35·0	0·8	2,476	3,544a	493	881	·	·	·	19	7	9	4	·	308	76	112	517	652	40	2	25	30	1,260	93
City of Dublin	310,500	38·0	26·2	37·7	1·0	2,030	2,923	434	677	·	·	·	16	7	7	4	·	269	61	81	434	558	39	1	15	24	1,107	78
Urban Districts. Rathmines and Rathgar	39,400	23·0	18·0	27·1	0·2	177	267	17	86	·	·	·	1	·	1	·	·	21	6	12	36	39	·	·	2	2	68	6
Pembroke	29,500	18·8	21·8	26·7	0·4	161	197	27	56	·	·	·	2	·	·	·	·	9	2	12	31	36	1	·	6	4	51	5
Blackrock	9,000	8·3	12·0	15·6	·	27	35	1	17	·	·	·	·	·	·	·	·	4	2	1	3	3	·	·	1	·	7	·
Kingstown	16,600	11·4	19·5	29·4	0·5	81	122	14	45	·	·	·	·	·	1	·	·	5	5	6	13	16	·	1	1	·	27	4
Urban Districts. Belfast	401,000	26·8	22·8	24·1	0·4	2,283	2,420b	378	639	1	·	·	3	·	3	11	2	257	73	88	372	573	20	3	40	50	590	25
Cork	76,673	28·6	21·0	33·8	0·8	402	648	68	157	·	1	·	1	1	3	3	·	50	9	21	184	85	6	·	5	8	231	15
Londonderry	41,000	15·9	23·9	32·3	4·1	245	331	46	84	·	3	·	·	·	39	·	·	23	10	4	54	71	·	·	6	7	38	6
Limerick	38,518	16·1	25·3	27·7	0·3	244	267	33	68	3	·	·	·	·	·	·	·	32	4	4	35	67	·	·	4	3	83	30
Waterford	27,464	19·1	24·0	25·1	1·2	165	172	26	56	·	·	·	3	·	·	·	·	18	10	7	15	26	5	·	3	4	48	11
Galway	13,255	2·5	22·9	33·5	·	76	111	5	44	·	·	·	·	·	·	·	·	5	2	2	27	14	·	·	2	1	34	15
Dundalk	13,128	9·5	22·2	23·8	1·5	73	78	11	32	·	·	·	·	·	·	2	·	6	1	2	13	10	3	·	1	·	15	8
Lurgan	12,553	14·7	20·4	25·2	0·3	64	79	4	21	·	·	·	·	·	·	·	·	12	3	7	4	8	1	·	1	1	15	5
Drogheda	12,501	8·4	21·1	33·3	·	66	104	14	36	·	·	·	·	·	·	·	·	10	2	4	12	19	·	·	·	2	16	9
Lisburn	12,388	10·9	19·4	30·7	0·3	60	95	14	30	·	·	·	·	·	·	1	·	7	2	1	23	18	·	·	1	3	17	2
Newry	11,963	17·0	23·1	27·1	·	69	81	10	26	·	·	·	·	·	·	·	·	6	3	5	4	2	·	·	·	·	15	3
Portadown	11,727	15·3	20·1	32·7	·	59	96	19	26	·	·	·	·	·	·	·	·	8	4	1	17	14	·	·	·	·	20	6
Wexford	11,531	22·8	27·7	23·9	0·7	80	69	13	31	·	·	·	·	·	·	1	·	1	4	3	5	5	·	1	·	·	18	15
Ballymena	11,381	9·3	18·3	22·5	0·4	52	64	6	23	1	·	·	·	·	·	·	·	4	1	3	9	9	·	·	1	·	6	6
Sligo	11,163	3·8	17·2	31·5	2·1	48	88	11	25	1	·	·	·	·	4	·	·	3	2	2	23	13	·	1	·	·	15	15
Kilkenny	10,514	11·4	20·9	28·5	1·1	55	75	5	25	·	·	·	·	·	3	·	·	10	2	3	17	12	·	·	2	2	24	2
Tralee	10,300	17·4	12·8	24·5	0·8	33	63	3	10	1	·	·	·	·	·	·	·	7	3	2	20	3	1	·	·	·	21	·
Clonmel	10,209	7·8	13·7	20·8	0·4	35	53	2	16	·	·	·	·	·	·	·	·	7	3	2	7	4	1	·	·	·	18	4

*According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1919. † See note (*) on page 130d.

(a) Including one death from cerebro-spinal meningitis. (b) Including 2 deaths from cerebro-spinal meningitis or cerebro-spinal fever.

TABLE III.—Showing for the **Quarter (13 weeks) ended 29th March, 1919,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1 000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases†; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.

REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 29TH MARCH, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population to middle of 1919.	Annual Rate of Mortality per 1000 Living represented by Deaths: From All Causes.	Annual Rate of Mortality per 1000 Living represented by Deaths: From certain Epidemic Diseases.†	Total Deaths.	Ages at Death: Under 1 year.	1 and under 2	2 and under 5.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years of age and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions: Hospitals, Prisons and Lunatic Asylums.	In Institutions: Workhouse Hospitals.	Number of Uncertified Deaths.
Col.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1 E. ..	30,000	36·3	2·3	272	57	12	19	17	17	49	48	53	·	·	·	7	1	2	·	·	19	8	7	47	42	7	·	·	51	5	40	36	7
" 1 W. ..	41,100	42·1	0·9	433	66	17	20	13	36	78	114	89	·	·	·	1	·	1	·	·	36	7	10	65	81	7	·	6	92	5	90	72	11
" 2	27,500	42·5	1·0	292	48	21	11	11	20	47	70	64	·	·	·	1	·	·	1	·	24	6	5	47	62	5	·	3	49	2	61	48	4
" 3 ..	34,100	38·5	0·7	328	38	10	15	16	18	66	84	81	·	·	·	·	3	·	1	·	41	10	8	48	57	2	·	1	62	·	66	71	9
CLONTARF AND HOWTH, No. 1, part of.	5,500	20·4	·	28	3	·	·	·	2	8	9	6	·	·	·	·	·	·	·	·	3	·	5	2	3	·	·	1	4	1	5	1	2
COOLOCK AND DRUMCONDRA, part of.	13,600	27·9	0·9	95	15	3	1	3	9	26	15	23	·	·	·	1	·	·	·	·	10	·	6	14	10	2	·	1	21	1	27	1	2
FINGLAS AND GLASNEVIN, part of	11,100	16·9	0·4	47	5	2	·	·	4	9	12	15	·	·	·	1	·	·	·	·	4	·	3	7	7	·	·	·	8	1	3	1	·
South City.																																	
SOUTH CITY, No. 1	43,000	37·8	0·9	406	57	16	19	17	23	65	107	102	·	·	·	1	·	3	2	·	36	6	12	62	83	4	·	·	70	2	52	111	13
" 2	18,200	42·9	1·5	195	24	9	10	4	8	42	44	54	·	·	·	4	1	·	·	·	22	5	8	20	44	2	·	·	38	·	36	76	3
" 3	43,300	40·8	0·5	442	55	18	29	21	28	82	110	99	·	·	·	·	2	·	·	·	40	9	9	68	92	3	·	1	88	4	77	78	13
" 4	32,800	37·9	0·7	311	47	14	15	16	22	55	65	77	·	·	·	·	·	1	·	·	27	10	8	40	64	4	1	2	58	3	72	68	11
NEW KILMAINHAM	10,300	28·7	1·2	74	19	2	3	4	8	10	14	14	·	·	·	·	·	·	·	·	7	·	·	14	13	3	·	·	17	·	7	8	3
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	27·1	0·2	267	17	10	6	9	19	59	61	86	·	·	·	1	·	1	·	·	21	6	12	36	39	·	·	2	63	2	55	13	6
PEMBROKE	29,500	26·7	0·4	197	27	9	5	7	11	32	50	56	·	·	·	2	·	·	·	·	9	2	12	31	36	1	·	6	28	4	43	8	5
BLACKROCK	9,000	15·6	·	35	1	1	·	4	·	6	6	17	·	·	·	·	·	·	·	·	4	2	1	3	3	·	·	1	7	·	6	1	·
KINGSTOWN	16,600	29·4	0·5	122	14	5	3	2	6	15	32	45	·	·	·	·	·	1	·	·	5	5	6	13	16	·	1	1	9	·	16	11	4
Total City. North, ...	162,900	36·7	1·1	1,495	232	65	66	60	106	283	352	331	·	·	·	11	4	3	2	·	137	31	44	230	262	23	·	12	287	15	292	230	35
Total City. South, ...	147,600	38·7	0·8	1,428	202	59	76	62	89	254	340	346	·	·	·	5	3	4	2	·	132	30	37	204	296	16	1	3	271	9	244	341	43
Total City. North and South,	310,500	37·7	1·0	2,923	434	124	142	122	195	537	692	677	·	·	·	16	7	7	4	·	269	61	81	434	558	39	1	15	558	24	536	571	78
Total Urban Districts, ..	94,500	26·3	0·3	621	59	25	14	22	36	112	149	204	·	·	·	3	·	2	·	·	39	15	31	83	94	1	1	10	107	6	120	33	15
Total Registration Area, ..	405,000	35·0	0·8	3,544	493	149	156	144	231	649	841	881	·	·	·	19	7	9	4	·	308	76	112	517	652	40	2	25	665	30	656	604	93
Deaths of Persons relating to localities situated outside the Registration Area (not included in above).				267	11	2	1	12	37	108	66	30	2	·	·	·	1	·	1	·	17	9	29	35	13	·	1	5	66	5	228	39	·

† See note (*) on page 130*d*.

TABLE IV.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATION or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ended Saturday, 29th March, 1919**; the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 29TH MARCH 1919.

Class.	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths	Ages: Under 5 Years.	5 and under 15	15 and under 25	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia	Other	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence	Other Causes.	Number of Uncertified Deaths.
	ALL PERSONS.	397,957	·	3,811	812	156	268	757	907	521	390	2	.	·	19	8	9	5	·	325	85	141	51	552	665	40	3	30	1,876	93
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS..	14,658	27·0	99	3	1	3	25	24	9	34	1	·	·	·	·	·	·	·	5	2	2	·	9	10	·	1	·	69	1
II.	MIDDLE CLASS	101,798	26·2	668	82	18	61	151	164	97	95	·	·	·	4	·	·	·	·	49	12	46	4	92	65	3	·	6	387	11
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS..	108,420	30·1	817	159	25	60	175	235	103	60	·	·	·	5	4	2	1	·	80	17	36	4	124	143	7	·	7	387	21
IV.	GENERAL SERVICE CLASS	167,479	37·8	1,584	513	103	116	311	302	152	87	1	.	·	10	4	7	4	·	136	42	37	43	243	261	23	2	16	755	50
V.	INMATES OF WORKHOUSES	5,602	·	643	55	9	28	95	182	160	114	·	·	·	·	·	·	·	·	55	12	20	·	84	186	7	·	1	278	·
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal and other Professions; Naval and Military Officers, and Heads of Public Departments ..	7,868	·	81	3	1	2	24	19	6	26	1	·	·	·	·	·	·	·	4	2	2	·	8	6	·	·	·	58	1
	2. Merchants and Manufacturers, Higher Class	1,347	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
	3. Persons of Rank and Property, not otherwise described	5,443	·	17	·	·	1	1	4	3	8	·	·	·	·	·	·	·	·	1	·	·	·	1	4	·	1	·	10	·
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	·	68	9	2	7	13	19	11	7	·	·	·	1	·	·	·	·	6	1	7	1	6	6	·	·	2	38	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	·	148	17	3	6	30	43	27	22	·	·	·	1	·	·	·	·	6	1	6	·	24	15	·	·	·	95	·
	6. Clerks and Commercial Assistants ..	33,249	·	213	43	8	25	65	35	24	13	·	·	·	2	·	·	·	·	25	4	12	2	34	16	3	·	1	114	5
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above	33,827	·	239	13	5	23	43	67	35	53	·	·	·	·	·	·	·	·	12	6	21	1	28	28	·	·	3	140	5
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers ..	11,777	·	74	13	1	8	18	25	5	4	·	·	·	1	·	·	1	·	6	2	5	·	14	10	1	·	·	34	5
	9. Building and Furnishing Trades .	28,823	·	194	51	6	7	41	53	25	11	·	·	·	1	·	·	·	·	19	2	16	1	32	39	2	·	3	79	7
	10. Clothing Trades	20,026	·	114	12	1	13	24	34	21	9	·	·	·	·	·	1	·	·	11	4	1	·	14	23	·	·	·	60	4
	11. Food Supply Trades	8,952	·	57	16	4	1	12	13	7	4	·	·	·	1	1	·	·	·	8	2	·	1	8	6	1	·	·	29	1
	12. Other Trades and Callings ranking with Trades	32,070	·	345	62	12	27	73	104	42	25	·	·	·	2	3	1	·	·	30	6	14	2	53	59	2	·	4	169	3
	13. Petty Shopkeepers	6,772	·	33	5	1	4	7	6	3	7	·	·	·	·	·	·	·	·	6	1	·	·	3	6	1	·	·	16	1
	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c.	12,977	·	292	113	26	23	76	26	11	17	1	·	·	2	·	·	1	·	26	12	5	1 4	49	31	·	1	4	141	11
	15. Domestic Servants	36,041	·	149	18	4	22	40	36	15	14	·	·	·	1	·	2	·	·	10	3	10	·	22	16	·	·	·	85	4
	16. Coach and Car Drivers, Vanmen, &c. ..	15,380	·	129	43	5	5	30	26	13	7	·	·	·	·	2	·	·	·	12	·	2	4	17	23	·	·	3	66	3
	17. Hawkers, Porters, Labourers, &c. ..	103,081	·	1,014	339	68	66	165	214	113	49	·	·	·	7	2	5	3	·	88	27	20	25	155	191	18	1	9	463	42
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates	5,602	·	643	55	9	28	95	182	160	114	·	.	·	·	·	·	·	·	55	12	20	.	84	186	7	·	1	278	·

TABLE V.—Showing by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK Registered during the Quarter (13 weeks) ended 29th March, 1919, Deaths in Public Institutions of persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of MORTALITY per 1,000 of the Population according to the Census of 1911, represented by the Deaths from all Causes and from certain Epidemic Diseases; the Number of Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate*: Certain Epidemic Diseases†	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 years and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	90	26·2	0·3	104	17	8	12	17	30	20	·	·	·	·	·	·	·	·	9	1	6	9	17	1	·	4	5	37	·
Do. 2 do.	49,500	283	21·1	0·2	261	28	22	33	57	48	73	·	·	·	·	·	·	·	1	36	11	11	25	97	2	·	6	5	69	2
Do. 3 do.	50,032	295	26·9	0·4	337	61	26	43	42	72	93	·	·	·	·	·	·	1	·	29	18	7	62	95	3	1	3	5	78	5
Do. 4 do.	32,637	162	29·5	1·0	241	41	18	32	39	55	56	·	·	·	·	·	·	1	1	23	4	10	27	56	5	1	3	4	99	3
Do. 5 do.	16,112	108	25·8	·	104	23	5	13	18	27	18	·	·	·	·	·	·	·	·	14	5	3	22	21	·	·	1	1	42	·
Do. 6 do.	37,293	156	22·3	0·8	208	24	16	16	27	50	75	·	·	·	1	·	·	2	·	17	4	11	24	43	4	·	3	4	44	1
Do. 7 do.	2,681	12	13·4	·	9	1	·	2	1	3	2	·	·	·	·	·	·	·	·	1	·	·	2	2	·	·	·	·	1	·
Do. 8 do.	5,964	30	21·5	·	32	1	1	5	1	13	11	·	·	·	·	·	·	·	·	3	·	·	4	11	·	·	1	1	6	·
Do. 9 do.	24,427	147	25·1	0·5	153	30	15	16	22	30	40	·	·	·	·	·	·	1	·	16	6	6	30	42	2	·	·	1	22	2
Do. 10 do.	28,958	212	24·7	0·6	179	26	16	24	25	48	40	·	·	·	·	·	·	2	·	25	7	7	36	43	2	·	4	4	42	1
Do. 11 do.	39,311	253	26·8	0·4	263	36	15	36	41	60	75	·	·	·	2	·	·	·	·	24	6	11	37	46	1	1	3	4	45	4
Do. 12 do.	38,076	280	26·3	0·5	250	62	20	22	40	52	54	·	·	·	·	·	2	3	·	31	5	7	42	54	·	·	9	11	49	3
Do. 13 do.	23,233	128	21·2	0·3	123	10	6	14	23	30	40	·	·	·	·	·	1	1	·	13	3	4	24	21	·	·	1	1	17	3
Do. 14 do.	175	1	·	·	3	·	2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	·	·	·	·
Do. 15 do.	22,669	126	27·0	0·2	153	18	10	15	23	45	42	1	·	·	·	·	·	·	·	15	3	5	26	25	·	·	2	4	39	1
Total, ...	386,947	2,283	24·1	0·4	2,420	378	180	281	376	563	639	1	·	·	3	·	3	11	2	257	73	88	372	573	20	3	40	50	590	25
City of Cork.																														
CORK URBAN No. 1 DISTRICT, ..	13,455	53	30·3	0·3	102	6	11	13	22	14	36	·	·	·	·	·	·	·	·	5	·	3	21	16	1	·	·	·	37	·
Do. 2 do. ..	10,399	55	43·1	1·2	112	14	6	20	22	26	24	·	·	·	1	·	·	1	·	10	1	2	38	16	1	·	3	4	38	2
Do. 3 do. ..	9,793	59	35·9	1·2	88	12	11	16	8	16	25	·	·	·	·	·	3	·	·	10	1	3	16	16	·	·	·	·	24	4
Do. 4 do. ..	9,139	55	40·3	1·3	92	15	6	13	17	20	21	·	1	·	·	·	·	·	·	10	1	6	29	14	2	·	·	·	35	5
Do. 5 do. ..	6,250	27	27·5	0·6	43	4	3	5	9	13	9	·	·	·	·	·	·	·	·	3	1	2	16	3	1	·	·	1	23	·
Do. 6 do. ..	11,581	70	25·6	·	74	7	8	5	14	22	18	·	·	·	·	·	·	·	·	2	1	1	19	9	·	·	·	·	24	·
Do. 7 do. ..	16,056	83	34·1	1·0	137	10	15	22	32	34	24	·	·	·	·	1	·	2	·	10	4	4	45	11	1	·	2	3	50	4
Total, ...	76,673	402	33·8	0·8	648	68	60	94	124	145	157	·	1	·	1	1	3	3	·	50	9	21	184	85	6	·	5	8	231	15

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919. † See note (*) on page 130*d*.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
25*th April*, 1919.

WILLIAM J. THOMPSON,
Registrar General.

Printed under the Authority of His Majesty's Stationery Office,
By A. THOM & Co., Ltd., Crow Street, Dublin.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1.
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 14. VOL. LVI.] WEEK ENDING SATURDAY, 5TH APRIL, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 7th April, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 28·2 and 33·3; Dublin Registration Area, 32·6 and 37·3; Dublin City, 34·1 and 38·9; Belfast, 21·8 and 28·4; Cork, 24·5 and 36·2; Londonderry, 42·0 and 49·0; Limerick, 17·6 and 27·4; and Waterford, 36·1 and 26·1.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·9 per 1,000. The 33 deaths from all causes for Londonderry include 6 from whooping-cough. Included in the 19 deaths from all causes for Waterford is one from measles; and 3 of the 8 deaths from all causes for Kilkenny are from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 217—113 boys and 104 girls—and the deaths to 271—121 males and 150 females.

The deaths registered, omitting the deaths (numbering 18) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 32·6 per 1,000 of the population. During the fourteen weeks ending with Saturday last the death-rate averaged 34·9 and was 10·5 above the mean rate for the corresponding portions of the ten years 1909–18. The rate for all deaths registered during the fourteen weeks was 37·5 and for the corresponding period of the preceding ten years 25·8.

Of the 253 deaths appertaining to the Area one was from measles, one from whooping cough, one from diphtheria, and 4 were from diarrhœa and enteritis of children under 2 years.

There were 41 deaths from influenza, being equivalent to an annual rate of 5·3 per 1,000 of the population, and of these 32 belonged to the City, affording a rate of 5·4 per 1,000 of the population, the latter including 19 (or 6·1 per 1,000) assigned to North City Districts and 13 (or 4·6 per 1,000) to South City Districts. Nine deaths from influenza (or 5·0 per 1,000 of the population) were referred to the urban districts (see Table IV., col. 29). In the three preceding weeks deaths from this cause for the Registration Area numbered 104, 77 and 34 respectively.

Deaths attributed to pneumonia were 34 (comprising 14 from broncho-pneumonia, 3 from lobar pneumonia, and 17 from pneumonia, type not distinguished), as against 60, 45, and 37 in the three weeks preceding.

Tuberculous disease caused 41 deaths (comprising 27 from pulmonary tuberculosis, 3 from tuberculous meningitis, and 11 from other forms of tuberculous disease), as against 36, 27, and 28 in the three weeks preceding.

Seven deaths were caused by cancer, 14 by organic diseases of the heart, and 41 by bronchitis.

Among deaths of infants under one year old, 2 were due to influenza, one to abdominal tuberculosis, 3 to convulsions, 9 to bronchitis, 8 to pneumonia, 4 to diarrhœa and enteritis, one to congenital malformation, 6 to premature birth, and 3 to congenital debility.

The 4 deaths attributed to violence were from burns, 3 being those of children under 5 years of age.

Fifty-nine of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 41 being infants under one year, of whom 8 were under one month old and 52 deaths were those of persons aged 65 and upwards, of whom 38 were 70 year of age or over.

Of the 253 deaths recorded, 92 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 5th April, in 96 large English towns (including London, in which the rate was 17·1 was equal to an average annual death rate of 17·9 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 18·5 per 1,000 persons living, the rate for Glasgow being 19·5 and for Edinburgh 16·7.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 5th April. From this Report it appears that of 41 cases notified, 15 were scarlet fever, 12 pulmonary tuberculosis, 3 other forms of tuberculosis, 6 erysipelas, and 5 diphtheria. Among the 432 cases of infectious diseases in hospital at the close of the week were 143 of pulmonary tuberculosis, 105 of scarlet fever, 60 of diphtheria, 37 of influenza, 32 of whooping-cough, 20 of measles, 4 of erysipelas, 3 of enteric fever, and 2 of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 5th April, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Poliomyelitis.	Pulmonary Tuberculosis.	Influenzal or Septic Pneumonia.	Total.
City of Dublin.	Mar. 15	.	—	—	4	.	.	2	.	.	.	1	.	—	—	.	—	.	9	51	67
	Mar. 22	.	—	—	2	.	.	2	.	.	1	4	.	—	—	.	—	.	18	24	51
	Mar. 29	.	—	—	9	.	.	5	.	.	1	1	.	—	—	.	—	.	8	20	44
	Apr. 5	.	—	—	2	.	.	3	.	.	.	4	.	—	—	.	—	.	15	14	38
Rathmines and Rathgar Urban District.	Mar. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
	Mar. 22	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
	Mar. 29	.	—	—	.	.	.	.	.	.	.	1	.	—	—	.	—	.	—	—	1
	Apr. 5	.	—	—	.	.	.	1	.	.	.	1	.	—	—	.	—	.	—	.	2
Pembroke Urban District.	Mar. 15	.	2	.	.	.	.	.	.	.	.	.	.	—	.	.	—	.	.	—	2
	Mar. 22	.	.	.	3	.	.	.	.	.	.	.	.	—	.	.	—	.	.	—	3
	Mar. 29	.	1	.	1	.	.	.	.	.	.	.	.	—	1	.	—	.	.	—	3
	Apr. 5	.	4	.	1	.	.	2	.	.	.	.	.	—	1	.	—	.	.	.	8
Blackrock Urban District.	Mar. 15	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	—	.
	Mar. 22	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	—	.
	Mar. 29	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	—	.
	Apr. 5	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.	.
Kingstown Urban District.	Mar. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	—	.
	Mar. 22	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	3	—	4
	Mar. 29	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	.	—	1
	Apr. 5	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.	.
City of Belfast	Mar. 15	.	—	—	2	.	.	8	.	.	.	.	.	—	—	1	—	.	.	3	14
	Mar. 22	.	—	—	6	.	.	1	.	.	1	2	.	—	—	1	—	.	2	6	19
	Mar. 29	.	—	—	4	.	.	4	.	.	1	1	.	—	—	.	—	.	1	.	11
	Apr. 5	.	—	—	9	.	.	1	.	.	.	1	.	—	—	1	—	.	1	6	19
City of Cork.	Mar. 15	.	.	—	.	.	.	.	.	.	.	1	.	—	—	—	.	.	—	19	20
	Mar. 22	.	.	—	.	.	.	1	.	.	.	1	.	—	—	—	.	.	—	3	5*a*
	Mar. 29	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	.	.	—	1	1
	Apr. 5	.	.	—	.	.	.	2	.	.	.	.	.	—	—	—	.	.	—	.	2
City of Londonderry.	Mar. 15	.	—	—	2	2	.	.	.	.	.	1	.	—	—	.	—	—	—	—	5
	Mar. 22	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	—	2
	Mar. 29	.	—	—	.	1	.	.	.	.	.	.	.	—	—	.	—	—	—	—	1
	Apr. 5	.	—	—	1	1	.	.	.	.	.	.	.	—	—	.	—	—	—	.	2
City of Limerick.	Mar. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
	Mar. 22	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
	Mar. 29	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	—	.
	Apr. 5	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.	.
City of Waterford.	Mar. 15	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	2	—	2
	Mar. 22	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	—	.
	Mar. 29	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	3	—	3
	Apr. 5	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.	.

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 5th April, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever nil and 7; measles 4 and 17; scarlet fever 3 and 46*; and diphtheria 4 and 14. Twenty-nine cases of pneumonia were admitted during the week and 92 remained under treatment at its close, as compared with 123, 111 and 101 at the close of the 3 preceding weeks. Of the deaths in hospital during the week one was from scarlet fever and 9 were from pneumonia.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 5th April, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	BIRTHS Total Number.	DEATHS. Total Number	Under 1 year of Age.	At 65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis Pulmonary.	Tuberculosis Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) Week ending 5th April, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	23·6	28·2	0·9	583	617	98	141	·	·	·	2	·	10	1	·	65	25	19	86	106	6	1	12	12	187	25	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	27·9	32·6	0·9	217	253	41	52	·	·	·	1	·	1	1	·	27	14	7	34	44	4	·	4	2	92	7	(d) 55·2	24·6	49·1	32·9	41·0	0·18
Urban Districts. CITY OF DUBLIN,	310,500	38·0	30·2	34·1	0·7	180	203	32	40	·	·	·	1	·	·	·	·	23	11	5	27	41	3	·	4	2	75	4	(e) 54·3 (f) 55·6	27·4 26·2	48·3 49·6	36·0 34·7	42·2 42·2	0·32 0·36
Urban Districts. RATHMINES and RATHGAR	39,400	23·0	23·8	23·8	·	18	18	3	5	·	·	·	·	·	·	·	·	3	2	·	2	·	·	·	·	·	10	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,500	18·8	17·7	24·7	3·5	10	14	3	2	·	·	·	·	·	·	1	·	·	1	2	4	1	1	·	·	·	5	1	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,000	8·3	11·6	29·0	·	2	5	2	3	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,600	11·4	22·0	40·8	3·1	7	13	1	2	·	·	·	·	·	1	·	·	1	·	·	·	2	·	·	·	·	2	·	49	28	44·8	36·4	40·6	0·42
Urban Districts. BELFAST, ..	401,000	26·8	22·8	21·8	0·1	175	168	30	44	·	·	·	·	·	·	·	·	16	4	9	21	33	1	·	7	7	58	5	55·8	27·0	48·9	37·5	43·2	0·06
Urban Districts. CORK, ...	76,673	28·6	25·8	24·5	0·7	38	36	5	11	·	·	·	·	·	·	·	·	2	3	·	4	4	1	·	·	·	8	·	53	32	49·0	35·3	42·2	0·04
Urban Districts. LONDONDERRY, ..	41,000	15·9	26·7	42·0	7·6	21	33	8	6	·	·	·	·	·	6	·	·	3	1	·	10	8	·	·	·	·	4	1	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	63·6	17·6	·	47	13	3	4	·	·	·	·	·	·	·	·	2	·	·	1	2	·	·	·	·	3	1	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	26·6	36·1	1·9	14	19	4	5	·	·	·	1	·	·	·	·	3	1	·	1	4	·	·	1	1	4	2	57	32	49	35	42	0·06
Urban Districts. GALWAY, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			8	12	1	3	·	·	·	·	·	·	·	·	4	·	·	·	1	·	·	·	·	5	1	57	26	49·9	33·3	41·6	0·04
Urban Districts. DUNDALK, ..	13,128	9·5				15	4	·	·	·	·	·	·	·	·	·	·	2	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				5	7	·	2	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	1	·	·	55·1	27·5	50·6	34·3	42·4	0·20
Urban Districts. DROGHEDA, ..	12,501	8·4				8	15	1	4	·	·	·	·	·	·	·	·	1	·	·	5	2	·	·	·	1	4	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				5	5	1	2	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. NEWRY, ...	11,963	17·0				3	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	55·1	27·5	50·6	34·3	42·4	0·20
Urban Districts. PORTADOWN, ..	11,727	15·3				6	19	·	2	·	·	·	·	·	·	·	·	2	1	·	1	5	·	·	·	·	2	·	55·1	27·5	50·6	34·3	42·4	0·20
Urban Districts. WEXFORD, ..	11,531	22·8				8	6	1	1	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·	1	2	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				·	5	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	2	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				2	4	·	1	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·	53	25	49	34	41·5	0·55
Urban Districts. KILKENNY, ..	10,514	11·4				4	8	2	2	·	·	·	·	·	3	·	·	·	1	1	·	·	·	·	·	·	1	4	54	26	48·4	33·2	40·8	0·07
Urban Districts. TRALEE, ...	10,300	17·4				2	3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				5	4	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	4	·	·	·	·	·	·	·
LONDON	4,206,901	—	—	17·1	—	1,310	1,318	108	556	1	—	·	6	4	4	13	—	121	17	108	103	190	12	5	41	108	585	3	53	27	49·1	30·4	39·8	0·04
EDINBURGH ...	336,700	—	—	16·7	—	77	108	13	43	·	—	·	1	·	10	3	—	—	—	—	—	—	·	—	·	—	—	—	52·0	24·0	44·1	34·3	39·2	0·03
GLASGOW	1,118,700	—	—	19·5	—	437	419	71	95	·	—	·	9	·	35	5	—	—	—	—	—	—	6	—	12	—	—	—	49·3	26·9	45·9	35·5	40·7	0·04

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College, and those for Waterford by De La Salle College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 14th Week of the 5 years, 1914-1918.	All Ages.	Deaths registered during week ending Saturday, 5th April, 1919. Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20	0—25	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	201·2	271	9	33	6	12	9	5	7	6	32	29	35	33	33	22	253
Enteric Fever ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	9·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	6·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Diphtheria	·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	2·8	45	.	2	.	2	2	.	2	1	10	7	8	7	2	2	41
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	25·6	28	.	.	.	1	.	2	2	1	10	6	4	1	1	.	27
Tuberculous Meningitis	3·0	4	.	.	.	.	3	.	.	.	1	.	.	.	.	.	3
Abdominal Tuberculosis	1·0	4	.	1	1	1	1	.	.	.	.	.	.	.	.	.	4
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·2	4	.	.	.	.	1	.	.	.	1	.	1	.	.	1	4
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·6	4	.	.	.	.	2	.	.	.	.	2	.	.	.	.	3
Venereal Diseases ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	8·4	9	.	.	.	.	.	.	.	.	.	1	4	2	.	2	7
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Other General Diseases	2·6	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	2·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	4·6	4	.	.	.	.	.	.	.	.	.	1	.	1	2	.	4
Softening of Brain ..	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Paralysis, without specified cause.	1·2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2
Epilepsy.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	4·2	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	3
Other Diseases of Nervous System.	3·2	12	.	.	.	.	.	.	.	.	1	1	4	4	2	.	9
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	15·8	14	.	.	.	.	.	.	1	.	2	1	2	2	4	2	14
Embolism and Thrombosis (including Cerebral).	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·0	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1	2
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	30·2	42	1	8	.	2	.	1	1	.	.	2	5	7	7	8	41
Broncho-pneumonia ..	10·8	14	1	4	3	1	.	.	.	.	1	1	1	1	1	.	14
Lobar pneumonia ..	1·2	3	.	1	.	.	.	1	.	.	.	.	1	.	.	.	3
Pneumonia (type not distinguished).	5·4	18	.	2	1	.	.	1	1	3	2	3	2	1	2	.	17
Pleurisy	·4	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	2·2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2

in the FOURTEENTH WEEK, ending Saturday, 5th April, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 14th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 5th April, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Stomach ..	3·2	3	·	·	1	·	·	·	·	·	·	1	·	·	1	·		3
Diarrhœa and Enteritis of Children under 2 years.	2·6	4	·	4	·	·	·	·	·	·	·	·	·	·	·	·		4
Diarrhœa 2 years and upwards.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Enteritis 2 years and upwards.	·6	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·		·
Appendicitis and Typhlitis.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Hernia and Intestinal Obstructions.	2·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Cirrhosis of Liver ..	·4	2	·	·	·	·	·	·	·	·	·	·	·	1	1	·		2
Other Diseases of Liver	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Peritonitis (cause unknown).	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Digestive System.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Acute Nephritis ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Chronic Bright's Disease	4·8	5	·	·	·	·	·	·	·	·	1	·	·	3	1	·		5
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Uterine Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ovarian Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Genito-urinary System.	1·2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·		1
Puerperal Septicæmia, &c.	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·		1
Other causes incident to Pregnancy and Childbirth.	·8	2	·	·	·	·	·	·	·	·	1	1	·	·	·	·		2
Diseases of Skin and Cellular Tissues.	1·2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·		1
Diseases of Locomotor System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Congenital Malformations.	·8	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·		1
Premature Birth ..	1·8	7	6	1	·	·	·	·	·	·	·	·	·	·	·	·		6
Congenital Debility ..	4·2	3	1	2	·	·	·	·	·	·	·	·	·	·	·	·		3
Old Age	8·2	8	·	·	·	·	·	·	·	·	·	·	·	·	4	4		8
Other Specified Diseases	2·4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·		1
VIOLENCE.																		
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Burns and Scalds ..	1·4	4	·	·	·	3	·	·	·	·	·	1	·	·	·	·		4
Drowning	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suffocation in Bed, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Vehicles and Horses ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ships, Boats, Docks, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Gunshot Wounds, &c.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Violent Deaths		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Not included in above—																		
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suicide, ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ill-defined, &c., Causes,	2·4	2	·	·	·	·	·	·	·	·	·	·	1	1	·	·		2

TABLE IV.—Showing for the WEEK ENDED 5TH APRIL, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 5TH APRIL, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population Middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
					DEATHS.								CAUSED BY																				
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
North City, No 1, E., ...	30,000	33·0	3·5	19	6	·	2	1	1	3	3	3	·	·	·	1	·	·	·	·	2	1	·	3	2	1	·	·	3	·	1	2	·
" 1, W., ...	41,100	41·9	·	33	2	1	1	3	2	8	10	6	·	·	·	·	·	·	·	·	3	1	·	5	7	·	·	·	9	·	9	5	1
" 2, ...	27,500	30·3	·	16	4	1	1	1	1	2	3	3	·	·	·	·	·	·	·	·	2	1	·	2	3	·	·	1	2	·	4	1	·
" 3, ...	34,100	27·5	·	18	1	2	1	·	3	6	2	3	·	·	·	·	·	·	·	·	3	2	1	4	2	·	·	·	2	·	2	2	·
Clontarf and Howth, No. 1, part of	5,500	19·0	·	2	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·
Coolock and Drumcondra, part of ..	13,600	30·7	·	8	·	·	·	·	·	5	2	1	·	·	·	·	·	·	·	·	2	·	·	3	·	·	·	·	1	·	5	·	·
Finglas and Glasnevin, part of ..	11,100	18·8	·	4	1	·	·	·	1	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	1	·	1	·	·
South City.																																	
South City, No. 1, ..	43,000	27·9	·	23	5	·	·	·	·	5	7	6	·	·	·	·	·	·	·	·	2	·	1	3	7	·	·	1	1	1	3	6	2
" 2, ...	18,200	65·9	·	23	6	·	·	1	·	3	10	3	·	·	·	·	·	·	·	·	1	1	·	3	2	·	·	·	5	·	6	6	·
" 3, ...	43,300	39·7	1·2	33	6	1	3	2	1	5	9	6	·	·	·	·	·	·	·	·	5	4	2	3	9	1	·	1	3	1	6	6	1
" 4, ...	32,800	30·2	1·6	19	1	·	2	1	·	5	4	6	·	·	·	·	·	·	·	·	3	1	1	·	4	1	·	1	3	·	4	4	·
New Kilmainham, ...	10,300	25·3	·	5	·	1	·	·	1	1	1	1	·	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	1	·	·	1	·
Urban Districts.																																	
Rathmines and Rathgar, ..	39,400	23·8	·	18	3	·	·	1	·	7	2	5	·	·	·	·	·	·	·	·	3	2	·	2	·	·	·	·	4	·	8	2	·
Pembroke	29,500	24·7	3·5	14	3	·	1	2	1	·	5	2	·	·	·	·	·	·	1	·	·	1	2	4	1	1	·	·	·	·	4	1	1
Blackrock, ...	9,000	29·0	·	5	2	·	·	·	·	·	·	3	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2
Kingstown, ...	16,600	40·8	3·1	13	1	·	1	2	·	5	2	2	·	·	·	·	·	1	·	·	1	·	·	·	2	·	·	·	5	·	2	·	·
TOTAL CITY. North, ...	162,900	32·0	0·6	100	14	4	5	5	8	24	22	18	·	·	·	1	·	·	·	·	12	5	1	17	17	1	·	1	19	·	23	10	1
South, ...	147,600	36·4	0·7	103	18	2	5	4	2	19	31	22	·	·	·	·	·	·	·	·	11	6	4	10	24	2	·	3	13	2	19	23	3
North and South, ..	310,500	34·1	0·7	203	32	6	10	9	10	43	53	40	·	·	·	1	·	·	·	·	23	11	5	27	41	3	·	4	32	2	42	33	4
Total Urban Districts, ...	94,500	27·6	1·7	50	9	·	2	5	1	12	9	12	·	·	·	·	·	1	1	·	4	3	2	7	3	1	·	·	9	·	14	3	3
Total Registration Area, ..	405,000	32·6	0·9	253	41	6	12	14	11	55	62	52	·	·	·	1	·	1	1	·	27	14	7	34	44	4	·	4	41	2	56	36	7
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				18	1	·	·	·	2	6	6	3	·	·	·	·	·	·	·	·	1	2	2	1	1	·	·	·	4	·	17	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 5th April, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 5TH APRIL, 1919.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and up wards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	271	60	14	13	61	68	33	22	.	.	.	1	.	1	1	.	28	16	9	3	35	45	4	.	4	124	7
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	17·8	5	1	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.
II.	MIDDLE CLASS	101,798	27·7	54	3	1	2	19	15	8	6	.	.	.	.	.	.	.	.	8	3	4	.	5	4	.	.	.	30	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	27·9	58	12	3	4	14	16	7	2	.	.	.	.	.	.	1	.	9	2	1	1	9	11	1	.	.	23	1
IV.	GENERAL SERVICE CLASS	167,479	26·4	117	38	10	7	22	23	11	6	.	.	.	1	.	1	.	.	8	11	3	2	15	22	2	.	4	48	5
V.	INMATES OF WORKHOUSES, ...	5,602	—	37	6	.	.	6	14	6	5	.	.	.	.	.	.	.	.	3	.	1	.	5	8	1	.	.	19	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	4	1	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	14	2	.	1	3	3	4	1	.	.	.	.	.	.	.	.	2	.	1	.	3	2	.	.	.	6	1
	6. Clerks and Commercial Assistants,	33,249	—	16	1	.	1	9	5	.	.	.	.	.	.	.	.	.	.	5	2	1	.	1	.	.	.	.	7	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	21	.	.	.	6	6	4	5	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	.	.	16	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.
	9. Building and Furnishing Trades, ..	28,823	—	12	4	.	.	3	3	1	1	.	.	.	.	.	.	.	.	1	1	.	.	2	3	.	.	.	5	.
	10. Clothing Trades, ...	20,026	—	10	2	.	1	3	1	2	1	.	.	.	.	.	.	.	.	3	.	.	.	1	2	.	.	.	4	.
	11. Food Supply Trades, ...	8,952	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	28	3	3	2	7	9	4	.	.	.	.	.	.	.	1	.	5	1	1	.	3	5	.	.	.	12	1
	13. Petty Shopkeepers, ...	6,772	—	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	23	8	3	2	4	3	1	2	.	.	.	.	.	1	.	.	1	2	.	.	3	3	.	.	2	11	.
	15. Domestic Servants, ...	36,041	—	10	3	.	1	4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	7	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	9	3	.	.	.	4	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	5	.	.	.	2	1
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	75	24	7	4	14	14	10	2	.	.	.	1	.	.	.	.	7	8	2	1	10	14	2	.	2	28	4
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	37	6	.	.	6	14	6	5	.	.	.	.	.	.	.	.	3	.	1	.	5	8	1	.	.	19	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

Week ending	Dublin Registration Area.													Belfast City.												
	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15	Mar. 22.	Mar. 29.	Apr 5.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.
No. of weeks in Annual Series ..	2	3	4	5	6	7	8	9	10	11	12	13	14	2	3	4	5	6	7	8	9	10	11	12	13	14
Births registered	195	202	197	177	196	199	170	192	208	189	171	192	217	193	204	151	166	170	169	172	184	164	160	198	167	175
Average Births in corresponding week of previous 10 years, ...	225	206	214	214	214	208	205	207	215	201	226	215	238	200	209	207	214	201	198	199	216	203	211	215	207	206
Number of Deaths, ...	165	172	179	183	194	259	351	466	489	371	288	245	253	157	121	145	126	168	175	218	238	233	261	238	207	168
Annual Death-rate per 1,000 ..	21·2	22·1	23·0	23·6	25·0	33·3	45·2	60·0	63·0	47·8	37·1	31·5	32·6	20·4	15·7	18·9	16·4	21·8	22·8	28·3	30·9	30·3	33·9	30·9	26·9	21·8
Average Deaths in corresponding week of previous 10 years, ...	176	182	186	186	186	185	195	193	194	185	196	186	192	157	144	159	171	179	167	166	162	165	162	164	158	168
Ages, .. Under one year, ..	31	25	31	36	27	37	29	66	51	44	36	37	41	26	22	33	21	37	33	34	21	21	42	33	29	30
1— 5 years, ..	6	9	20	10	13	17	19	45	50	49	28	25	18	9	7	10	11	10	17	13	20	16	21	22	12	6
5—25 ,, ..	15	13	21	16	13	29	32	57	63	35	39	26	25	10	22	16	17	21	21	29	32	27	24	31	21	16
25—45 ,, ..	26	24	26	24	29	40	80	99	98	77	58	39	55	25	19	20	15	22	28	33	48	40	33	34	42	18
45—65 ,, ..	39	47	36	46	49	69	89	110	115	87	63	59	62	38	22	27	31	36	31	52	57	60	67	57	50	54
65 and upwards, ..	48	54	45	51	63	67	102	89	112	79	64	59	52	49	29	39	31	42	45	57	60	69	74	61	53	44
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	1	.	1	.	2	3	2	6	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	1	2	.	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	.	.	1	.	2	.	1	2	.	.	1	1	.	.	.	.	.	.	.	1	1	.	1	.	.
Diphtheria, ...	.	.	1	.	.	.	.	.	.	1	1	1	1	.	.	1	1	1	2	.	1	1	1	2	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Tuberculosis { Pulmonary, ..	20	22	21	19	27	30	26	21	30	29	23	21	27	20	16	13	16	19	25	28	21	19	21	22	26	16
Tuberculosis { Other Forms, ..	4	4	11	6	3	1	3	11	7	7	4	7	14	3	7	6	4	5	7	8	6	6	4	5	5	4
Cancer, ...	5	7	10	8	11	10	10	8	16	8	7	3	7	7	5	2	5	8	7	7	7	8	8	13	5	9
Diseases of Respiratory System, { Pneumonia ..	21	10	15	18	24	43	50	83	89	60	45	37	34	17	10	10	17	30	24	37	39	41	55	46	23	21
Diseases of Respiratory System, { Others, ..	25	28	24	31	39	60	71	82	99	57	51	54	44	30	15	34	16	30	45	51	73	83	61	61	52	33
Diarrhœa and Enteritis, under 2 years, ...	2	3	3	3	3	6	5	4	1	1	5	3	4	2	5	2	.	.	1	1	1	.	2	1	3	1
Diarrhœa, 2 years and upwards..	.	.	1	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.	.	.	.
Violent Deaths, ...	2	1	5	2	2	2	1	1	1	3	1	3	4	2	5	4	5	5	3	3	4	.	1	3	2	7
Number of Uncertified Deaths, ..	6	3	8	7	8	8	8	10	8	9	5	4	7	1	2	3	1	.	2	2	2	3	1	1	2	5
A Mean Maximum Temperature in degs.	43·1	46·4	47·7	42·7	41·6	43·5	45·2	44 6	47·5	47·9	46·1	42·4	49·1	44·1	44·9	46·6	41·5	40·8	43·8	44·3	45 7	44·5	48·6	44·6	43 1	48·9
B Mean Minimum ,, ,,	32·3	35·0	34·6	32·0	34·3	31·4	36·1	25 7	33·6	32·2	32·0	29·3	32·9	35·3	33·3	36·3	35·3	34·6	37·4	34·8	32·7	32·0	34·7	34·4	29·4	37·5
Mean of A and B ,, ,,	37·7	40·7	41·2	37·4	38·0	37·5	40·7	35·2	40·6	40·1	39·1	35·9	41·0	39·7	39·1	41·4	38·4	37·7	40·6	39·6	39·2	38·3	41·7	39·5	36·3	43·2
Rainfall in inches	1·00	0·56	0·45	0·39	0·68	0·16	0·57	0·10	0·64	0·18	1·18	0·37	0·18	1·41	0·45	0·94	0·58	0·14	0·09	0·91	0·30	0·67	0·20	1·98	0·37	0·06

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 5th April, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	8	16·4	.	5	.	.	1	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	4	.
Do. 2 do.	49,500	26	22·1	.	21	1	1	2	3	7	7	.	.	.	.	.	.	.	.	1	.	2	.	6	.	.	.	.	9	1
Do. 3 do.	50,032	19	16·7	.	16	3	2	2	.	5	4	.	.	.	.	.	.	.	.	1	.	.	3	4	.	.	3	3	6	3
Do. 4 do.	32,637	9	28·8	.	18	6	.	2	2	3	5	.	.	.	.	.	.	.	.	.	1	.	2	7	.	.	1	1	9	.
Do. 5 do.	16,112	15	32·4	.	10	4	1	.	.	2	3	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	.	6	.
Do. 6 do.	37,293	16	18·2	.	13	1	.	.	3	5	4	.	.	.	.	.	.	.	.	3	.	1	1	1	.	.	1	1	3	1
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	4	26·2	.	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Do. 9 do.	24,427	9	14·9	.	7	1	.	1	2	1	2	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.	.	1	.
Do. 10 do.	28,958	16	25·2	1·8	14	2	.	1	1	6	4	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	1	1	4	.
Do. 11 do.	39,311	17	25·2	.	19	4	.	2	1	7	5	.	.	.	.	.	.	.	.	2	.	2	4	.	.	.	.	.	4	.
Do. 12 do.	38,076	18	19·2	.	14	3	2	.	2	3	4	.	.	.	.	.	.	.	.	2	.	.	2	5	.	.	.	.	1	.
Do. 13 do.	23,233	10	18·0	.	8	2	.	1	.	4	1	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.	1	1	2	.
Do. 14 do.	175	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 15 do.	22,669	8	43·7	.	19	3	.	3	1	8	4	.	.	.	.	.	.	.	.	3	.	2	3	4	.	.	.	.	7	.
Total,	386,947	175	21·8	0·1	168	30	6	16	18	54	44	.	.	.	.	.	.	.	.	16	4	9	21	33	1	.	7	7	58	5
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	7	19·4	.	5	1	1	1	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
Do. 2 do.	10,399	4	35·1	.	7	1	.	.	.	1	5	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2	.
Do. 3 do.	9,793	7	5·3	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 4 do.	9,139	6	22·8	.	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.
Do. 5 do.	6,250	.	50·1	.	6	.	.	1	.	2	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.
Do. 6 do.	11,581	2	27·0	.	6	.	.	.	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 7 do.	16,056	12	22·7	3·2	7	1	1	1	2	1	1	.	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	2	.
Total.	76,673	38	24·5	0·7	36	5	2	3	5	10	11	.	.	.	.	.	.	.	.	2	3	.	4	4	1	.	.	.	8	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 5th April, 1919.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Influenzal Pneumonia	Total.
North City No. 1, East, ..	.	1	.	.	.	.	.	.	.	.	.	.	1	3	5
" " 1, West ..	.	.	.	.	.	.	.	.	.	.	.	.	4	1	5
" " 2, ...	.	.	.	.	2	.	.	.	.	.	.	.	1	2	5
" " 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	3	1	4
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2
Finglas and Glasnevin (part of)	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
South City No. 1	.	1	.	.	.	.	.	.	.	.	.	.	4	1	6
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
" " " 3, ...	.	.	.	.	.	.	.	.	2	.	.	.	.	4	6
" " " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	2	.	.	3	.	.	.	4	.	.	.	15	14	38

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 5th April, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 5th April.			
	Mar. 15.	Mar. 22.	Mar. 29.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	8	6	7	.	.	.	7
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	18	17	18	4	5	.	17
Scarlet Fever	50	45	44	3	.	1	46*
Diphtheria, ...	9	9	12	4	2	.	14
Pneumonia, ...	123	111	101	29	29	9	92

* Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12731). Wt. 210. 3. 380. 4, 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 15. VOL. LVI.] WEEK ENDING SATURDAY, 12TH APRIL, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 14th April, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 24·2 and 29·3; Dublin Registration Area, 25·2 and 31·6; Dublin City, 25·4 and 32·8; Belfast, 23·9 and 25·9; Cork, 23·1 and 29·3; Londonderry, 36·9 and 47·4; Limerick, 20·3 and 23·4; and Waterford, 24·7 and 25·2.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·5 per 1,000. The 29 deaths from all causes for Londonderry include 2 from whooping-cough. Included in the 13 deaths from all causes for Waterford is one from measles; and one of the 5 deaths from all causes for Kilkenny is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 190—100 boys and 90 girls—and the deaths to 219—96 males and 123 females.

The deaths registered, omitting the deaths (numbering 23) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 25·2 per 1,000 of the population. During the fifteen weeks ending with Saturday last the death-rate averaged 34·3 and was 9·9 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the fifteen weeks was 36·9 and for the corresponding period of the preceding ten years 25·8.

Of the 196 deaths appertaining to the Area 2 were from scarlet fever, 2 from whooping-cough, and 2 were from diarrhœa and enteritis of children under 2 years.

There were 23 deaths from influenza, being equivalent to an annual rate of 3·0 per 1,000 of the population, and of these 16 belonged to the City, affording a rate of 2·7 per 1,000 of the population, the latter including 8 (or 2·6 per 1,000) assigned to North City Districts and 8 (or 2·8 per 1,000) to South City Districts. Seven deaths from influenza (or 3·9 per 1,000 of the population) were referred to the urban districts (see Table IV., col. 29). In the three preceding weeks deaths from this cause for the Registration Area numbered 77, 34 and 41 respectively.

Deaths attributed to pneumonia were 24 (comprising 10 from broncho-pneumonia, 4 from lobar pneumonia, and 10 from pneumonia, type not distinguished), as against 45, 37, and 34 in the three weeks preceding.

Tuberculous disease caused 23 deaths (comprising 18 from pulmonary tuberculosis, one from abdominal tuberculosis, and 4 from other forms of tuberculous disease), as against 27, 28, and 41 in the three weeks preceding.

Nine deaths were caused by cancer, 19 by organic diseases of the heart, and 35 by bronchitis.

Among deaths of infants under one year old, 2 were due to whooping-cough, one to influenza, 2 to convulsions, 7 to bronchitis, 5 to pneumonia, 2 to diarrhœa and enteritis, one to congenital malformation, 6 to premature birth, and one to congenital debility.

There was one death by accident, and one death by suicide was also registered.

Forty-one of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 29 being infants under one year, of whom 9 were under one month old, and 46 deaths were those of persons aged 65 and upwards, of whom 34 were 70 years of age or over.

Of the 196 deaths recorded, 74 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 12th April, in 96 large English towns (including London, in which the rate was 17·0 was equal to an average annual death rate of 16·9 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 17·3 per 1,000 persons living, the rate for Glasgow being 19·3 and for Edinburgh 15·8.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 12th April. From this Report it appears that of 59 cases notified, 20 were scarlet fever, 16 diphtheria, 12 pulmonary tuberculosis, 10 other forms of tuberculosis, and one puerperal fever. Among the 431 cases of infectious diseases in hospital at the close of the week were 142 of pulmonary tuberculosis, 116 of scarlet fever, 67 of diphtheria, 34 of whooping-cough, 27 of measles, 19 of influenza, 4 of erysipelas, 3 of enteric fever, and 2 of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 12th April, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Group).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin	Mar. 22	1	·	·	·	·	—	2	—	2	4	—	·	—	—	—	—	24	·	·	18	51
	Mar. 29	1	·	·	·	·	—	9	—	5	1	—	·	·	—	—	·	20	·	·	8	44
	April 5	·	·	·	·	·	—	2	—	3	4	—	·	—	·	·	·	14	·	·	15	38
	April 12	·	·	·	·	·	—	7	—	·	1	—	1	—	·	·	·	4	·	·	11	24
Rathmines & Rathgar Urban District	Mar. 22	·	·	·	·	·	—	·	—	·	·	—	·	—	—	—	—	—	·	·	—	·
	Mar. 29	·	·	·	·	·	—	·	—	·	1	—	·	—	—	—	—	—	·	·	—	1
	April 5	·	·	·	·	·	—	·	—	1	1	—	·	—	·	·	·	·	·	·	—	2
	April 12	·	·	·	·	·	—	1	—	·	1	—	·	—	·	·	·	1	·	·	—	3
Pembroke Urban District	Mar. 22	·	·	·	·	·	·	3	·	·	·	·	·	—	—	—	—	—	·	·	·	3
	Mar. 29	·	·	·	·	·	1	1	1	·	·	·	·	—	—	—	—	—	·	·	·	3
	April 5	·	·	·	·	·	4	1	1	2	·	·	·	—	·	·	·	·	·	·	·	8
	April 12	·	·	·	·	·	4	1	·	·	·	·	·	—	·	·	·	·	·	·	·	5
Blackrock Urban District	Mar. 22	·	·	·	·	·	·	·	—	·	·	—	·	—	—	—	—	—	·	·	·	·
	Mar. 29	·	·	·	·	·	·	·	—	·	·	—	·	—	—	—	·	—	·	·	·	·
	April 5	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	April 12	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	Mar. 22	·	·	·	·	·	—	·	—	1	·	—	·	—	—	—	—	—	—	·	3	4
	Mar. 29	·	·	·	·	·	—	·	—	1	·	—	·	—	—	—	—	—	—	·	·	1
	April 5	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	April 12	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	—	·	·	2
City of Belfast	Mar. 22	1	·	·	·	·	—	6	—	1	2	—	·	—	—	—	—	6	1	·	2	19
	Mar. 29	1	·	·	·	·	—	4	—	4	1	—	·	—	—	—	—	·	·	·	1	11
	April 5	·	·	·	·	·	—	9	—	1	1	—	·	—	·	·	·	6	1	·	1	19
	April 12	·	·	1	·	·	—	11	—	6	1	—	·	—	·	·	·	1	·	·	3	23
City of Cork	Mar. 22	·	·	·	·	·	·	·	—	1	1	—	·	·	—	—	—	3	—	·	—	5a
	Mar. 29	·	·	·	·	·	·	·	—	·	·	—	·	·	—	—	—	1	—	·	—	1
	April 5	·	·	·	·	·	·	·	—	2	·	—	·	·	·	·	·	·	—	·	—	2
	April 12	·	·	·	·	·	·	·	—	·	·	—	·	·	·	·	·	·	—	·	—	·
City of Londonderry	Mar. 22	·	·	·	·	·	—	·	—	2	·	—	·	—	—	—	—	—	·	—	—	2
	Mar. 29	·	1	·	·	·	—	·	—	·	·	—	·	—	—	—	—	—	·	—	—	1
	April 5	·	1	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	—	—	2
	April 12	1	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	—	—	2
City of Limerick	Mar. 22	·	·	·	·	·	—	·	—	·	·	—	·	—	—	—	—	—	·	·	—	·
	Mar. 29	·	·	·	·	·	—	·	—	·	·	—	·	—	—	—	—	—	·	·	—	·
	April 5	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	April 12	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
City of Waterford	Mar. 22	·	·	·	·	·	—	·	—	·	·	—	·	—	—	—	—	—	—	—	·	·
	Mar. 29	·	·	·	·	·	—	·	—	·	·	—	·	—	—	—	—	—	—	—	3	3
	April 5	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	April 12	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th April, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever nil and 5; measles one and 8; scarlet fever 10 and 44*; and diphtheria 5 and 13. Fifteen cases of pneumonia were admitted during the week and 66 remained under treatment at its close, as compared with 111, 101 and 92 at the close of the 3 preceding weeks. Of the deaths in hospital during the week one was from each of enteric fever and scarlet fever and 4 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 12th April, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases (b)	BIRTHS. Total Number.	DEATHS. Total Number	Under 1 year of Age	At 65 years and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Enteritis under 2 years of age.	Diarrhœa, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Uncertified Number of Deaths.	Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
	REGISTRATION—WEEK ENDING SATURDAY, 12TH APRIL 1919.						NUMBERS REGISTERED DEATHS. Caused by																					METEOROLOGY. (c) WEEK ENDING 12TH APRIL, 1919. Air Temperature.					
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	23·6	24·2	0·5	518	531	73	131	·	·	·	1	2	5	·	·	51	21	17	66	106	4	·	7	13	163	20	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	24·5	25·2	0·8	190	196	29	46	·	·	·	·	2	2	·	·	18	5	9	24	36	2	·	2	3	74	6	(d) 60·0	33·4	55·6	40·6	48·1	0·22
Urban Districts. CITY OF DUBLIN,	310,500	38·0	27·0	25·4	0·7	161	151	21	33	·	·	·	·	2	·	·	·	15	5	6	18	29	2	·	2	3	61	5	(e) 59·0	38·1	55·2	43·4	49·3	0·23
																													(f) 60·6	35·0	56·4	41·4	48·9	0·25
RATHMINES and RATHGAR.	39,400	23·0	7·9	27·8	1·3	6	21	3	7	·	·	·	·	·	1	·	·	1	·	3	3	4	·	·	·	·	6	·	·	·	·	·	·	·
PEMBROKE, ..	29,500	18·8	24·7	24·7	·	14	14	2	4	·	·	·	·	·	·	·	·	1	·	·	1	3	·	·	·	·	5	·	·	·	·	·	·	·
BLACKROCK, ..	9,000	8·3	5·8	29·0	·	1	5	·	1	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ..	16,600	11·4	25·1	15·7	3·1	8	5	3	1	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	2	1	60	39	56·1	44·3	50·2	0·38
Urban Districts. BELFAST, ..	401,000	26·8	21·1	23·9	0·1	162	184	25	44	·	·	·	·	·	·	·	·	21	7	6	20	38	1	·	3	6	50	4	59·5	35·0	54·9	41·0	48·0	0·39
CORK, ...	76,673	28·6	21·8	23·1	·	32	34	4	8	·	·	·	·	·	·	·	·	4	4	·	3	8	·	·	·	·	14	1	·	·	·	·	·	·
LONDONDERRY, ..	41,000	15·9	30·5	35·9	2·5	24	29	6	5	·	·	·	·	·	2	·	·	2	1	·	8	6	·	·	·	1	7	3	·	·	·	·	·	·
LIMERICK, ..	38,518	16·1	23·0	20·3	·	17	15	2	6	·	·	·	·	·	·	·	·	·	·	·	2	6	·	·	·	·	2	2	·	·	·	·	·	·
WATERFORD, ...	27,464	19·1	15·2	24·7	1·9	8	13	·	5	·	·	·	1	·	·	·	·	1	·	·	1	6	·	·	1	1	1	·	62	34	54	43	48·5	0·36
GALWAY, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			4	3	·	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	57	34	53	42·6	47·8	0·41
DUNDALK, ..	13,128	9·5				10	2	·	1	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·
LURGAN, ..	12,553	14·7				5	3	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	·	59·0	34·5	54·7	40·9	47·8	0·36
DROGHEDA, ..	12,501	8·4				3	5	·	1	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·
LISBURN, ..	12,388	10·9				5	10	2	3	·	·	·	·	·	·	·	·	·	1	·	3	1	·	·	1	1	3	·	59	30	55·3	39·1	47·2	1·11
NEWRY, ...	11,963	17·0				6	6	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	·	59·0	34·5	54·7	40·9	47·8	0·36
PORTADOWN, ..	11,727	15·3				2	6	2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2	·	59·0	34·5	54·7	40·9	47·8	0·36
WEXFORD, ..	11,531	22·8				7	8	·	2	·	·	·	·	·	·	·	·	2	1	·	·	2	·	·	·	·	·	1	·	·	·	·	·	·
BALLYMENA, ..	11,381	9·3				25	4	2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·
SLIGO, ...	11,163	3·8				2	3	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	1	1	59	34	55	40	47·5	1·03
KILKENNY, ..	10,514	11·4				4	5	·	·	·	·	·	·	·	1	·	·	·	2	·	·	1	·	·	·	·	3	1	60	33	54·8	42·1	48·5	0·55
TRALEE, ...	10,300	17·4				7	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
CLONMEL, ..	10,209	7·8				5	4	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	1	62	31	55	41	48	0.60
LONDON	4,206,901	—	—	17·0	—	1,292	1,309	126	514	1	—	1	9	4	3	12	—	118	14	112	87	189	10	4	52	112	578	3	63	36	57·9	41·9	49·9	0·35
EDINBURGH ...	336,500	—	—	15·8	—	90	102	14	35	·	—	·	·	·	5	1	—	—	—	—	—	—	·	—	4	—	—	—	59·0	36·0	53·3	41·0	47·1	0·12
GLASGOW	1,118,700	—	—	19·3	—	451	415	63	104	·	1	·	18	·	45	3	—	—	—	—	—	—	4	—	8	—	—	—	55·4	37·1	51·3	41·7	46·5	0·60

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College, and those for Waterford by De La Salle College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 15th Week of the 5 years, 1914-1918.	All Ages.	Deaths registered during week ending Saturday, 12th April, 1919. Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20	20—25	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	201·2	219	9	20	4	9	7	5	7	10	21	17	26	37	32	15	196
Enteric Fever ..	1·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	11·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·8	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	2
Whooping-cough ..	4·4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2
Diphtheria	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1·8	27	.	1	.	.	2	1	1	2	10	5	3	1	1	.	23
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	26·0	22	.	.	1	.	1	2	.	3	4	3	6	1	1	.	18
Tuberculous Meningitis	4·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	2·0	4	.	.	.	1	.	.	3	.	.	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·2	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·6	3	.	.	.	.	.	.	2	1	.	.	.	.	.	.	3
Venereal Diseases ..	1·0	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	11·8	9	.	.	.	.	.	.	.	.	.	.	3	6	.	.	9
Tumour, situation undefined.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Other General Diseases	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.	6·0	4	.	.	.	.	.	.	.	.	.	.	.	1	2	1	3
Softening of Brain ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·4	5	.	.	.	.	.	.	.	.	.	.	1	1	3	.	5
Epilepsy.	·8	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	2
Convulsions (non-puerperal).	3·8	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	1·4	3	.	.	.	.	.	.	.	.	.	.	1	2	.	.	2
Pericarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	17·0	21	.	.	.	.	.	.	.	.	2	.	2	5	10	2	19
Embolism and Thrombosis (including Cerebral).	·4	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Diseases of the Larynx	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	28·6	35	.	7	1	.	.	1	.	.	1	.	3	9	7	6	35
Broncho-pneumonia ..	9·4	10	.	3	2	4	.	.	.	.	.	.	.	.	1	.	10
Lobar pneumonia ..	2·8	4	.	1	.	.	.	.	.	.	.	.	2	1	.	.	4
Pneumonia (type not distinguished).	6·8	10	.	1	.	.	1	.	.	.	1	3	1	3	.	.	10
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	1·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1

in the FIFTEENTH WEEK, ending Saturday, 12th April, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 15th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 12th April, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx, Tonsillitis.	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·		1
Diseases of Stomach ..	1·6	2	·	1	·	·	·	·	·	·	·	1	·	·		·		2
Diarrhœa and Enteritis of Children under 2 years.	2·2	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·		2
Diarrhœa 2 years and upwards.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Enteritis 2 years and upwards.	·6	2	·	·	·	2	·	·	·	·	·	·	·	·	·	·		2
Appendicitis and Typhlitis.	·2	2	·	·	·	·	·	1	·	·	·	1	·	·	·	·		1
Hernia and Intestinal Obstructions.	2·2	2	·	·	·	·	·	·	·	2	·	·	·	·	·	·		1
Cirrhosis of Liver ..	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Liver	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Peritonitis (cause unknown).	·2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		·
Other Diseases of Digestive System.	·6	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·		1
Acute Nephritis ..	·2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·		1
Chronic Bright's Disease	5·2	6	·	·	·	·	·	·	·	·	·	·	2	2	2	·		6
Urinary Calculi ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ovarian Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Genito-urinary System.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other causes incident to Pregnancy and Childbirth.	·2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·		1
Diseases of Skin and Cellular Tissues.	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Locomotor System.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Congenital Malformations.	·6	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·		1
Premature Birth ..	4·2	6	5	1	·	·	·	·	·	·	·	·	·	·	·	·		6
Congenital Debility ..	4·4	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·		1
Old Age	8·0	6	·	·	·	·	·	·	·	·	·	·	·	·	·	6		6
Other Specified Diseases	2·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Burns and Scalds ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Drowning	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suffocation in Bed, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Vehicles and Horses ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Gunshot Wounds, &c.	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Violent Deaths		2	·	·	·	·	·	·	·	·	·	1	·	1	·	·		1
Not included in above—																		
Homicide. ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suicide, ..	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·		1
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ill-defined, &c., Causes,	1·8	8	·	·	·	·	·	·	·	·	·	·	2	3	3	·		7

TABLE IV.—Showing for the WEEK ENDED 12TH APRIL, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes	From certain Epidemic Diseases*	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
North City, No. 1, E., ...	30,000	34·8	1·7	20	4	·	2	1	·	5	5	3	·	·	·	·	·	·	·	·	5	·	·	3	5	1	·	·	1	·	2	2	·
" 1, W., ...	41,100	24·1	·	19	4	·	1	1	3	·	5	5	·	·	·	·	·	·	·	·	·	3	2	3	3	·	·	·	·	·	4	6	1
" 2, ...	27,500	19·0	·	10	·	1	·	2	1	·	5	1	·	·	·	·	·	·	·	·	·	1	·	2	2	·	·	·	1	1	6	·	1
" 3, ...	34,100	19·9	·	13	1	·	1	1	·	1	6	3	·	·	·	·	·	·	·	·	1	·	1	1	1	·	·	1	3	·	8	2	·
Clontarf and Howth, No. 1, part of	5,500	9·5	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·
Coolock and Drumcondra, part of ..	13,600	30·7	·	8	·	·	·	1	2	2	2	1	·	·	·	·	·	·	·	·	2	·	·	1	·	·	·	1	1	2	2	·	·
Finglas and Glasnevin, part of ..	11,100	28·2	·	6	1	·	·	1	1	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	2	·	2	·	1
South City.																																	
South City, No. 1, ..	43,000	17·0	1·2	14	2	1	2	1	·	2	3	3	·	·	·	·	1	·	·	·	·	·	1	3	2	·	·	·	1	·	2	5	1
" 2, ...	18,200	22·9	·	8	1	·	·	·	·	1	3	3	·	·	·	·	·	·	·	·	2	·	1	·	2	·	·	·	1	·	2	3	·
" 3, ...	43,300	36·1	1·2	30	4	·	2	2	3	3	9	7	·	·	·	·	1	·	·	·	3	·	1	3	6	·	·	·	3	·	7	3	1
" 4, ...	32,800	31·8	1·6	20	3	·	·	1	1	4	7	4	·	·	·	·	·	·	·	·	1	1	·	1	6	1	·	·	3	·	·	5	·
New Kilmainham, ...	10,300	10·1	·	2	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·
Urban Districts.																																	
Rathmines and Rathgar, ..	39,400	27·8	1·3	21	3	·	·	·	·	3	8	7	·	·	·	·	·	1	·	·	1	·	3	3	4	·	·	·	3	·	6	·	·
Pembroke	29,500	24·7	·	14	2	·	·	1	·	5	2	4	·	·	·	·	·	·	·	·	1	·	·	1	3	·	·	·	2	·	5	·	·
Blackrock, ...	9,000	29·0	·	5	·	2	·	·	·	·	2	1	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	1	·	·	·	·
Kingstown, ...	16,600	15·7	3·1	5	3	·	·	·	·	·	1	1	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	1	·	·	2	1
Total City. North, ...	162,900	24·6	0·3	77	10	1	4	7	7	10	23	15	·	·	·	·	·	·	·	·	9	4	3	11	11	1	·	2	8	3	24	10	3
South, ...	147,600	26·1	1·1	74	11	1	4	4	4	10	22	18	·	·	·	·	2	·	·	·	6	1	3	7	18	1	·	·	8	·	11	16	2
North and South, ..	310,500	25·4	0·7	151	21	2	8	11	11	20	45	33	·	·	·	·	2	·	·	·	15	5	6	18	29	2	·	2	16	3	35	26	5
Total Urban Districts, ...	94,500	24·8	1·1	45	8	2	·	1	·	8	13	13	·	·	·	·	·	2	·	·	3	·	3	6	7	·	·	·	7	·	11	2	1
Total Registration Area, ..	405,000	25·2	0·8	196	29	4	8	12	11	28	58	46	·	·	·	·	2	2	·	·	18	5	9	24	36	2	·	2	23	3	46	28	6
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				23	·	·	1	·	6	10	5	1	1	·	·	·	·	·	·	·	4	4	·	·	·	·	·	1	4	·	22	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 12th April, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 12TH APRIL, 1919.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	219	42	12	17	38	63	32	15	1	.	.	.	2	2	.	.	22	9	9	2	24	36	2	.	3	107	6
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	10·7	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
II.	MIDDLE CLASS	101,798	25·6	50	8	3	4	10	14	7	4	.	.	.	.	1	1	.	.	8	1	4	.	4	3	1	.	.	27	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	25·0	52	12	2	3	6	18	8	3	1	.	.	.	.	1	.	.	4	1	2	.	5	12	.	.	2	24	2
IV.	GENERAL SERVICE CLASS	167,479	26·5	85	19	6	7	18	18	12	5	.	.	.	.	1	.	.	.	8	6	1	2	13	15	.	.	1	38	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	29	3	1	3	3	11	5	3	.	.	.	.	.	.	.	.	2	1	2	.	1	6	1	.	.	16	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	2	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	7	1	1	1	.	1	2	1	.	.	.	.	1	.	.	.	.	1	.	.	2	1	.	.	.	2	1
	6. Clerks and Commercial Assistants,	33,249	—	12	4	.	1	2	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	9	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	28	1	2	2	8	9	3	3	.	.	.	.	.	.	.	.	8	.	3	.	1	2	.	.	.	14	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	9. Building and Furnishing Trades, ..	28,823	—	11	5	1	.	1	3	1	.	.	.	.	.	.	1	.	.	.	.	.	.	2	2	.	.	.	6	.
	10. Clothing Trades, ...	20,026	—	9	1	1	.	3	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	4	1
	11. Food Supply Trades, ...	8,952	—	4	1	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	24	3	.	2	2	12	3	2	.	.	.	.	.	.	.	.	4	1	1	.	1	6	.	.	2	9	1
	13. Petty Shopkeepers, ...	6,772	—	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	17	5	1	2	4	3	.	2	.	.	.	.	.	.	.	.	3	1	1	.	2	.	.	.	1	9	1
	15. Domestic Servants, ...	36,041	—	12	.	.	1	4	3	2	2	.	.	.	.	.	.	.	.	4	.	.	.	1	3	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	4	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	52	13	4	4	8	12	10	1	.	.	.	.	1	.	.	.	.	5	.	2	9	11	.	.	.	24	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	29	3	1	3	3	11	5	3	.	.	.	.	.	.	.	.	2	1	2	.	1	6	1	.	.	16	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15	Mar. 22.	Mar. 29.	Apr 5.	Apr 12	Jan. 18.	Jan. 25.	Feb. 1	Feb. 8.	Feb 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22	Mar. 29.	Apr. 5.	Apr. 12.
No. of weeks in Annual Series ..	3	4	5	6	7	8	9	10	11	12	13	14	15	3	4	5	6	7	8	9	10	11	12	13	14	15
BIRTHS registered	202	197	177	196	199	170	192	208	189	171	192	217	190	204	151	166	170	169	172	184	164	160	198	167	175	162
Average Births in corresponding week of previous 10 years, ...	206	214	214	214	208	205	207	215	201	226	215	238	238	209	207	214	201	198	199	216	203	211	215	207	206	216
Number of Deaths, ...	172	179	183	194	259	351	466	489	371	288	245	253	196	121	145	126	168	175	218	238	233	261	238	207	168	184
Annual Death-rate per 1,000 ..	22·1	23·0	23·6	25·0	33·3	45·2	60·0	63·0	47·8	37·1	31·5	32·6	25·2	15·7	18·9	16·4	21·8	22·8	28·3	30·9	30·3	33·9	30·9	26·9	21·8	23·9
Average Deaths in corresponding week of previous 10 years, ...	182	186	186	186	185	195	193	194	185	196	186	192	191	144	159	171	179	167	166	162	165	162	164	158	168	166
Ages, .. Under one year, ..	25	31	36	27	37	29	66	51	44	36	37	41	29	22	33	21	37	33	34	21	21	42	33	29	30	25
1— 5 years, ..	9	20	10	13	17	19	45	50	49	28	25	18	12	7	10	11	10	17	13	20	16	21	22	12	6	14
5—25 ,, ..	13	21	16	13	29	32	57	63	35	39	26	25	23	22	16	17	21	21	29	32	27	24	31	21	16	30
25—45 ,, ..	24	26	24	29	40	80	99	98	77	58	39	55	28	19	20	15	22	28	33	48	40	33	34	42	18	29
45—65 ,, ..	47	36	46	49	69	89	110	115	87	63	59	62	58	22	27	31	36	31	52	57	60	67	57	50	54	42
65 and upwards, ..	54	45	51	63	67	102	89	112	79	64	59	52	46	29	39	31	42	45	57	60	69	74	61	53	44	44
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	..	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	1	.	1	.	2	3	2	6	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	1	2	.	1	.	.	.	3	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	.	1	.	2	.	1	2	.	.	1	1	2	.	.	.	.	.	.	1	1	.	1	.	.	.
Diphtheria, ...	.	1	.	.	.	.	.	.	1	1	1	1	.	.	1	1	1	2	.	1	1	1	2	1	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Tuberculosis { Pulmonary, ..	22	21	19	27	30	26	21	30	29	23	21	27	18	16	13	16	19	25	28	21	19	21	22	26	16	21
Tuberculosis { Other Forms, ..	4	11	6	3	1	3	11	7	7	4	7	14	5	7	6	4	5	7	8	6	6	4	5	5	4	7
Cancer, ...	7	10	8	11	10	10	8	16	8	7	3	7	9	5	2	5	8	7	7	7	8	8	13	5	9	6
Diseases of Respiratory System, { Pneumonia ..	10	15	18	24	43	50	83	89	60	45	37	34	24	10	10	17	30	24	37	39	41	55	46	23	21	20
Diseases of Respiratory System, { Others, ..	28	24	31	39	60	71	82	99	57	51	54	44	36	15	34	16	30	45	51	73	83	61	61	52	33	38
Diarrhœa and Enteritis, under 2 years, ...	3	3	3	3	6	5	4	1	1	5	3	4	2	5	2	.	.	1	1	1	.	2	1	3	1	1
Diarrhœa, 2 years and upwards..	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.
Violent Deaths, ...	1	5	2	2	2	1	1	1	3	1	3	4	2	5	4	5	5	3	3	4	.	1	3	2	7	3
Number of Uncertified Deaths, ..	3	8	7	8	8	8	10	8	9	5	4	7	6	2	3	1	.	2	2	2	3	1	1	2	5	4
A Mean Maximum Temperature in degs	46·4	47·7	42·7	41·6	43·5	45·2	44·6	47·5	47·9	46·1	42·4	49·1	55·6	44·9	46·6	41·5	40·8	43·8	44·3	45·7	44·5	48·6	44·6	43·1	48·9	54·9
B Mean Minimum ,, ,,	35·0	34·6	32·0	34·3	31·4	36·1	25·7	33·6	32·2	32·0	29·3	32·9	40·6	33·3	36·3	35·3	34·6	37·4	34·8	32·7	32·0	34·7	34·4	29·4	37·5	41·0
Mean of A and B ,, ,,	40·7	41·2	37·4	38·0	37·5	40·7	35·2	40·6	40·1	39·1	35·9	41·0	48·1	39·1	41·4	38·4	37·7	40·6	39·6	39·2	38·3	41·7	39·5	36·3	43·2	48·0
Rainfall in inches	0·56	0·45	0·39	0·68	0·16	0·57	0·10	0·64	0·18	1·18	0·37	0·18	0·22	0·45	0·94	0·58	0·14	0·09	0·91	0·30	0·67	0·20	1·98	0·37	0·06	0·39

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 12th April, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	7	26·3	.	8	1	.	2	1	3	1	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	1	1	1	.
Do. 2 do.	49,500	21	31·6	.	30	2	1	4	7	10	6	.	.	.	.	.	.	.	.	4	1	2	4	5	.	.	1	2	4	.
Do. 3 do.	50,032	15	27·1	.	26	8	1	3	4	3	7	.	.	.	.	.	.	.	.	2	1	2	1	4	.	.	.	1	7	.
Do. 4 do.	32,637	18	22·4	.	14	5	1	1	.	1	6	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	10	1
Do. 5 do.	16,112	5	16·2	.	5	.	2	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	2	.
Do. 6 do.	37,293	8	32·2	.	23	1	1	2	5	7	7	.	.	.	.	.	.	.	.	2	.	2	2	9	.	.	.	.	7	.
Do. 7 do.	2,681	.	19·4	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	26·2	.	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.
Do. 9 do.	24,427	14	17·1	.	8	2	1	1	.	2	2	.	.	.	.	.	.	.	.	.	1	.	4	1	.	.	.	.	2	.
Do. 10 do.	28,958	12	9·0	.	5	.	.	1	1	2	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2	.
Do. 11 do.	39,311	19	21·2	.	16	2	1	5	1	2	5	.	.	.	.	.	.	.	.	3	1	.	1	2	.	.	.	.	4	1
Do. 12 do.	38,076	22	24·6	1·4	18	1	3	1	4	3	6	.	.	.	.	.	.	.	.	2	.	.	.	7	1	.	1	1	3	.
Do. 13 do.	23,233	9	29·2	.	13	.	2	5	3	1	2	.	.	.	.	.	.	.	.	2	2	.	1	.	.	.	.	1	4	.
Do. 14 do.	175	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	9	32·2	.	14	3	1	3	2	4	1	.	.	.	.	.	.	.	.	5	.	.	2	.	.	.	.	.	3	2
Total,	386,947	162	23·9	0·1	184	25	14	30	29	42	44	.	.	.	.	.	.	.	.	21	7	6	20	38	1	.	3	6	50	4
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	6	15·5	.	4	1	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	1
Do. 2 do.	10,399	3	5·0	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 3 do.	9,793	4	26·6	.	5	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.
Do. 4 do.	9,139	3	11·4	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.
Do. 5 do.	6,250	.	58·4	.	7	1	.	3	.	3	.	.	.	.	.	.	.	.	.	3	1	.	2	.	.	.	.	.	4	.
Do. 6 do.	11,581	4	18·0	.	4	1	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 7 do.	16,056	12	35·7	.	11	.	.	3	.	6	2	.	.	.	.	.	.	.	.	.	3	.	1	3	.	.	.	.	6	.
Total.	76,673	32	23·1	.	34	4	.	7	3	12	8	.	.	.	.	.	.	.	.	4	4	.	3	8	.	.	.	.	14	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 12th April, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	2	5
" " 1, West ..	.	.	.	.	.	1	.	.	1	1	.	.	.	3	.	.	2	8
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 3, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	2	4
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " " 3, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	3
" " " 4, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	.	.	.	.	7	.	.	1	1	.	.	.	4	.	.	11	24

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 12th April, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 12th April.			
	Mar. 22.	Mar. 29.	Apr. 5.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	6	7	7	.	1	1	5
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	17	18	17	1	10	.	8
Scarlet Fever	45	44	46	10	11	1	44*
Diphtheria, ...	9	12	14	5	6	.	13
Pneumonia, ...	111	101	92	15	37	4	66

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12762). Wt. 210. 3. 380. 4, 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 16. VOL. LVI.] WEEK ENDING SATURDAY, 19TH APRIL, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 22nd April, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 19·9 and 25·8; Dublin Registration Area, 22·8 and 28·0; Dublin City, 22·7 and 28·8; Belfast, 17·0 and 22·4; Cork, 19·0 and 26·2; Londonderry, 24·2 and 39·8; Limerick, 19·0 and 21·7; and Waterford, 20·9 and 25·7.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·6 per 1,000. Included in the 131 deaths from all causes for Belfast are 2 from diarrhœal diseases. One of the 28 deaths from all causes for Cork is from typhus. The 19 deaths from all causes for Londonderry include one from each of typhus, measles and whooping-cough. One of the 8 deaths from all causes for Lisburn was due to dysentery. Included in the 5 deaths from all causes for Sligo is one from measles; and one of the 5 deaths from all causes for Kilkenny is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 145—73 boys and 72 girls—and the deaths to 193—80 males and 113 females.

The deaths registered, omitting the deaths (numbering 16) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 22·8 per 1,000 of the population. During the sixteen weeks ending with Saturday last the death-rate averaged 33·6 and was 9·2 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the sixteen weeks was 36·2 and for the corresponding period of the preceding ten years 25·9.

Of the 177 deaths appertaining to the Area 3 were from whooping cough, and one was from diarrhœa and enteritis of a child under 2 years.

There were 20 deaths from influenza, being equivalent to an annual rate of 2·6 per 1,000 of the population, and of these 12 belonged to the City, affording a rate of 2·0 per 1,000 of the population, the latter including 5 (or 1·6 per 1,000) assigned to North City Districts and 7 (or 2·5 per 1,000) to South City Districts. Eight deaths from influenza (or 4·4 per 1,000 of the population) were referred to the urban districts (see Table IV., col. 29). In the three preceding weeks deaths from this cause for the Registration Area numbered 34, 41 and 23 respectively.

Deaths attributed to pneumonia were 22 (comprising 8 from broncho-pneumonia, 2 from lobar pneumonia, and 12 from pneumonia, type not distinguished), as against 37, 34, and 24 in the three weeks preceding.

Tuberculous disease caused 31 deaths (comprising 20 from pulmonary tuberculosis, 6 from tuberculous meningitis, and 5 from other forms of tuberculous disease), as against 28, 41, and 23 in the three weeks preceding.

Nine deaths were caused by cancer, 17 by organic diseases of the heart, and 22 by bronchitis.

Among deaths of infants under one year old, one was due to whooping-cough, one to influenza, 2 to tuberculous disease, 3 to convulsions, 4 to bronchitis, 2 to broncho-pneumonia, one to pneumonia, one to diarrhœa and enteritis, 2 to premature birth, and 2 to congenital debility.

There were 5 deaths by accident, of which 2 were due to drowning.

Thirty-four of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 22 being infants under one year, of whom 7 were under one month old, and 63 deaths were those of persons aged 65 and upwards, of whom 44 were 70 years of age or over.

Of the 177 deaths recorded, 63 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 19th April, in 96 large English towns (including London, in which the rate was 14·1) was equal to an average annual death rate of 14·3 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 15·3 per 1,000 persons living, the rate for Glasgow being 16·1 and for Edinburgh 16·3.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 19th April. From this Report it appears that of 42 cases notified, 10 were scarlet fever, 10 pulmonary tuberculosis, 8 other forms of tuberculosis, 8 diphtheria and 6 erysipelas. Among the 431 cases of infectious diseases in hospital at the close of the week were 142 of pulmonary tuberculosis, 115 of scarlet fever, 62 of diphtheria, 35 of whooping-cough, 25 of measles, 14 of influenza, 7 of erysipelas, one of enteric fever, and one of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 19th April, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Group).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin	Mar. 29	1	·	·	·	·	—	9	—	5	1	—	·	—	—	—	—	20	·	·	8	44
	April 5	·	·	·	·	·	—	2	—	3	4	—	·	—	·	·	·	14	·	·	15	38
	April 12	·	·	·	·	·	—	7	—	·	1	—	1	—	·	·	·	4	·	·	11	24
	April 19	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	6	·	·	19	26
Rathmines & Rathgar Urban District	Mar. 29	·	·	·	·	·	—	·	—	·	1	—	·	—	—	—	—	—	·	·	—	1
	April 5	·	·	·	·	·	—	·	—	1	1	—	·	—	·	·	·	·	·	·	—	2
	April 12	·	·	·	·	·	—	1	—	·	1	—	·	—	·	·	·	1	·	·	—	3
	April 19	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
Pembroke Urban District	Mar. 29	·	·	·	·	·	1	1	1	·	·	·	·	—	—	—	—	—	·	·	·	3
	April 5	·	·	·	·	·	4	1	1	2	·	·	·	—	·	·	·	·	·	·	·	8
	April 12	·	·	·	·	·	4	1	·	·	·	·	·	—	·	·	·	·	·	·	·	5
	April 19	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
Blackrock Urban District	Mar. 29	·	·	·	·	·	·	·	—	·	·	—	·	—	—	—	—	—	·	·	·	·
	April 5	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	April 12	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	April 19	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	Mar. 29	·	·	·	·	·	—	·	—	1	·	—	·	—	—	—	—	—	—	·	·	1
	April 5	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	April 12	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	—	·	·	2
	April 19	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	4	—	·	·	5
City of Belfast	Mar. 29	1	·	·	·	·	—	4	—	4	1	—	·	—	—	—	—	·	·	·	1	11
	April 5	·	·	·	·	·	—	9	—	1	1	—	·	—	·	·	·	6	1	·	1	19
	April 12	·	·	1	·	·	—	11	—	6	1	—	·	—	·	·	·	1	·	·	3	23
	April 19	·	·	·	·	·	—	7	—	7	2	—	·	—	·	·	·	·	·	·	·	16
City of Cork	Mar. 29	·	·	·	·	·	·	·	—	·	·	—	·	·	—	—	—	1	—	·	—	1
	April 5	·	·	·	·	·	·	·	—	2	·	—	·	·	·	·	·	·	—	·	—	2
	April 12	·	·	·	·	·	·	·	—	·	·	—	·	·	·	·	·	·	—	·	—	·
	April 19	1	1	1	·	·	·	·	—	·	1	—	·	·	·	·	·	·	—	·	—	4
City of Londonderry	Mar. 29	·	1	·	·	·	—	·	—	·	·	—	·	—	—	—	—	—	·	—	—	1
	April 5	·	1	·	·	·	—	1	—	·	·	—	·	—		·	·	·	·	—	—	2
	April 12	1	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	—	—	2
	April 19	1	4	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	·	—	—	7
City of Limerick	Mar. 29	·	·	·	·	·	—	·	—	·	·	—	·	—	—	—	—	—	·	·	—	·
	April 5	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	April 12	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	April 19	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
City of Waterford	Mar. 29	·	·	·	·	·	—	·	—	·	·	—	·	—	—	—	—	—	—	—	3	3
	April 5	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	April 12	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	April 19	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 19th April, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever one and 6; measles 9 and 15; scarlet fever 2 and 35*; and diphtheria one and 12. Nineteen cases of pneumonia were admitted during the week and 54 remained under treatment at its close, as compared with 101, 92 and 66 at the close of the 3 preceding weeks. Of the deaths in hospital during the week 5 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 19th April, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	POPULATION. Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 19TH APRIL, 1919. Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	BIRTHS. Total Number.	DEATHS. Total Number	Under 1 year of Age	At 65 years and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 19TH APRIL, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	17·3	19·9	0·6	380	437	58	135	·	2	·	2	·	5	·	1	39	19	20	52	74	2	1	8	9	134	17	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	18·7	22·8	0·5	145	177	22	63	·	·	·	·	·	3	·	·	20	11	9	22	24	1	·	5	6	63	5	(d) 62·6	34·8	55·4	41·5	48·5	0·50
Urban Districts. CITY OF DUBLIN,	310,500	38·0	20·2	22·7	0·5	120	135	18	44	·	·	·	·	·	2	·	·	16	9	6	18	22	1	·	5	6	52	2	(e) 62·8	39·6	55·9	44·2	50·1	0·23
																													(f) 64·2	38·4	56·4	43·2	49·8	0·41
RATHMINES and RATHGAR	39,400	23·0	14·6	22·5	·	11	17	1	8	·	·	·	·	·	·	·	·	3	·	3	·	1	·	·	·	·	2	3	·	·	·	·	·	·
PEMBROKE, ..	29,500	18·8	14·1	23·0	·	8	13	2	6	·	·	·	·	·	·	·	·	·	2	·	3	1	·	·	·	·	5	·	·	·	·	·	·	·
BLACKROCK, ..	9,000	8·3	11·6	29·0	·	2	5	·	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·
KINGSTOWN, ..	16,600	11·4	12·6	22·0	3·1	4	7	1	3	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	2	·	59	39	54·4	44·1	49·3	0·26
Urban Districts. BELFAST, ..	401,000	26·8	18·9	17·0	0·3	145	131	23	31	·	·	·	·	·	·	·	·	13	6	6	13	31	1	1	3	3	35	1	61·2	35·4	53·5	41·0	47·3	0·52
CORK, ...	76,673	28·6	8·8	19·0	0·7	13	28	·	12	·	1	·	·	·	·	·	·	3	1	1	5	4	·	·	·	·	13	1	·	·	·	·	·	·
LONDONDERRY, ..	41,000	15·9	22·9	24·2	3·8	18	19	5	2	·	1	·	1	·	1	·	·	1	·	1	3	5	·	·	·	·	3	1	·	·	·	·	·	·
LIMERICK, ..	38,518	16·1	8·1	19·0	·	6	14	1	5	·	·	·	·	·	·	·	·	1	·	·	1	6	·	·	·	·	4	1	·	·	·	·	·	·
WATERFORD, ..	27,464	19·1	13·3	20·9	·	7	11	·	4	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·	5	·	61	42	56	46	51	0·35
GALWAY, ...	13,255	2·5				3	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	54	38	52·6	42·7	47·7	0·74
DUNDALK, ..	13,128	9·5				1	3	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·
LURGAN, ..	12,553	14·7				5	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	59·1	35·6	54·8	40·5	47·6	0·31
DROGHEDA, ..	12,501	8·4	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			10	5	·	3	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·	2	1	·	·	·	·	·	·
LISBURN, ..	12,388	10·9				4	8	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	62	33	54·7	44	49·3	0·78
NEWRY, ...	11,963	17·0				5	8	1	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	59·1	35·6	54·8	40·5	47·6	0·31
PORTADOWN, ..	11,727	15·3				1	5	1	2	·	·	·	·	·	·	·	·	·	1	·	·	3	·	·	·	·	1	·	59·1	35·6	54·8	40·5	47.6	0·31
WEXFORD, ..	11,531	22·8				7	3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
BALLYMENA, ..	11,381	9·3				3	3	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
SLIGO, ...	11,163	3·8				2	5	2	1	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	3	2	61	35	53	42	47·5	0·61
KILKENNY, ..	10,514	11·4				1	5	1	3	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	1	2	61	36	54·8	42·7	48·8	0·54
TRALEE, ...	10,300	17·4				3	7	1	4	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	1	1	·	·	·	·	·	·
CLONMEL, ..	10,209	7·8				1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	61	36	54	42	48	0.52
LONDON	4,206,901	—	—	14·1	—	1,148	1,091	107	434	1	—	·	10	2	5	14	—	103	20	99	112	147	7	5	30	8	485	·	70	39	58·6	43·1	50·9	0·67
EDINBURGH ...	336,500	—	—	16·3	—	98	105	13	38	·	—	·	2	·	11	1	—	—	—	—	—	—	1	—	1	—	—	—	59·0	33·0	50·3	38·9	44·6	1·64
GLASGOW	1,118,700	—	—	16·1	—	386	316g	59	84	·	·	·	14	1	33	1	—	—	—	—	—	—	2	—	5	—	—	—	59·8	36·8	50·9	41·6	46·2	0·48

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College, and those for Waterford by De La Salle College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 16th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 19th April, 1919. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20	20—25	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	201·4	193	7	15	9	3	6	4	7	7	20	18	14	16	40	27	177
Enteric Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	13·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	5·8	3	.	1	1	.	1	.	.	.	.	.	.	.	.	.	3
Diphtheria	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1·6	22	.	1	1	.	.	.	1	2	6	1	3	3	1	3	20
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	22·8	21	.	1	.	1	2	1	1	3	7	4	.	.	1	.	20
Tuberculous Meningitis	4·0	6	.	1	.	1	3	.	1	.	.	.	.	.	.	.	6
Abdominal Tuberculosis	3·2	4	.	.	.	1	.	.	2	.	.	.	1	.	.	.	2
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·4	3	.	.	.	.	.	.	1	.	.	1	.	.	1	.	3
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	11·6	9	.	.	.	.	.	.	.	.	1	1	2	.	4	1	9
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Anæmia, Leucocythæmia.	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2
Alcoholism ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	5·6	3	.	.	.	.	.	.	.	.	1	.	.	1	1	.	3
Softening of Brain ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	3·0	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
Epilepsy.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	3·8	6	3	.	2	.	.	.	1	.	.	.	.	.	.	.	6
Other Diseases of Nervous System.	3·4	4	.	.	.	.	.	.	.	.	.	2	.	.	1	1	2
Pericarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	15·4	18	.	.	.	.	.	2	.	.	1	1	.	2	6	6	17
Embolism and Thrombosis (including Cerebral).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	23·0	22	.	4	.	.	.	1	.	.	.	.	3	4	6	4	22
Broncho-pneumonia ..	8·4	8	.	2	3	.	.	.	.	.	.	.	.	.	3	.	8
Lobar pneumonia ..	2·4	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2
Pneumonia (type not distinguished).	6·6	12	.	1	1	.	.	.	.	.	1	2	3	2	1	1	12
Pleurisy	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Other Diseases of Respiratory System	1·4	3	.	.	.	.	.	.	.	1	.	.	.	.	2	.	1

in the SIXTEENTH WEEK, ending Saturday, 19th April, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 16th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 19th April, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx, Tonsillitis.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	2·6	2	·	·	·	·	·	·	·	·	·	1	·	·	1	·	1	
Diarrhœa and Enteritis of Children under 2 years.	3·8	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	
Diarrhœa 2 years and upwards.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Enteritis 2 years and upwards.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Appendicitis and Typhlitis.	·4	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	
Hernia and Intestinal Obstructions.	1·4	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	
Cirrhosis of Liver ..	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Liver	·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	1	2	
Peritonitis (cause unknown).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Digestive System.	1·0	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	
Acute Nephritis ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Chronic Bright's Disease	6·0	3	·	·	·	·	·	·	·	·	·	·	1	1	1	·	2	
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Genito-urinary System.	1·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Puerperal Septicæmia, &c.	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	
Other causes incident to Pregnancy and Childbirth.	·8	2	·	·	·	·	·	·	·	·	1	1	·	·	·	·	2	
Diseases of Skin and Cellular Tissues.	1·2	3	·	·	·	·	·	·	·	·	·	·	·	·	1	2	3	
Diseases of Locomotor System.	·2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	
Congenital Malformations.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Premature Birth ..	3·4	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2	
Congenital Debility ..	5·2	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	2	
Old Age	6·8	9	·	·	·	·	·	·	·	·	·	·	·	·	3	6	9	
Other Specified Diseases	2·0	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Burns and Scalds ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Drowning	1·2	2	·	·	·	·	·	·	·	·	1	1	·	·	·	·	2	
Suffocation in Bed, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Vehicles and Horses ..	1·0	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Gunshot Wounds, &c.	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Violent Deaths		2	·	1	·	·	·	·	·	·	·	·	·	·	1	·	2	
Not included in above—																		
Homicide. ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Suicide, ..	·2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ill-defined, &c., Causes,	3·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	

TABLE IV.—Showing for the WEEK ENDED 19TH APRIL, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 19TH APRIL, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
					DEATHS.								CAUSED BY																				
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	26·1	·	15	2	·	1	1	·	3	3	5	·	·	·	·	·	·	·	·	1	1	2	2	2	·	·	1	·	1	2	3	·
" 1, W., ...	41,100	30·4	1·3	24	1	1	·	1	3	8	5	5	·	·	·	·	·	1	·	·	5	2	2	5	1	·	·	·	3	1	8	3	·
" 2, ...	27,500	24·6	·	13	1	1	·	2	1	·	2	6	·	·	·	·	·	·	·	·	1	2	·	2	4	·	·	·	·	·	1	4	·
" 3, ...	34,100	15·3	·	10	4	1	·	·	·	2	1	2	·	·	·	·	·	·	·	·	3	1	·	·	2	·	·	·	1	·	1	·	1
CLONTARF AND HOWTH, No. 1, part of	5,500	19·0	·	2	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	26·8	·	7	1	·	·	·	·	·	·	6	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	1	1	·
FINGLAS AND GLASNEVIN, part of ..	11,100	18·8	4·7	4	1	·	·	·	1	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	1	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	19·4	·	16	2	2	·	·	1	4	2	5	·	·	·	·	·	·	·	·	1	·	·	3	1	·	·	2	2	2	3	6	·
" 2, ...	18,200	28·6	·	10	1	1	·	2	·	·	1	5	·	·	·	·	·	·	·	·	·	1	·	1	3	·	·	·	1	·	1	5	·
" 3, ...	43,300	25·3	·	21	3	1	2	2	2	3	3	5	·	·	·	·	·	·	·	·	4	1	1	2	7	·	·	·	3	·	2	3	·
" 4, ...	32,800	14·3	1·6	9	2	1	·	1	1	·	2	2	·	·	·	·	·	1	·	·	·	1	·	1	1	·	·	2	·	1	2	3	1
NEW KILMAINHAM, ...	10,300	20·2	·	4	·	1	·	1	·	1	1	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	1	·	2	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	22·5	·	17	1	·	·	·	1	5	2	8	·	·	·	·	·	·	·	·	3	·	3	·	1	·	·	·	3	·	2	·	3
PEMBROKE	29,500	23·0	·	13	2	·	·	·	1	2	2	6	·	·	·	·	·	·	·	·	·	2	·	3	1	·	·	·	1	·	5	·	·
BLACKROCK, ...	9,000	29·0	·	5	·	·	·	·	·	2	1	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	2	·	2	·	·
KINGSTOWN, ...	16,600	22·0	3·1	7	1	·	·	·	·	1	2	3	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	2	·	1	1	·
TOTAL CITY. North, ...	162,900	24·0	0·6	75	10	3	1	4	5	14	11	27	·	·	·	·	·	1	·	·	11	6	4	10	10	1	·	1	5	3	13	12	1
TOTAL CITY. South, ...	147,600	21·2	0·4	60	8	6	2	6	4	8	9	17	·	·	·	·	·	1	·	·	5	3	2	8	12	·	·	4	7	3	10	17	1
TOTAL CITY. North and South, ..	310,500	22·7	0·5	135	18	9	3	10	9	22	20	44	·	·	·	·	·	2	·	·	16	9	6	18	22	1	·	5	12	6	23	29	2
Total Urban Districts, ...	94,500	23·2	0·6	42	4	·	·	·	2	10	7	19	·	·	·	·	·	1	·	·	4	2	3	4	2	·	·	·	8	·	10	1	3
Total Registration Area, ..	405,000	22·8	0·5	177	22	9	3	10	11	32	27	63	·	·	·	·	·	3	·	·	20	11	9	22	24	1	·	5	20	6	33	36	5
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				16	·	·	·	·	3	6	3	4	·	·	·	·	·	·	·	·	1	2	·	·	2	·	·	1	2	·	15	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 19th April, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 19TH APRIL, 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	193	34	10	14	38	30	40	27	.	.	.	.	.	3	.	.	21	13	9	6	22	26	1	.	6	86	5
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	32·0	9	2	.	.	2	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9	.
II.	MIDDLE CLASS	101,798	20·0	39	3	.	4	8	5	9	10	.	.	.	.	.	1	.	.	5	1	4	1	3	5	.	.	.	19	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	24·0	50	5	3	7	11	6	13	5	.	.	.	.	.	.	.	.	8	5	1	1	9	4	.	.	.	22	.
IV.	GENERAL SERVICE CLASS	167,479	19·9	64	20	7	3	16	7	8	3	.	.	.	.	.	2	.	.	7	7	3	4	7	8	.	.	4	22	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	31	4	.	.	1	11	9	6	.	.	.	.	.	.	.	.	1	.	1	.	3	9	1	.	2	14	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	9	2	.	.	2	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	9	1	.	1	1	1	4	1	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.	5	.
	6. Clerks and Commercial Assistants,	33,249	—	6	1	.	2	1	.	1	1	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	22	.	.	1	6	4	4	7	.	.	.	.	.	.	.	.	3	1	3	1	1	3	.	.	.	10	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	4	.	1	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	1	.
	9. Building and Furnishing Trades, ..	28,823	—	13	1	.	1	4	2	2	3	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	.	8	.
	10. Clothing Trades, ...	20,026	—	8	.	1	2	2	.	2	1	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	5	.
	11. Food Supply Trades, ...	8,952	—	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	19	3	1	3	2	2	7	1	.	.	.	.	.	.	.	.	2	2	1	.	6	1	.	.	.	7	.
	13. Petty Shopkeepers, ...	6,772	—	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	11	1	2	.	6	1	1	.	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.	1	5	.
	15. Domestic Servants, ...	36,041	—	7	.	.	3	1	1	2	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	5	1	1	.	1	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	2	1
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	41	18	4	.	8	5	4	2	.	.	.	.	.	1	.	.	5	4	1	4	4	6	.	.	3	13	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	31	4	.	.	1	11	9	6	.	.	.	.	.	.	.	.	1	.	1	.	3	9	1	.	2	14	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Jan. 25.	Feb. 1.	Feb 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15	Mar. 22.	Mar. 29.	Apr 5.	Apr 12	Apr. 19.	Jan. 25.	Feb. 1	Feb. 8.	Feb 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.
No. of weeks in Annual Series ..	4	5	6	7	8	9	10	11	12	13	14	15	16	4	5	6	7	8	9	10	11	12	13	14	15	16
BIRTHS registered	197	177	196	199	170	192	208	189	171	192	217	190	145	151	166	170	169	172	184	164	160	198	167	175	162	145
Average Births in corresponding week of previous 10 years, ...	214	214	214	208	205	207	215	201	226	215	238	238	241	207	214	201	198	199	216	203	211	215	207	206	216	227
Number of Deaths, ...	179	183	194	259	351	466	489	371	288	245	253	196	177	145	126	168	175	218	238	233	261	238	207	168	184	131
Annual Death-rate per 1,000 ..	23·0	23·6	25·0	33·3	45·2	60·0	63·0	47·8	37·1	31·5	32·6	25·2	22·8	18·9	16·4	21·8	22·8	28·3	30·9	30·3	33·9	30·9	26·9	21·8	23·9	17·0
Average Deaths in corresponding week of previous 10 years, ...	186	186	186	185	195	193	194	185	196	186	192	191	189	159	171	179	167	166	162	165	162	164	158	168	166	162
Ages, .. Under one year, ..	31	36	27	37	29	66	51	44	36	37	41	29	22	33	21	37	33	34	21	21	42	33	29	30	25	23
1— 5 years, ..	20	10	13	17	19	45	50	49	28	25	18	12	12	10	11	10	17	13	20	16	21	22	12	6	14	7
5—25 ,, ..	21	16	13	29	32	57	63	35	39	26	25	23	21	16	17	21	21	29	32	27	24	31	21	16	30	16
25—45 ,, ..	26	24	29	40	80	99	98	77	58	39	55	28	32	20	15	22	28	33	48	40	33	34	42	18	29	25
45—65 ,, ..	36	46	49	69	89	110	115	87	63	59	62	58	27	27	31	36	31	52	57	60	67	57	50	54	42	29
65 and upwards, ..	45	51	63	67	102	89	112	79	64	59	52	46	63	39	31	42	45	57	60	69	74	61	53	44	44	31
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	1	.	2	3	2	6	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	2	.	1	.	.	.	3	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	1	.	2	.	1	2	.	.	1	1	2	3	.	.	.	.	.	1	1	.	1	.	.	.	.
Diphtheria, ...	1	.	.	.	.	.	.	1	1	1	1	.	.	1	1	1	2	.	1	1	1	2	1	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
Tuberculosis { Pulmonary, ..	21	19	27	30	26	21	30	29	23	21	27	18	20	13	16	19	25	28	21	19	21	22	26	16	21	13
Tuberculosis { Other Forms, ..	11	6	3	1	3	11	7	7	4	7	14	5	11	6	4	5	7	8	6	6	4	5	5	4	7	6
Cancer, ...	10	8	11	10	10	8	16	8	7	3	7	9	9	2	5	8	7	7	7	8	8	13	5	9	6	6
Diseases of Respiratory System, { Pneumonia ..	15	18	24	43	50	83	89	60	45	37	34	24	22	10	17	30	24	37	39	41	55	46	23	21	20	13
Diseases of Respiratory System, { Others, ..	24	31	39	60	71	82	99	57	51	54	44	36	24	34	16	30	45	51	73	83	61	61	52	33	38	31
Diarrhœa and Enteritis, under 2 years, ...	3	3	3	6	5	4	1	1	5	3	4	2	1	2	.	.	1	1	1	.	2	1	3	1	1	1
Diarrhœa, 2 years and upwards..	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Violent Deaths, ...	5	2	2	2	1	1	1	3	1	3	4	2	5	4	5	5	3	3	4	.	1	3	2	7	3	3
Number of Uncertified Deaths, ..	8	7	8	8	8	10	8	9	5	4	7	6	5	3	1	.	2	2	2	3	1	1	2	5	4	1
A Mean Maximum Temperature in degs	47·7	42·7	41·6	43·5	45·2	44·6	47·5	47·9	46·1	42·4	49·1	55·6	55·4	46·6	41·5	40·8	43·8	44·3	45·7	44·5	48·6	44·6	43·1	48·9	54·9	53·5
B Mean Minimum ,, ,,	34·6	32·0	34·3	31·4	36·1	25·7	33·6	32·2	32·0	29·3	32·9	40·6	41·5	36·3	35·3	34·6	37·4	34·8	32·7	32·0	34·7	34·4	29·4	37·5	41·0	41·0
Mean of A and B ,, ,,	41·2	37·4	38·0	37·5	40·7	35·2	40·6	40·1	39·1	35·9	41·0	48·1	48·5	41·4	38·4	37·7	40·6	39·6	39·2	38·3	41·7	39·5	36·3	43·2	48·0	47·3
Rainfall in inches	0·45	0·39	0·68	0·16	0·57	0·10	0·64	0·18	1·18	0·37	0·18	0·22	0·50	0·94	0·58	0·14	0·09	0·91	0·30	0·67	0·20	1·98	0·37	0·06	0·39	0·52

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 19th April, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	5	16·4	.	5	1	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Do. 2 do.	49,500	22	17·9	.	17	2	1	4	2	2	6	.	.	.	.	.	.	.	.	3	.	1	1	4	.	.	1	.	4	.
Do. 3 do.	50,032	14	20·8	1·0	20	1	.	2	6	7	4	.	.	.	.	.	.	.	.	1	.	1	3	9	.	1	1	2	7	.
Do. 4 do.	32,637	11	20·8	.	13	4	2	1	3	2	1	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	.	.	5	.
Do. 5 do.	16,112	10	29·1	.	9	1	.	1	2	2	3	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	.	4	.
Do. 6 do.	37,293	14	9·8	.	7	1	.	1	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	3	.
Do. 7 do.	2,681	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	.	35·0	.	4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 9 do.	24,427	4	12·8	.	6	1	.	2	1	2	.	.	.	.	.	.	.	.	.	1	2	.	2	1	.	.	.	.	1	.
Do. 10 do.	28,958	9	9·0	.	5	1	1	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.	.
Do. 11 do.	39,311	27	10·6	.	8	2	.	.	.	3	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	
Do. 12 do.	38,076	10	21·9	1·4	16	3	2	1	4	2	4	.	.	.	.	.	.	.	.	3	.	.	3	3	1	.	.	.	4	.
Do 13 do.	23,233	6	15·7	.	7	1	.	4	.	1	1	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	1	.
Do. 14 do	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	11	32·2	.	14	5	1	.	3	3	2	.	.	.	.	.	.	.	.	1	1	1	1	2	.	.	1	.	4	1
Total,	386,947	145	17·0	0·3	131	23	7	16	25	29	31	.	.	.	.	.	.	.	.	13	6	6	13	31	1	1	3	3	35	1
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	1	27·1	.	7	.	.	.	.	2	5	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	3	.
Do 2 do.	10,399	4	25·1	.	5	.	.	.	2	1	2	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	2	1
Do. 3 do.	9,793	3	16·0	.	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 4 do.	9,139	4	22·8	.	4	.	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	2	.
Do. 5 do.	6,250	.	25·0	.	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	3	.
Do 6 do.	11,581	1	18·0	4·5	4	.	1	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 7 do	16,056	.	6·5	.	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Total.	76,673	13	19·0	0·7	28	.	3	3	5	5	12	.	1	.	.	.	.	.	.	3	1	1	5	4	.	.	.	.	13	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 19th April, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 1, West ..	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	4
" " 2, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	5	6
" " 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	4
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	2	5
" " " 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3
" " " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	6	.	.	19	26

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 19th April, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 19th April.			
	Mar. 29.	Apr. 5.	Apr. 12.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	7	7	5	1	.	.	6
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	18	17	8	9	2	.	15
Scarlet Fever	44	46	44	2	11	.	35*
Diphtheria, ...	12	14	13	1	2	.	12
Pneumonia, ...	101	92	66	19	26	5	54

* Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12778). Wt. 210. 3. 380. 4, 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 17. VOL. LVI.] WEEK ENDING SATURDAY, 26TH APRIL, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 28th April, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 18·7 and 22·7; Dublin Registration Area, 18·8 and 24·9; Dublin City, 19·5 and 25·4; Belfast, 16·3 and 19·8; Cork, 19·0 and 21·4; Londonderry, 19·1 and 30·5; Limerick, 21·7 and 19·7; and Waterford, 24·7 and 26·6.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·5 per 1,000. Included in the 15 deaths from all causes for Londonderry is one from each of enteric fever and whooping-cough, and the only death for Sligo is one from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 169—89 boys and 80 girls—and the deaths to 159—80 males and 79 females.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·8 per 1,000 of the population. During the seventeen weeks ending with Saturday last the death-rate averaged 32·7 and was 8·5 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the seventeen weeks was 35·2 and for the corresponding period of the preceding ten years 25·7.

Of the 146 deaths appertaining to the Area there was one from scarlet fever, one from diphtheria, and 3 were from diarrhœa and enteritis of children under 2 years.

There were 7 deaths from influenza, being equivalent to an annual rate of 0·9 per 1,000 of the population, and of these 5 belonged to the City, affording a rate of 0·8 per 1,000 of the population, the latter including 4 (or 1·3 per 1,000) assigned to North City Districts and one (or 0·4 per 1,000) to South City Districts. Two deaths from influenza (or 1·1 per 1,000 of the population) were referred to the urban districts (see Table IV., col. 29). In the three preceding weeks deaths from this cause for the Registration Area numbered 41, 23 and 20 respectively.

Deaths attributed to pneumonia were 16 (comprising 5 from broncho-pneumonia, 3 from lobar pneumonia, and 8 from pneumonia, type not distinguished), as against 34, 24, and 22 in the three weeks preceding.

Tuberculous disease caused 19 deaths (comprising 14 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 3 from other forms of tuberculous disease), as against 41, 23, and 31 in the three weeks preceding.

Seven deaths were caused by cancer, 10 by organic diseases of the heart, and 21 by bronchitis.

Among deaths of infants under one year old, one was due to convulsions, 5 to bronchitis, one to broncho-pneumonia, 2 to diarrhœa and enteritis, one to congenital malformation, 4 to premature birth, and 2 to congenital debility.

There were 3 deaths by accident, of which 2 were due to vehicles and horses.

Thirty-one of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 19 being infants under one year, of whom 6 were under one month old, and 41 deaths were those of persons aged 65 and upwards, of whom 33 were 70 years of age or over.

Of the 146 deaths recorded, 75 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 26th April, in 96 large English towns (including London, in which the rate was 12·6) was equal to an average annual death rate of 13·5 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 15·1 per 1,000 persons living, the rate for Glasgow being 16·5 and for Edinburgh 10·7.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 26th April. From this Report it appears that of 42 cases notified, 12 were pulmonary tuberculosis, 7 other forms of tuberculosis, 10 scarlet fever, 10 diphtheria, 2 cerebro-spinal fever and one erysipelas. Among the 428 cases of infectious diseases in hospital at the close of the week were 150 of pulmonary tuberculosis, 122 of scarlet fever, 63 of diphtheria, 34 of whooping-cough, 23 of measles, 9 of influenza, 7 of erysipelas, 2 of cerebro-spinal fever, and one of enteric fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 26th April, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin	April 5	·	·	·	·	·	—	2	—	3	4	—	·	—	·	·	·	14	·	·	15	38
	April 12	·	·	·	·	·	—	7	—	·	1	—	1	—	·	·	·	4	·	·	11	24
	April 19	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	6	·	·	19	26
	April 26	·	·	·	·	·	—	3	—	3	2	—	·	—	·	·	·	1	·	·	25	34
Rathmines & Rathgar Urban District	April 5	·	·	·	·	·	—	·	—	1	1	—	·	—	·	·	·	·	·	·	—	2
	April 12	·	·	·	·	·	—	1	—	·	1	—	·	—	·	·	·	1	·	·	—	3
	April 19	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	2	·	·	—	2
	April 26	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
Pembroke Urban District	April 5	·	·	·	·	·	4	1	1	2	·	·	·	—	·	·	·	·	·	·	·	8
	April 12	·	·	·	·	·	4	1	·	·	·	·	·	—	·	·	·	·	·	·	·	5
	April 19	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	4	·	·	·	4
	April 26	·	·	·	·	·	5	·	·	·	·	·	·	—	·	·	·	·	·	·	·	5
Blackrock Urban District	April 5	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	April 12	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	April 19	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	April 26	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	3	·	·	·	3
Kingstown Urban District	April 5	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	April 12	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	—	·	·	2
	April 19	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	4	—	·	·	5
	April 26	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	2	2
City of Belfast	April 5	·	·	·	·	·	—	9	—	1	1	—	·	—	·	·	·	6	1	·	1	19
	April 12	·	·	1	·	·	—	11	—	6	1	—	·	—	·	·	·	1	·	·	3	23
	April 19	·	·	·	·	·	—	7	—	7	2	—	·	—	·	·	·	·	·	·	·	16
	April 26	·	·	·	·	·	—	14	—	1	·	—	·	—	·	·	·	1	1	·	3	20
City of Cork	April 5	·	·	·	·	·	·	·	—	2	·	—	·	·	·	·	·	·	—	·	—	2
	April 12	·	·	·	·	·	·	·	—	·	·	—	·	·	·	·	·	·	—	·	—	·
	April 19	1	1	1	·	·	·	·	—	·	1	—	·	·	·	·	·	·	—	·	—	4
	April 26	·	·	·	·	·	1	·	—	4	1	—	·	·	·	·	·	·	—	·	—	6
City of Londonderry	April 5	·	1	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	—	—	2
	April 12	1	·	·	·	·	—	1	—	·	·	—	·	—		·	·	·	·	—	—	2
	April 19	1	4	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	·	—	—	7
	April 26	·	1	·	·	·	—	2	—	·	·	—	·	—	·	·	·	·	·	—	—	3
City of Limerick	April 5	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	April 12	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	April 19	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	April 26	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
City of Waterford	April 5	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	April 12	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	April 19	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	April 26	·	·	·	·	·	—	·	—	·	1	—	·	—	·	·	·	·	—	—	·	1

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 26th April, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever nil and 4; measles one and 13; scarlet fever 4 and 29*; and diphtheria 6 and 13. Fourteen cases of pneumonia were admitted during the week and 48 remained under treatment at its close, as compared with 92, 66 and 54 at the close of the 3 preceding weeks. Of the deaths in hospital during the week one was from each of scarlet fever and diphtheria and 4 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 26th April, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by DEATHS. BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	BIRTHS Total Number.	DEATHS. Total Number	Under 1 year of Age	At 65 years and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis Pulmonary.	Tuberculosis Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	METEOROLOGY. (c) Week ending 26th April, 1919. Air Temperature Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS,	1,142,268	20·0	21·8	18·7	0·5	477	409	53	117	1	·	·	1	1	1	1	·	43	24	19	46	70	5	·	7	8	161	10	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA,	405,000	28·9	21·8	18·8	0·6	169	146	19	41	·	·	·	·	1	·	1	·	14	5	7	16	24	3	·	3	4	75	2	(d) 62·2	28·4	54·7	34·4	44·6	0·27
Urban Districts. CITY OF DUBLIN,	310,500	38·0	24·5	19·5	0·7	146	116	15	30	·	·	·	·	1	·	1	·	11	5	7	12	20	2	·	3	4	65	2	(e) 62·0 (f) 63·6	37·1 30·0	54·7 51·1	41·1 36·9	47·9 45·5	0·25 0·25
RATHMINES and RATHGAR	39,400	23·0	7·9	13·2	·	6	10	1	3	·	·	·	·	·	·	·	·	1	·	·	1	3	·	·	·	·	4	·	·	·	·	·	·	·
PEMBROKE,	29,500	18·8	17·7	15·9	·	10	9	1	3	·	·	·	·	·	·	·	·	2	·	·	1	·	·	·	·	·	3	·	·	·	·	·	·	·
BLACKROCK,	9,000	8·3	·	23·2	5·8	·	4	1	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN,	16,600	11·4	22·0	22·0	·	7	7	1	3	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	3	·	64	34	56·0	40·1	48·1	0·25
Urban Districts. BELFAST,	401,000	26·8	22·1	16·3	·	179	125	20	39	·	·	·	·	·	·	·	·	13	9	8	13	23	·	·	2	2	33	3	60·5	34·2	55·2	41·9	48·6	0·30
CORK,	76,673	28·6	31·3	19·0	0·7	46	28	3	7	·	·	·	·	·	·	·	·	1	2	1	8	3	1	·	1	·	13	·	·	·	·	·	·	·
LONDONDERRY,	41,000	15·9	20·3	19·1	2·5	16	15	4	3	1	·	·	·	·	1	·	·	2	1	1	1	1	·	·	·	·	4	·	·	·	·	·	·	·
LIMERICK,	38,518	16·1	27·1	21·7	·	20	16	·	6	·	·	·	·	·	·	·	·	1	2	·	1	8	·	·	·	·	5	2	·	·	·	·	·	·
WATERFORD,	27,464	19·1	11·4	24·7	1·9	6	13	1	3	·	·	·	·	·	·	·	·	·	2	·	2	3	1	·	·	·	4	·	59	34	56	41	48·5	0·01
GALWAY,	13,255	2·5				6	10	1	3	·	·	·	·	·	·	·	·	2	·	1	·	3	·	·	·	·	7	1	·	·	·	·	·	·
DUNDALK,	13,128	9·5				5	4	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·
LURGAN,	12,553	14·7				3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	62·4	30·5	55·4	38·0	46·7	0·25
DROGHEDA,	12,501	8·4				4	7	·	2	·	·	·	·	·	·	·	·	2	·	·	·	2	·	·	·	·	4	·	·	·	·	·	·	·
LISBURN,	12,388	10·9				4	6	·	1	·	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	·	2	·	6	34	55·3	38	46·6	0·77
NEWRY,	11,963	17·0				2	7	2	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·	62·4	30·5	55·4	38·0	46·7	0·25
PORTADOWN,	11,727	15·3				8	7	2	1	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	1	1	4	·	62·4	30·5	55·4	38·0	46·7	0·25
WEXFORD,	11,531	22·8				2	9	1	4	·	·	·	·	·	·	·	·	1	1	1	1	1	·	·	·	·	1	1	·	·	·	·	·	·
BALLYMENA,	11,381	9·3				2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
SLIGO,	11,163	3·8				3	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	60	32	55	37	46	0·74
KILKENNY,	10,514	11·4				1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	62	30	55·4	37·0	46·2	0·18
TRALEE,	10,300	17·4				5	3	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
CLONMEL,	10,209	7·8				5	8	·	4	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·	·	7	·	62	31	57	38	47·5	0·31
LONDON	4,206,901	—	—	12·6	—	1,275	976	87	337	2	—	·	4	2	1	8	—	123	17	80	83	112	7	5	37	88	445	1	·	·	·	·	·	·
EDINBURGH	336,500	—	—	10·7	—	91	69	·	·	·	—	·	·	·	4	1	—	—	—	—	—	—	·	—	·	—	—	—	53·7	34·0	51·1	37·6	44·4	0·34
GLASGOW	1,118,700	—	—	16·5	—	476	355	·	·	·	·	·	24	1	24	2	—	—	—	—	—	—	7	—	·	—	—	—	59·0	35·7	51·7	39·3	45·5	0·32

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College, and those for Waterford by De La Salle College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 17th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 26th April, 1919.																Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
ALL CAUSES.	152·8	159	6	14	5	7	2	7	6	3	8	15	19	25	23	19	146
Enteric Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	10·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough ..	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·4	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1·8	8	.	.	1	.	.	.	.	1	2	2	.	2	.	.	7
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	21·2	16	.	.	.	1	.	2	2	.	2	4	3	2	.	.	14
Tuberculous Meningitis	2·2	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2
Abdominal Tuberculosis	1·6	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	2
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Venereal Diseases ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	8·8	10	.	.	.	.	.	.	.	1	.	2	2	3	2	.	7
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·2	3	.	.	.	.	.	1	1	.	.	1	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	4·4	7	.	.	.	.	.	.	.	1	.	1	1	3	.	1	7
Softening of Brain ..	·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Paralysis, without specified cause.	2·4	8	.	.	.	.	.	.	.	.	1	.	2	2	3	.	8
Epilepsy, ...	·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Convulsions (non-puerperal).	4·2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Other Diseases of Nervous System.	1·4	3	.	.	.	.	.	.	.	.	.	1	2	.	.	.	3
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	10·4	10	.	.	.	.	.	.	.	.	.	.	3	.	4	3	10
Embolism and Thrombosis (including Cerebral).	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Other Diseases of Circulatory System.	·8	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Diseases of the Larynx	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Bronchitis	15·4	21	.	5	1	1	.	.	.	.	.	1	1	6	3	3	21
Broncho-pneumonia ..	4·8	5	.	1	.	2	.	.	.	.	1	.	.	.	1	.	5
Lobar pneumonia ..	1·4	3	.	.	.	.	.	1	.	.	1	.	.	.	1	.	3
Pneumonia (type not distinguished).	3·8	9	.	.	.	.	.	.	2	.	1	2	1	1	1	1	8
Pleurisy	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Pulmonary Congestion, Pulmonary Apoplexy.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	1·0	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1

in the SEVENTEENTH WEEK, ending Saturday, 26th April, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 17th Week of the 5 years 1914-1918.	Deaths registered during week ending Saturday, 26th April, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5												
Diseases of the Pharynx, Tonsillitis.	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	
Diseases of Stomach ..	2·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Diarrhœa and Enteritis of Children under 2 years.	3·4	4	·	3	1	·	·	·	·	·	·	·	·	·	·	·	3	
Diarrhœa 2 years and upwards.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Enteritis 2 years and upwards.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Appendicitis and Typhlitis.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Hernia and Intestinal Obstructions.	·4	5	·	·	·	·	·	·	·	·	·	·	·	3	1	1	3	
Cirrhosis of Liver ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Liver	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Peritonitis (cause unknown).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Digestive System.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Acute Nephritis ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Chronic Bright's Disease	4·6	3	·	·	·	·	·		·	·	·	·	1	1	1	·	3	
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Genito-urinary System.	2·0	3	·	·	·	·	·	·	·	·	·	·	1	·	2	·	2	
Puerperal Septicæmia, &c.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other causes incident to Pregnancy and Childbirth.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Diseases of Skin and Cellular Tissues.	·8	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	
Diseases of Locomotor System.	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	
Congenital Malformations.	1·0	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	
Premature Birth ..	4·8	4	4	·	·	·	·	·	·	·	·	·	·	·	·	·	4	
Congenital Debility ..	5·8	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	2	
Old Age	6·0	8	·	·	·	·	·	·	·	·	·	·	·	·	1	7	8	
Other Specified Diseases	2·6	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Burns and Scalds ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Drowning	·2	·		·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Suffocation in Bed, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Vehicles and Horses ..	·6	3	·	·	·	·	·	·	·	·	·	·	1	·	1	1	2	
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Gunshot Wounds, &c.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Violent Deaths		1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	
Not included in above—																		
Homicide. ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Suicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ill-defined, &c., Causes,	2·0	2	·	·	·	·	·	1	·	·	·	·	·	·	1	·	2	

TABLE IV.—Showing for the WEEK ENDED 26TH APRIL, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 26TH APRIL, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes	From certain Epidemic Diseases*	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No 1, E., ...	30,000	17·4	·	10	1	·	·	1	·	4	3	1	·	·	·	·	·	·	·	·	2	·	2	2	1	·	·	·	1	·	2	1	·
,, 1, W., ...	41,100	26·6	2·5	21	1	1	·	·	·	4	8	7	·	·	·	·	·	·	·	·	2	·	1	3	5	2	·	·	1	·	6	7	1
,, 2, ...	27,500	22·8	·	12	3	1	1	1	1	2	3	·	·	·	·	·	·	·	·	·	1	2	·	·	4	·	·	·	1	·	2	2	·
,, 3, ...	34,100	18·3	·	12	3	·	·	·	·	1	3	5	·	·	·	·	·	·	·	·	·	·	·	1	3	·	·	1	1	1	3	3	·
CLONTARF AND HOWTH, No. 1, part of	5,500	28·4	·	3	1	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	2	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	7·7	·	2	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	1	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	23·5	·	5	1	·	1	·	·	1	·	2	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	1	·	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	18·2	1·2	15	1	1	2	2	1	2	6	·	·	·	·	·	·	·	1	·	·	·	1	2	2	·	·	·	·	1	4	6	1
,, 2, ...	18,200	14·3	·	5	·	·	·	·	1	·	·	4	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	2	·
,, 3, ...	43,300	20·5	·	17	2	1	1	·	·	3	4	6	·	·	·	·	·	·	·	·	2	1	1	1	2	·	·	1	·	1	5	7	·
,, 4, ...	32,800	15·9	·	10	2	·	·	·	·	·	3	5	·	·	·	·	·	·	·	·	1	·	1	·	3	·	·	1	1	1	5	3	·
NEW KILMAINHAM, ...	10,300	20·2	5·1	4	·	·	1	1	·	1	1	·	·	·	·	·	1	·	·	·	1	1	·	·	·	·	·	·	·	·	2	·	·
Urban Districts																																	
RATHMINES AND RATHGAR, ..	39,400	13·2	·	10	1	·	·	2	1	·	3	3	·	·	·	·	·	·	·	·	1	·	·	1	3	·	·	·	1	·	3	1	·
PEMBROKE	29,500	15·9	·	9	1	1	1	1	·	·	2	3	·	·	·	·	·	·	·	·	2	·	·	1	·	·	·	·	1	·	·	3	·
BLACKROCK, ...	9,000	23·2	5·8	4	1	·	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·
KINGSTOWN, ...	16,600	22·0	·	7	1	·	·	·	1	·	2	3	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	3	·	·
TOTAL CITY. North, ...	162,900	20·8	0·6	65	10	2	2	3	2	13	18	15	·	·	·	·	·	·	·	·	6	3	4	9	13	2	·	1	4	1	17	13	1
TOTAL CITY. South, ...	147,600	18·0	0·7	51	5	2	4	3	2	6	14	15	·	·	·	·	1	·	1	·	5	2	3	3	7	·	·	2	1	3	17	18	1
TOTAL CITY. North and South, ..	310,500	19·5	0·7	116	15	4	6	6	4	19	32	30	·	·	·	·	1	·	1	·	11	5	7	12	20	2	·	3	5	4	34	31	2
Total Urban Districts, ...	94,500	16·6	0·6	30	4	1	1	3	2	·	8	11	·	·	·	·	·	·	·	·	3	·	·	4	4	1	·	·	2	·	6	4	·
Total Registration Area, ..	405,000	18·8	0·6	146	19	5	7	9	6	19	40	41	·	·	·	·	1	·	1	·	14	5	7	16	24	3	·	3	7	4	40	35	2
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				13	1	·	·	·	3	4	4	1	·	·	·	·	·	·	·	·	2	·	3	1	·	1	·	1	1	1	13	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 26th April, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 26TH APRIL, 1919.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	159	32	9	9	23	44	23	19	.	.	.	.	1	.	1	.	16	5	10	1	17	24	4	.	4	76	2
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	28·5	8	.	1	2	1	2	2	.	.	.	.	.	.	.	.	.	1	.	1	.	2	2	.	.	.	2	.
II.	MIDDLE CLASS	101,798	14·9	29	5	1	2	4	10	3	4	.	.	.	.	.	.	.	.	2	1	1	1	6	2	.	.	.	16	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	16·4	34	6	2	1	8	12	3	2	.	.	.	.	.	.	.	.	6	1	4	.	2	2	1	.	2	16	1
IV.	GENERAL SERVICE CLASS	167,479	16·5	53	18	4	4	5	9	5	8	.	.	.	.	1	.	1	.	4	2	3	.	5	11	3	.	2	21	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	35	3	1	.	5	11	10	5	.	.	.	.	.	.	.	.	3	1	1	.	2	7	.	.	.	21	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	8	.	1	2	1	2	2	.	.	.	.	.	.	.	.	.	1	.	1	.	2	2	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.
	6. Clerks and Commercial Assistants,	33,249	—	7	4	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	16	1	1	1	2	7	2	2	.	.	.	.	.	.	.	.	1	1	1	.	3	1	.	.	.	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ..	28,823	—	7	3	1	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.	3	.
	10. Clothing Trades, ...	20,026	—	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
	11. Food Supply Trades, ...	8,952	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	21	1	1	.	4	10	3	2	.	.	.	.	.	.	.	.	2	1	4	.	1	1	.	.	1	11	1
	13. Petty Shopkeepers, ...	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	5	4	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2	.	.	.	1	.
	15. Domestic Servants, ...	36,041	—	6	1	.	1	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	4	1	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	38	12	4	3	4	8	2	5	.	.	.	.	.	.	1	.	4	2	1	.	5	6	3	.	2	14	1
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	35	3	1	.	5	11	10	5	.	.	.	.	.	.	.	.	3	1	1	.	2	7	.	.	.	21	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Feb. 1.	Feb 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15	Mar. 22.	Mar. 29.	Apr. 5.	Apr 12	Apr. 19.	Apr. 26.	Feb. 1	Feb. 8.	Feb 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.
No. of weeks in Annual Series ..	5	6	7	8	9	10	11	12	13	14	15	16	17	5	6	7	8	9	10	11	12	13	14	15	16	17
BIRTHS registered	177	196	199	170	192	208	189	171	192	217	190	145	169	163	170	169	172	184	164	160	198	167	175	162	145	170
Average Births in corresponding week of previous 10 years, ...	214	214	208	205	207	215	201	226	215	238	238	241	216	214	201	198	199	216	203	211	215	207	206	216	227	226
Number of Deaths, ...	183	194	259	351	466	489	371	288	245	253	196	177	146	126	163	175	218	238	233	261	238	207	168	184	131	125
Annual Death-rate per 1,000 ..	23·6	25·0	33·3	45·2	60·0	63·0	47·8	37·1	31·5	32·6	25·2	22·8	18·8	16·4	21·8	22·8	28·3	30·9	30·3	33·9	30·9	26·9	21·8	23·9	17·0	16·3
Average Deaths in corresponding week of previous 10 years, ...	186	186	185	195	193	194	185	196	186	192	191	189	161	171	179	167	166	162	165	162	164	158	168	166	162	154
Ages, .. Under one year, ..	36	27	37	29	66	51	44	36	37	41	29	22	19	21	37	33	34	21	21	42	33	29	30	25	23	20
1— 5 years, ..	10	13	17	19	45	50	49	28	25	18	12	12	12	11	10	17	13	20	16	21	22	12	6	14	7	5
5—25 ,, ..	16	3	29	32	57	63	35	39	26	25	23	21	15	17	21	21	29	32	27	24	31	21	16	30	16	22
25—45 ,, ..	24	29	40	80	99	98	77	58	39	55	28	32	19	15	22	28	33	48	40	33	34	42	18	29	25	16
45—65 ,, ..	76	49	69	89	110	115	87	63	59	62	58	27	40	31	36	31	52	57	60	67	57	50	54	42	29	23
65 and upwards, ..	51	63	67	102	89	112	79	64	59	52	46	63	41	31	42	45	57	60	69	74	61	53	44	44	31	39
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	1	.	2	3	2	6	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	2	.	1	.	.	.	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	1	.	2	.	1	2	.	.	1	1	2	3	.	.	.	.	.	1	1	.	1	.	.	.	.	.
Diphtheria, ...	.	.	.	.	.	.	1	1	1	1	.	.	1	1	1	2	.	1	1	1	2	1	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	19	27	30	26	21	30	29	23	21	27	18	20	14	16	19	25	28	21	19	21	22	26	16	21	13	13
Tuberculosis { Other Forms, ..	6	3	1	3	11	7	7	4	7	14	5	11	5	4	5	7	8	6	6	4	5	5	4	7	6	9
Cancer, ...	8	11	10	10	8	16	8	7	3	7	9	9	7	5	8	7	7	7	8	8	13	5	9	6	6	8
Diseases of Respiratory System, { Pneumonia ..	18	24	43	50	83	89	60	45	37	34	24	22	16	17	30	24	37	39	41	55	46	23	21	20	13	13
Diseases of Respiratory System, { Others, ..	31	30	60	71	82	99	57	51	54	41	36	24	24	16	30	45	51	73	83	61	61	52	33	38	31	23
Diarrhœa and Enteritis, under 2 years, ...	3	3	6	5	4	1	1	5	3	4	2	1	3	.	.	1	1	1	.	2	1	3	1	1	1	.
Diarrhœa, 2 years and upwards..	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Violent Deaths, ...	2	2	2	1	1	1	3	1	3	4	2	5	3	5	5	3	3	4	.	1	3	2	7	3	3	2
Number of Uncertified Deaths, ..	7	8	8	8	10	8	9	5	4	7	6	5	2	1	.	2	2	2	3	1	1	2	5	4	1	3
A Mean Maximum Temperature in degs.	42·7	41·6	43·5	45·2	44·6	47·5	47·9	46·1	42·4	49·1	55·6	55·4	54·7	41·5	40·8	43·8	44·3	45·7	44·5	48·6	41·6	43·1	48·9	54·9	53·5	55·2
B Mean Minimum ,, ,,	32·0	34·3	31·4	36·1	25·7	33·6	32·2	32·0	29·3	32·9	40·6	41·5	34·4	35·3	34·6	37·4	34·8	32·7	32·0	34·7	34·4	29·4	37·5	41·0	41·0	41·9
Mean of A and B ,, ,,	37·4	38·0	37·5	40·7	35·2	40·6	40·1	39·1	35·9	41·0	48·1	48·5	44·6	38·4	37·7	40·6	39·6	39·2	38·3	41·7	39·5	36·3	43·2	48·0	47·3	48·6
Rainfall in inches	0·39	0·68	0·16	0·57	0·10	0·64	0·18	1·18	0·37	0·18	0·22	0·50	0·27	0·58	0·14	0·09	0·91	0·30	0·67	0·20	1·98	0·37	0·06	0·39	0·52	0·30

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 26th April, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	6	23·0	.	7	2	.	1	1	1	2	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	2	.
Do. 2 do.	49,500	25	14·7	.	14	1	1	4	2	3	3	.	.	.	.	.	.	.	.	1	1	.	3	5	.	.	.	.	4	.
Do. 3 do.	50,032	16	9·4	.	9	1	.	2	.	2	4	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.	.	2	1
Do. 4 do.	32,637	9	16·0	.	10	3	.	1	4	.	2	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.	.	2	.
Do. 5 do.	16,112	4	16·2	.	5	.	.	.	1	.	4	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	4	.
Do. 6 do.	37,293	22	26·6	.	19	6	.	1	1	5	6	.	.	.	.	.	.	.	.	1	.	2	1	3	.	.	.	.	3	.
Do. 7 do.	2,681	2	19·4	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	17·5	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 9 do.	24,427	18	17·1	.	8	1	.	2	2	.	3	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	.	.	2	1
Do. 10 do.	28,958	8	16·2	.	9	1	1	3	.	2	2	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	1	1	3	.
Do. 11 do.	39,311	14	19·9	.	15	1	1	2	1	5	5	.	.	.	.	.	.	.	.	2	.	1	1	2	.	.	.	.	.	.
Do. 12 do.	38,076	19	11·0	.	8	2	1	2	2	1	.	.	.	.	.	.	.	.	.	3	2	.	.	2	.	.	.	.	5	.
Do 13 do.	23,233	11	18·0	.	8	1	.	2	.	1	4	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	1	1	3	1
Do. 14 do	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	14	23·0	.	10	1	1	1	2	2	3	.	.	.	.	.	.	.	.	1	.	.	2	3	.	.	.	.	2	.
Total,	386,947	170	16·3	.	125	20	5	22	16	23	39	.	.	.	.	.	.	.	.	13	9	8	13	23	.	.	2	2	33	3
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	8	15·5	.	4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.
Do 2 do.	10,399	1	35·1	5·0	7	2	.	1	1	2	1	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	1	.	2	.
Do. 3 do.	9,793	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do.	9,139	9	39·9	.	7	1	.	2	2	1	1	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	4	.
Do. 5 do.	6,250	3	25·0	.	3	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 6 do.	11,581	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 do	16,056	12	22·7	.	7	.	1	.	1	2	3	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	.	.	3	.
Total.	76,673	46	19·0	0·7	28	3	2	4	6	6	7	.	.	.	.	.	.	.	.	1	2	1	8	3	1	.	1	.	13	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th April, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	4
" " 1, West ..	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	7	9
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	4
" " 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	3
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	4
" " " 3, ...	.	.	.	.	.	3	.	.	1	.	.	.	.	.	.	.	3	7
" " " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Total, ...	.	.	.	.	.	3	3	.	2	.	.	.	.	1	.	.	25	34

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 26th April, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 26th April.			
	Apr. 5.	Apr. 12.	Apr. 19.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	7	5	6	.	2	.	4
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	17	8	15	1	3	.	13
Scarlet Fever	46	44	35	4	9	1	29*
Diphtheria, ...	14	13	12	6	4	1	13
Pneumonia, ...	92	66	54	14	16	4	48

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12790). Wt. 210. 3. 380. 4, 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 18. VOL. LVI.] WEEK ENDING SATURDAY, 3RD MAY, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 5th May, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 17·8 and 20·1; Dublin Registration Area, 19·1 and 21·5; Dublin City, 19·0 and 21·7; Belfast, 15·5 and 18·2; Cork, 17·0 and 19·5; Londonderry, 21·6 and 25·4; Limerick, 20·3 and 20·3; and Waterford, 15·2 and 21·4.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·4 per 1,000. Among the 119 deaths from all causes for Belfast are 2 from diarrhœa and enteritis of children under 2 years. Of the 25 deaths from all causes for Cork is one from diphtheria. Included in the 17 deaths from all causes for Londonderry are 2 from whooping-cough, and of the 8 deaths from all causes for Waterford one is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 166—81 boys and 85 girls—and the deaths to 153—65 males and 88 females.

The deaths registered, omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·1 per 1,000 of the population. During the eighteen weeks ending with Saturday last the death-rate averaged 31·9 and was 7·8 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the eighteen weeks was 34·4 and for the corresponding period of the preceding ten years 25·5.

Of the 148 deaths appertaining to the Area there were 2 from diarrhœa and enteritis of children under 2 years.

There were 10 deaths from influenza, being equivalent to an annual rate of 1·3 per 1,000 of the population, and of these 8 belonged to the City, affording a rate of 1·3 per 1,000 of the population, the latter including 5 (or 1·6 per 1,000) assigned to North City Districts and 3 (or 1·1 per 1,000) to South City Districts. Two deaths from influenza (or 1·1 per 1,000 of the population) were referred to the urban districts (see Table IV., col. 29). In the three preceding weeks deaths from this cause for the Registration Area numbered 23, 20 and 7 respectively.

Deaths attributed to pneumonia were 13 (comprising 3 from broncho-pneumonia, one from lobar pneumonia, and 9 from pneumonia, type not distinguished), as against 24, 22, and 16 in the three weeks preceding.

Tuberculous disease caused 28 deaths (comprising 20 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 6 from other forms of tuberculous disease), as against 23, 31, and 19 in the three weeks preceding.

Ten deaths were caused by cancer, 10 by organic diseases of the heart, and 18 by bronchitis.

Among deaths of infants under one year old, one was due to convulsions, 3 to bronchitis, 3 to broncho-pneumonia, 2 to pneumonia, 2 to diarrhœa and enteritis, 3 to premature birth, and one to congenital debility.

There was one death from burns.

Twenty-seven of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 17 being infants under one year, of whom 3 were under one month old, and 49 deaths were those of persons aged 65 and upwards, of whom 35 were 70 years of age or over.

Of the 148 deaths recorded, 59 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 3rd May, in 96 large English towns (including London, in which the rate was 14·0) was equal to an average annual death rate of 13·7 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 12·8 per 1,000 persons living, the rate for Glasgow being 13·0 and for Edinburgh 11·8.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 3rd May. From this Report it appears that of 42 cases notified, 14 were pulmonary tuberculosis, 4 other forms of tuberculosis, 14 scarlet fever, 5 diphtheria and 5 erysipelas. Among the 409 cases of infectious diseases in hospital at the close of the week were 149 of pulmonary tuberculosis, 129 of scarlet fever, 50 of diphtheria, 31 of whooping-cough, 19 of measles, 7 of erysipelas, 2 of influenza, and one of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 3rd May, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin	April 12	·	·	·	·	·	—	7	—	·	1	—	1	—	·	·	·	4	·	·	11	24
	April 19	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	6	·	·	19	26
	April 26	·	·	·	·	·	—	3	—	3	2	—	·	—	·	·	·	1	·	·	25	34
	May 3	·	·	·	·	·	—	9	—	1	·	—	·	—	·	·	·	·	·	·	12	22
Rathmines & Rathgar Urban District	April 12	·	·	·	·	·	—	1	—	·	1	—	·	—	·	·	·	1	·	·	—	3
	April 19	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	2	·	·	—	2
	April 26	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	May 3	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
Pembroke Urban District	April 12	·	·	·	·	·	4	1	·	·	·	·	·	—	·	·		·	·	·	·	5
	April 19	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	4	·	·	·	4
	April 26	·	·	·	·	·	5	·	·	·	·	·	·	—	·	·	·	·	·	·	·	5
	May 3	·	·	·	·	·	2	·	·	·	·	·	·	—	·	·	·	3	·	·	·	5
Blackrock Urban District	April 12	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	April 19	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	April 26	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	3	·	·	·	3
	May 3	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	April 12	·	·	·	·	·	—	1	—	1	·	—	·	—		·	·	·	—	·	·	2
	April 19	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	4	—	·	·	5
	April 26	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	2	2
	May 3	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	—	·	3	5
City of Belfast	April 12	·	·	1	·	·	—	11	—	6	1	—	·	—	·	·	·	1	·	·	3	23
	April 19	·	·	·	·	·	—	7	—	7	2	—	·	—	·	·	·	·	·	·	·	16
	April 26	·	·	·	·	·	—	14	—	1	·	—	·	—	·	·	·	1	1	·	3	20
	May 3	1	·	·	·	·	—	10	—	5	1	—	·	—	·	·	·	·	1	·	·	18
City of Cork	April 12	·	·	·	·	·	·	·	—	·	·	—	·	·	·	·	·	·	—	·	—	·
	April 19	1	1	1	·	·	·	·	—	·	1	—	·	·	·	·	·	·	—	·	—	4
	April 26	·	·	·	·	·	1	·	—	4	1	—	·	·	·	·	·	·	—	·	—	6
	May 3	·	·	·	·	·	·	2	—	3	1	—	·	·	·	·	·	·	—	·	—	6
City of Londonderry	April 12	1	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	—	—	2
	April 19	1	4	·	·	·	—	1	—	1	·	—	·	—		·	·	·	·	—	—	7
	April 26	·	1	·	·	·	—	2	—	·	·	—	·	—	·	·	·	·	·	—	—	3
	May 3	·	2	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	—	—	3
City of Limerick	April 12	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	April 19	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	April 26	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	May 3	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
City of Waterford	April 12	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	April 19	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	April 26	·	·	·	·	·	—	·	—	·	1	—	·	—	·	·	·	·	—	—	·	1
	May 3	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 3rd May, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever nil and 3; measles 11 and 18; scarlet fever 12 and 30*; and diphtheria 3 and 12. Four cases of pneumonia were admitted during the week and 35 remained under treatment at its close, as compared with 66, 54 and 48 at the close of the 3 preceding weeks. Of the deaths in hospital during the week one was from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 3rd May, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Deaths. Births.	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 3rd May, 1919. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Enteritis under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 3rd May, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches
Cols.	(1)	(2)	(3)	(4)*	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
Total of 19 Town Districts, ...	1,112,268	20·0	24·4	17·8	0·4	535	389	57	111	·	·	·	1	·	2	1	·	53	16	22	41	44	4	·	9	7	126	12	° ·	° ·	° ·	° ·	° ·	·
Dublin Registration Area, ...	405,000	28·9	21·4	19·1	0·3	166	148	17	49	·	·	·	·			·	·	20	8	10	13	20	2	·	1	·	59	2	(d) 59·2	30·8	51·4	35·6	43·5	0·71
Urban Districts. City of Dublin,	310,500	38·0	22·5	19·0	0·3	134	113	15	30	·	·	·	·	·		·	·	16	5	8	10	14	2	·	1	·	50	2	(e) 58·1 (f) 59·2	33·1 32·2	51·8 52·2	39·4 38·5	45·6 45·4	0·58 0·71
Rathmines and Rathgar.	39,400	23·0	13·2	18·5	·	10	14	1	7	·	·	·	·			·	·	3	1	1	·	3	·	·	·	·	5	·	·	·	·	·	·	·
Pembroke, ..	29,500	18·8	24·7	24·7	·	14	14	1	7	·	·	·	·	·	·	·	·	·	2	1	3	2	·	·	·	·	3	·	·	·	·	·	·	·
Blackrock, ..	9,000	8·3	29·0	11·6	·	5	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Kingstown, ..	16,600	11·4	9·4	15·7	·	3	5	·	3	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	1	·	59	32	51·3	38·7	45·0	0·51
Urban Districts. Belfast, ..	401,000	26·8	25·6	15·5	0·3	197	119	23	32	·	·	·	·	·	·	·	·	25	5	7	9	12	2	·	1	3	36	3	56·0	32·5	50·8	38·3	44·5	0·50
Cork, ...	76,673	28·6	25·2	17·0	0·7	37	25	4	9	·	·	·	·	·	·	1	·	3	·	2	3	3	·	·	·	·	9	2	57	34	52·6	41·7	47·2	0·20
Londonderry, ..	41,000	15·9	26·7	21·6	2·5	21	17	3	2	·	·	·	·	·	2	·	·	1	·	1	5	2	·	·	·	·	·	·	·	·	·	·	·	·
Limerick, ..	38,518	16·1	40·6	20·3	·	30	15	2	1	·	·	·	·	·	·	·	·	2	1	·	4	3	·	·	·	·	5	·	60	30	55·3	40·0	47·6	0·68
Waterford, ..	27,464	19·1	30·4	15·2	1·9	16	8	1	2	·	·	·	1	·	·	·	·	·	·	·	·	2	·	·	2	2	2	·	63	35	56	42	49	0·26
Galway, ...	13,255	2·5				8	6	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	1	·	2	·	·	·	·	·	·
Dundalk, ..	13,128	9·5				9	6	2	1	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	2	·	1	·	·	·	·	·	·	·
Lurgan, ..	12,553	14·7				9	4	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	58·9	29·0	51·6	36·3	44·0	0·69
Drogheda, ..	12,501	8·4	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			8	8	·	2	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	3	·	·	·	·	·	·	·
Lisburn, ..	12,388	10·9				6	4	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Newry, ...	11,963	17·0				4	4	2	1	·	·	·	·	·	·	·	·	·	·	·	2	1	·	·	·	·	1	·	58·9	29·0	51·6	36·3	44·0	0·69
Portadown, ..	11,727	15·3				3	3	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	1	1	·	58·9	29·0	51·6	36·3	44·0	0·69
Wexford, ..	11,531	22·8				3	5	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Ballymena, ..	11,381	9·3				2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Sligo, ...	11,163	3·8				3	3	1	·	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·	54	31	50	38	44	1·69
Kilkenny, ..	10,514	11·4				7	3	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	59	32	52·0	39·0	45·5	0·37
Tralee, ...	10,300	17·4				3	6	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	2	2	·	·	·	·	·	·
Clonmel, ..	10,209	7·8				3	4	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	4	·	59	31	53	40	46·5	0·29
London	4,206,901	—	—	14·0	—	1,386	1,085	120	379	1	—	·	8	3	3	17	—	113	26	99	83	120	13	8	42	85	513	1	62	31	52·3	38·7	45·5	1·50
Edinburgh ...	336,700	—	—	14·8	—	[illegible]	76	10	28	·	—	·	3	·	6	·	—	—	—	—	—	—	·	—	·	—	—	—	55·0	28·0	46·7	34·6	40·6	1·00
Glasgow	1,118,700	—	—	13·0	—	499	278	43	63	·	·	·	15	1	16	3	—	—	—	—	—	—	3	—	14	—	—	—	53·0	30·9	47·4	36·3	41·9	0·45

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College, and those for Waterford by De La Salle College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 18th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 3rd May, 1919. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20	20—25	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	197·8	153	3	15	4	7	3	1	2	8	5	11	27	18	27	22	148
Enteric Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	11·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	3·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	·6	10	.	.	1	.	.	.	.	.	.	1	3	3	1	1	10
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	24·2	22	.	.	.	1	.	1	1	5	4	6	4	.	.	.	20
Tuberculous Meningitis	3·6	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	2
Abdominal Tuberculosis	3·0	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Tuberculosis of the Spinal Column.	·6	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Tuberculosis of Joints	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·0	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	3
Venereal Diseases ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	12·0	11	.	.	.	.	.	.	.	.	.	1	6	3	1	.	10
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	2·6	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
Alcoholism ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	3·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	6·2	5	.	.	.	.	.	.	.	.	.	.	2	2	1	.	5
Softening of Brain ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	1·8	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
Epilepsy, ...	·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Convulsions (non-puerperal).	4·2	3	.	1	.	2	.	.	.	.	.	.	.	.	.	.	3
Other Diseases of Nervous System.	3·0	3	.	.	.	.	.	.	.	.	.	.	2	.	.	1	3
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	16·0	10	.	.	.	.	.	.	.	.	.	1	1	3	3	2	10
Embolism and Thrombosis (including Cerebral).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diseases of the Larynx	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	18·4	18	1	2	.	.	.	.	.	.	.	.	2	2	7	4	18
Broncho-pneumonia ..	6·2	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	3
Lobar pneumonia ..	2·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Pneumonia (type not distinguished).	7·4	9	.	2	.	.	.	.	.	.	.	1	1	1	4	.	9
Pleurisy	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1

in the EIGHTEENTH WEEK, ending Saturday, 3rd May, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 18th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 3rd May, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx Tonsillitis.	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·		·
Diseases of Stomach ..	2·4	3	·	1	2	·	·	·	·	·	·	·	·	·	·	·		3
Diarrhœa and Enteritis of Children under 2 years.	3·2	3	·	3	·	·	·	·	·	·	·	·	·	·	·	·		2
Diarrhœa 2 years and upwards.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Enteritis 2 years and upwards.	1·0	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·		1
Appendicitis and Typhlitis.	1·2	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·		1
Hernia and Intestinal Obstructions.	1·8	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·		1
Cirrhosis of Liver ..	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Liver	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Peritonitis (cause unknown).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Digestive System.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Acute Nephritis ..	1·6	4	·	·	·	1	·	·	·	1	·	·	2	·	·	·		4
Chronic Bright's Disease	5·0	4	·	·	·	·	·	·	·	·	·	·	·	1	1	2		4
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Uterine Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ovarian Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Genito-urinary System.	1·4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·		1
Puerperal Septicæmia, &c.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other causes incident to Pregnancy and Childbirth.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Skin and Cellular Tissues.	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Locomotor System.	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·		1
Congenital Malformations.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Premature Birth ..	3·4	3	2	1	·	·	·	·	·	·	·	·	·	·	·	·		3
Congenital Debility ..	3·0	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·		1
Old Age	9·0	14	·	·	·	·	·	·	·	·	·	·	·	·	4	10		14
Other Specified Diseases	1·8	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·		1
VIOLENCE.																		
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Burns and Scalds ..	·2	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·		1
Drowning	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suffocation in Bed, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Vehicles and Horses ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Gunshot Wounds, &c.	9·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Violent Deaths		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Not included in above—																		
Homicide. ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ill-defined, &c., Causes,	4·0	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·		1

TABLE IV.—Showing for the WEEK ENDED 3RD MAY, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 3RD MAY, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	27·8	·	16	1	·	2	1	·	·	4	8	·	·	·	·	·	·	·	·	1	1	1	·	3	·	·	·	3	·	1	1	·
" 1, W., ...	41,100	20·3	·	16	4	1	1	·	2	1	4	3	·	·	·	·	·	·	·	·	4	·	2	3	1	·	·	·	·	·	6	2	·
" 2, ...	27,500	26·5	1·9	14	4	1	·	·	2	1	4	2	·	·	·	·	·	·	·	·	2	·	1	·	1	1	·	·	1	·	2	1	·
" 3, ...	34,100	16·8	·	11	2	·	·	1	1	2	3	2	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	1	·	·	5	2
CLONTARF AND HOWTH, No. 1, part of	5,500	19·0	·	2	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	7·7	·	2	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	4·7	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ...	43,000	15·8	·	13	1	1	·	1	1	·	5	4	·	·	·	·	·	·	·	·	1	3	·	2	2	·	·	1	·	·	3	3	·
" 2, ...	18,200	28·6	2·9	10	2	·	1	·	·	3	3	1	·	·	·	·	·	·	·	·	4	·	1	2	1	1	·	·	·	·	3	4	·
" 3, ...	43,300	20·5	·	17	·	·	1	·	2	1	5	8	·	·	·	·	·	·	·	·	3	·	1	·	3	·	·	·	1	·	2	11	·
" 4, ...	32,800	17·5	·	11	1	1	1	1	·	2	5	·	·	·	·	·	·	·	·	·	1	·	·	1	2	·	·	·	2	·	4	1	·
NEW KILMAINHAM, ...	10,300	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts																																	
RATHMINES AND RATHGAR, ..	39,400	18·5	·	14	1	·	·	·	1	3	2	7	·	·	·	·	·	·	·	·	3	1	1	·	3	·	·	·	1	·	4	1	·
PEMBROKE	29,500	24·7	·	14	1	·	·	·	1	1	4	7	·	·	·	·	·	·	·	·	·	2	1	3	2	·	·	·	·	·	2	1	·
BLACKROCK, ...	9,000	11·6	·	2	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ...	16,600	15·7	·	5	·	·	·	·	·	·	2	3	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	1	·	1	·	·
TOTAL CITY. North, ...	162,900	19·8	0·3	62	11	2	3	2	5	4	18	17	·	·	·	·	·	·	·	·	7	2	6	5	6	1	·	·	5	·	10	9	2
TOTAL CITY. South, ...	147,600	18·0	0·4	51	4	2	3	2	3	6	18	13	·	·	·	·	·	·	·	·	9	3	2	5	8	1	·	1	3	·	12	19	·
TOTAL CITY. North and South, ..	310,500	19·0	0·3	113	15	4	6	4	8	10	36	30	·	·	·	·	·	·	·	·	16	5	8	10	14	2	·	1	8	·	22	28	2
Total Urban Districts, ...	94,500	19·3	·	35	2	·	·	·	2	4	8	19	·	·	·	·	·	·	·	·	4	3	2	3	6	·	·	·	2	·	7	2	
Total Registration Area, ..	405,000	19·1	0·3	148	17	4	6	4	10	14	44	49	·	·	·	·	·	·	·	·	20	8	10	13	20	2	·	1	10	·	29	30	2
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				5	1	·	1	·	·	2	1	·	·	·	·	·	·	·	·	·	2	·	1	·	·	1	·	·	·	·	4	1	·

See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 3rd May, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 3RD MAY, 1919.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	20·0	153	29	4	10	16	45	27	22	.	.	.	.	.	.	.	.	22	8	11	3	13	20	3	.	1	72	2
	CLASSES.																													
	DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	17·8	5	.	.	1	.	1	1	2	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	2	.
II.	MIDDLE CLASS	101,798	15·4	30	1	1	4	4	9	3	8	.	.	.	.	.	.	.	.	7	2	5	.	.	3	.	.	.	13	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	14·4	30	3	.	2	3	11	7	4	.	.	.	.	.	.	.	.	4	2	1	.	3	3	1	.	.	16	.
IV.	GENERAL SERVICE CLASS	167,479	17·7	57	19	3	2	5	17	8	3	.	.	.	.	.	.	.	.	7	3	2	3	6	7	1	.	1	27	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	31	6	.	1	4	7	8	5	.	.	.	.	.	.	.	.	3	1	3	.	3	6	1	.	.	14	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	6	1	.	.	2	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	3	.
	6. Clerks and Commercial Assistants,	33,249	—	6	.	.	3	1	2	.	.	.	.	.	.	.	.	.	.	4	1	1	.	.	.	.	.	.	.	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	16	.	1	1	1	3	2	8	.	.	.	.	.	.	.	.	2	.	3	.	.	2	.	.	.	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	9. Building and Furnishing Trades, ..	28,823	—	5	1	.	1	1	2	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	2	.
	10. Clothing Trades, ...	20,026	—	4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	11. Food Supply Trades, ...	8,952	—	4	1	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	13	1	.	1	2	6	1	2	.	.	.	.	.	.	.	.	2	1	1	.	2	.	.	.	.	7	.
	13. Petty Shopkeepers, ...	6,772	—	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	8	3	.	.	3	2	.	.	.	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.	.	3	1
	15. Domestic Servants, ...	36,041	—	5	.	.	.	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	4	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	40	15	3	2	2	11	6	1	.	.	.	.	.	.	.	.	2	3	2	2	5	6	1	.	1	18	1
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	31	6	.	1	4	7	8	5	.	.	.	.	.	.	.	.	3	1	3	.	3	6	1	.	.	14	.

TABLE VI.—**Dublin Registration Area and Belfast City.** Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Feb 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr 5.	Apr. 12	Apr. 19.	Apr. 26.	May 3.	Feb. 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3
No of weeks in Annual Series ..	6	7	8	9	10	11	12	13	14	15	16	17	18	6	7	8	9	10	11	12	13	14	15	16	17	18
BIRTHS registered	196	199	170	192	208	189	171	192	217	190	145	169	166	170	169	172	184	164	160	198	167	175	162	145	170	197
Average Births in corresponding week of previous 10 years, ...	214	208	205	207	215	201	226	215	238	238	241	216	251	201	198	199	216	203	211	215	207	206	216	227	226	209
Number of Deaths, ...	194	259	351	466	489	371	288	245	253	196	177	146	148	163	175	218	238	233	261	238	207	168	184	131	125	119
Annual Death-rate per 1,000 ..	25·0	33·3	45·2	60·0	63·0	47·8	37·1	31·5	32·6	25·2	22·8	18·8	19·1	21·8	22·8	28·3	30·9	30·3	33·9	30·9	26·9	21·8	23·9	17·0	16·3	15·5
Average Deaths in corresponding week of previous 10 years, ...	186	185	195	193	194	185	196	186	192	191	189	161	167	179	167	166	162	165	162	164	158	168	166	162	154	138
Ages, .. Under one year, ..	27	37	29	66	51	44	36	37	41	29	22	19	17	37	33	34	21	21	42	33	29	30	25	23	20	23
1— 5 years, ..	13	17	19	45	50	49	28	25	18	12	12	12	10	10	17	13	20	16	24	22	12	6	14	7	5	4
5—25 ,, ..	13	29	32	57	63	35	39	26	25	23	21	15	14	21	21	29	32	27	24	31	21	16	30	16	22	15
25—45 ,, ..	29	40	80	99	98	77	58	39	55	28	32	19	14	22	28	33	48	40	33	34	42	18	29	25	16	20
45—65 ,, ..	49	69	89	110	115	87	63	59	62	58	27	40	44	36	31	52	57	60	67	57	50	54	42	29	23	25
65 and upwards, ..	63	67	102	89	112	79	64	59	52	43	63	41	49	42	45	57	60	60	74	61	53	44	44	31	39	32
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	2	3	2	6	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	1	.	.	.	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	2	.	1	2	.	.	1	1	2	3	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.
Diphtheria, ...	.	.	.	.	.	1	1	1	1	.	.	1	.	1	2	.	1	1	1	2	1	.	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	27	30	26	21	30	29	23	21	27	18	20	14	20	19	25	28	21	19	21	22	26	16	21	13	13	25
Tuberculosis { Other Forms, ..	3	1	3	11	7	7	4	7	14	5	11	5	8	5	7	8	6	6	4	5	5	4	7	6	9	5
Cancer, ...	11	10	10	8	16	8	7	3	7	9	9	7	10	8	7	7	7	8	8	13	5	9	6	6	8	7
Diseases of Respiratory System, { Pneumonia ..	24	43	50	83	89	60	45	37	34	24	22	16	13	30	24	37	39	41	55	46	23	21	20	13	13	9
Diseases of Respiratory System, { Others, ..	39	60	71	82	99	57	51	54	44	36	24	24	20	30	45	51	73	83	61	61	52	33	38	31	23	12
Diarrhœa and Enteritis, under 2 years, ...	3	6	5	4	1	1	5	3	4	2	1	3	2	.	1	1	1	.	2	1	3	1	1	1	.	2
Diarrhœa, 2 years and upwards..	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
Violent Deaths, ...	2	2	1	1	1	3	1	3	4	2	5	3	1	5	3	3	4	.	1	3	2	7	3	3	2	1
Number of Uncertified Deaths, ..	8	8	8	10	8	9	5	4	7	6	5	2	2	.	2	2	2	3	1	1	2	5	4	1	3	3
A Mean Maximum Temperature in degs	41·6	43·5	45·2	44·6	47·5	47·9	46·1	42·4	49·1	55·6	55·4	54·7	51·4	40·8	43·8	44·3	45·7	44·5	48·6	44·6	43·1	48·9	54·9	53·5	55·2	50·8
B Mean Minimum ,, ,,	34·3	31·4	36·1	25·7	33·6	32·2	32·0	29·3	32·9	40·6	41·5	34·4	35·6	34·6	37·4	34·8	32·7	32·0	34·7	34·4	29·4	37·5	41·0	41·0	41·9	38·3
Mean of A and B ,, ,,	38·0	37·5	40·7	35·2	40·6	40·1	39·1	35·9	41·0	48·1	48·5	44·6	43·5	37·7	40·6	39·6	39·2	38·3	41·7	39·5	35·3	43·2	48·0	47·3	48·6	44·5
Rainfall in inches	0·68	0·16	0·57	0·10	0·64	0·18	1·18	0·37	0·18	0·22	0·50	0·27	0·71	0·14	0·09	0·91	0·30	0·67	0·20	·98	0·37	0·06	0·39	0·52	0·39	0·50

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 3rd May, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS. Pulmonary.	Other Forms	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	9	6·6	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Do. 2 do.	49,500	17	13·7	.	13	1	1	1	3	2	5	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	1	6	1
Do. 3 do.	50,032	14	18·8	1·0	18	5	.	2	1	5	5	.	.	.	.	.	.	.	.	2	.	2	.	4	1	.	.	1	9	.
Do. 4 do.	32,637	23	20·8	.	13	1	.	1	4	3	4	.	.	.	.	.	.	.	.	4	.	1	.	1	.	.	.	.	6	.
Do. 5 do.	16,112	10	12·9	.	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	1
Do. 6 do.	37,293	24	14·0	.	10	2	.	1	2	.	5	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.	1	.
Do. 7 do.	2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	4	17·5	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	9	17·1	.	8	2	.	2	1	2	1	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	.	.	.
Do. 10 do.	28,958	24	21·6	.	12	3	1	2	2	3	1	.	.	.	.	.	.	.	.	4	.	.	2	1	.	.	.	.	2	.
Do. 11 do.	39,311	18	22·5	.	17	2	2	3	1	6	3	.	.	.	.	.	.	.	.	4	3	.	2	1	.	.	.	.	4	.
Do. 12 do.	38,076	23	8·2	1·4	6	2	.	1	1	1	1	.	.	.	.	.	.	.	.	3	.	.	1	1	1	.	.	.	3	.
Do 13 do.	23,233	7	13·5	.	6	.	.	1	.	1	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	14	18·4	.	8	2	.	.	1	2	3	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	3	.
Total,	386,947	197	15·5	0·3	119	23	4	15	20	25	32	.	.	.	.	.	.	.	.	25	5	7	9	12	2	.	1	3	36	3
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	6	23·3	.	6	2	1	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Do 2 do.	10,399	3	20·1	5·0	4	.	1	.	1	1	1	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	4	.
Do. 3 do.	9,793	3	16·0	.	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	1
Do. 4 do.	9,139	3	17·1	.	3	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 5 do.	6,250	3	16·7	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 6 do.	11,581	8	4·5	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 7 do	16,056	11	19·5	.	6	.	.	.	.	3	3	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	2	.
Total.	76,673	37	17·0	0·7	25	4	2	1	3	6	9	.	.	.	.	.	.	1	.	3	.	2	3	3	.	.	.	.	9	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 3rd May, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 1, West ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	4
" " 3, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	3
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2
" " " 2, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	3
" " " 3, ...	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2	4
" " " 4, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Total, ...	.	.	.	.	.	9	1	.	.	.	.	.	.	.	.	.	12	22

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 3rd May, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 3rd May.			
	Apr. 12.	Apr. 19.	Apr. 26.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	5	6	4	.	1	.	3
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	8	15	13	11	6	.	18
Scarlet Fever	44	35	29	12	11	.	30*
Diphtheria, ...	13	12	13	3	4	.	12
Pneumonia, ...	66	54	48	4	16	1	35

* Exclusive of 7 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12813). Wt. 210. 3. 380. 5, 1919. G, III. Sch. e. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 19. VOL. LVI.] WEEK ENDING SATURDAY, 10TH MAY, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 12th May, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 16·8 and 18·3; Dublin Registration Area, 17·3 and 19·5; Dublin City, 18·0 and 19·8; Belfast, 14·8 and 15·9; Cork, 12·2 and 16·8; Londonderry, 26·7 and 22·9; Limerick, 28·4 and 22·3; and Waterford, 11·4 and 18·1.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·6 per 1,000. Among the 114 deaths from all causes for Belfast are 3 from diarrhœal diseases and one from cerebro-spinal fever. Of the 21 deaths from all causes for Londonderry one is from typhus and 3 are from whooping-cough. Included in the 21 deaths from all causes for Limerick is one from diphtheria. One of the 3 deaths from all causes for Dundalk is from diphtheria and of the 6 deaths from all causes for Sligo one is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 215—111 boys and 104 girls—and the deaths to 145—66 males and 79 females.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·3 per 1,000 of the population. During the nineteen weeks ending with Saturday last the death-rate averaged 31·2 and was 7·1 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the nineteen weeks was 33·5 and for the corresponding period of the preceding ten years 25·5.

Of the 134 deaths appertaining to the Area there were 3 from diarrhœa and enteritis of children under 2 years.

There were 11 deaths from influenza, being equivalent to an annual rate of 1·4 per 1,000 of the population, and of these 8 belonged to the City, affording a rate of 1·3 per 1,000 of the population, the latter including 4 (or 1·3 per 1,000) assigned to North City Districts and 4 (or 1·4 per 1,000) to South City Districts. Three deaths from influenza (or 1·7 per 1,000 of the population) were referred to the urban districts (see Table IV., col. 29). In the three preceding weeks deaths from this cause for the Registration Area numbered 20, 7 and 10, respectively.

Deaths attributed to pneumonia were 10 (comprising 4 from broncho-pneumonia, one from lobar pneumonia, and 5 from pneumonia, type not distinguished), as against 22, 16, and 13 in the three weeks preceding.

Tuberculous disease caused 24 deaths (comprising 19 from pulmonary tuberculosis, one from tuberculous meningitis, and 4 from other forms of tuberculous disease), as against 31, 19, and 28 in the three weeks preceding.

Six deaths were caused by cancer, 4 by meningitis, 7 by organic diseases of the heart, and 22 by bronchitis.

Among deaths of infants under one year old, one was due to convulsions, 2 to broncho-pneumonia, 2 to pneumonia, 2 to diarrhœa and enteritis, and 2 to premature birth.

There were 2 accidental deaths.

Twenty-two of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 12 being infants under one year, of whom 5 were under one month old, and 46 deaths were those of persons aged 65 and upwards, of whom 32 were 70 years of age or over.

Of the 134 deaths recorded, 42 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 10th May, in 96 large English towns (including London, in which the rate was 12·5) was equal to an average annual death rate of 12·6 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 13·7 per 1,000 persons living, the rate for Glasgow being 14·8 and for Edinburgh 14·1.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 10th May. From this Report it appears that of 39 cases notified, 12 were pulmonary tuberculosis, 8 other forms of tuberculosis, 11 scarlet fever, 5 diphtheria, 2 erysipelas, and one cerebro-spinal fever. Among the 398 cases of infectious diseases in hospital at the close of the week were 144 of pulmonary tuberculosis, 117 of scarlet fever, 46 of whooping-cough, 35 of diphtheria, 18 of measles, 8 of erysipelas, and one of influenza.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 10th May, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin	April 19	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	6	·	·	19	26
	April 26	·	·	·	·	·	—	3	—	3	2	—	·	—	·	·	·	1	·	·	25	34
	May 3	·	·	·	·	·	—	9	—	1	·	—	·	—	·	·	·	·	·	·	12	22
	May 10	·	·	·	·	·	—	3	—	·	·	—	·	—	·	·	·	3	·	·	23	29
Rathmines & Rathgar Urban District	April 19	·	·	·	·	·	—	·	—	·	·	—	·	—		·	·	2	·	·	—	2
	April 26	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	May 3	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	May 10	·	·	·	·	·	—	3	—	·	1	—	·	—	·	·	·	·	·	·	—	4
Pembroke Urban District	April 19	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·		4	·	·	·	4
	April 26	·	·	·	·	·	5	·	·	·	·	·	·	—	·	·	·	·	·	·	·	5
	May 3	·	·	·	·	·	2	·	·	·	·	·	·	—	·	·	·	3	·	·	·	5
	May 10	·	·	·	·	·	3	·	·	·	·	·	·	—	·	·	·	·	·	·	·	3
Blackrock Urban District	April 19	·	·	·	·	·	·	·	—	·	·	—	·	—		·		·	·	·	·	·
	April 26	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	3	·	·	·	3
	May 3	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	May 10	·	·	·	·	·	·	1	—	·	·	—	·	—	·	·	·	·	·	·	·	1
Kingstown Urban District	April 19	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	4	—	·	·	5
	April 26	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	2	2
	May 3	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	—	·	3	5
	May 10	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	—	·	2	3
City of Belfast	April 19	·	·	·	·	·	—	7	—	7	2	—	·	—	·	·	·	·	·	·	·	16
	April 26	·	·	·	·	·	—	14	—	1	·	—	·	—	·	·	·	1	1	·	3	20
	May 3	1	·	·	·	·	—	10	—	5	1	—	·	—	·	·	·	·	1	·	·	18
	May 10	·	·	·	·	·	—	10	—	1	1	—	·	—	·	·	·	·	2	·	4	18
City of Cork	April 19	1	1	1	·	·	·	·	—	·	1	—	·	·	·	·	·	·	—	·	—	4
	April 26	·	·	·	·	·	1	·	—	4	1	—	·	·	·	·	·	·	—	·	—	6
	May 3	·	·	·	·	·	·	2	—	3	1	—	·	·	·	·	·	·	—	·	—	6
	May 10	1	·	·	·	·	·	·	—	·	·	—	·	·	·	·	·	·	—	·	—	1
City of Londonderry	April 19	1	4	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	·	—	—	7
	April 26	·	1	·	·	·	—	2	—	·	·	—	·	—				·	·	—	—	3
	May 3	·	2	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	—	—	3
	May 10	·	1	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	—	—	1
City of Limerick	April 19	·	·	·	·	·	—	·	—	·	·	—	·	—		·	·	·	·	·	—	·
	April 26	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	May 3	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	May 10	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
City of Waterford	April 19	·	·	·	·	·	—	·	—	·	·	—	·	—		·			—	—	·	·
	April 26	·	·	·	·	·	—	·	—	·	1	—	·	—	·	·	·	·	—	—	·	1
	May 3	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	May 10	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 10th May, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever one and 3; measles one and 11; scarlet fever 9 and 32*; and diphtheria 3 and 7. Eight cases of pneumonia were admitted during the week and 21 remained under treatment at its close, as compared with 54, 48 and 35 at the close of the 3 preceding weeks. Of the deaths in hospital during the week one was from each of diphtheria and pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 10th May, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 10th May, 1919. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age	Deaths. At 65 years and upwards.	Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 10th May, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches
Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
Total of 19 Town Districts, ...	1,142,268	20·0	25·7	16·8	0·6	564	369	46	118	·	1	·	1	·	3	2	·	52	17	20	31	60	5	1	3	7	86	13	° ·	° ·	° ·	° ·	° ·	·
Dublin Registration Area, ...	405,000	28·9	27·7	17·3	0·4	215	134	12	46	·	·	·	·	·	·	·	·	19	5	6	10	23	3	·	2	3	42	3	(d) 63·2	30·6	56·9	37·4	47·2	0·14
Urban Districts. City of Dublin,	310,500	38·0	31·4	18·0	0·5	187	107	10	34	·	·	·	·	·	·	·	·	17	5	5	9	21	3	·	1	3	35	3	(e) 63·0 (f) 63·4	40·8 34·0	59·1 57·8	45·2 41·8	52·2 49·8	0·15 0·07
Urban Districts. Rathmines and Rathgar	39,400	23·0	13·2	17·2	·	10	13	2	5	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·	5	·	·	·	·	·	·	·
Urban Districts. Pembroke, ..	29,500	18·8	15·9	8·8	·	9	5	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Blackrock, ..	9,000	8·3	5·8	11·6	·	1	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Kingstown, ..	16,600	11·4	25·1	22·0	·	8	7	·	3	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	2	·	65	42	55·3	44·7	50·0	0·11
Urban Districts. Belfast, ..	401,000	26·8	24·6	14·8	0·4	189	114g	18	25	·	·	·	·	·	·	·	·	27	7	8	11	18	2	1	1	2	24	·	62·0	38·5	56·8	42·6	49·7	0·35
Urban Districts. Cork, ...	76,673	28·6	26·5	12·2	·	39	18	3	8	·	·	·	·	·	·	·	·	1	1	·	1	5	·	·	·	·	7	·	·	·	·	·	·	·
Urban Districts. Londonderry, ..	41,000	15·9	29·3	26·7	5·1	23	21	3	6	·	1	·	·	·	3	·	·	1	·	1	3	2	·	·	·	1	1	1	·	·	·	·	·	·
Urban Districts. Limerick, ..	38,518	16·1	25·7	28·4	1·4	19	21	3	8	·	·	·	·	·	·	1	·	1	·	1	3	6	·	·	·	1	4	3	·	·	·	·	·	·
Urban Districts. Waterford, ..	27,464	19·1	20·9	11·4	·	11	6	·	2	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	1	·	66	40	59	45	52	0·25
Urban Districts. Galway, ...	13,255	2·5				3	6	1	1	·	·	·	·	·	·	·	·	1	1	·	1	1	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. Dundalk, ..	13,128	9·5				4	3	·	1	·	·	·	·	·	·	1	·	·	1	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. Lurgan, ..	12,553	14·7				8	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	67·3	35·4	59·0	41·7	50·3	0·00
Urban Districts. Drogheda, ..	12,501	8·4				4	7	1	5	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Lisburn, ..	12,388	10·9				7	5	·	5	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	68	34	60	38	49	0·09
Urban Districts. Newry, ...	11,963	17·0				4	5	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	67·3	35·4	59·0	41·7	50·3	0·00
Urban Districts. Portadown, ..	11,727	15·3				5	2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	67·3	35·4	59·0	41·7	50·3	0·00
Urban Districts. Wexford, ..	11,531	22·8				6	5	·	1	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. Ballymena,	11,381	9·3				3	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Sligo, ...	11,163	3·8				5	6	1	2	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	62	32	59	42	50·5	0·49
Urban Districts. Kilkenny, ..	10,514	11·4				12	6	1	3	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	1	1	65	36	58·4	42·5	50·4	0·19
Urban Districts. Tralee, ...	10,300	17·4				1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. Clonmel, ..	10,209	7·8				6	4	2	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	1	·	·	·	·	·	·	·
London	4,206,901	—	—	12·5	—	1,530	964	101	370	·	—	·	10	2	2	13	—	91	22	96	70	116	12	3	42	77	471	·	70	40	61·7	44·8	51·8	0·12
Edinburgh ...	336,700	—	—	14·1	—	89	91	11	35	·	·	·	2	3	4	·	—	—	—	—	—	—	1	—	·	—	—	—	61·0	39·0	51·0	41·3	46·1	0·43
Glasgow	1,118,700	—	—	14·8	—	492	318g	46	75	·	·	·	19	1	25	1	—	—	—	—	—	—	2	—	8	—	—	—	63·2	40·9	55·9	43·3	49·6	0·27

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College, and those for Waterford by De La Salle College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal fever.

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 19th Week of the 5 years, 1914-1918.	All Ages.	Deaths registered during week ending Saturday, 10th May, 1919. Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards	Deaths of Residents of Dublin Registration Area (included in the foregoing)
ALL CAUSES.	218·6	145	5	7	5	7	7	4	2	2	8	11	19	20	30	18	134
Enteric Fever ..	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	9·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	4·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	2·0	12	.	.	.	.	.	.	.	.	.	2	3	2	4	1	11
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	24·6	21	.	.	.	.	3	2	1	1	6	5	2	1	.	.	19
Tuberculous Meningitis	1·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Abdominal Tuberculosis	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Tuberculosis of Joints	·8	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Tuberculosis of other Organs.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·0	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2
Venereal Diseases ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	9·4	7	.	.	.	.	.	.	.	.	.	.	3	4	.	.	6
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Anæmia, Leucocythæmia.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	2·8	4	.	.	1	1	2	.	.	.	.	.	.	.	.	.	4
Cerebral Hæmorrhage, Apoplexy.	6·2	6	.	.	.	.	.	.	.	.	.	.	1	1	2	2	5
Softening of Brain ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·0	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Epilepsy.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	5·0	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Other Diseases of Nervous System.	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	16·2	7	.	.	.	.	.	.	.	.	.	.	.	2	4	1	7
Embolism and Thrombosis (including Cerebral).	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Other Diseases of Circulatory System.	·4	3	.	.	.	.	.	.	.	.	1	.	1	.	.	1	3
Diseases of the Larynx	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Bronchitis	17·2	22	.	.	1	.	.	.	.	.	.	1	2	5	9	4	22
Broncho-pneumonia ..	7·2	4	1	1	.	1	.	.	.	1	.	.	.	.	.	.	4
Lobar pneumonia ..	·8	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Pneumonia (type not distinguished).	6·6	5	.	2	.	1	1	.	.	.	.	.	.	.	1	.	5
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

in the NINETEENTH WEEK, ending Saturday, 10th May, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 19th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 10th May, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Stomach ..	2·4	4	·	1	·	·	·	·	·	·	·	·	·	1	2	·		3
Diarrhœa and Enteritis of Children under 2 years.	3·2	3	1	1	1	·	·	·	·	·	·	·	·	·	·	·		3
Diarrhœa 2 years and upwards.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Enteritis 2 years and upwards.	1·4	3	·	·	·	1	·	·	·	·	·	·	1	1	·	·		2
Appendicitis and Typhlitis.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·		·		·
Hernia and Intestinal Obstructions.	1·4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·		1
Cirrhosis of Liver ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Liver	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Peritonitis (cause unknown).	·6	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		1
Other Diseases of Digestive System.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Acute Nephritis ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Chronic Bright's Disease	5·2	5	·	·	·	·	·	·	·	·	·	1	1	2	1	·		4
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Uterine Tumour (non-cancerous).	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·		·
Ovarian Tumour (non-cancerous).	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Genito-urinary System.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Puerperal Septicæmia, &c.	·2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·		1
Other causes incident to Pregnancy and Childbirth.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Skin and Cellular Tissues.	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Locomotor System.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Congenital Malformations.	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Premature Birth ..	5·4	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·		2
Congenital Debility ..	4·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Old Age	6·6	11	·	·	·	·	·	·	·	·	·	·	·	·	3	8		11
Other Specified Diseases	1·4	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·		2
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Burns and Scalds ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Drowning	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suffocation in Bed, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Railways, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Vehicles and Horses ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Gunshot Wounds, &c.	33·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Violent Deaths		2	·	·	·	·	·	·	·	·	·	·	·	·	1	1		2
Not included in above—																		
Homicide. ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suicide, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ill-defined, &c., Causes,	3·0	2	·	·	·	·	·	1	·	·	·	·	1	·	·	·		2

TABLE IV.—Showing for the WEEK ENDED 10TH MAY, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
					WEEK ENDED SATURDAY, 10TH MAY, 1919. DEATHS. CAUSED BY																												
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,600	24·3	1·7	14	·	2	1	·	1	3	4	3	·	·	·	·	·	·	·	·	2	1	·	1	2	1	·	·	1	·	3	·	1
" 1, W., ...	41,100	33·0	·	26	3	·	1	7	1	2	4	8	·	·	·	·	·	·	·	·	5	1	1	5	3	·	·	·	·	1	6	6	1
" 2, ...	27,500	11·4	·	6	·	·	·	1	·	·	1	4	·	·	·	·	·	·	·	·	·	1	·	·	4	·	·	·	·	·	·	1	·
" 3, ...	34,100	15·3	·	10	1	·	·	·	·	3	2	4	·	·	·	·	·	·	·	·	2	·	1	·	1	·	·	·	1	·	1	1	·
CLONTARF AND HOWTH, No. 1, part of	5,500	9·5	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	18·8	·	4	1	·	1	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	2	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	15·8	·	13	1	·	·	·	1	·	5	6	·	·	·	·	·	·	·	·	1	1	1	·	4	·	·	·	2	·	2	4	·
" 2, ...	18,200	17·2	2·9	6	1	·	·	·	·	1	3	1	·	·	·	·	·	·	·	·	2	·	·	·	2	1	·	·	·	·	·	3	·
" 3, ...	43,300	13·2	·	11	1	·	·	1	·	2	6	1	·	·	·	·	·	·	·	·	1	·	2	·	1	·	·	1	1	2	2	2	1
" 4, ...	32,800	23·8	1·6	15	2	1	2	1	1	2	1	5	·	·	·	·	·	·	·	·	4	1	·	1	4	1	·	·	·	·	2	1	·
NEW KILMAINHAM, ...	10,300	5·1	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
Urban Districts																																	
RATHMINES AND RATHGAR, ..	39,400	17·2	·	13	2	2	·	·	·	1	3	5	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	1	·	4	1	·
PEMBROKE	29,500	8·8	·	5	·	·	·	·	·	1	1	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
BLACKROCK, ...	9,000	11·6	·	2	·	·	·	1	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	·	·
KINGSTOWN, ...	16,600	22·0	·	7	·	·	·	·	·	2	2	3	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	1	·	2	·	·
TOTAL CITY. North, ...	162,900	19·5	0·3	61	5	2	3	8	2	8	12	21	·	·	·	·	·	·	·	·	9	3	2	8	10	1	·	·	4	1	11	8	2
TOTAL CITY. South, ...	147,600	16·3	0·7	46	5	1	2	2	2	5	16	13	·	·	·	·	·	·	·	·	8	2	3	1	11	2	·	1	4	2	6	10	1
TOTAL CITY. North and South, ..	310,500	18·0	0·5	107	10	3	5	10	4	13	28	34	·	·	·	·	·	·	·	·	17	5	5	9	21	3	·	1	8	3	17	18	3
Total Urban Districts, ...	94,500	14·9	·	27	2	2	·	1	·	4	6	12	·	·	·	·	·	·	·	·	2	·	1	1	2	·	·	1	3	·	6	1	
Total Registration Area, ..	405,000	17·3	0·4	134	12	5	5	11	4	17	34	46	·	·	·	·	·	·	·	·	19	5	6	10	23	3	·	2	11	3	23	9	3
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				11	·	·	2	·	·	2	5	2	·	·	·	·	·	·	1	·	2	·	1	·	·	·	·	·	1	·	10	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 10th May, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 10TH MAY, 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages: Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	145	24	11	4	19	39	30	18	.	.	.	.	.	.	1	.	21	5	7	1	0	23	3	.	2	72	3
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	28·5	8	.	.	.	.	1	3	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8	.
II.	MIDDLE CLASS	101,798	17·4	34	6	3	.	3	7	8	7	.	.	.	.	.	.	.	.	4	.	2	.	2	5	.	.	.	21	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	14·4	30	3	3	3	6	11	3	1	.	.	.	.	.	.	.	.	5	3	3	.	2	6	.	.	1	10	.
IV.	GENERAL SERVICE CLASS	167,479	16·5	53	14	5	1	10	13	6	4	.	.	.	.	.	.	1	.	10	2	2	1	5	6	2	.	1	23	3
V	INMATES OF WORKHOUSES, ...	5,602	—	20	1		.	.	7	10	2	.	.	.	.	.	.	.	.	2	.	.	.	1	6	1	.	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	6	.	.	.	.	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	9	2	.	.	3	2	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	6	.
	6. Clerks and Commercial Assistants,	33,249	—	6	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	16	1	2	.	.	3	3	7	.	.	.	.	.	.	.	.	2	.	2	.	.	3	.	.	.	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ..	28,823	—	5	2	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	2	.
	10. Clothing Trades, ...	20,026	—	4	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.
	11. Food Supply Trades, ...	8,952	—	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	15	1	.	2	2	7	2	1	.	.	.	.	.	.	.	.	4	.	2	.	1	3	.	.	1	4	.
	13. Petty Shopkeepers, ...	6,772	—	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	12	3	4	.	3	1	.	1	.	.	.	.	.	.	1	.	4	.	.	.	1	.	1	.	.	5	1
	15 Domestic Servants, ...	36,041	—	4	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	34	10	1	.	4	10	6	3	.	.	.	.	.	.	.	.	4	1	2	1	3	5	1	.	1	6	2
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	20	1	.	.	.	7	10	2	.	.	.	.	.	.	.	.	2	.	.	.	1	6	1	.	.	0	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12	Apr. 19.	Apr. 26	May 3.	May 10	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3	May 10.
No. of weeks in Annual Series ..	7	8	9	10	11	12	13	14	15	16	17	18	19	7	8	9	10	11	12	13	14	15	16	17	18	19
BIRTHS registered	199	170	192	208	189	171	192	217	190	145	169	166	215	169	172	184	164	160	138	167	175	162	145	170	197	189
Average Births in corresponding week of previous 10 years, ...	208	205	207	215	201	226	215	238	238	241	216	251	254	198	199	216	203	211	215	207	206	216	227	226	209	208
Number of Deaths, ...	259	351	466	489	371	288	245	253	196	177	146	148	134	175	218	238	233	261	238	207	168	184	131	125	119	114
Annual Death-rate per 1,000 ..	33·3	45·2	60·0	63·0	47·8	37·1	31·5	32·6	25·2	22·8	18·8	19·1	17·3	22·8	28·3	30·9	30·3	33·9	30·9	26·9	21·8	23·9	17·0	16·3	15·5	14·8
Average Deaths in corresponding week of previous 10 years, ...	185	195	193	194	185	196	186	192	191	189	161	167	184	167	166	162	165	162	164	158	168	166	162	154	138	133
Ages, .. Under one year, ..	37	29	66	51	44	36	37	41	29	22	19	17	12	33	34	21	21	42	33	29	30	25	23	20	23	18
1— 5 years, ..	17	19	45	50	49	28	25	18	12	12	12	10	10	17	13	20	16	21	22	12	6	14	7	5	4	6
5—25 ,, ..	29	32	57	63	35	39	26	25	23	21	15	14	15	21	29	32	27	24	31	21	16	30	16	22	15	22
25—45 ,, ..	40	80	99	98	77	58	39	55	28	32	19	14	17	28	33	48	40	33	34	42	18	29	25	16	20	18
45—65 ,, ..	69	89	110	115	87	63	59	62	58	27	40	44	34	31	52	57	60	67	57	50	54	42	29	23	25	25
65 and upwards, ..	67	102	89	112	79	64	59	52	46	63	41	49	46	45	57	60	69	74	61	53	44	44	31	39	32	25
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	2	3	2	6	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	.	.	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	2	.	1	2	.	.	1	1	2	3	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.
Diphtheria, ...	.	.	.	.	1	1	1	1	.	.	1	.	.	2	.	1	1	1	2	1	.	.	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	30	26	21	30	29	23	21	27	18	20	14	20	19	25	28	21	19	21	22	26	16	21	13	13	25	27
Tuberculosis { Other Forms, ..	1	3	11	7	7	4	7	14	5	11	5	8	5	7	8	6	6	4	5	5	4	7	6	9	5	7
Cancer, ...	10	10	8	16	8	7	3	7	9	9	7	10	6	7	7	7	8	8	13	5	9	6	6	8	7	8
Diseases of Respiratory System, { Pneumonia ..	43	50	83	89	60	45	37	34	24	22	16	13	10	24	37	39	41	55	46	23	21	20	13	13	9	11
Diseases of Respiratory System, { Others, ..	60	71	82	99	57	51	54	44	36	24	24	20	23	45	51	73	83	61	61	52	33	38	31	23	12	18
Diarrhœa and Enteritis, under 2 years, ...	6	5	4	1	1	5	3	4	2	1	3	2	3	1	1	1	.	2	1	3	1	1	1	.	2	2
Diarrhœa, 2 years and upwards..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	1
Violent Deaths, ...	2	1	1	1	3	1	3	4	2	5	3	1	2	3	3	4	.	1	3	2	7	3	3	2	1	1
Number of Uncertified Deaths, ..	8	8	10	8	9	5	4	7	6	5	2	2	3	2	2	2	3	1	1	2	5	4	1	3	3	.
A Mean Maximum Temperature in degs	43·5	45·2	44·6	47·5	47·9	46·1	42·4	49·1	55·6	55·4	54·7	51·4	56·9	43·8	44·3	45·7	44·5	48·6	44·6	43·1	48·9	54·9	53·5	55·2	50·8	56·8
B Mean Minimum ,, ,,	34·4	36·1	25·7	33·6	32·2	32·0	29·3	32·9	40·6	41·5	34·4	35·6	37·4	37·4	34·8	32·7	32·0	34·7	34·4	29·4	37·5	41·0	41·0	41·9	38·3	42·6
Mean of A and B ,, ,,	37·5	40·7	35·2	40·6	40·1	39·1	35·9	41·0	48·1	48·5	44·6	43·5	47·2	40·6	39·6	39·2	38·3	41·7	39·5	36·3	43·2	48·0	47·3	48·6	44·5	49·7
Rainfall in inches	0·16	0·57	0·10	0·64	0·18	1·18	0·37	0·18	0·22	0·50	0·27	0·71	0·14	0·09	0·91	0·30	0·67	0·20	1·98	0·37	0·06	0·39	0·52	0·30	0·50	0·35

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 10th May, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	7	19·7	·	6	2	·	1	1	·	2	·	·	·	·	·	·	·	·	1	1	1	2	·	·	·	·	·	·	·
Do 2 do.	49,500	22	10·5	·	10	·	·	2	·	5	3	·	·	·	·	·	·	·	·	3	1	2	·	3	·	·	·	·	·	·
Do. 3 do.	50,032	20	16·7	1·0	16	2	·	2	4	5	3	·	·	·	·	·	·	·	·	3	·	·	2	2	·	1	·	1	4	·
Do. 4 do	32,637	8	9·6	·	6	1	·	1	1	1	2	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	·	1	·
Do. 5 do.	16,112	4	16·2	·	5	·	·	2	1	1	1	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	2	·
Do. 6 do.	37,293	15	9·8	·	7	1	·	·	2	2	2	·	·	·	·	·	·	·	·	1	1	1	1	1	·	·	·	·	1	·
Do. 7 do.	2,681	2	19·4	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	·	43·7	·	5	·	·	1	·	1	3	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	1	·
Do. 9 do	24,427	27	12·8	·	6	1	·	2	2	·	1	·	·	·	·	·	·	·	·	3	·	·	·	1	·	·	·	·	1	·
Do. 10 do.	28,958	14	16·2	·	9	1	3	1	·	3	1	·	·	·	·	·	·	·	·	1	2	2	·	2	·	·	·	·	2	·
Do. 11 do.	39,311	24	15·9	1·3	12	4	·	4	1	2	1	·	·	·	·	·	·	·	·	5	1	·	·	3	1	·	·	·	1	·
Do. 12 do	38,076	25	19 2	·	14	3	2	4	1	1	3	·	·	·	·	·	·	·	·	3	1	·	·	3	·	·	1	1	4	·
Do 13 do.	23,233	11	13·5	·	6	·	·	2	·	1	3	·	·	·	·	·	·	·	·	2	·	·	2	1	·	·	·	·	1	·
Do. 14 do	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do	22,669	10	25·3	2·3	11	3	1	·	5	2	·	·	·	·	·	·	·	·	·	2	·	·	2	1	1	·	·	·	6	·
Total,	386,947	189	14·8	0·4	114	18	6	22	18	25	25	·	·	·	·	·	·	·	·	27	7	8	11	18	2	1	1	2	24	·
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	6	19·4	·	5	·	·	·	·	3	2	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	4	·
Do 2 do.	10,399	10	5·0	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Do. 3 do.	9,793	4	5·3	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 4 do.	9,139	4	34·2	·	6	·	·	·	1	1	4	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	1	·
Do. 5 do.	6,250	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do 6 do.	11,581	6	9·0	·	2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·
Do. 7 do	16,056	8	9·7	·	3	1	·	1	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	1	·
Total.	76,673	39	12·2	·	18	3	·	2	1	4	8	·	·	·	·	·	·	·	·	1	1	·	1	5	·	·	·	·	7	·

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 10th May, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	3
" " 1, West ..	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	7	8
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 3, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	2	4
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	4
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	3
" " " 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Total, ...	.	.	.	.	.	3	.	.	.	.	.	.	.	3	.	.	23	29

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 10th May, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 10th May.			
	Apr. 19.	Apr. 26.	May 3.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	6	4	3	1	1	.	3
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	15	13	18	1	8	.	11
Scarlet Fever	35	29	30	9	7	.	32*
Diphtheria, ...	12	13	12	3	7	1	7
Pneumonia, ...	54	48	35	8	21	1	21

* Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12868). Wt. 210. 3. 380. 5, 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 20. VOL. LVI.] WEEK ENDING SATURDAY, 17TH MAY, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 19th May, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 16·8 and 17·5; Dublin Registration Area, 17·9 and 18·3; Dublin City, 18·3 and 18·7; Belfast, 15·1 and 15·4; Cork, 15·6 and 16·0; Londonderry, 21·6 and 22·2; Limerick, 21·7 and 23·0; and Waterford, 15·2 and 16·6.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·4 per 1,000. Among the 116 deaths from all causes for Belfast are one from diarrhœa and enteritis of a child under 2 years and one from cerebro-spinal fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 182—90 boys and 92 girls—and the deaths to 149—73 males and 76 females.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·9 per 1,000 of the population. During the twenty weeks ending with Saturday last the death-rate averaged 30·5 and was 6·6 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the twenty weeks was 32·8 and for the corresponding period of the preceding ten years 25·3.

Of the 139 deaths appertaining to the Area one was from measles, one from diphtheria, 4 were from diarrhœa and enteritis of children under 2 years, and 7 from influenza.

In the three preceding weeks deaths from diphtheria numbered one 0, and 0, deaths from diarrhœa and enteritis of children under 2 years, 3, 2 and 3, and deaths from influenza 7, 10 and 11 respectively. There were no deaths from measles in the preceding three weeks.

Deaths attributed to pneumonia were 15 (comprising 6 from broncho-pneumonia, 2 from lobar pneumonia, and 7 from pneumonia, type not distinguished).

Tuberculous disease caused 17 deaths (comprising 9 from pulmonary tuberculosis, 4 from tuberculous meningitis, and 4 from other forms of tuberculous disease), as against 19, 28, and 24 in the three weeks preceding.

Five deaths were caused by cancer, 3 by meningitis, 12 by organic diseases of the heart, and 19 by bronchitis.

Among deaths of infants under one year old, 5 were due to convulsions, 4 to diarrhœa and enteritis, one to congenital malformation, 5 to premature birth, and one to congenital debility.

There was one death by drowning.

Twenty-nine of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 22 being infants under one year, of whom 11 were under one month old, and 44 deaths were those of persons aged 65 and upwards, of whom 31 were 70 years of age or over.

Of the 139 deaths recorded, 48 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 17th May, in 96 large English towns (including London, in which the rate was 11·3) was equal to an average annual death rate of 12·0 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 13·5 per 1,000 persons living, the rate for Glasgow being 14·4 and for Edinburgh 17·2.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 17th May. From this Report it appears that of 71 cases notified, 21 were scarlet fever, 18 were pulmonary tuberculosis, 16 other forms of tuberculosis, 14 diphtheria, one erysipelas, and one enteric fever. Among the 407 cases of infectious diseases in hospital at the close of the week were 144 of pulmonary tuberculosis, 116 of scarlet fever, 46 of whooping-cough, 36 of diphtheria, 19 of measles, 5 of erysipelas, one of enteric fever, and one of influenza.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 17th May, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin	April 26	·	·	·	·	·	—	3	—	3	2	—	·	—	·	·	·	1	·	·	25	34
	May 3	·	·	·	·	·	—	9	—	1	·	—	·	—	·	·	·	·	·	·	12	22
	May 10	·	·	·	·	·	—	3	—	·	·	—	·	—	·	·	·	3	·	·	23	29
	May 17	1	·	·	·	·	—	5	—	3	2	—	1	—	·	·	·	3	·	·	15	30
Rathmines & Rathgar Urban District	April 26	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	May 3	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	May 10	·	·	·	·	·	—	3	—	·	1	—	·	—	·	·	·	·	·	·	—	4
	May 17	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
Pembroke Urban District	April 26	·	·	·	·	·	5	·	·	·	·	·	·	—	·	·	·	·	·	·	·	5
	May 3	·	·	·	·	·	2	·	·	·	·	·	·	—	·	·	·	3	·	·	·	5
	May 10	·	·	·	·	·	3	·	·	·	·	·	·	—	·	·	·	·	·	·	·	3
	May 17	·	·	·	·	·	11	2	·	·	·	·	·	—	·	·	·	·	·	·	2	15
Blackrock Urban District	April 26	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	3	·	·	·	3
	May 3	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	May 10	·	·	·	·	·	·	1	—	·	·	—	·	—	·	·	·	·	·	·	·	1
	May 17	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	April 26	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	2	2
	May 3	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	—	·	3	5
	May 10	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	—	·	2	3
	May 17	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	1	1
City of Belfast	April 26	·	·	·	·	·	—	14	—	1	·	—	·	—	·	·	·	1	1	·	3	20
	May 3	1	·	·	·	·	—	10	—	5	1	—	·	—	·	·	·	·	1	·	·	18
	May 10	·	·	·	·	·	—	10	—	1	1	—	·	—	·	·	·	·	2	·	4	18
	May 17	·	·	·	·	·	—	14	—	·	2	—	·	—	·	·	·	·	·	·	3	19
City of Cork	April 26	·	·	·	·	·	1	·	—	4	1	—	·	·	·	·	·	·	—	·	—	6
	May 3	·	·	·	·	·	·	2	—	3	1	—	·	·	·	·	·	·	—	·	—	6
	May 10	1	·	·	·	·	·	·	—	·	·	—	·	·	·	·	·	·	—	·	—	1*a*
	May 17	1	·	·	·	·	·	·	—	·	1	—	·	·	·	·	·	·	—	·	—	2
City of Londonderry	April 26	·	1	·	·	·	—	2	—	·	·	—	·	—	·	·	·	·	·	—	—	3
	May 3	·	2	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	—	—	3
	May 10	·	1	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	—	—	1
	May 17	1	1	·	·	·	—	3	—	·	2	—	·	—	·	·	·	·	·	—	—	7
City of Limerick	April 26	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	May 3	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	May 10	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	May 17	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
City of Waterford	April 26	·	·	·	·	·	—	·	—	·	1	—	·	—	·	·	·	·	—	—	·	1
	May 3	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	May 10	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	May 17	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 17th May, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever one and 4; typhus one and one; measles 26 and 29; scarlet fever 10 and 33*; and diphtheria 2 and 6. Thirteen cases of pneumonia were admitted during the week and 27 remained under treatment at its close, as compared with 48, 35 and 21 at the close of the 3 preceding weeks. Of the deaths in hospital during the week 4 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 17th May, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases (b)	Registration—Week ending Saturday, 17th May, 1919. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age	At 65 years and upwards	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Meteorology (c). Week ending 17th May, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches
Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
Total of 19 Town Districts, ...	1,142,268	20·0	23·6	16·8	0·4	517	368	46	99	·	·	·	1	·	·	1	·	56	17	19	31	41	6	·	6	11	115	12	° ·	° ·	° ·	° ·	° ·	·
Dublin Registration Area, ...	405,000	28·9	23·4	17·9	0·8	182	139	22	44	·	·	·	1	·	·	1	·	9	8	5	15	23	4	·	1	2	48	4	(d) 73·8	22·0	66·9	44·3	55·6	0·31
Urban Districts. City of Dublin,	310,500	38·0	25·0	18·3	1·0	149	109	18	33	·	·	·	1	·	·	1	·	7	8	2	12	19	4	·	1	2	42	2	(e) 70·2 (f) 68·4	48·1 45·0	65·1 64·4	51·2 49·3	58·2 56·9	0·56 0·44
Urban Districts. Rathmines and Rathgar	39,400	23·0	15·9	15·9	·	12	12	·	6	·	·	·	·	·	·	·	·	1	·	3	·	3	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. Pembroke, ..	29,500	18·8	19·4	17·7	·	11	10	1	3	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	3	1	·	·	·	·	·	·
Urban Districts. Blackrock, ..	9,000	8·3	23·2	11·6	·	4	2	2	·	·	·	·	·	·	·	·	·	·	·	·	1		·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. Kingstown, ..	16,600	11·4	18·8	18·8	·	6	6	1	2	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	1	·	69	45	62·[illegible]	48·7	55·4	0·59
Urban Districts. Belfast, ..	401,000	26·8	24·7	15·1	0·1	190	116g	11	28	·	·	·	·	·	·	·	·	25	1	8	7	11	1	·	2	6	38	·	70·0	46·8	63·6	50·6	57·1	0·21
Urban Districts. Cork, ...	76,673	28·6	21·8	15·6	0·7	32	23	2	5	·	·	·	·	·	·	·	·	6	1	1	·	2	1	·	·	·	11	·	64	48	55·4	49·4	52·4	1·18
Urban Districts. Londonderry, ..	41,000	15·9	33·1	21·6	·	26	17	2	2	·	·	·	·	·	·	·	·	2	1	1	4	·	·	·	2	2	3	1	·	·	·	·	·	·
Urban Districts. Limerick, ..	38,518	16·1	9·5	21·7	·	7	16	3	7	·	·	·	·	·	·	·	·	·	1	2	·	4	·	·	·	·	6	1	·	·	·	·	·	·
Urban Districts. Waterford, ..	27,464	19·1	17·1	15·2	·	9	8	1	1	·	·	·	·	·	·	·	·	5	·	·	1	·	·	·	·	·	4	1	61	49	58	52	55	1·86
Urban Districts. Galway, ..	13,255	2·5				8	4	1	1	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Dundalk, ..	13,128	9·5				5	4	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Lurgan, ..	12,553	14·7				3	5	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	69·8	45·4	63·6	49·6	56·6	0·51
Urban Districts. Drogheda, ..	12,501	8·4				5	4	1	1	·	·	·	·	·	·	·	·	2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. Lisburn, ..	12,388	10·9				5	3	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	72	44	64	47	55·5	0·33
Urban Districts. Newry, ...	11,963	17·0				3	6	·	·	·	·	·	·	·	·	·	·	2	1	·	2	·	·	·	·	·	·	·	69·8	45·4	63·6	49·6	56·6	0·51
Urban Districts. Portadown, ..	11,727	15·3				10	3	·	1	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·	69·8	45·4	63·6	49·6	56·6	0·51
Urban Districts. Wexford, ..	11,531	22·8				5	3	·	1	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. Ballymena, ..	11,381	9·3				5	4	·	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·
Urban Districts. Sligo, ...	11,163	3·8				4	3	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	67	47	64	51	57·5	1·86
Urban Districts. Kilkenny, ..	10,514	11·4				2	3	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	2	·	66	47	60·1	50·1	55·1	1·18
Urban Districts. Tralee, ...	10,300	17·4				9	3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. Clonmel, ..	10,209	7·8				7	4	·	1	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	1	1	·	·	·	·	·	·
London	4,206,901	—	—	11·3	—	1,376	871	106	320	2	—	·	11	3	1	8	—	87	22	104	50	72	8	4	38	82	401	·	75	44	72·6	49·1	60·9	0·00
Edinburgh	336,500	—	—	17·2	—	124	111	18	27	·	·	·	4	1	11	2	—	—	—	—	—	—	·	—	3	—	—	—	71·0	43·0	63·9	45·6	54·7	0·17
Glasgow	1,118,700	—	—	14·4	—	434	309g	55	75	1	1	·	16	·	15	4	—	—	—	—	—	—	4	—	5	—	—	—	74·9	46·7	63·7	48·[illegible]	56·2	0·05

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College, and those for Waterford by De La Salle College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal fever for Belfast and 3 for Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 20th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 17th May, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards		
ALL CAUSES.	186·4	149	12	11	3	4	8	4	3	7	12	14	10	15	25	21	139
Enteric Fever ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	6·0	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	3·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	·6	7	.	.	.	2	.	.	.	1	1	.	.	1	1	1	7
Dysentery	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	28·8	9	.	.	.	.	.	.	1	1	4	1	2	.	.	.	9
Tuberculous Meningitis	2·6	4	.	1	.	.	.	3	.	.	.	.	.	.	.	.	4
Abdominal Tuberculosis	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·2	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2
Tuberculosis of Joints	·2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Tuberculosis of other Organs.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·8	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Venereal Diseases ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	10·4	7	.	.	.	.	.	.	.	.	1	2	.	2	1	1	5
Tumour, situation undefined.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·8	3	.	.	.	.	1	.	.	.	.	1	.	1	.	.	3
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	2·4	3	.	.	.	.	2	.	.	.	.	.	.	.	1	.	3
Cerebral Hæmorrhage, Apoplexy.	5·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Softening of Brain ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·4	4	.	.	.	.	.	.	.	.	1	.	.	.	2	1	4
Epilepsy, ...	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Convulsions (non-puerperal).	4·4	7	1	4	2	.	.	.	.	.	.	.	.	.	.	.	7
Other Diseases of Nervous System.	2·2	4	.	.	.	.	.	.	.	.	.	2	1	1	.	.	4
Pericarditis ..	·2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Acute Endocarditis ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	13·0	12	.	.	.	.	.	.	.	.	1	1	1	3	2	4	12
Embolism and Thrombosis (including Cerebral).	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	2·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Diseases of the Larynx	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	16·6	20	.	1	1	.	.	.	.	.	.	1	2	2	7	6	19
Broncho-pneumonia ..	7·8	7	.	.	.	2	.	.	.	1	1	.	1	1	1	.	6
Lobar pneumonia ..	2·0	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	2
Pneumonia (type not distinguished).	4·8	8	1	.	.	.	.	.	.	2	2	1	.	.	2	.	7
Pleurisy	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	·8	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Other Diseases of Respiratory System	2·2	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2

in the TWENTIETH WEEK, ending Saturday, 17th May, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 20th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 17th May, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx. Tonsillitis.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	2·8	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	
Diarrhœa and Enteritis of Children under 2 years.	3·4	4	1	3	·	·	·	·	·	·	·	·	·	·	·	·	4	
Diarrhœa 2 years and upwards.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Enteritis 2 years and upwards.	·6	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	
Appendicitis and Typhlitis.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Hernia and Intestinal Obstructions.	2·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Cirrhosis of Liver ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Liver	·8	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	1	
Peritonitis (cause unknown).	·8	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	
Other Diseases of Digestive System.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Acute Nephritis ..	·4	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	
Chronic Bright's Disease	4·2	4	·	·	·	·	·	·	·	·	·	1	·	1	2	·	4	
Urinary Calculi ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ovarian Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Genito-urinary System.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Puerperal Septicæmia, &c.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other causes incident to Pregnancy and Childbirth.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Diseases of Skin and Cellular Tissues.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Diseases of Locomotor System.	·2	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	
Congenital Malformations.	1·4	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	
Premature Birth ..	5·8	6	6	·	·	·	·	·	·	·	·	·	·	·	·	·	5	
Congenital Debility ..	3·0	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	
Old Age	5·2	8	·	·	·	·	·	·	·	·	·	·	·	·	·	8	8	
Other Specified Diseases	·8	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2	
VIOLENCE.																		
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Burns and Scalds ..	·6	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	
Drowning	1·0	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	
Suffocation in Bed, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Vehicles and Horses ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Building Operations ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Gunshot Wounds, &c.	12·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Violent Deaths		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Not included in above—																		
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Suicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ill-defined, &c., Causes,	1·0	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	

TABLE IV.—Showing for the WEEK ENDED 17TH MAY, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 17TH MAY, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	20·9	3·5	12	4	·	·	·	·	4	2	2	·	·	·	·	·	·	·	·	2	·	·	1	2	2	·	·	·	·	5	1	·
" 1, W., ...	41,100	12·7	·	10	3	·	·	1	·	·	·	6	·	·	·	·	·	·	·	·	·	2	·	·	4	·	·	·	·	·	1	1	·
" 2, ...	27,500	20·9	·	11	1	·	·	2	1	2	1	4	·	·	·	·	·	·	·	·	1	·	1	2	2	·	·	·	·	·	1	2	·
" 3, ...	34,100	15·3	1·5	10	3	·	·	1	·	5	1	·	·	·	·	·	·	·	·	·	·	1	·	·	2	1	·	·	1	·	2	3	·
CLONTARF AND HOWTH, No. 1, part of	5,500	9·5	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	19·2	3·8	5	·	·	·	1	·	·	2	2	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	28·2	·	6	2	·	·	·	2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	1	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	17·0	1·2	14	2	·	·	1	1	3	2	5	·	·	·	·	·	·	·	·	2	1	·	2	2	1	·	1	·	1	3	3	·
" 2, ...	18,200	25·8	·	9	·	·	·	1	1	·	2	5	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	·	·	1	3	1
" 3, ...	43,300	21·7	·	18	1	·	3	3	·	3	5	3	·	·	·	·	·	·	·	·	·	1	1	3	3	·	·	·	1	1	6	4	·
" 4, ...	32,800	19·1	1·6	12	2	1	·	1	2	1	2	3	·	·	·	1	·	·	·	·	2	2	·	1	1	·	·	·	·	·	4	2	1
NEW KILMAINHAM, ...	10,300	5·1	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	15·9	·	12	·	2	·	·	·	1	3	6	·	·	·	·	·	·	·	·	1	·	3	·	3	·	·	·	1	·	1	1	·
PEMBROKE	29,500	17·7	·	10	1	·	1	·	·	1	4	3	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	3	·	3	·	1
BLACKROCK, ...	9,000	11·6	·	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1
KINGSTOWN, ...	16,600	18·8	·	6	1	·	·	·	·	2	1	2	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	1	·	·
TOTAL CITY. North, ...	162,900	17·6	1·3	55	13	·	·	5	3	12	6	16	·	·	·	·	·	·	1	·	3	3	1	5	11	3	·	·	2	·	9	7	·
TOTAL CITY. South, ...	147,600	19·1	0·7	54	5	1	3	6	4	7	11	17	·	·	·	1	·	·	·	·	4	5	1	7	8	1	·	1	1	2	14	12	2
TOTAL CITY. North and South, ..	310,500	18·3	1·0	109	18	1	3	11	7	19	17	33	·	·	·	1	·	·	1	·	7	8	2	12	19	4	·	1	3	2	23	19	2
Total Urban Districts, ...	94,500	16·6	·	30	4	2	1	·	·	4	8	11	·	·	·	·	·	·	·	·	2	·	3	3	4	·	·	·	4	·	5	1	2
Total Registration Area, ..	405,000	17·9	0·8	139	22	3	4	11	7	23	25	44	·	·	·	1	·	·	1	·	9	8	5	15	23	4	·	1	7	2	28	20	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				10	1	·	·	1	3	3	·	2	·	·	·	·	·	·	·	·	·	·	2	2	1	·	·	1	·	·	9	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 17th May, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 17TH MAY, 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	28)	(29)
	ALL PERSONS.	397,957	—	149	30	12	10	26	25	25	21	.	.	.	1	.	.	1	.	9	8	7	7	17	24	4	.	2	69	4
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	17·8	5	.	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.
II.	MIDDLE CLASS	101,798	19·0	37	7	1	4	7	6	4	8	.	.	.	.	.	.	1	.	4	.	2	2	4	5	.	.	.	19	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	13·9	29	6	5	2	5	5	4	2	.	.	.	.	.	.	.	.	.	4	2	1	4	2	2	.	1	13	1
IV.	GENERAL SERVICE CLASS	167,479	17·7	57	16	6	4	10	8	4	9	.	.	.	1	.	.	.	.	4	3	1	4	7	8	1	.	1	27	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	21	1	.	.	3	5	10	2	.	.	.	.	.	.	.	.	1	1	2	.	1	7	1	.	.	8	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	4	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	10	2	1	.	2	3	.	2	.	.	.	.	.	.	1	.	1	.	.	1	1	1	.	.	.	5	.
	6. Clerks and Commercial Assistants,	33,249	—	9	3	.	3	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	16	2	.	1	2	3	3	5	.	.	.	.	.	.	.	.	2	.	2	.	1	4	.	.	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	5	2	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	3	1
	9. Building and Furnishing Trades, ..	28,823	—	6	2	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.	2	.
	10. Clothing Trades, ...	20,026	—	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	11. Food Supply Trades, ...	8,952	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	14	2	1	2	4	2	1	2	.	.	.	.	.	.	.	.	.	1	2	.	2	.	1	.	1	7	.
	13. Petty Shopkeepers, ...	6,772	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	6	4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	4	.
	15. Domestic Servants, ...	36,041	—	5	1	.	.	1	1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	1
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	5	.	.	.	1	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	41	11	5	4	8	4	3	6	.	.	.	1	.	.	.	.	2	2	1	4	5	8	1	.	1	16	2
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	21	1	.	.	3	5	10	2	.	.	.	.	.	.	.	.	1	1	2	.	1	7	1	.	.	8	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12	Apr. 19.	Apr. 26	May 3.	May 10	May 17.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3	May 10.	May 17.
No. of weeks in Annual Series ..	8	9	10	11	12	13	14	15	16	17	18	19	20	8	9	10	11	12	13	14	15	16	17	18	19	20
BIRTHS registered	170	192	208	189	171	192	217	190	145	169	166	215	182	172	184	164	160	198	167	175	162	145	170	197	189	190
Average Births in corresponding week of previous 10 years, ...	205	207	215	201	226	215	238	238	241	216	251	254	243	199	216	203	211	215	207	206	216	227	226	209	208	219
Number of Deaths, ...	351	466	489	371	288	245	253	196	177	146	148	134	139	218	238	233	261	238	207	168	184	131	125	119	114	116
Annual Death-rate per 1,000 ..	45·2	60·0	63·0	47·8	37·1	31·5	32·6	25·2	22·8	18·8	19·1	17·3	17·9	28·3	30·9	30·3	33·9	30·9	26·9	21·8	23·9	17·0	16·3	15·5	14·8	15·1
Average Deaths in corresponding week of previous 10 years, ...	195	193	191	185	196	186	192	191	189	161	167	184	154	166	162	165	162	164	158	168	166	162	154	138	133	142
Ages, .. Under one year, ..	29	66	51	44	36	37	41	29	22	19	17	12	22	34	21	21	42	33	29	30	25	23	20	23	18	11
1— 5 years, ..	19	45	50	49	28	25	18	12	12	12	10	10	7	13	20	16	21	22	12	6	14	7	5	4	6	7
5—25 ,, ..	32	57	63	35	39	26	25	23	21	15	14	15	18	29	32	27	24	31	21	16	30	16	22	15	22	20
25—45 ,, ..	80	99	98	77	58	39	55	28	32	19	14	17	23	33	48	40	33	34	42	18	29	25	16	20	18	27
45—65 ,, ..	89	110	115	87	63	59	62	58	27	40	44	34	25	52	57	60	67	57	50	54	42	29	23	25	25	23
65 and upwards, ..	102	89	112	79	64	59	52	46	63	41	49	46	44	57	60	69	74	61	53	44	44	31	39	32	25	28
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	2	3	2	6	3	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	1	2	.	.	1	1	2	3	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	.	.	.	1	1	1	1	.	.	1	.	.	1	.	1	1	1	2	1	.	.	.	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	26	21	30	29	23	21	27	18	20	14	20	19	9	28	21	19	21	22	26	16	21	13	13	25	27	25
Tuberculosis { Other Forms, ..	3	11	7	7	4	7	14	5	11	5	8	5	8	8	6	6	4	5	5	4	7	6	9	5	7	1
Cancer, ...	10	8	16	8	7	3	7	9	9	7	10	6	5	7	7	8	8	13	5	9	6	6	8	7	8	8
Diseases of Respiratory System, { Pneumonia ..	50	83	89	60	45	37	34	24	22	16	13	10	15	37	39	41	55	46	23	21	20	13	13	9	11	7
Diseases of Respiratory System, { Others, ..	71	82	99	57	51	54	44	36	24	24	20	23	23	51	73	83	61	61	52	33	38	31	23	12	18	11
Diarrhœa and Enteritis, under 2 years, ...	5	4	1	1	5	3	4	2	1	3	2	3	4	1	1	.	2	1	3	1	1	1	.	2	2	1
Diarrhœa, 2 years and upwards..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.
Violent Deaths, ...	1	1	1	3	1	3	4	2	5	3	1	2	1	3	4	.	1	3	2	7	3	3	2	1	1	2
Number of Uncertified Deaths, ..	8	10	8	9	5	4	7	6	5	2	2	3	4	2	2	3	1	1	2	5	4	1	3	3	.	.
A Mean Maximum Temperature in degs	45·2	44·6	47·5	47·9	46·1	42·4	49·1	55·6	55·4	54·7	51·4	56·9	66·9	44·3	45·7	44·5	48·6	44·6	43·1	48·9	54·9	53·5	55·2	50·8	56·8	63·6
B Mean Minimum ,, ,,	36·1	25·7	33·6	32·2	32·0	29·3	32·9	40·6	41·5	34·4	35·6	37·4	44·3	34·8	32·7	32·0	34·7	34·4	29·4	37·5	41·0	41·0	41·9	38·3	42·6	50·6
Mean of A and B ,, ,,	40·7	35·2	40·6	40·1	39·1	35·9	41·0	48·1	48·5	44·6	43·5	47·2	55·6	39·6	39·2	38·3	41·7	39·5	36·3	43·2	48·0	47·3	48·6	44·5	49·7	57·1
Rainfall in inches	0·57	0·10	0·64	0·18	1·18	0·37	0·18	0·22	0·50	0·27	0·71	0·14	0·34	0·91	0·30	0·67	0·20	1·98	0·37	0·06	0·39	0·52	0·30	0·50	0·35	0·21

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 17th May, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	15	19·7	.	6	.	1	1	1	3	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.	.	3	.
Do. 2 do.	49,500	17	10·5	.	10	.	.	2	4	1	3	.	.	.	.	.	.	.	.	3	.	1	.	2	.	.	.	.	2	.
Do. 3 do.	50,032	16	16·7	.	16	2	.	5	4	4	1	.	.	.	.	.	.	.	.	3	.	1	2	1	.	.	.	.	4	.
Do. 4 do.	32,637	20	14·4	.	9	2	.	2	3	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Do. 5 do.	16,112	6	35·6	.	11	1	2	1	2	3	2	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	.	3	7	.
Do. 6 do.	37,293	13	16·8	.	12	2	1	1	2	2	4	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	2	.
Do. 7 do.	2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	4	8·7	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	9	2·1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 10 do.	28,958	14	10·8	.	6	.	1	1	3	1	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1	1	1	.
Do. 11 do.	39,311	27	15·9	1·3	12	.	1	1	3	3	4	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	4	.
Do. 12 do.	38,076	19	11·0	.	8	1	.	3	.	2	2	.	.	.	.	.	.	.	.	1	1	1	.	2	.	.	1	1	5	.
Do. 13 do.	23,233	12	22·4	.	10	2	.	.	.	2	6	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	2	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	17	32·2	.	14	1	1	2	4	.	6	.	.	.	.	.	.	.	.	6	.	1	.	3	.	.	.	1	5	.
Total,	386,947	190	15·1	0·1	116	11	7	20	27	23	28	.	.	.	.	.	.	.	.	25	1	8	7	11	1	.	2	6	38	.
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	4	23·3	.	6	1	.	1	3	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.
Do. 2 do.	10,399	4	10·0	.	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 3 do.	9,793	2	5·3	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 4 do.	9,139	2	5·7	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 5 do.	6,250	1	8·3	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	12	27·0	.	6	.	1	1	1	1	2	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.	3	.
Do. 7 do.	16,056	7	19·5	3·2	6	1	.	1	1	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	3	.
Total.	76,673	32	15·6	0·7	23	2	1	5	6	4	5	.	.	.	.	.	.	.	.	6	1	1	.	2	1	.	.	.	11	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 17th May, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 1, West ..	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	3	6
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	4
" " 3, ...	.	.	.	.	.	1	1	.	1	.	.	.		1	.	.	.	4
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	4
" " " 2, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
" " " 3, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	.	4	7
" " " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	1	.	.	.		5	3	.	2	1	.	.	.	3	.	.	15	30

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 17th May, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 17th May.			
	Apr. 26.	May 3.	May 10.	No. admitted	Dis charged	Died.	No. under treatment at close of week.
Enteric Fever, ...	4	3	3	1	.	.	4
Typhus, ...	.	.	.	1	.	.	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	13	18	11	26	8	.	29
Scarlet Fever	29	30	32	10	9	.	33*
Diphtheria, ...	13	12	7	2	3	.	6
Pneumonia, ...	48	35	21	13	3	4	27

* Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12891). Wt. 210. 3. 380. 5, 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1;
37, Peter Street, Manchester; 1, St Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 21. Vol. LVI.] Week ending Saturday, 24th May, 1919. [Price 1½d.

General Register Office, Charlemont House,
Dublin, 26th May, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 16·3 and 16·9; Dublin Registration Area, 15·2 and 17·4; Dublin City, 16·3 and 17·9; Belfast, 15·3 and 15·2; Cork, 10·2 and 13·8; Londonderry, 22·9 and 23·2; Limerick, 28·4 and 24·7; and Waterford, 15·2 and 14·3.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·7 per 1,000. Among the 118 deaths from all causes for Belfast are one from scarlet fever and 4 from diarrhœal diseases. Of the 18 deaths from all causes for Londonderry one is from whooping-cough. Included in the 21 deaths from all causes for Limerick is one from enteric fever. One of the 4 deaths from all causes for Newry is from enteric fever and 2 of the 6 deaths from all causes for Kilkenny are from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 169—89 boys and 80 girls—and the deaths to 130—60 males and 70 females.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·2 per 1,000 of the population. During the twenty-one weeks ending with Saturday last the death-rate averaged 29·8 and was 6·1 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the twenty-one weeks was 32·1 and for the corresponding period of the preceding ten years 25·1.

Of the 118 deaths appertaining to the Area, one was from enteric fever, one from scarlet fever, 3 were from diarrhœa and enteritis of children under 2 years, and 4 from influenza.

In the three preceding weeks deaths from diarrhœa and enteritis of children under 2 years numbered 2, 3 and 4, and deaths from influenza 10, 11 and 7 respectively. There were no deaths from enteric fever or scarlet fever in the preceding three weeks.

Deaths attributed to pneumonia were 11 (comprising 3 from broncho-pneumonia, 3 from lobar pneumonia, and 5 from pneumonia, type not distinguished).

Tuberculous disease caused 22 deaths (comprising 16 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 4 from other forms of tuberculous disease), as against 28, 24, and 17 in the three weeks preceding.

Five deaths were caused by cancer, 13 by organic diseases of the heart, and 11 by bronchitis.

Among deaths of infants under one year old, 2 were due to convulsions, one to diarrhœa and enteritis, one to congenital malformation, 8 to premature birth, and 2 to congenital debility.

There were 2 accidental deaths.

Twenty-three of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 17 being infants under one year, of whom 12 were under one month old, and 33 deaths were those of persons aged 65 and upwards, of whom 30 were 70 years of age or over.

Of the 118 deaths recorded, 45 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 24th May, in 96 large English towns (including London, in which the rate was 10·3) was equal to an average annual death rate of 10·8 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 12·8 per 1,000 persons living, the rate for Glasgow being 12·8 and for Edinburgh 13·2.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 24th May. From this Report it appears that of 52 cases notified, 15 were scarlet fever, 15 pulmonary tuberculosis, 7 other forms of tuberculosis, 12 diphtheria, and 3 erysipelas. Among the 406 cases of infectious diseases in hospital at the close of the week were 144 of pulmonary tuberculosis, 114 of scarlet fever, 50 of whooping-cough, 37 of diphtheria, 22 of measles, 2 of erysipelas, and one of enteric fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 24th May, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	May 3	·	·	·	·	·	—	9	—	1	·	—	·	—	·	·	·	·	·	·	12	22
	May 10	·	·	·	·	·	—	3	—	·	·	—	·	—	·	·	·	3	·	·	23	29
	May 17	1	·	·	·	·	—	5	—	3	2	—	1	—	·	·	·	3	·	·	15	30
	May 24	1	2	·	·	·	—	12	—	5	1	—	·	—	·	·	·	·	·	·	23	44
Rathmines & Rathgar Urban District	May 3	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	May 10	·	·	·	·	·	—	3	—	·	1	—	·	—	·	·	·	·	·	·	—	4
	May 17	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	May 24	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
Pembroke Urban District	May 3	·	·	·	·	·	2	·	·	·	·	·	·	—	·	·		3	·	·	·	5
	May 10	·	·	·	·	·	3	·	·	·	·	·	·	—	·	·	·	·	·	·	·	3
	May 17	·	·	·	·	·	11	2	·	·	·	·	·	—	·	·	·	·	·	·	2	15
	May 24	·	·	·	·	·	3	·	·	·	1	·	·	—	·	·	·	·	·	·	·	4
Blackrock Urban District	May 3	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·		·	·	·	·	·
	May 10	·	·	·	·	·	·	1	—	·	·	—	·	—	·	·	·	·	·	·	·	1
	May 17	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	May 24	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	May 3	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	—	·	3	5
	May 10	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	—	·	2	3
	May 17	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	1	1
	May 24	1	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	1	—	·	·	2
City of Belfast	May 3	1	·	·	·	·	—	10	—	5	1	—	·	—	·	·	·	·	1	·	·	18
	May 10	·	·	·	·	·	—	10	—	1	1	—	·	—	·	·	·	·	2	·	4	18
	May 17	·	·	·	·	·	—	14	—	·	2	—	·	—	·	·	·	·	·	·	3	19
	May 24	1	·	·	·	·	—	7	—	3	1	—	2	—	·	·	·	·	·	·	1	15
City of Cork (a)	May 3	·	·	·	·	·	·	2	—	3	1	—	·	·	·	·	·	·	—	·	—	6
	May 10	1	·	·	·	·	·	·	—	·	·	—	·	·	·	·	·	·	—	·	—	1
	May 17	1	·	·	·	·	·	·	—	·	1	—	·	·	·	·	·	·	—	·	—	2
	May 24	·	·	·	·	·	·	·	—	·	·	—	·	·	·	·	·	·	—	·	—	·
City of Londonderry	May 3	·	2	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	—	—	3
	May 10	·	1	·	·	·	—	·	—	·	·	—	·	—		·		·	·	—	—	1
	May 17	1	1	·	·	·	—	3	—	·	2	—	·	—	·	·	·	·	·	—	—	7
	May 24	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	—	—	1
City of Limerick	May 3	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	May 10	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	May 17	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	May 24	1	·	·	·	·	—	1	—	2	·	—	·	—	·	·	·	·	·	·	—	4
City of Waterford	May 3	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	May 10	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	May 17	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	May 24	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

(a) One case of varicella was notified during each of the weeks ended 10th and 24th May.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 24th May, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever one and 4; typhus one and 2; measles 10 and 32; scarlet fever 9 and 34*; and diphtheria 4 and 9. Eleven cases of pneumonia were admitted during the week and 26 remained under treatment at its close, as compared with 35, 21 and 27 at the close of the 3 preceding weeks. Of the deaths in hospital during the week one was from each of enteric fever, scarlet fever, diphtheria, and pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week (including Deaths of Persons not belonging to the Districts but actually in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow:

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases (b)	Registration—Week ending Saturday, 24th May, 1919. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Meteorology. (c) Week ending 24th May, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches
Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,112,268	20·0	22·9	16·3	0·7	502	357	46	93	3	·	·	·	2	3	·	·	51	21	18	25	37	6	2	7	9	99	23	·	·	·	·	·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	21·8	15·2	0·6	169	118	17	33	1	·	·	·	1	·	·	·	16	6	5	11	12	3	·	2	3	45	10	(d) 66·4	37·8	62·3	45·5	53·9	0·79
Urban Districts. CITY OF DUBLIN,	310,500	38·0	23·3	16·3	0·8	139	97	17	22	1	·	·	·	1	·	·	·	15	5	4	9	9	3	·	2	3	39	10	(e) 66·2	46·6	62·6	50·0	56·3	0·45
																													(f) 67·0	41·0	61·5	48·3	54·9	0·57
RATHMINES and RATHGAR	39,400	23·0	17·2	13·2	·	13	10	·	6	·	·	·	·	·	·	·	·	·	1	1	1	2	·	·	·	·	3	·	·	·	·	·	·	·
PEMBROKE, ..	29,500	18·8	19·4	12·4	·	11	7	·	3	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	2	·	·	·	·	·	·	·
BLACKROCK, ..	9,000	8·3	23·2	5·8	·	4	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ..	16,600	11·4	6·3	9·4	·	2	3	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	64	45	51·6	48·4	50·0	0·46
Urban Districts. BELFAST, ..	401,000	26·8	24·8	15·3	0·7	191	118	14	25	·	·	·	·	1	·	·	·	18	11	7	6	7	3	1	4	5	29	2	66·0	45·0	62·9	47·2	55·1	0·42
CORK, ...	76,673	28·6	15·6	10·2	·	23	15	1	7	·	·	·	·	·	·	·	·	2	1	1	1	2	·	·	·	·	3	·	57	47	55·9	49·6	52·8	0·55
LONDONDERRY, ..	41,000	15·9	36·9	22·9	1·3	29	18	3	3	·	·	·	·	·	1	·	·	2	·	1	3	1	·	·	·	1	2	1	·	·	·	·	·	·
LIMERICK, ..	38,518	16·1	13·5	28·4	1·4	10	21	4	3	1	·	·	·	·	·	·	·	2	·	1	2	5	·	·	1	·	4	3	·	·	·	·	·	·
WATERFORD, ..	27,464	19·1	17·1	15·2	·	9	8	·	2	·	·	·	·	·	·	·	·	2	1	1	·	1	·	·	·	·	5	·	60	48	59	51	55	1·18
GALWAY, ...	13,255	2·5				14	11	1	5	·	·	·	·	·	·	·	·	3	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
DUNDALK, ..	13,128	9·5				7	3	1	1	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	2	·	·	·	·	·	·	·
LURGAN, ..	12,553	14·7				4	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	66·6	45·0	62·3	48·3	55·3	0·77
DROGHEDA, ..	12,501	8·4	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			7	9	2	3	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·	1	·	·	·	·	·	·	·
LISBURN, ..	12,388	10·9				4	5	·	2	·	·	·	·	·	·	·	·	1	1	·	·	2	·	·	·	·	1	1	69	44	64·7	45·4	55·0	0·49
NEWRY, ...	11,963	17·0				9	4	·	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	·	66·6	45·0	62·3	48·3	55·3	0·77
PORTADOWN, ..	11,727	15·3				4	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	1	·	66·6	45·0	62·3	48·3	55·3	0·77
WEXFORD, ..	11,531	22·8				6	3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
BALLYMENA, ..	11,381	9·3				2	3	·	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	1	·	·	·	·	·	·
SLIGO, ...	11,163	3·8				3	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	65	45	63	48	55·5	0·48
KILKENNY, ..	10,514	11·4				4	6	2	2	·	·	·	·	·	2	·	·	1	·	·	1	·	·	·	·	·	1	2	66	44	61·4	48·0	54·7	0·83
TRALEE, ...	10,300	17·4				6	5	·	2	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	·	·	3	·	·	·	·	·	·	·
CLONMEL, ..	10,209	7·8				1	4	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
LONDON	4,206,901	—	—	10·3	—	1,423	797	79	273	·	—	·	4	4	1	11	—	90	22	97	52	61	5	5	30	59	389	·	81	39	70·3	44·4	57·4	0·00
EDINBURGH ...	336,500	—	—	13·2	—	98	85	7	25	·	·	·	·	·	6	1	—	—	—	—	—	—	·	—	4	—	—	—	71·3	37·9	64·7	44·0	54·3	0·00
GLASGOW	1,118,700	—	—	12·8	—	440	275g	48	57	·	1	·	15	1	16	3	—	—	—	—	—	—	2	—	11	—	—	—	70·4	40·7	65·9	48·7	57·3	0·13

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College, and those for Waterford by De La Salle College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including 4 deaths from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 21st Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 24th May, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20	20—25	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards		
ALL CAUSES.	162·8	130	12	5	4	2	3	3	5	3	14	12	21	12	11	23	118
Enteric Fever ..	·4	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	6·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Whooping-cough ..	2·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	·8	4	.	.	.	.	.	.	.	.	1	.	3	.	.	.	4
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	24·0	18	.	.	.	.	1	1	3	2	6	1	2	2	.	.	16
Tuberculous Meningitis	3·0	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2
Abdominal Tuberculosis	2·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	.	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	2
Tuberculosis of Joints	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·4	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Venereal Diseases ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	8·2	9	.	.	.	.	.	.	.	.	.	2	3	3	1	.	5
Tumour, situation undefined.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	3·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.	3·6	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1	3
Softening of Brain ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	3·0	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Epilepsy, ...	·6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Convulsions (non-puerperal).	2·4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	1·4	4	.	.	.	.	.	.	.	.	.	1	.	1	1	1	4
Pericarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Organic Diseases of the Heart.	14·6	14	.	.	.	.	.	.	.	.	.	2	4	1	1	6	13
Embolism and Thrombosis (including Cerebral).	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	17·2	11	.	.	1	.	.	.	.	.	.	.	1	1	4	4	11
Broncho-pneumonia ..	7·6	3	.	.	.	1	.	.	.	.	.	1	1	.	.	.	3
Lobar pneumonia ..	1·2	3	.	.	.	.	.	.	.	.	1	1	.	.	1	.	3
Pneumonia (type not distinguished).	3·2	5	.	.	.	.	.	1	.	1	1	.	.	.	.	2	5
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1

in the TWENTY-FIRST WEEK, ending Saturday, 24th May, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 21st Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 24th May, 1919.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.											
Diseases of the Pharynx Tonsillitis.	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Diseases of Stomach ..	2·0	4	·	·	·	·	·	·	1	·	·	1	2	·	·	·	4
Diarrhœa and Enteritis of Children under 2 years.	3·2	3	1	·	2	·	·	·	·	·	·	·	·	·	·	·	3
Diarrhœa 2 years and upwards.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	·4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Appendicitis and Typhlitis.	·6	1	·	·	·	·	·	·	·	·	·	·	1	·		·	·
Hernia and Intestinal Obstructions.	1·4	2	·	1	·	·	·	·	·	·	1	·	·	·	·	·	1
Cirrhosis of Liver ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·4	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Peritonitis (cause unknown).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Acute Nephritis ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Bright's Disease	5·4	2	·	·	·	·	·	·	·	·	·	·	1	·	·	1	2
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	·8	2	·	·	·	·	·	·	·	·	·	·	·	1	·	1	2
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	1·2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Diseases of Locomotor System.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	·4	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Premature Birth ..	3·8	8	7	1	·	·	·	·	·	·	·	·	·	·	·	·	8
Congenital Debility ..	3·6	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	2
Old Age	3·6	4	·	·	·	·	·	·	·	·	·	·	·	·	·	4	4
Other Specified Diseases	1·4	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
VIOLENCE.																	
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	·6	1		·	·	·	·	·	·	·	·	1	·	·	·	·	·
Suffocation in Bed, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·4	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	3·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		2	·	·	·	1	·	·	·	·	·	·	·	·	·	1	2
Not included in above—																	
Homicide. ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	3·0	2	·	·	·	·	·	·	·	·	·	1	·	1	·	·	2

TABLE IV.—Showing for the WEEK ENDED 24TH MAY, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
					WEEK ENDED SATURDAY, 24TH MAY, 1919. DEATHS. CAUSED BY																												
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
North City, No 1, E., ...	30,000	20·9	1·7	12	3	1	1	1	.	3	1	2	.	.	.	.	.	.	.	.	1	1	1	1	.	1	.	.	.	.	2	2	.
" 1, W., ...	41,100	15·2	1·3	12	1	2	1	1	.	2	2	3	.	.	.	.	.	.	.	.	1	1	1	2	.	1	.	2	.	2	7	.	.
" 2, ...	27,500	11·4	.	6	.	.	.	.	.	2	4	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.	2	.	.
" 3, ...	34,100	19·9	.	13	1	.	.	.	2	1	4	5	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	.	.	1	5	1
Clontarf and Howth, No. 1, part of	5,500	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra, part of ..	13,600	11·5	.	3	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Finglas and Glasnevin, part of ..	11,100	4·7	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
South City.																																	
South City, No. 1, ..	43,000	8·5	1·2	7	.	.	.	1	2	3	.	1	.	.	.	.	1	.	.	.	1	2	.	1	1	.	.	.	.	.	2	1	.
" 2, ...	18,200	34·4	2·9	12	2	.	.	.	.	2	5	3	.	.	.	.	.	.	.	.	4	.	1	1	1	1	.	.	.	.	3	5	1
" 3, ...	43,300	20·5	.	17	4	1	.	.	1	2	4	5	.	.	.	.	.	.	.	.	3	.	1	.	4	.	.	.	.	.	3	2	5
" 4, ...	32,800	17·5	1·6	11	4	.	.	2	.	3	.	2	1	.	.	.	.	.	.	.	2	.	.	2	1	.	.	.	.	1	3	.	3
New Kilmainham, ...	10,300	15·2	.	3	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Urban Districts.																																	
Rathmines and Rathgar, ..	39,400	13·2	.	10	.	.	.	.	.	1	3	6	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.	.	.	.	3	.	.
Pembroke	29,500	12·4	.	7	.	.	.	1	.	1	2	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.	2	.	.
Blackrock, ...	9,000	5·8	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, ...	16,600	9·4	.	3	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.
TOTAL CITY. North, ...	162,900	15·0	0·6	47	6	3	2	2	3	8	12	11	.	.	.	.	.	.	.	.	5	3	2	5	2	2	.	2	1	2	13	7	1
TOTAL CITY. South, ...	147,600	17·7	1·1	50	11	1	.	3	3	10	11	11	1	.	.	.	1	.	.	.	10	2	2	4	7	1	.	.	1	1	11	8	9
TOTAL CITY. North and South, ..	310,500	16·3	0·8	97	17	4	2	5	6	18	23	22	1	.	.	.	1	.	.	.	15	5	4	9	9	3	.	2	2	3	24	15	10
Total Urban Districts, ...	94,500	11·6	.	21	.	.	.	1	.	3	6	11	.	.	.	.	.	.	.	.	1	1	1	2	3	.	.	.	2	.	6	.	.
Total Registration Area, ..	405,000	15·2	0·6	118	17	4	2	6	6	21	29	33	1	.	.	.	1	.	.	.	16	6	5	11	12	3	.	2	4	3	30	15	10
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				12	.	.	.	.	2	5	4	1	.	.	.	.	.	.	.	.	2	.	4	.	.	.	.	2	.	1	12	.	2

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 24th May, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 24TH MAY, 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages: Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	28)	(29)
	ALL PERSONS.	397,957	—	130	23	6	8	26	33	11	23	1	.	.	.	1	.		.	18	6	9	2	11	12	3	.	4	63	12
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	7·1	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
II.	MIDDLE CLASS	101,798	16·4	32	5	.	4	8	8	1	6	.	.	.	.	.	.	.	.	5	3	3	.	2	3	2	.	1	13	5
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	17·3	36	6	3	2	6	10	1	8	1	.	.	.	1	.	.	.	4	.	2	.	5	4	1	.	.	18	4
IV.	GENERAL SERVICE CLASS	167,479	14·0	45	13	2	2	8	10	4	6	.	.	.	.	.	.	.	.	7	3	3	2	2	1	.	.	3	24	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	15	.		.	4	5	4	2	.	.	.	.	.	.	.	.	2	.	1	.	1	4	.	.	.	7	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3 Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4 General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	6	.	.	.	3	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	3	1
	6. Clerks and Commercial Assistants,	33,249	—	15	4	.	2	4	4	.	1	.	.	.	.	.	.	.	.	4	2	.	.	1	.	2	.	.	6	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	9	1	.	1	1	1	1	4	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	.	1	3	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8 Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	3	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	9 Building and Furnishing Trades, ..	28,823	—	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	10 Clothing Trades, ...	20,026	—	3	.	1	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1
	11. Food Supply Trades, ...	8,952	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	24	6	2	2	5	4	1	4	.	.	.	.	1	.	.	.	4	.	1	.	4	2	1	.	.	11	2
	13. Petty Shopkeepers, ...	6,772	—	3	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1
IV.	GENERAL SERVICE CLASS.																													
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	6	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	3	1
	15. Domestic Servants, ...	36,041	—	4	.	.	.	1	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
	16 Coach and Car Drivers, Vanmen, &c.,	15,380	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	35	9	2	2	5	8	4	5	.	.	.	.	.	.	.	.	4	2	3	2	2	1	.	.	3	18	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	15	.	.	.	4	5	4	2	.	.	.	.	.	.	.	.	2	.	1	.	1	4	.	.	.	7	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Mar. 1.	Mar. 8.	Mar. 15	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12	Apr. 19.	Apr. 26.	May 3.	May 10	May 17.	May 24.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3	May 10.	May 17.	May 24.
No. of weeks in Annual Series ..	9	10	11	12	13	14	15	16	17	18	19	20	21	9	10	11	12	13	14	15	16	17	18	19	20	21
BIRTHS registered	192	208	189	171	192	217	190	145	169	166	215	182	169	184	164	160	198	167	175	162	145	170	197	189	190	191
Average Births in corresponding week of previous 10 years, ...	207	215	201	226	215	238	238	241	216	251	254	243	238	216	203	211	215	207	206	216	227	226	209	208	219	220
Number of Deaths, ...	466	489	371	288	245	253	196	177	146	148	134	139	118	238	233	261	238	207	168	184	131	125	119	114	116	118
Annual Death-rate per 1,000 ..	60·0	63·0	47·8	37·1	31·5	32·6	25·2	22·8	18·8	19·1	17·3	17·9	15·2	30·9	30·3	33·9	30·9	26·9	21·8	23·9	17·0	16·3	15·5	14·8	15·1	15·3
Average Deaths in corresponding week of previous 10 years, ...	193	194	185	196	186	192	191	189	161	167	184	154	151	162	165	162	164	158	168	166	162	154	138	133	142	133
Ages, .. Under one year, ..	66	51	44	36	37	41	29	22	19	17	12	22	17	21	21	42	33	29	30	25	23	20	23	18	11	14
1— 5 years, ..	45	50	49	28	25	18	12	12	12	10	10	7	6	20	16	21	22	12	6	14	7	5	4	6	7	8
5—25 ,, ..	57	63	35	39	26	25	23	21	15	14	15	18	12	32	27	24	31	21	16	30	16	22	15	22	20	23
25—45 ,, ..	99	98	77	58	39	55	28	32	19	14	17	23	21	48	40	33	34	42	18	29	25	16	20	18	27	25
45—65 ,, ..	110	115	87	63	59	62	58	27	40	44	34	25	29	57	60	67	57	50	54	42	29	23	25	25	23	23
65 and upwards, ..	89	112	79	64	59	52	46	63	41	49	46	44	33	60	60	74	61	53	44	44	31	39	32	25	28	25
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	3	2	6	3	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	3	.	.	.	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough, ...	1	2	.	.	1	1	2	3	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.
Diphtheria, ...	.	.	1	1	1	1	.	.	1	.	.	1	.	1	1	1	2	1	.	.	.	.	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	21	30	29	23	21	27	18	20	14	20	19	9	16	21	19	21	22	26	16	21	13	13	25	27	25	18
Tuberculosis { Other Forms, ..	11	7	7	4	7	14	5	11	5	8	5	8	6	6	6	4	5	5	4	7	6	9	5	7	1	11
Cancer, ...	8	16	8	7	3	7	9	9	7	10	6	5	5	7	8	8	13	5	9	6	6	8	7	8	8	7
Diseases of Respiratory System, { Pneumonia ..	83	89	60	45	37	34	24	22	16	13	10	15	11	39	41	55	46	23	21	20	13	13	9	11	7	6
Diseases of Respiratory System, { Others, ..	82	99	57	51	54	44	36	24	24	20	23	23	12	73	83	61	61	52	33	38	31	23	12	18	11	7
Diarrhœa and Enteritis, under 2 years, ...	4	1	1	5	3	4	2	1	3	2	3	4	3	1	.	2	1	3	1	1	1	.	2	2	1	3
Diarrhœa, 2 years and upwards..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	1
Violent Deaths, ...	1	1	3	1	3	4	2	5	3	1	2	1	2	4	.	1	3	2	7	3	3	2	1	1	2	4
Number of Uncertified Deaths, ..	10	8	9	5	4	7	6	5	2	2	3	4	10	2	3	1	1	2	5	4	1	3	3	.	.	2
A Mean Maximum Temperature in degs.	44·6	47·5	47·9	46·1	42·4	49·1	55·6	55·4	54·7	51·4	56·9	66·9	62·3	45·7	44·5	48·6	44·6	43·1	48·9	54·9	53·5	55·2	50·8	56·8	63·6	62·9
B Mean Minimum ,, ,,	25·7	33·6	32·2	32·0	29·3	32·9	40·6	41·5	34·4	35·6	37·4	44·3	45·5	32·7	32·0	34·7	34·4	29·4	37·5	41·0	41·0	41·9	38·3	42·6	50·6	47·2
Mean of A and B ,, ,,	35·2	40·6	40·1	39·1	35·9	41·0	48·1	48·5	44·6	43·5	47·2	55·6	53·9	39·2	38·3	41·7	39·5	36·3	43·2	48·0	47·3	48·6	44·5	4[illegible]·7	57·1	55·1
Rainfall in inches	0·10	0·64	0·18	1·18	0·37	0·18	0·22	0·50	0·27	0·71	0·14	0·34	0·79	0·30	0·67	0·20	1·98	0·37	0·06	0·39	0·52	0·30	0·50	0·35	0·21	0·42

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 24th May, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	8	20·6	.	9	.	.	3	.	1	5	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	6	1
Do. 2 do.	49,500	21	17·9	.	17	1	.	3	4	5	4	.	.	.	.	.	.	.	.	1	2	3	1	.	.	.	2	2	8	.
Do. 3 do.	50,032	30	22·9	1·0	22	1	3	7	3	4	4	.	.	.	.	1	.	.	.	3	3	.	.	2	.	.	.	.	6	.
Do. 4 do.	32,637	15	9·6	.	6	.	.	1	2	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	1	1	1	1
Do. 5 do.	16,112	9	9·7	.	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
Do. 6 do.	37,293	18	14·0	.	10	2	1	1	3	.	3	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	2	.
Do. 7 do.	2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	8·7	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	10	23·5	2·1	11	3	1	1	4	.	2	.	.	.	.	.	.	.	.	2	2	.	1	.	1	.	1	1	3	.
Do. 10 do.	28,958	17	10·8	.	6	1	1	.	3	1	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.	.	.
Do. 11 do.	39,311	20	17·2	4·0	13	3	1	4	2	2	1	.	.	.	.	.	.	.	.	3	.	.	.	.	2	1	.	.	.	.
Do. 12 do.	38,076	23	9·6	.	7	3	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2	.
Do. 13 do.	23,233	5	15·7	.	7	.	.	1	2	1	3	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	13	13·8	.	6	.	1	1	.	2	2	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	1	.
Total,	386,947	191	15·3	0·7	118	14	8	23	25	23	25	.	.	.	.	1	.	.	.	18	11	7	6	7	3	1	4	5	29	2
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	9	3·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 2 do.	10,399	4	10·0	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 3 do.	9,793	3	5·3	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do.	9,139	1	17·1	.	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 5 do.	6,250	.	8·3	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 6 do.	11,581	4	22·5	.	5	1	.	1	1	1	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1	.
Do. 7 do.	16,056	2	6·5	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	76,673	23	10·2	.	15	1	.	2	2	3	7	.	.	.	.	.	.	.	.	2	1	1	1	2	.	.	.	.	3	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 24th May, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	4	1	.	.	.	.	.	.	.	.	.	3	8
" " 1, West ..	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	6	7
" " 2, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	5	6
" " 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	3
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " " 3, ...	.	.	.	.	.	3	4	.	.	.	.	.	.	.	.	.	1	8
" " " 4, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Total, ...	1	2	.	.	.	12	5	.	1	.	.	.	.	.	.	.	23	44

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 24th May, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 24th May.			
	May 3.	May 10.	May 17.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	3	3	4	1	.	1	4
Typhus, ...	.	.	1	1	.	.	2
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	18	11	29	10	7	.	32
Scarlet Fever	30	32	33	9	7	1	34*
Diphtheria, ...	12	7	6	4	.	1	9
Pneumonia, ...	35	21	27	11	11	1	26

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12911). Wt. 210. 3. 380. 5, 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 22. VOL. LVI.] WEEK ENDING SATURDAY, 31ST MAY, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 2nd June, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 14·4 and 16·1; Dublin Registration Area, 15·8 and 16·5; Dublin City, 17·3 and 17·5; Belfast, 12·7 and 14·5; Cork, 10·9 and 12·2; Londonderry, 24·2 and 23·8; Limerick, 17·6 and 24·0; and Waterford, 15·2 and 14·3.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·4 per 1,000. Among the 98 deaths from all causes for Belfast are 2 from diarrhœa and enteritis of children under 2 years, and of the 19 deaths from all causes for Londonderry there is one from each of scarlet fever and whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 217—106 boys and 111 girls—and the deaths to 133—60 males and 73 females.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·8 per 1,000 of the population. During the twenty-two weeks ending with Saturday last the death-rate averaged 29·1 and was 5·7 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the twenty-two weeks was 31·4 and for the corresponding period of the preceding ten years 24·9.

Of the 123 deaths appertaining to the Area, one was from diphtheria, 2 were from diarrhœa and enteritis of children under 2 years, and 6 from influenza.

In the three preceding weeks deaths from diphtheria numbered 0, one and 0, deaths from diarrhœa and enteritis of children under 2 years 3, 4 and 3, and deaths from influenza 11, 7 and 4, respectively.

Deaths attributed to pneumonia were 6 (comprising 3 from broncho-pneumonia, one from lobar pneumonia, and 2 from pneumonia, type not distinguished).

Tuberculous disease caused 31 deaths (comprising 24 from pulmonary tuberculosis, 4 from tuberculous meningitis, and 3 from other forms of tuberculous disease), as against 24, 17 and 22, in the three weeks preceding.

Nine deaths were caused by cancer, 13 by organic diseases of the heart, and 9 by bronchitis.

Among deaths of infants under one year old, 4 were due to convulsions, 2 to diarrhœa and enteritis, 2 to premature birth, and 2 to congenital debility.

There was one accidental death.

Twenty-six of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 18 being infants under one year, of whom 5 were under one month old, and 35 deaths were those of persons aged 65 and upwards, of whom 19 were 70 years of age or over.

Of the 123 deaths recorded, 44 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœa diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 31st May, in 96 large English towns (including London, in which the rate was 10·3) was equal to an average annual death rate of 10·7 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 12·8 per 1,000 persons living, the rate for Glasgow being 14·3 and for Edinburgh 13·5.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 31st May. From this Report it appears that of 55 cases notified, 22 were pulmonary tuberculosis, 6 other forms of tuberculosis, 11 scarlet fever, 9 diphtheria, 4 erysipelas, one enteric fever, one puerperal fever, and one cerebro-spinal fever. Among the 386 cases of infectious diseases in hospital at the close of the week were 145 of pulmonary tuberculosis, 100 of scarlet fever, 61 of whooping-cough, 36 of diphtheria, 18 of measles, 3 of erysipelas, 2 of enteric fever, one of puerperal fever, one of cerebro-spinal fever, and one of influenza.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 31st May, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	May 10	·	·	·	·	·	—	3	—	·	·	—	·	—	·	·	·	3	·	·	23	29
	May 17	1	·	·	·	·	—	5	—	3	2	—	1	—	·	·	·	3	·	·	15	30
	May 24	1	2	·	·	·	—	12	—	5	1	—	·	—	·	·	·	·	·	·	23	44
	May 31	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	2	1	·	26	31
Rathmines & Rathgar Urban District	May 10	·	·	·	·	·	—	3	—	·	1	—	·	—	·	·	·	·	·	·	—	4
	May 17	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	May 24	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	May 31	·	·	·	·	·	—	1	—	·	1	—	·	—	·	·	·	·	·	·	—	2
Pembroke Urban District	May 10	·	·	·	·	·	3	·	·	·	·	·	·	—	·	·		·	·	·	·	3
	May 17	·	·	·	·	·	11	2	·	·	·	·	·	—	·	·	·	·	·	·	2	15
	May 24	·	·	·	·	·	3	·	·	·	1	·	·	—	·	·	·	·	·	·	·	4
	May 31	·	·	·	·	·	2	1	1	·	·	·	·	—	·	·	·	·	·	·	1	5
Blackrock Urban District	May 10	·	·	·	·	·	·	1	—	·	·	—	·	—	·	·	·	·	·	·	·	1
	May 17	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	May 24	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	May 31	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	May 10	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	—	·	2	3
	May 17	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	1	1
	May 24	1	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	1	—	·	·	2
	May 31	3	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	1	—	·	·	4
City of Belfast	May 10	·	·	·	·	·	—	10	—	1	1	—	·	—	·	·	·	·	2	·	4	18
	May 17	·	·	·	·	·	—	14	—	·	2	—	·	—	·	·	·	·	·	·	3	19
	May 24	1	·	·	·	·	—	7	—	3	1	—	2	—	·	·	·	·	·	·	1	15
	May 31	1	·	·	·	·	—	9	—	1	·	—	·	—	·	·	·	·	·	·	1	12
City of Cork (*a*)	May 10	1	·	·	·	·	·	·	—	·	·	—	·	·	·	·	·	·	—	·	—	1
	May 17	1	·	·	·	·	·	·	—	·	1	—	·	·	·	·	·	·	—	·	—	2
	May 24	·	·	·	·	·	·	·	—	·	·	—	·	·	·	·	·	·	—	·	—	·
	May 31	·	·	·	·	·	·	·	—	·	·	—	·	·	·	·	·	·	—	·	—	·
City of Londonderry	May 10	·	1	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	—	—	1
	May 17	1	1	·	·	·	—	3	—	·	2	—	·	—		·	·	·	·	—	—	7
	May 24	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	—	—	1
	May 31	·	·	·	·	·	—	4	—	·	·	—	·	—	·	·	·	·	·	—	—	4
City of Limerick	May 10	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	May 17	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	May 24	1	·	·	·	·	—	1	—	2	·	—	·	—	·	·	·	·	·	·	—	4
	May 31	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
City of Waterford	May 10	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	May 17	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	May 24	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	May 31	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

(*a*) One case of varicella was notified during each of the weeks ended 10th and 24th May.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 31st May, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever one and 5; typhus nil and 2; measles 15 and 24; scarlet fever 10 and 35*; and diphtheria nil and 8. Eight cases of pneumonia were admitted during the week and 25 remained under treatment at its close, as compared with 21, 27 and 26 at the close of the 3 preceding weeks. Of the deaths in hospital during the week one was from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 31st May, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases (b)	REGISTRATION—WEEK ENDING SATURDAY, 31ST MAY, 1919. NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number	Under 1 year of Age	At 65 years and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 31ST MAY, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	24·7	14·4	0·4	541	315	44	84	·	·	·	·	1	1	1	·	58	19	20	21	21	6	·	5	7	97	11	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	27·9	15·8	0·4	217	123	18	35	·	·	·	·	·	·	1	·	24	7	9	6	11	2	·	1	3	44	6	(d) 70·8	39·0	67·8	44·0	55·9	0·00
Urban Districts. CITY OF DUBLIN,	310,500	38·0	29·4	17·3	0·5	175	103	18	24	·	·	·	·	·	·	1	·	19	7	8	5	8	2	·	1	3	41	6	(e) 69·6 (f) 71·4	51·7 42·4	66·6 67·2	53·4 47·5	60·0 57·4	0·00 0·00
Urban Districts. RATHMINES and RATHGAR	39,400	23·0	15·9	7·9	·	12	6	·	1	·	·	·	·	·	·	·	·	2	·	·	·	2	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,500	18·8	35·4	14·1	·	20	8	·	6	·	·	·	·	·	·	·	·	1	·	1	1	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,000	8·3	17·4	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,600	11·4	22·0	18·8	·	7	6	·	4	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	67	46	62·8	49·1	56·0	0·00
Urban Districts. BELFAST, ..	401,000	26·8	24·1	12·7	0·3	185	98	13	23	·	·	·	·	·	·	·	·	19	6	4	9	8	2	·	1	1	24	1	73·0	46·0	67·5	49·4	58·4	0·11
Urban Districts. CORK, ...	76,673	28·6	24·5	10·9	·	36	16	1	4	·	·	·	·	·	·	·	·	2	·	2	·	1	·	·	2	2	9	1	69	42	61·1	50·7	55·9	0·04
Urban Districts. LONDONDERRY, ..	41,000	15·9	28·0	24·2	2·5	22	19	3	6	·	·	·	·	1	1	·	·	2	3	2	2	·	·	·	·	·	2	2	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	13·5	17·6	·	10	13	3	2	·	·	·	·	·	·	·	·	1	2	1	2	·	·	·	·	·	6	·	76	44	70·4	48·4	59·4	0·00
Urban Districts. WATERFORD, ..	27,464	19·1	32·3	15·2	1·9	17	8	2	2	·	·	·	·	·	·	·	·	1	·	1	2	·	1	·	·	·	3	·	76	47	68	58	63·0	31
Urban Districts. GALWAY, ...	13,255	2·5				11	8	2	2	·	·	·	·	·	·	·	·	2	·	·	2	1	1	·	·	·	3	·	80	48	71·6	49·0	60·3	0·07
Urban Districts. DUNDALK, ..	13,128	9·5				5	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				4	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	75·8	43·8	71·1	48·0	59·5	0·02
Urban Districts. DROGHEDA, ..	12,501	8·4				3	3	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	1	1	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				7	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	74	46	70·9	47·1	59·0	0·00
Urban Districts. NEWRY, ...	11,963	17·0				2	4	·	3	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	·	75·8	43·8	71·1	48·0	59·5	0·02
Urban Districts. PORTADOWN, ..	11,727	15·3				6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	75·8	43·8	71·1	48·0	59·5	0·02
Urban Districts. WEXFORD, ..	11,531	22·8				4	4	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				4	6	1	1	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	1	1	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	76	45	71	47	59	0·03
Urban Districts. KILKENNY, ..	10,514	11·4				3	2	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	76	43	69·1	48·2	58·7	0·01
Urban Districts. TRALEE, ...	10,300	17·4				2	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				1	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LONDON	4,206,901	—	—	10·3	—	1,403	794	85	276	2	—	·	6	3	2	9	—	78	26	87	49	61	13	1	40	79	385	2	·	·	·	·	·	·
EDINBURGH	336,500	—	—	13·5	—	119	87g	4	33	·	·	·	1	1	3	1	—	—	—	—	—	—	·	—	1	—	—	—	74·0	43·9	62·0	47·2	54·6	0·00
GLASGOW	1,118,700	—	—	14·3	—	527	307g	53	74	·	·	·	16	·	9	1	—	—	—	—	—	—	1	—	16	—	—	—	75·2	45·1	68·7	49·0	58·9	0·00

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College, and those for Waterford by De La Salle College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including 2 deaths from cerebro-spinal meningitis for Edinburgh and 3 for Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 22nd Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 31st May, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20	20—25	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards		
ALL CAUSES.	163·0	133	5	14	5	3	4	3	4	3	16	12	11	16	25	12	123
Enteric Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	4·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	3·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	·6	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza ..	·8	6	.	.	.	1	.	.	.	.	2	2	1	.	.	.	6
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	26·0	24	.	1	.	.	2	2	4	2	7	2	2	2	.	.	24
Tuberculous Meningitis	1·6	5	.	1	.	.	1	.	.	1	1	1	.	.	.	.	4
Abdominal Tuberculosis	1·0	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Scrofula	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Disseminated Tuberculosis.	1·8	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2
Venereal Diseases ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	7·8	11	.	.	.	.	.	.	.	.	.	1	.	6	4	.	9
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·4	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2
Other General Diseases	1·2	3	1	.	.	.	.	.	.	.	.	.	.	.	2	.	3
Alcoholism ..	·5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	3·4	3	.	.	.	.	.	.	.	.	.	.	.	.	3	.	3
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·4	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.	3
Epilepsy, ...	1·0	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Convulsions (non-puerperal).	2·8	4	1	3	.	.	.	.	.	.	.	.	.	.	.	.	4
Other Diseases of Nervous System.	2·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	16·0	15	.	.	.	.	1	.	.	.	2	2	3	1	5	1	13
Embolism and Thrombosis (including Cerebral)	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·0	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
Diseases of the Larynx	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	15·4	9	.	1	.	.	.	.	.	.	.	.	.	.	4	4	9
Broncho-pneumonia ..	3·8	4	.	1	1	.	.	.	.	.	.	1	.	.	.	1	3
Lobar pneumonia ..	1·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Pneumonia (type not distinguished).	4·6	3	.	.	1	.	.	.	.	.	.	1	1	.	.	.	2
Pleurisy	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Pulmonary Congestion, Pulmonary Apoplexy.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	1·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1

in the TWENTY-SECOND WEEK, ending Saturday, 31st May, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 22nd Week of the 5 years 1914-1918.	Deaths registered during week ending Saturday, 31st May, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	2·8	5	·	2	1	·	·	·	·	·	1	·	·	·	·	1	·	5
Diarrhœa and Enteritis of Children under 2 years.	4·6	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	2
Diarrhœa 2 years and upwards.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Appendicitis and Typhlitis.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	2·2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Cirrhosis of Liver ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Peritonitis (cause unknown).	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Nephritis ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Bright's Disease	3·8	5	·	·	·	·	·	·	·	·	·	·	3	·	1	1	·	5
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	1·8	2	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	1
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	1·2	2	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	2
Diseases of Locomotor System.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Premature Birth ..	3·6	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
Congenital Debility ..	5·0	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2
Old Age	8·4	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	2
Other Specified Diseases	·8	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
VIOLENCE.																		
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	4·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1
Not included in above—																		
Homicide. ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	2·4	3	·	·	1	·	·	·	·	·	·	·	·	1	1	·	·	3

TABLE IV.—Showing for the WEEK ENDED 31ST MAY, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted*

WEEK ENDED SATURDAY, 31ST MAY, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	12·2	·	7	1	·	·	·	1	2	1	2	·	·	·	·	·	·	·	·	3	·	·	·	1	·	·	·	·	·	3	·	·
" 1, W., ...	41,100	16·5	·	13	2	·	·	1	1	2	3	4	·	·	·	·	·	·	·	·	2	2	1	·	2	·	·	·	·	·	2	3	2
" 2, ...	27,500	22·8	·	12	3	1	1	2	·	·	2	3	·	·	·	·	·	·	·	·	3	1	·	·	1	·	·	·	·	1	3	3	1
" 3, ...	34,100	12·2	1·5	8	1	1	·	·	1	1	3	1	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	1	1	3	·	·
CLONTARF AND HOWTH, No. 1, part of	5,500	9·5	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	19·2	·	5	·	·	·	·	1	2	·	2	·	·	·	·	·	·	·	·	1	1	·	1	1	·	·	·	1	·	1	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	4·7	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ...	43,000	25·5	·	21	5	·	1	·	·	4	6	5	·	·	·	·	·	·	·	·	2	·	2	2	2	·	·	1	·	1	3	6	·
" 2, ...	18,200	25·8	2·9	9	3	·	·	1	·	3	2	·	·	·	·	·	·	·	·	·	1	2	·	1	·	1	·	·	·	·	1	2	·
" 3, ...	43,300	14·5	1·2	12	2	·	·	·	1	3	5	1	·	·	·	·	·	·	·	·	3	·	4	·	·	1	·	·	2	·	2	1	1
" 4, ...	32,800	22·3	·	14	1	2	1	1	·	2	2	5	·	·	·	·	·	·	·	·	2	1	1	1	1	·	·	·	2	·	5	3	2
NEW KILMAINHAM, ...	10,300	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	7·9	·	6	·	·	·	1	·	3	1	1	·	·	·	·	·	·	·	·	2	·	·	·	2	·	·	·	·	·	2	1	·
PEMBROKE	29,500	14·1	·	8	·	1	·	·	1	·	·	6	·	·	·	·	·	·	·	·	1	·	1	1	1	·	·	·	·	·	·	·	·
BLACKROCK, ...	9,000	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ...	16,600	18·8	·	6	·	·	·	1	1	·	·	4	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·
TOTAL CITY. North, ...	162,900	15·0	0·3	47	7	2	1	3	4	8	9	13	·	·	·	·	·	·	1	·	11	4	1	1	5	·	·	·	2	2	12	6	3
TOTAL CITY. South, ...	147,600	19·8	0·7	56	11	2	2	2	1	12	15	11	·	·	·	·	·	·	·	·	8	3	7	4	3	2	·	1	4	1	11	12	3
TOTAL CITY. North and South, ..	310,500	17·3	0·5	103	18	4	3	5	5	20	24	24	·	·	·	·	·	·	1	·	19	7	8	5	8	2	·	1	6	3	23	18	6
Total Urban Districts, ...	94,500	11·0	·	20	·	1	·	2	2	3	1	11	·	·	·	·	·	·	·	·	5	·	1	1	3	·	·	·	·	·	2	1	·
Total Registration Area, ..	405,000	15·8	0·4	123	18	5	3	7	7	23	25	35	·	·	·	·	·	·	1	·	24	7	9	6	11	2	·	1	6	3	25	19	6
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				10	1	·	·	·	·	5	2	2	·	·	·	·	·	·	·	·	·	2	2	2	·	·	·	·	·	·	9	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 31st May, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 31ST MAY, 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	133	27	7	7	28	27	25	12	.	.	.	.	.	.	1	.	24	9	11	4	8	11	2	.	1	62	6
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	17·8	5	.	.	.	2	.	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	2	.
II.	MIDDLE CLASS	101,798	14·9	29	1	.	1	6	6	10	5	.	.	.	.	.	.	.	.	3	1	3	.	3	4	.	.	.	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	12·5	26	6	.	3	6	6	2	3	.	.	.	.	.	.	.	.	6	1	1	.	1	1	1	.	.	15	1
IV.	GENERAL SERVICE CLASS	167,479	16·5	53	15	6	3	11	10	8	.	.	.	.	.	.	.	1	.	9	4	6	4	3	3	1	.	1	21	5
V.	INMATES OF WORKHOUSES, ...	5,602	—	20	5	1	.	3	5	3	3	.	.	.	.	.	.	.	.	6	2	.	.	1	2	.	.	.	9	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	3	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4 General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	11	1	.	.	1	3	5	1	.	.	.	.	.	.	.	.	1	.	3	.	2	2	.	.	.	3	.
	6 Clerks and Commercial Assistants,	33,249	—	10	.	.	.	3	2	3	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	8	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	6	.	.	1	.	1	2	2	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	9. Building and Furnishing Trades, ..	28,823	—	7	4	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	6	.
	10 Clothing Trades, ...	20,026	—	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
	11. Food Supply Trades, ...	8,952	—	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	11	1	.	1	4	2	1	2	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1	.	.	7	1
	13. Petty Shopkeepers, ...	6,772	—	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	11	4	2	2	1	2	.	.	.	.	.	.	.	.	.	.	5	.	1	2	.	1	.	.	.	2	2
	15. Domestic Servants, ...	36,041	—	6	1	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	5	1
	16 Coach and Car Drivers, Vanmen, &c.,	15,380	—	7	.	.	1	1	2	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	4	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	29	10	4	.	8	5	2	.	.	.	.	.	.	.	1	.	2	4	4	2	3	1	1	.	1	10	2
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	20	5	1	.	3	5	3	3	.	.	.	.	.	.	.	.	6	2	.	.	1	2	.	.	.	9	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Mar. 8.	Mar. 15	Mar. 22.	Mar. 29.	Apr 5.	Apr. 12	Apr 19.	Apr. 26	May 3.	May 10	May 17.	May 24.	May 31.	Mar. 8.	Mar. 15.	Mar. 22	Mar. 29.	Apr. 5	Apr. 12.	Apr. 19.	Apr. 26.	May 3	May 10.	May 17.	May 24.	May 31.
No. of weeks in Annual Series ..	10	11	12	13	14	15	16	17	18	19	20	21	22	10	11	12	13	14	15	16	17	18	19	20	21	22
BIRTHS registered	208	189	171	192	217	190	145	169	166	215	182	169	217	164	160	198	167	175	162	145	170	197	189	190	191	185
Average Births in corresponding week of previous 10 years, ...	215	201	226	215	238	238	241	216	251	254	243	238	263	203	211	215	207	206	216	227	226	209	208	219	220	218
Number of Deaths, ...	489	371	288	245	253	196	177	146	148	134	139	118	123	233	261	238	207	168	184	131	125	119	114	1 6	118	98
Annual Death-rate per 1,000 ..	63·0	47·8	37·1	31·5	32·6	25·2	22·8	18·8	19·1	17·3	17·9	15·2	15·8	30·3	33·9	30·9	26·9	21·8	23·9	17·0	16·3	15·5	14 8	15·1	15·3	12·7
Average Deaths in corresponding week of previous 10 years, ...	194	185	196	186	192	191	189	161	167	181	154	151	143	165	162	164	158	168	166	162	154	138	133	142	133	125
Ages, .. Under one year, ..	51	44	36	37	41	29	22	19	17	12	22	17	18	21	42	33	29	30	25	23	20	23	18	1	14	13
1— 5 years, ..	50	49	28	25	18	12	12	12	10	10	7	6	8	16	21	22	12	6	14	7	5	4	6	7	8	4
5—25 ,, ..	63	35	39	26	25	23	21	15	14	15	18	12	14	27	24	31	21	16	30	16	22	15	22	20	23	14
25—45 ,, ..	98	77	58	39	55	28	32	19	14	17	23	21	23	40	33	34	42	18	29	25	16	20	18	27	25	27
45—65 ,, ..	115	87	63	59	62	58	27	40	44	34	25	29	25	60	67	57	50	54	42	29	23	25	25	23	23	17
65 and upwards, ..	112	79	64	59	52	46	63	41	49	46	44	33	35	69	74	61	53	44	44	31	39	32	25	28	25	23
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	2	6	3	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	3	.	.	.	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough, ...	2	.	.	1	1	2	3	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	.	1	1	1	1	.	.	1	.	.	1	.	1	1	1	2	1	.	.	.	.	.	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	30	29	23	21	27	18	20	14	20	19	9	16	24	19	21	22	26	16	21	13	13	25	27	25	18	19
Tuberculosis { Other Forms, ..	7	7	4	7	14	5	11	5	8	5	8	6	7	6	4	5	5	4	7	6	9	5	7	1	11	6
Cancer, ...	16	8	7	3	7	9	9	7	10	6	5	5	9	8	8	13	5	9	6	6	8	7	8	8	7	4
Diseases of Respiratory System, { Pneumonia ..	89	60	45	37	31	24	22	16	13	10	15	11	6	41	55	46	23	21	20	13	13	9	11	7	6	9
Diseases of Respiratory System, { Others, ..	99	57	51	54	41	36	24	24	20	23	23	12	11	83	61	61	52	33	38	31	23	12	18	11	7	8
Diarrhœa and Enteritis, under 2 years, ...	1	1	5	3	4	2	1	3	2	3	4	3	2	.	2	1	3	1	1	1	.	2	2	1	3	2
Diarrhœa, 2 years and upwards..	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	1	.
Violent Deaths, ...	1	3	1	3	4	2	5	3	1	2	1	2	1	.	1	3	2	7	3	3	2	1	1	2	4	1
Number of Uncertified Deaths, ..	8	9	5	4	7	6	5	2	2	3	4	10	6	3	1	1	2	5	4	1	3	3	.	.	2	1
A Mean Maximum Temperature in degs	47·5	47·9	46·1	42·4	49·1	55·6	55·4	54·7	51·4	56·9	66·9	62·3	67·8	44·5	48·6	44·6	43·1	48·9	54·9	53·5	55·2	50·8	56·8	63·6	62·9	67·5
B Mean Minimum ,, ,,	33·6	32·2	32·0	29·3	32·9	40·6	41·5	34·4	35·6	37·4	44·3	45·5	44·0	32·0	34·7	34·4	29·4	37·5	41·0	41·0	41·9	38·3	42·6	50·6	47·2	49·4
Mean of A and B ,, ,,	40·6	40·1	39·1	35·9	41·0	48·1	48·5	44·6	43·5	47·2	55·6	53·9	55·9	38·3	41·7	39·5	36·3	43·2	48·0	47·3	48·6	44·5	49·7	57·1	55·1	58·4
Rainfall in inches	0·64	0·18	1·18	0·37	0·18	0·22	0·50	0·27	0·71	0·14	0·31	0·79	0·00	0·67	0·20	1·98	0·37	0·06	0·39	0·52	0·39	0·50	0·35	0·21	0·42	0·11

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 31st May, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	3	9·9	.	3	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1
Do. 2 do.	49,500	25	16·9	.	16	3	1	2	3	2	5	.	.	.	.	.	.	.	.	2	1	3	2	.	.	.	.	.	4	.
Do. 3 do.	50,032	23	13·5	.	13	3	.	1	3	3	3	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	5	.
Do. 4 do.	32,637	21	12·8	.	8	1	.	2	2	1	2	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.	4	.
Do. 5 do.	16,112	4	12·9	.	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Do. 6 do.	37,293	15	9·8	.	7	.	.	.	5	1	1	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	5	.
Do. 7 do.	2,681	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	35·0	.	4	.	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	18	14·9	.	7	.	1	1	2	1	2	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.
Do. 10 do.	28,958	25	16·2	1·8	9	2	.	2	2	1	2	.	.	.	.	.	.	.	.	4	.	.	.	.	1	.	.	.	.	.
Do. 11 do.	39,311	18	8·0	.	6	1	1	1	1	.	2	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.
Do. 12 do.	38,076	12	11·0	1·4	8	1	.	2	3	2	.	.	.	.	.	.	.	.	.	4	.	.	.	2	1	.	.	.	2	.
Do. 13 do.	23,233	5	9·0	.	4	.	.	1	.	2	1	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	12	20·7	.	9	2	.	1	2	2	2	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	.	.	3	.
Total,	386,947	185	12·7	0·3	98	13	4	14	27	17	23	.	.	.	.	.	.	.	.	19	6	4	9	8	2	.	1	1	24	1
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	6	15·5	.	4	.	.	1	1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 2 do.	10,399	6	10·0	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
Do. 3 do.	9,793	5	5·3	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 4 do.	9,139	5	5·7	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 5 do.	6,250	1	8·3	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	2	18·0	.	4	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	3	.
Do. 7 do.	16,056	11	9·7	.	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	3	.
Total,	76,673	36	10·9	.	16	1	1	3	5	2	4	.	.	.	.	.	.	.	.	2	.	2	.	1	.	.	2	2	9	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 31st May, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 1, West ..	.	.	.	..	.	1	.	.	.	.	.	.	.	.	.	.	9	10
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	4
" " 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4	5
" " " 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3
" " " 4, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	1	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	.	.	.	.	2	.	.	.	.	.	.	.	2	1	.	26	31

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 31st May, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 31st May.			
	May 10.	May 17.	May 24.	No. admitted	Dis-charged.	Died.	No under treatment at close of week.
Enteric Fever, ...	3	4	4	1	.	.	5
Typhus, ...	.	1	2	.	.	.	2
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	11	29	32	15	23	.	24
Scarlet Fever	32	33	34	10	9	.	35*
Diphtheria, ...	7	6	9	.	1	.	8
Pneumonia, ...	21	27	26	8	8	1	25

* Exclusive of 16 patients in "Peneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12937). Wt. 210. 3. 380. 6, 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 23. VOL. LVI.] WEEK ENDING SATURDAY, 7TH JUNE, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House
Dublin, 10th June, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 14·2 and 15·4; Dublin Registration Area, 15·5 and 16·1; Dublin City, 16·6 and 17·1; Belfast, 12·4 and 13·9; Cork, 14·3 and 12·8; Londonderry, 15·3 and 21·0; Limerick, 19·0 and 21·7; and Waterford, 15·2 and 15·2.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·8 per 1,000. The 95 deaths from all causes for Belfast include one from each of scarlet fever, whooping-cough, diphtheria and diarrhœa. Among the 21 deaths from all causes for Cork are 3 from diarrhœa and enteritis of children under 2 years. Of the 12 deaths from all causes for Londonderry there are 3 from whooping-cough. Included in the 8 deaths from all causes for Waterford is one from measles. One of the 4 deaths from all causes for Newry is from whooping-cough. Of the 3 deaths from all causes for Portadown one is from enteric fever, and of the 10 deaths from all causes for Sligo one is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 178—90 boys and 88 girls—and the deaths to 132—61 males and 71 females.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·5 per 1,000 of the population. During the twenty-three weeks ending with Saturday last the death-rate averaged 28·5 and was 5·3 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the twenty-three weeks was 30·8 and for the corresponding period of the preceding ten years 24·7.

Of the 120 deaths appertaining to the Area, one was from enteric fever, 3 were from diarrhœa and enteritis of children under 2 years, and 3 from influenza.

In the three preceding weeks deaths from enteric fever numbered 0, one and 0, deaths from diarrhœa and enteritis of children under 2 years 4, 3 and 2, and deaths from influenza 7, 4 and 6, respectively.

Deaths attributed to pneumonia were 6 (comprising 2 from broncho-pneumonia, and 4 from pneumonia, type not distinguished).

Tuberculous disease caused 27 deaths (comprising 18 from pulmonary tuberculosis, one from tuberculous meningitis, and 8 from other forms of tuberculous disease), as against 17, 22 and 31, in the three weeks preceding.

Seven deaths were caused by cancer, 12 by organic diseases of the heart, and 7 by bronchitis.

Among deaths of infants under one year old, 2 were due to convulsions, one to diarrhœa and enteritis, one to congenital malformation, 5 to premature birth, and 2 to congenital debility.

There were 4 accidental deaths, of which one was due to burns, one to drowning and one was caused by a vehicle.

Twenty-six of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 18 being infants under one year, of whom 9 were under one month old, and 31 deaths were those of persons aged 65 and upwards, of whom 21 were 70 years of age or over.

Of the 120 deaths recorded, 59 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 7th June, in 96 large English towns (including London, in which the rate was 10·5) was equal to an average annual death rate of 10·6 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 12·3 per 1,000 persons living, the rate for Glasgow being 12·8 and for Edinburgh 13·2.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 7th June. From this Report it appears that of 36 cases notified, 9 were pulmonary tuberculosis, 6 other forms of tuberculosis, 8 diphtheria, 7 scarlet fever, 5 erysipelas, and one puerperal fever. Among the 378 cases of infectious diseases in hospital at the close of the week were 144 of pulmonary tuberculosis, 100 of scarlet fever, 54 of whooping-cough, 39 of diphtheria, 21 of measles, 4 of erysipelas, one of enteric fever, one of puerperal fever, and one of influenza.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 7th June, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	May 17	1	·	·	·	·	—	5	—	3	2	—	1	—	·	·	·	3	·	·	15	30
	May 24	1	2	·	·	·	—	12	—	5	1	—	·	—	·	·	·	·	·	·	23	44
	May 31	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	2	1	·	26	31
	June 7	1	·	·	·	·	—	5	—	5	2	—	·	—	·	·	·	·	·	·	14	27
Rathmines & Rathgar Urban District	May 17	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	May 24	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	May 31	·	·	·	·	·	—	1	—	·	1	—	·	—	·	·	·	·	·	·	—	2
	June 7	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
Pembroke Urban District	May 17	·	·	·	·	·	11	2	·	·	·	·	·	—	·	·		·	·	·	2	15
	May 24	·	·	·	·	·	3	·	·	·	1	·	·	—	·	·	·	·	·	·	·	4
	May 31	·	·	·	·	·	2	1	1	·	·	·	·	—	·	·	·	·	·	·	1	5
	June 7	·	·	·	·	·	1	·	·	·	·	·	·	—	·	·	·	·	2	·	·	3
Blackrock Urban District	May 17	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	May 24	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	May 31	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	June 7	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	May 17	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	1	1
	May 24	1	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	1	—	·	·	2
	May 31	3	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	1	—	·	·	4
	June 7	1	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	1
City of Belfast	May 17	·	·	·	·	·	—	14	—	·	2	—	·	—	·	·	·	·	·	·	3	19
	May 24	1	·	·	·	·	—	7	—	3	1	—	2	—	·	·	·	·	·	·	1	15
	May 31	1	·	·	·	·	—	9	—	1	·	—	·	—	·	·	·	·	·	·	1	12
	June 7	1	·	1	·	·	—	14	—	3	·	—	·	—	·	·	·	·	·	·	4	23
City of Cork (a)	May 17	1	·	·	·	·	·	·	—	·	1	—	·	·	·	·	·	·	—	·	—	2
	May 24	·	·	·	·	·	·	·	—	·	·	—	·	·	·	·	·	·	—	·	—	·
	May 31	·	·	·	·	·	·	·	—	·	·	—	·	·	·	·	·	·	—	·	—	·
	June 7	·	·	·	·	·	·	·	—	1	·	—	1	·	·	·	·	·	—	·	—	2
City of Londonderry	May 17	1	1	·	·	·	—	3	—	·	2	—	·	—	·	·	·	·	·	—	—	7
	May 24	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	—	—	1
	May 31	·	·	·	·	·	—	4	—	·	·	—	·	—	·	·	·	·	·	—	—	4
	June 7	1	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	—	—	2
City of Limerick	May 17	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	May 24	1	·	·	·	·	—	1	—	2	·	—	·	—	·	·	·	·	·	·	—	4
	May 31	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	June 7	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
City of Waterford	May 17	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	May 24	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	May 31	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	June 7	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1

(a) One case of varicella was notified during the week ended 24th May.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 7th June, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever one and 5; typhus nil and one; measles 7 and 22; scarlet fever 13 and 39*; and diphtheria 7 and 14. Six cases of pneumonia were admitted during the week and 23 remained under treatment at its close, as compared with 27, 26 and 25 at the close of the 3 preceding weeks. Of the deaths in hospital during the week one was from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 7th June, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 7th June, 1919. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 7th June, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
Total of 19 Town Districts, ...	1,142,268	20·0	25·3	14·2	0·8	555	312	42	74	2	·	·	2	1	5	1	·	54	20	14	22	20	6	1	10	11	121	11	° ·	° ·	° ·	° ·	° ·	·
Dublin Registration Area, ...	405,000	28·9	22·9	15·5	0·5	178	120	18	31	1	·	·	·	·	·	·	·	18	9	7	6	8	3	·	4	3	59	2	(d) 73·0	38·2	68·0	48·4	58·2	0·05
Urban Districts. City of Dublin,	310,500	38·0	25·4	16·6	0·7	151	99	17	22	1	·	·	·	·	·	·	·	15	8	3	6	7	3	·	3	3	47	2	(e) 72·2 (f) 75·0	45·0 42·0	67·7 70·3	53·4 50·9	60·6 60·6	0·03 0·05
Urban Districts. Rathmines and Rathgar	39,400	23·0	21·2	9·3	·	16	7	1	2	·	·	·	·	·	·	·	·	2	1	1	·	·	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. Pembroke, ..	29,500	18·8	8·8	7·1	·	5	4	·	2	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. Blackrock, ..	9,000	8·3	11·6	23·2	·	2	4	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. Kingstown, ..	16,600	11·4	12·6	18·8	·	4	6	·	3	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	1	·	3	·	75	45	65·8	52·1	59·0	0·07
Urban Districts. Belfast, ..	401,000	26·8	26·4	12·4	0·5	203	95	9	22	·	·	·	·	1	1	1	·	18	6	4	7	7	·	1	3	5	32	·	71·2	47·8	59·0	50·9	55·0	0·03
Urban Districts. Cork, ...	76,673	28·6	25·2	14·3	2·0	37	21	5	4	·	·	·	·	·	·	·	·	3	2	1	1	2	3	·	1	1	7	·	70	50	66·3	53·1	59·7	0·01
Urban Districts. Londonderry, ..	41,000	15·9	33·1	15·3	3·8	26	12	1	3	·	·	·	·	·	3	·	·	3	·	1	1	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. Limerick, ..	38,518	16·1	50·1	19·0	·	37	14	3	1	·	·	·	·	·	·	·	·	4	·	·	2	2	·	·	·	·	9	5	72	43	69·2	50·0	59·6	0·00
Urban Districts. Waterford, ..	27,464	19·1	17·1	15·2	1·9	9	8	1	1	·	·	·	1	·	·	·	·	1	·	·	1	·	·	·	2	2	1	·	·	·	·	·	·	·
Urban Districts. Galway, ...	13,255	2·5				7	4	1	2	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	1	·	80	45	69·4	52·0	60·7	0·09
Urban Districts. Dundalk, ..	13,128	9·5				8	3	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Lurgan, ..	12,553	14·7				6	3	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	2	·	69·5	41·6	65·4	50·0	57·7	0·37
Urban Districts. Drogheda, ..	12,501	8·4	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			11	4	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Lisburn, ..	12,388	10·9				4	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Newry, ...	11,963	17·0				2	4	3	·	·	·	·	·	·	1	·	·	·	1	·	1	·	·	·	·	·	1	·	69·5	41·6	65·4	50·0	57·7	0·37
Urban Districts. Portadown, ..	11,727	15·3				8	3	·	·	1	·	·	·	·	·	·	·	1		·	1	·	·	·	·	·	1	·	69·5	41·6	65·4	50·0	57·7	0·37
Urban Districts. Wexford, ..	11,531	22·8				7	3	·	1	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. Ballymena, ..	11,381	9·3				2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. Sligo, ...	11,163	3·8				3	10	1	4	·	·	·	1	·	·	·	·	2	·	·	·	·	·	·	·	·	7	2	72	39	65	50	57·5	1·15
Urban Districts. Kilkenny, ..	10,514	11·4				1	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	73	43	68·8	51·2	60·0	0·10
Urban Districts. Tralee, ...	10,300	17·4				4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Clonmel, ..	10,209	7·8				2	5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
London	4,206,901	—	—	10·5	—	1,399	808	96	259	—	—	·	7	1	—	7	—	89	28	101	50	34	11	3	36	88	385	1	83	32	71·6	49·0	60·3	0·08
Edinburgh ...	336,500	—	—	13·2	—	112	85	9	32	·	·	·	2	·	6	·	—	—	—	—	—	—	·	—	7	—	—	—	76·0	41·0	65·7	49·1	57·4	0·29
Glasgow	1,118,700	—	—	12·8	—	478	275g	42	65	·	·	·	6	·	17	1	—	—	—	—	—	—	2	—	9	—	—	—	71·2	42·5	65·7	50·3	58·0	0·50

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College, and those for Waterford by De La Salle College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including 2 deaths from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 23rd Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 7th June, 1919. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20	20—25	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	152·4	132	9	9	7	1	2	3	7	8	13	10	17	12	21	13	120
Enteric Fever ..	·2	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1
Typhus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles	5·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Scarlet Fever ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Whooping-cough ..	2·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diphtheria	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Croup	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	·4	3	·	·	·	·	·	·	·	·	·	1	·	2	·	·	3
Dysentery	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Erysipelas	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Epidemic Diseases	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pyæmia and Septicæmia (non-puerperal).	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tetanus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
TUBERCULOSIS.																	
Pulmonary Tuberculosis	24·0	18	·	1	·	·	·	1	3	4	4	1	3	1	·	·	18
Tuberculous Meningitis	2·4	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Abdominal Tuberculosis	2·8	3	·	·	1	·	1	·	1	·	·	·	·	·	·	·	3
Tuberculosis of the Spinal Column.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of Joints	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of other Organs.	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Scrofula	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Disseminated Tuberculosis.	1·8	5	·	1	1	·	·	1	2	·	·	·	·	·	·	·	5
Venereal Diseases ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cancer	10·8	8	·	·	1	·	·	·	·	·	·	1	3	1	2	·	7
Tumour, situation undefined.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Rheumatic Fever ..	·4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Diabetes	·8	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Anæmia, Leucocythæmia.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other General Diseases	2·8	2	·	·	1	·	·	·	·	·	·	·	·	·	1	·	2
Alcoholism ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Poisonings ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cerebro-spinal Fever..	·2	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Simple Meningitis ..	1·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cerebral Hæmorrhage, Apoplexy.	4·8	5	·	·	·	·	·	·	·	·	·	·	1	1	1	2	5
Softening of Brain ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Paralysis, without specified cause.	·8	3	·	·	·	·	·	·	·	·	·	·	1	·	2	·	3
Epilepsy.	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Convulsions (non-puerperal).	2·2	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2
Other Diseases of Nervous System.	3·4	3	·	·	·	·	·	1	·	·	2	·	·	·	·	·	3
Pericarditis ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Endocarditis ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Organic Diseases of the Heart.	10·6	12	·	·	·	·	·	·	·	·	2	·	1	·	8	1	12
Embolism and Thrombosis (including Cerebral)	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Circulatory System.	·8	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Diseases of the Larynx	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Bronchitis	10·8	7	·	·	·	·	·	·	·	·	·	·	·	3	1	3	7
Broncho-pneumonia ..	3·2	4	·	1	·	·	·	·	1	·	·	·	1	·	·	1	2
Lobar pneumonia ..	1·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pneumonia (type not distinguished).	4·4	4	·	1	1	·	·	·	·		1	·	1	·	·	·	4
Pleurisy	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pulmonary Congestion, Pulmonary Apoplexy.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Respiratory System	1·2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1

in the TWENTY-THIRD WEEK, ending Saturday, 7th June, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 23rd Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 7th June, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx. Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Stomach ..	2·4	2	·	·	·	·	·	·	·	·	1	·	·	1	·	·		2
Diarrhœa and Enteritis of Children under 2 years.	2·0	3	·	1	2	·	·	·	·	·	·	·	·	·	·	·		3
Diarrhœa 2 years and upwards.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Enteritis 2 years and upwards.	·4	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·		1
Appendicitis and Typhlitis.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·		·		·
Hernia and Intestinal Obstructions.	1·8	2	·	1	·	·	·	·	·	·	·	1	·	·	·	·		2
Cirrhosis of Liver ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Liver	·8	2	·	·	·	·	·	·	·	·	·	·	1	1	·	·		1
Peritonitis (cause unknown).	·8	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·		1
Other Diseases of Digestive System	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Acute Nephritis ..	1·2	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·		·
Chronic Bright's Disease	4·4	5	·	·	·	·	·	·	·	·	1	1	2	1	·	·		5
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Genito-urinary System.	1·8	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·		1
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other causes incident to Pregnancy and Childbirth.	·4	2	·	·	·	·	·	·	·	·	·	2	·	·	·	·		1
Diseases of Skin and Cellular Tissues.	·8	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		·
Diseases of Locomotor System.	·4	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		1
Congenital Malformations.	·2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·		1
Premature Birth ..	3·6	5	5	·	·	·	·	·	·	·	·	·	·	·	·	·		5
Congenital Debility ..	4·0	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·		2
Old Age	7·0	6	·	·	·	·	·	·	·	·	·	·	·	·	1	5		4
Other Specified Diseases	2·0	3	·	1	·	·	·	·	·	1	·	·	·	·	·	1		2
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		
Burns and Scalds ..	·8	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·		1
Drowning	·8	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·		1
Suffocation in Bed, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Vehicles and Horses ..	·4	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·		1
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Gunshot Wounds, &c.	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Violent Deaths		2	·	·	·	·	·	·	·	·	·	·	1	·	1	·		1
Not included in above—																		
Homicide. ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ill-defined, &c., Causes,	3·2	2	·	·	·	·	·	·	·	·	·	1	·	·	1	·		2

TABLE IV.—Showing for the WEEK ENDED 7TH JUNE, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 7TH JUNE, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population Middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	15·6	·	9	·	·	·	·	1	3	4	1	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	·	·	2	2	2
" 1, W., ...	41,100	17·8	2·5	14	4	2	·	1	1	1	2	3	·	·	·	·	·	·	·	·	3	1	·	·	·	2	·	·	·	·	6	·	·
" 2, ...	27,500	13·3	·	7	2	·	·	1	2	1	1	·	·	·	·	·	·	·	·	·	2	2	1	·	·	·	·	·	·	·	3	·	·
" 3, ...	34,100	9·2	·	6	·	·	·	·	1	2	3	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·	·	1	·	2	2	·
CLONTARF AND HOWTH, No. 1, part of	5,500	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	7·7	·	2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	2	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	14·1	·	3	·	·	·	1	1	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	25·5	1·2	21	3	1	·	·	1	3	5	8	·	·	·	·	·	·	·	·	3	·	·	3	3	1	·	1	·	1	5	9	·
" 2, ...	18,200	17·2	·	6	2	2	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	·	·	·	2	·
" 3, ...	43,300	18·1	·	15	4	·	·	·	1	3	4	3	·	·	·	·	·	·	·	·	2	·	·	·	2	·	·	1	1	1	5	1	·
" 4, ...	32,800	20·7	1·6	13	1	1	·	2	2	1	2	4	1	·	·	·	·	·	·	·	2	2	·	2	·	·	·	·	·	·	1	3	·
NEW KILMAINHAM, ...	10,300	15·2	·	3	·	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	2	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	9·3	·	7	1	·	·	·	2	1	1	2	·	·	·	·	·	·	·	·	2	1	1	·	·	·	·	·	·	·	2	1	·
PEMBROKE	29,500	7·1	·	4	·	1	·	·	1	·	·	2	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	1	2	·
BLACKROCK, ...	9,000	23·2	·	4	·	·	·	·	·	1	1	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	1	2	·
KINGSTOWN, ...	16,600	18·8	·	6	·	·	·	·	·	2	1	3	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	1	·	·	3	·	·
TOTAL CITY. North, ...	162,900	13·1	0·6	41	7	2	1	3	6	7	10	5	·	·	·	·	·	·	·	·	7	5	3	·	1	2	·	1	1	1	15	4	2
TOTAL CITY. South, ...	147,600	20·5	0·7	58	10	4	·	2	4	9	12	17	1	·	·	·	·	·	·	·	8	3	·	6	6	1	·	2	1	2	13	15	·
TOTAL CITY. North and South, ..	310,500	16·6	0·7	99	17	6	1	5	10	16	22	22	1	·	·	·	·	·	·	·	15	8	3	6	7	3	·	3	2	3	28	19	2
Total Urban Districts, ...	94,500	11·6	·	21	1	1	·	·	3	4	3	9	·	·	·	·	·	·	·	·	3	1	4	·	1	·	·	1	1	·	7	5	·
Total Registration Area, ..	405,000	15·5	0·5	120	18	7	1	5	13	20	25	31	1	·	·	·	·	·	·	·	18	9	7	6	8	3	·	4	3	3	35	24	2
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				12	·	·	·	·	2	3	4	3	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	1	·	·	10	2	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 7th June, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 7TH JUNE, 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	28)	(29)
	ALL PERSONS.	397,957	—	132	26	5	15	23	29	21	13	1	.	.	.	.	.	.	.	18	9	8	2	8	8	3	.	5	70	2
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	21·3	6	.	.	1	1	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.
II.	MIDDLE CLASS	101,798	12·3	24	2	1	.	6	7	4	4	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	1	19	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	11·5	24	3	.	5	6	6	3	1	.	.	.	.	.	.	.	.	8	.	1	.	2	2	.	.	3	8	.
IV.	GENERAL SERVICE CLASS	167,479	16·2	52	15	3	7	9	10	5	3	.	.	.	.	.	.	.	.	8	5	2	2	4	3	2	.	1	25	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	26	6	1	2	1	5	7	4	.	.	.	.	.	.	.	.	1	4	3	.	1	3	1	.	.	13	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	5	.	.	1	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
II.	MIDDLE CLASS.																													
	4 General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	4	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	6 Clerks and Commercial Assistants,	33,249	—	7	2	.	.	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	6	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	11	.	1	.	1	5	1	3	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8 Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ..	28,823	—	5	2	.	1	.	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	1	1	.
	10 Clothing Trades, ...	20,026	—	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.
	11 Food Supply Trades, ...	8,952	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	16	1	.	3	5	4	2	1	.	.	.	.	.	.	.	.	3	.	1	.	2	1	.	.	2	7	.
	13. Petty Shopkeepers, ...	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	7	2	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	5	.
	15. Domestic Servants, ...	36,041	—	6	.	1	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.
	16 Coach and Car Drivers, Vanmen, &c.,	15,380	—	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	37	13	2	5	4	7	4	2	.	.	.	.	.	.	.	.	8	5	1	1	4	3	2	.	1	12	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	26	6	1	2	1	5	7	4	.	.	.	.	.	.	.	.	1	4	3	.	1	3	1	.	.	13	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Mar. 15	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12	Apr. 19.	Apr. 26.	May 3.	May 10	May 17.	May 24.	May 31.	June 7.	Mar. 15.	Mar. 22	Mar. 29.	Apr 5	Apr. 12.	Apr. 19.	Apr. 26.	May 3	May 10.	May 17.	May 24.	May 31.	June 7.
No. of weeks in Annual Series ..	11	12	13	14	15	16	17	18	19	20	21	22	23	11	12	13	14	15	16	17	18	19	20	21	22	23
BIRTHS registered	189	171	192	217	190	145	169	166	215	182	169	217	178	160	198	167	175	162	145	170	197	189	190	191	185	203
Average Births in corresponding week of previous 10 years, ...	201	226	215	238	238	241	216	251	254	243	238	263	239	211	215	207	206	216	227	226	209	208	219	220	218	208
Number of Deaths, ...	371	288	245	253	196	177	146	148	134	139	118	123	120	261	238	207	168	184	131	125	119	114	116	118	98	95
Annual Death-rate per 1,000 ..	47·8	37·1	31·5	32·6	25·2	22·8	18·8	19·1	17·3	17·9	15·2	15·8	15·5	33·9	30·9	26·9	21·8	23·9	17·0	16·3	15·5	14 8	15·1	15·3	12·7	12·4
Average Deaths in corresponding week of previous 10 years, ...	185	196	186	192	191	189	161	167	184	154	151	143	140	162	164	158	168	166	162	154	138	133	142	133	125	120
Ages, .. Under one year, ..	44	36	37	41	29	22	19	17	12	22	17	18	18	42	33	29	30	25	23	20	23	18	11	14	13	9
1— 5 years, ..	49	28	25	18	12	12	12	10	10	7	6	8	8	21	22	12	6	14	7	5	4	6	7	8	4	5
5—25 „ ..	35	39	26	25	23	21	15	14	15	18	12	14	18	24	31	21	16	30	16	22	15	22	20	23	14	23
25—45 „ ..	77	58	39	55	28	32	19	14	17	23	21	23	20	33	34	42	18	29	25	16	20	18	27	25	27	14
45—65 „ ..	87	63	59	62	58	27	40	44	34	25	29	25	25	67	57	50	54	42	29	23	25	25	23	23	17	22
65 and upwards, ..	79	64	59	52	46	63	41	49	46	44	33	35	31	74	61	53	44	44	31	39	32	25	28	25	23	22
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	6	3	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	3	.	.	.	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Whooping-cough, ...	.	.	1	1	2	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Diphtheria, ...	1	1	1	1	.	.	1	.	.	1	.	1	.	1	2	1	.	.	.	.	.	.	.	.	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	29	23	21	27	18	20	14	20	19	9	16	24	18	21	22	26	16	21	13	13	25	27	25	18	19	18
Tuberculosis { Other Forms, ..	7	4	7	14	5	11	5	8	5	8	6	7	9	4	5	5	4	7	6	9	5	7	1	11	6	6
Cancer, ...	8	7	3	7	9	9	7	10	6	5	5	9	7	8	13	5	9	6	6	8	7	8	8	7	4	4
Diseases of Respiratory System, { Pneumonia ..	60	45	37	34	24	22	16	13	10	15	11	6	6	55	46	23	21	20	13	13	9	11	7	6	9	7
Diseases of Respiratory System, { Others, ..	57	51	54	44	36	24	24	20	23	23	12	11	8	61	61	52	33	38	31	23	12	18	11	7	8	7
Diarrhœa and Enteritis, under 2 years, ...	1	5	3	4	2	1	3	2	3	4	3	2	3	2	1	3	1	1	1	.	2	2	1	3	2	.
Diarrhœa, 2 years and upwards..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	1
Violent Deaths, ...	3	1	3	4	2	5	3	1	2	1	2	1	4	1	3	2	7	3	3	2	1	1	2	4	1	3
Number of Uncertified Deaths, ..	9	5	4	7	6	5	2	2	3	4	10	6	2	1	1	2	5	4	1	3	3	.	.	2	1	.
A Mean Maximum Temperature in degs	47·9	46·1	42·4	49·1	55·6	55·4	54·7	51·4	56·9	66·9	62·3	67·8	63·0	48·6	44·6	43·1	48·9	54·9	53·5	55·2	50·8	56·8	63·6	62 9	67·5	59·0
B Mean Minimum „ „	32·2	32·0	29·3	32·9	40·6	41·5	34·4	35·6	37·4	44·3	45·5	44·0	48·4	34·7	34·4	29·4	37·5	41·0	41·0	41·9	38·3	42·6	50·6	47·2	49·4	50·9
Mean of A and B „ „	40·1	39·1	35·9	41·0	48·1	48·5	44·6	43·5	47·2	55·6	53·9	55·9	58·2	41·7	39·5	36·3	43·2	48·0	47·3	48·6	44·5	49·7	57·1	55·1	58·4	55·0
Rainfall in inches	0·18	1·18	0·37	0·18	0·22	0·50	0·27	0·71	0·14	0·34	0·79	0·00	0·05	0·20	1·98	0·37	0·06	0·39	0·52	0·30	0·50	0·35	0·21	0·42	0·11	0·03

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 7th June, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	11	16·4	·	5	·	1	·	2	2	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	1	·
Do. 2 do.	49,500	24	11·6	1·1	11	1	1	2	3	3	1	·	·	·	·	1	·	·	·	1	1	1	1	1	·	·	·	·	3	·
Do. 3 do.	50,032	35	16·7	1·0	16	2	2	5	·	·	7	·	·	·	·	·	·	1	·	2	2	2	2	1	·	·	·	1	4	·
Do. 4 do.	32,637	16	17·6	1·6	11	1	1	3	2	1	3	·	·	·	·	·	1	·	·	3	·	·	1	·	·	·	1	1	7	·
Do. 5 do.	16,112	11	12·9	·	4	2	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
Do. 6 do.	37,293	10	9·8	1·4	7	1	·	1	2	3	·	·	·	·	·	·	·	·	·	2	·	1	·	1	·	1	·	·	3	·
Do. 7 do.	2,681	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	1	8·7	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 9 do.	24,427	11	12·8	·	6	·	·	2	·	1	3	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·
Do. 10 do.	28,958	9	10·8	·	6	1	·	2	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	1	1	·
Do. 11 do.	39,311	18	11·9	·	9	·	·	2	1	3	3	·	·	·	·	·	·	·	·	2	1	·	1	·	·	·	·	1	5	·
Do. 12 do.	38,076	21	6·8	·	5	1	·	1	1	·	1	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	1	1	1	·
Do. 13 do.	23,233	17	9·0	·	4	·	·	2	1	1	·	·	·	·	·	·	·	·	·	1	1	·	·	1	·	·	·	·	1	·
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	17	23·0	·	10	·	·	3	1	4	2	·	·	·	·	·	·	·	·	3	1	·	1	1	·	·	·	·	3	·
Total,	386,947	203	12·4	0·5	95	9	5	23	14	22	22	·	·	·	·	1	1	1	·	18	6	4	7	7	·	1	3	5	32	·
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	5	15·5	3·9	4	1	·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	1	·
Do. 2 do.	10,399	7	10·0	·	2	·	·	·	2	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·
Do. 3 do.	9,793	4	16·0	5·3	3	2	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	2	·
Do. 4 do.	9,139	3	11·4	·	2	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	1	·
Do. 5 do.	6,250	1	8·3	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 6 do.	11,581	6	18·0	·	4	·	·	·	1	1	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·
Do. 7 do.	16,056	11	16·2	3·2	5	1	1	·	2	1	·	·	·	·	·	·	·	·	·	1	·	·	1	·	1	·	1	1	2	·
Total.	76,673	37	14·3	2·0	21	5	2	1	6	3	4	·	·	·	·	·	·	·	·	3	2	1	1	2	3	·	1	1	7	·

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 7th Jnue, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3
„ „ 1, West ..	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2
„ „ 2, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	3	4
„ „ 3, ...	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	3
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2
„ „ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ „ 3, ...	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	1	5
„ „ „ 4, ...	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
Total, ...	1	.	.	.	.	5	5	.	2	.	.	.	.	.	.	.	14	27

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 7th June, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 7th June.			
	May 17.	May 24.	May 31.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	4	4	5	1	1	.	5
Typhus, ...	1	2	2	.	1	.	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	29	32	24	7	9	.	22
Scarlet Fever	33	34	35	13	9	.	39*
Diphtheria, ...	6	9	8	7	1	.	14
Pneumonia, ...	27	26	25	6	7	1	23

* Exclusive of 15 patients in "Pencavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12972). Wt. 210. 3. 380. 6, 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 24. VOL. LVI.] WEEK ENDING SATURDAY, 14TH JUNE, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House
Dublin, 16th June, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 13·9 and 14·7; Dublin Registration Area, 13·4 and 15·0; Dublin City, 13·8 and 16·0; Belfast, 13·5 and 13·5; Cork, 12·9 and 12·1; Londonderry, 15·3 and 19·4; Limerick, 12·2 and 19·3; and Waterford, 28·5 and 18·5.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·3 per 1,000. The 104 deaths from all causes for Belfast include 3 from diarrhœa. Among the 6 deaths from all causes for Galway is one from enteric fever, and of the 7 deaths from all causes for Kilkenny one is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 187—101 boys and 86 girls—and the deaths to 110—48 males and 62 females.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 13·4 per 1,000 of the population. During the twenty-four weeks ending with Saturday last the death-rate averaged 27·9 and was 4·9 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the twenty-four weeks was 30·1 and for the corresponding period of the preceding ten years 24·5.

Of the 104 deaths appertaining to the Area, one was from measles, one was from diarrhœa and enteritis of a child under 2 years, and 2 were from influenza.

In the three preceding weeks deaths from diarrhœa and enteritis of children under 2 years numbered 3, 2 and 3, and deaths from influenza 4, 6 and 3, respectively. There were no deaths from measles in the three preceding weeks.

Deaths attributed to pneumonia were 8 (comprising 2 from broncho-pneumonia, 3 from lobar pneumonia, and 3 from pneumonia, type not distinguished).

Tuberculous disease caused 21 deaths (comprising 19 from pulmonary tuberculosis and 2 from other forms of tuberculous disease), as against 22, 31 and 27, in the three weeks preceding.

Nine deaths were caused by cancer, 14 by organic diseases of the heart, and 7 by bronchitis.

Among deaths of infants under one year old, one was due to simple meningitis, 2 were due to convulsions, one to diarrhœa and enteritis, one to congenital malformation, one to premature birth, and 2 to congenital debility.

There were 2 accidental deaths, of which one was due to alcoholic poisoning and one was caused by a gunshot wound.

Sixteen of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 12 being infants under one year, of whom 5 were under one month old, and 29 deaths were those of persons aged 65 and upwards, of whom 22 were 70 years of age or over.

Of the 104 deaths recorded, 49 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 14th June, in 96 large English towns (including London, in which the rate was 9·6) was equal to an average annual death rate of 9·9 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 12·4 per 1,000 persons living, the rate for Glasgow being 14·1 and for Edinburgh 11·5.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 14th June. From this Report it appears that of 55 cases notified, 16 were pulmonary tuberculosis, 10 other forms of tuberculosis, 14 diphtheria, 11 scarlet fever, and 4 erysipelas. Among the 382 cases of infectious diseases in hospital at the close of the week were 148 of pulmonary tuberculosis, 91 of scarlet fever, 45 of whooping-cough, 44 of diphtheria, 27 of measles, 5 of erysipelas, one of enteric fever, one of puerperal fever, and one of influenza.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 14th June, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	May 24	1	2	·	·	·	—	12	—	5	1	—	·	—	·	·	·	·	·	·	23	44
	May 31	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	2	1	·	26	31
	June 7	1	·	·	·	·	—	5	—	5	2	—	·	—	·	·	·	·	·	·	14	27
	June 14	·	·	·	·	·	—	5	—	1	3	—	1	—	·	·	·	·	·	·	25	35
Rathmines & Rathgar Urban District	May 24	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	May 31	·	·	·	·	·	—	1	—	·	1	—	·	—	·	·	·	·	·	·	—	2
	June 7	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	June 14	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
Pembroke Urban District	May 24	·	·	·	·	·	3	·	·	·	1	·	·	—	·	·		·	·	·	·	4
	May 31	·	·	·	·	·	2	1	1	·	·	·	·	—	·	·	·	·	·	·	1	5
	June 7	·	·	·	·	·	1	·	·	·	·	·	·	—	·	·	·	·	2	·	·	3
	June 14	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
Blackrock Urban District	May 24	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·		·	·	·	·	·
	May 31	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	June 7	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	June 14	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	May 24	1	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	1	—	·	·	2
	May 31	3	·	·	·	·	—	·	—	·	·	—	·	—	·	·		1	—	·	·	4
	June 7	1	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	1
	June 14	2	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	2
City of Belfast	May 24	1	·	·	·	·	—	7	—	3	1	—	2	—	·	·	·	·	·	·	1	15
	May 31	1	·	·	·	·	—	9	—	1	·	—	·	—	·	·	·	·	·	·	1	12
	June 7	1	·	1	·	·	—	14	—	3	·	—	·	—	·	·	·	·	·	·	4	23
	June 14	4	·	·	·	·	—	10	—	1	2	—	·	—	·	·	·	·	·	·	1	18
City of Cork (*a*)	May 24	·	·	·	·	·	·	·	—	·	·	—	·	·	·	·	·	·	—	·	—	·
	May 31	·	·	·	·	·	·	·	—	·	·	—	·	·	·	·	·	·	—	·	—	·
	June 7	·	·	·	·	·	·	·	—	1	·	—	1	·	·	·	·	·	—	·	—	2
	June 14	1	1	·	·	·	·	·	—	3	·	—	·	·	·	2	·	·	—	·	—	7
City of Londonderry	May 24	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	—	—	1
	May 31	·	·	·	·	·	—	4	—	·	·	—	·	—				·	·	—	—	4
	June 7	1	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	—	—	2
	June 14	·	·	·	·	·	—	2	—	2	·	—	·	—	·	·	·	·	·	—	—	4
City of Limerick	May 24	1	·	·	·	·	—	1	—	2	·	—	·	—	·	·	·	·	·	·	—	4
	May 31	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	June 7	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	June 14	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
City of Waterford	May 24	·	·	·	·	·	—	·	—	·	·	—	·	—		·			—	—	·	·
	May 31	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	June 7	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	1
	June 14	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

(*a*) One case of varicella was notified during the week ended 24th May.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 14th June, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever nil and 4; measles 12 and 20; scarlet fever 8 and 40*; and diphtheria 2 and 16. Nine cases of pneumonia were admitted during the week and 18 remained under treatment at its close, as compared with 26, 25 and 23 at the close of the 3 preceding weeks. Of the deaths in hospital during the week 2 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 14th June, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths: From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths: From certain Epidemic Diseases (b)	Registration—Week ending Saturday, 14th June, 1919. Numbers Registered. Births: Total Number.	Deaths: Total Number	Deaths: Under 1 year of Age	Deaths: At 65 years and upwards	Caused by: Enteric Fever	Typhus	Small-pox	Measles	Scarlet Fever	Whooping-cough	Diphtheria	Dysentery	Tuberculosis: Pulmonary	Tuberculosis: Other Forms	Cancer	Diseases of the Respiratory System: Pneumonia	Diseases of the Respiratory System: Other	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards	Violence	Inquest Cases	No. of Deaths in Public Institutions	Number of Uncertified Deaths	Meteorology (c) Week ending 14th June, 1919. Air Temperature: Absolute Highest	Absolute Lowest	Mean Maximum (A)	Mean Minimum (B)	Mean of (A) and (B)	Rainfall in Inches
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
Total of 19 Town Districts, ...	1,142,268	20·0	24·2	13·9	0·3	531	304	32	72	1	·	·	1	·	1	·	·	54	15	22	20	28	2	2	4	5	105	9	·	·	·	·	·	·
Dublin Registration Area, ...	405,000	28·9	24·1	13·4	0·3	187	104	12	29	·	·	·	1	·	·	·	·	19	2	9	8	7	1	·	2	2	49	2	(d) 74·6	35·4	65·5	44·5	55·0	1·47
Urban Districts. City of Dublin,	310,500	38·0	25·0	13·8	0·3	149	82	12	22	·	·	·	1	·	·	·	·	15	2	7	7	7	1	·	2	2	39	2	(e) 73·2	45·3	65·5	49·4	57·5	2·16
																													(f) 76·0	40·0	67·0	46·4	56·7	1·42
Urban Districts. Rathmines and Rathgar	39,400	23·0	17·2	14·6	·	13	11	·	5	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	4	·	·	·	·	·	·	·
Urban Districts. Pembroke, ..	29,500	18·8	28·3	12·4	·	16	7	·	1	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	·	·	4	·	·	·	·	·	·	·
Urban Districts. Blackrock, ..	9,000	8·3	23·2	17·4	·	4	3	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. Kingstown, ..	16,600	11·4	15·7	3·1	·	5	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	71	45	65·9	49·7	57·8	1·42
Urban Districts. Belfast, ..	401,000	26·8	26·7	13·5	0·4	205	104	13	15	·	·	·	·	·	·	·	·	18	9	7	5	10	1	2	1	1	29	2	70·0	42·5	63·7	50·3	57·0	1·60
Urban Districts. Cork, ...	76,673	28·6	19·7	12·9	·	29	19	4	4	·	·	·	·	·	·	·	·	2	2	1	2	3	·	·	·	·	6	2	61	47	60·0	49·7	54·9	0·39
Urban Districts. Londonderry, ..	41,000	15·9	40·7	15·3	·	32	12	·	3	·	·	·	·	·	·	·	·	1	·	·	3	2	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. Limerick, ..	38,518	16·1	23·0	12·2	·	17	9	2	2	·	·	·	·	·	·	·	·	2	·	1	1	1	·	·	·	·	2	·	66	39	62·7	42·3	52·5	1·45
Urban Districts. Waterford, ..	27,464	19·1	7·6	28·5	·	4	15	·	6	·	·	·	·	·	·	·	·	4	1	1	·	·	·	·	1	1	7	·	66	41	63	48	55·5	1·13
Urban Districts. Galway, ...	13,255	2·5				14	6	·	1	1	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	3	·	64	43	61	46	53·5	1·4
Urban Districts. Dundalk, ..	13,128	9·5				10	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Lurgan, ..	12,553	14·7				3	4	·	1	·	·	·	·	·	·	·	·	1	1	·	·	1	·	·	·	·	·	·	69·1	41·6	63·5	45·8	54·6	0·89
Urban Districts. Drogheda, ..	12,501	8·4	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			2	3	·	1	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. Lisburn, ..	12,388	10·9				1	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	72	38	64·4	45·3	54·9	2·47
Urban Districts. Newry, ...	11,963	17·0				4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	69·1	41·6	63·5	45·8	54·6	0·89
Urban Districts. Portadown, ..	11,727	15·3				4	4	·	3	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	69·1	41·6	63·5	45·8	54·6	0·89
Urban Districts. Wexford, ..	11,531	22·8				5	4	·	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. Ballymena, ..	11,381	9·3				·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Sligo, ...	11,163	3·8				2	4	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	1	62	36	60	45	52·5	1·34
Urban Districts. Kilkenny, ..	10,514	11·4				2	7	·	1	·	·	·	·	·	1	·	·	2	·	·	·	·	·	·	·	·	4	1	67	39	62·8	46·0	54·4	2·11
Urban Districts. Tralee, ...	10,300	17·4				7	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Clonmel, ..	10,209	7·8				3	3	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
London	4,206,901	—	—	9·6	—	1,324	745	79	254	—	—	·	3	1	—	7	—	92	17	97	27	40	6	3	41	83	378	2	84	45	75·4	51·9	63·7	0·04
Edinburgh ...	336,500	—	—	11·5	—	101	74	10	25	·	·	·	1	·	4	·	—	—	—	—	—	—	·	—	4	—	—	—	68·0	45·0	63·4	48·3	55·9	1·02
Glasgow	1,118,700	—	—	14·1	—	451	303g	56	74	·	·	·	9	1	17	3	—	—	—	—	—	—	4	—	13	—	—	—	67·2	46·0	62·6	49·2	55·9	3·06

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College, and those for Waterford by De La Salle College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including 3 deaths from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 24th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 14th June, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15	15—20	20—25	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.		
ALL CAUSES.	150·8	110	5	7	2	2	1	1	4	7	9	9	17	17	20	9	104
Enteric Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	3·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1·2	2	.	.	.	.	1	.	.	.	1	.	.	.	.	.	2
Dysentery	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	21·0	20	.	.	.	.	.	1	3	2	4	2	4	3	1	.	19
Tuberculous Meningitis	2·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Tuberculosis of other Organs.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Venereal Diseases ..	1·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	9·6	10	.	.	.	.	.	.	.	.	1	1	4	1	3	.	9
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Other General Diseases	1·0	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·6	2	.	1	.	.	.	.	1	.	.	.	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	4·6	5	.	.	.	.	.	.	.	.	.	.	1	1	3	.	5
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·0	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Epilepsy, ...	·4	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Convulsions (non-puerperal).	4·8	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	3·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Pericarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	14·0	15	.	.	.	.	.	.	.	1	.	.	2	5	6	1	14
Embolism and Thrombosis (including Cerebral).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
Diseases of the Larynx	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	9·2	7	.	1	1	.	.	.	.	.	.	.	.	1	2	2	7
Broncho-pneumonia ..	4·4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
Lobar pneumonia ..	1·8	3	.	.	.	.	.	.	.	1	1	.	1	.	.	.	3
Pneumonia (type not distinguished).	4·0	3	.	.	.	.	.	.	.	1	.	1	1	.	.	.	3
Pleurisy	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

in the TWENTY-FOURTH WEEK, ending Saturday, 14th June, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 24th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 14th June, 1919.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx. Tonsillitis.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Stomach ..	2·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diarrhœa and Enteritis of Children under 2 years.	3·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
Diarrhœa 2 years and upwards.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Enteritis 2 years and upwards.	·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Appendicitis and Typhlitis.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Hernia and Intestinal Obstructions.	1·6	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2		2
Cirrhosis of Liver ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Liver	·2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.		2
Peritonitis (cause unknown).	·4	2	.	.	.	.	.	.	.	1	.	.	.	1	.	.		.
Other Diseases of Digestive System	1·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Acute Nephritis ..	·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Chronic Bright's Disease	4·4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.		2
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Puerperal Septicæmia, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other causes incident to Pregnancy and Childbirth.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Skin and Cellular Tissues.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Locomotor System.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Congenital Malformations.	1·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Premature Birth ..	5·4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
Congenital Debility ..	3·2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.		2
Old Age	5·6	5	.	.	.	.	.	.	.	.	.	.	.	.	1	4		5
Other Specified Diseases	2·2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Drowning	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suffocation in Bed, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Railways, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Vehicles and Horses ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Gunshot Wounds, &c.	2·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Other Violent Deaths		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Not included in above—																		
Homicide. ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suicide, ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes,	3·4	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.		2

TABLE IV.—Showing for the WEEK ENDED 14TH JUNE, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
					DEATHS.								CAUSED BY																				
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	8·7	·	5	·	·	·	1	·	1	1	2	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	1	·	·
" 1, W., ...	41,100	10·1	·	8	2	·	·	·	1	1	2	2	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	1	·	1	3	2	·
" 2, ...	27,500	7·6	1·9	4	2	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	1	·	·	1	·	1	·	·	·	·	1	·	·
" 3, ...	34,100	6·1	·	4	·	·	·	1	·	1	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	2	·
CLONTARF AND HOWTH, No. 1, part of	5,500	19·0	·	2	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	1	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	23·0	·	6	·	·	·	·	·	4	·	2	·	·	·	·	·	·	·	·	·	2	1	2	1	·	·	·	·	·	4	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	21·8	·	18	4	·	·	·	1	3	5	5	·	·	·	·	·	·	·	·	5	·	·	1	·	·	·	1	·	1	3	7	·
" 2, ...	18,200	14·3	·	5	·	·	·	·	·	2	2	1	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	·	·	·	2	1	·
" 3, ...	43,300	16·9	·	14	2	1	1	·	1	·	5	4	·	·	·	·	·	·	·	·	1	·	2	3	1	·	·	·	·	·	4	3	·
" 4, ...	32,800	17·5	1·6	11	2	·	1	·	1	3	1	3	·	·	·	1	·	·	·	·	2	·	1	·	1	·	·	·	1	·	4	·	2
NEW KILMAINHAM, ...	10,300	25·3	·	5	·	·	·	·	2	1	1	1	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	·	·	·	1	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	14·6	·	11	·	·	·	·	2	·	4	5	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	4	·	·
PEMBROKE	29,500	12·4	·	7	·	·	·	·	·	·	6	1	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	·	·	·	3	1	·
BLACKROCK, ...	9,000	17·4	·	3	·	·	·	·	·	·	2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·
KINGSTOWN, ...	16,600	3·1	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·
TOTAL CITY. North, ...	162,900	9·3	0·3	29	4	1	·	2	2	7	5	8	·	·	·	·	·	·	·	·	3	2	3	3	4	1	·	1	1	1	9	5	·
TOTAL CITY. South, ...	147,600	18·7	0·4	53	8	1	2	·	5	9	14	14	·	·	·	1	·	·	·	·	12	·	4	4	3	·	·	1	1	1	13	12	2
TOTAL CITY. North and South, ..	310,500	13·8	0·3	82	12	2	2	2	7	16	19	22	·	·	·	1	·	·	·	·	15	2	7	7	7	1	·	2	2	2	22	17	2
Total Urban Districts, ...	94,500	12·1	·	22	·	·	·	·	2	·	13	7	·	·	·	·	·	·	·	·	4	·	2	1	·	·	·	·	·	·	9	1	·
Total Registration Area, ..	405,000	13·4	0·3	104	12	2	2	2	9	16	32	29	·	·	·	1	·	·	·	·	19	2	9	8	7	1	·	2	2	2	31	18	2
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				6	·	·	·	·	2	2	2	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	1	6	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 14th June, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 14TH JUNE, 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages: Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	28)	(29)
	ALL PERSONS.	397,957	—	110	16	2	11	18	31	20	9	.	.	.	1	.	.	.	.	20	2	10	2	8	7	1	.	2	57	2
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	3·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS	101,798	11·8	23	3	.	2	1	9	4	4	.	.	.	.	.	.	.	.	2	.	2	.	2	1	1	.	.	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	13·0	27	5	1	6	2	7	5	1	.	.	.	.	.	.	.	.	5	.	4	1	3	2	.	.	.	12	.
IV.	GENERAL SERVICE CLASS	167,479	12·8	41	6	1	3	14	9	5	3	.	.	.	1	.	.	.	.	11	2	2	1	2	2	.	.	2	18	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	18	2	.	.	1	9	5	1	.	.	.	.	.	.	.	.	2	.	2	.	1	2	.	.	.	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3 Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4 General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	7	.	.	.	.	3	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	.
	6 Clerks and Commercial Assistants,	33,249	—	6	2	.	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	8	1	.	.	.	3	1	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8 Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	5	2	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	1	.
	9. Building and Furnishing Trades, ..	28,823	—	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	10 Clothing Trades, ...	20,026	—	4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades, ...	8,952	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	13	2	1	4	.	5	1	.	.	.	.	.	.	.	.	.	2	.	3	.	1	1	.	.	.	6	.
	13. Petty Shopkeepers, ...	6,772	—	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	9	1	.	.	5	1	2	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	1	4	.
	15. Domestic Servants, ...	36,041	—	9	.	.	.	4	3	1	1	.	.	.	.	.	.	.	.	4	1	.	.	1	.	.	.	.	3	.
	16 Coach and Car Drivers, Vanmen, &c.,	15,380	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	23	5	1	3	5	5	2	2	.	.	.	1	.	.	.	.	6	.	1	1	.	2	.	.	1	11	2
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	18	2	.	.	1	9	5	1	.	.	.	.	.	.	.	.	2	.	2	.	1	2	.	.	.	11	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

Week ending	Dublin Registration Area.													Belfast City.												
	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.
No. of weeks in Annual Series ..	12	13	14	15	16	17	18	19	20	21	22	23	24	12	13	14	15	16	17	18	19	20	21	22	23	24
BIRTHS registered	171	192	217	190	145	169	166	215	182	169	217	178	187	198	167	175	162	145	170	197	189	190	191	185	203	205
Average Births in corresponding week of previous 10 years, ...	226	215	238	238	241	216	251	254	243	238	263	239	239	215	207	206	216	227	226	209	208	219	220	218	208	209
Number of Deaths, ...	288	245	253	196	177	146	148	134	139	118	123	120	104	238	207	168	184	131	125	119	114	116	118	98	95	104
Annual Death-rate per 1,000 ..	37·1	31·5	32·6	25·2	22·8	18·8	19·1	17·3	17·9	15·2	15·8	15·5	13·4	30·9	26·9	21·8	23·9	17·0	16·3	15·5	14·8	15·1	15·3	12·7	12·4	13·5
Average Deaths in corresponding week of previous 10 years, ...	196	186	192	191	189	161	167	184	154	151	143	140	142	164	158	168	166	162	154	138	133	142	133	125	120	122
Ages, .. Under one year, ..	36	37	41	29	22	19	17	12	22	17	18	18	12	33	29	30	25	23	20	23	18	11	14	13	9	13
1— 5 years, ..	28	25	18	12	12	12	10	10	7	6	8	8	4	22	12	6	14	7	5	4	6	7	8	4	5	5
5—25 ,, ..	39	26	25	23	21	15	14	15	18	12	14	18	11	31	21	16	30	16	22	15	22	20	23	14	23	21
25—45 ,, ..	58	39	55	28	32	19	14	17	23	21	23	20	16	34	42	18	29	25	16	20	18	27	25	27	14	26
45—65 ,, ..	63	59	62	58	27	40	44	34	25	29	25	25	32	57	50	54	42	29	23	25	25	23	23	17	22	24
65 and upwards, ..	64	59	52	46	63	41	49	46	44	33	35	31	29	61	53	44	44	31	39	32	25	28	25	23	22	15
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	6	3	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Whooping-cough, ...	.	1	1	2	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria, ...	1	1	1	.	.	1	.	.	1	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	23	21	27	18	20	14	20	19	9	16	24	18	19	22	26	16	21	13	13	25	27	25	18	19	18	18
Tuberculosis { Other Forms, ..	4	7	14	5	11	5	8	5	8	6	7	9	2	5	5	4	7	6	9	5	7	1	11	6	6	9
Cancer, ...	7	3	7	9	9	7	10	6	5	5	9	7	9	13	5	9	6	6	8	7	8	8	7	4	4	7
Diseases of Respiratory System, { Pneumonia ..	45	37	34	24	22	16	13	10	15	11	6	6	8	46	23	21	20	13	13	9	11	7	6	9	7	5
Diseases of Respiratory System, { Others, ..	51	54	44	36	24	24	20	23	23	12	11	8	7	61	52	33	38	31	23	12	18	11	7	8	7	10
Diarrhœa and Enteritis, under 2 years, ...	5	3	4	2	1	3	2	3	4	3	2	3	1	1	3	1	1	1	.	2	2	1	3	2	.	1
Diarrhœa, 2 years and upwards..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	1	2
Violent Deaths, ...	1	3	4	2	5	3	1	2	1	2	1	4	2	3	2	7	3	3	2	1	1	2	4	1	3	1
Number of Uncertified Deaths, ..	5	4	7	6	5	2	2	3	4	10	6	2	2	1	2	5	4	1	3	3	.	.	2	1	.	2
A Mean Maximum Temperature in degs.	46·1	42·4	49·1	55·6	55·4	54·7	51·4	56·9	66·9	62·3	67·8	68·0	65·5	44·6	43·1	48·9	54·9	53·5	55·2	50·8	56·8	63·6	62·9	67·5	59·0	63·7
B Mean Minimum ,, ,,	32·0	29·3	32·9	40·6	41·5	34·4	35·6	37·4	44·3	45·5	44·0	48·4	44·5	34·4	29·4	37·5	41·0	41·0	41·9	38·3	42·6	50·6	47·2	49·4	50·9	50·3
Mean of A and B ,, ,,	39·1	35·9	41·0	48·1	48·5	44·6	43·5	47·2	55·6	53·9	55·9	58·2	55·0	39·5	36·3	43·2	48·0	47·3	48·6	44·5	49·7	57·1	55·1	58·4	55·0	57·0
Rainfall in inches	1·18	0·37	0·18	0·22	0·50	0·27	0·71	0·14	0·34	0·79	0·00	0·05	1·47	1·98	0·37	0·06	0·39	0·52	0·30	0·50	0·35	0·21	0·42	0·11	0·03	1·60

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 14th June, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: Certain Epidemic Diseases†	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 25 years.	Ages at Death: 25 and under 45 years.	Ages at Death: 45 and under 65 years.	Ages at Death: 65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	14	23·0	·	7	1	·	·	3	2	1	·	·	·	·	·	·	·	·	1	·	1	1	1	·	·	1	1	1	·
Do. 2 do.	49,500	18	7·4	·	7	1	·	3	·	2	1	·	·	·	·	·	·	·	·	·	3	1	·	·	·	·	·	·	1	·
Do. 3 do.	50,032	13	16·7	·	16	2	·	3	8	2	1	·	·	·	·	·	·	·	·	3	1	1	1	·	·	·	·	·	3	·
Do. 4 do	32,637	22	16·0	1·6	10	1	·	2	1	2	4	·	·	·	·	·	·	·	·	1	2	·	·	2	·	1	·	·	5	·
Do. 5 do.	16,112	11	22·7	·	7	2	·	2	2	1	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	3	1
Do. 6 do.	37,293	14	11·2	·	8	·	1	2	2	2	1	·	·	·	·	·	·	·	·	2	·	1	·	2	·	·	·	·	2	·
Do. 7 do.	2,681	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	·	17·5	·	2	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·
Do. 9 do.	24,427	21	12·8	2·1	6	·	·	1	2	2	1	·	·	·	·	·	·	·	·	2	1	·	·	1	·	1	·	·	3	1
Do. 10 do.	28,958	19	9·0	·	5	·	·	1	2	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	2	·
Do. 11 do.	39,311	21	18·6	1·3	14	3	1	2	2	2	4	·	·	·	·	·	·	·	·	2	·	1	·	2	1	·	·	·	1	·
Do. 12 do	38,076	34	12 3	·	9	1	1	4	1	2	·	·	·	·	·	·	·	·	·	3	·	·	1	1	·	·	·	·	3	·
Do. 13 do.	23,233	10	6·7	·	3	1	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 14 do	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	8	23·0	·	10	1	2	1	3	3	·	·	·	·	·	·	·	·	·	2	1	1	1	1	·	·	·	·	4	·
Total,	386,947	205	13·5	0·4	104	13	5	21	26	24	15	·	·	·	·	·	·	·	·	18	9	7	5	10	1	2	1	1	29	2
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	4	19·4	·	5	1	·	1	·	2	1	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	3	·
Do 2 do.	10,399	6	15·0	·	3	·	·	1	1	1	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·
Do. 3 do.	9,793	4	5·3	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Do. 4 do.	9,139	2	11·4	·	2	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	1
Do. 5 do.	6,250	5	16·7	·	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Do 6 do.	11,581	6	9·0	·	2	·	·	·	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	·
Do. 7 do	16,056	2	13·0	·	4	1	·	1	·	1	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	1	·
Total.	76,673	29	12·9	·	19	4	·	3	2	6	4	·	·	·	·	·	·	·	·	2	2	1	2	3	·	·	·	·	6	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 14th June, 1919.

DISTRICTS	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	3	4
" " 1, West ..	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	8	10
" " 2, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	4	5
" " 3, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	3
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " " 3, ...	.	.	.	.	.	3	.	.	1	1	.	.	.	.	.	.	3	8
" " " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
Total, ...	.	.	.	.	.	5	1	.	3	1	.	.	.	.	.	.	25	35

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 14th June, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 14th June.			
	May 24.	May. 31.	June 7.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	4	5	5	.	1	.	4
Typhus, ...	2	2	1	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	32	24	22	12	14	.	20
Scarlet Fever	34	35	39	8	7	.	40*
Diphtheria, ...	9	8	14	2	.	.	16
Pneumonia, ...	26	25	23	9	12	2	18

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(12993). Wt. 210. 3. 380. 6, 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 25. VOL. LVI.] WEEK ENDING SATURDAY, 21ST JUNE, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 5th September, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 13·7 and 14·0; Dublin Registration Area, 15·3 and 15·0; Dublin City, 15·6 and 15·8; Belfast, 11·8 and 12·6; Cork, 16·3 and 13·6; Londonderry, 14·0 and 17·2; Limerick, 16·2 and 16·2; and Waterford, 13·3 and 18·0.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·4 per 1,000. Among the 24 deaths from all causes for Cork are one from typhus, and 2 from diarrhœa. Of the 5 deaths recorded for Tralee one was due to enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 198—107 boys and 91 girls—and the deaths to 131—65 males and 66 females.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·3 per 1,000 of the population. During the twenty-five weeks ending with 21st June, the death-rate averaged 27·4 and was 4·7 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the twenty-five weeks was 29·5 and for the corresponding period of the preceding ten years 24·2.

Of the 119 deaths appertaining to the Area one was from enteric fever, 3 were from diarrhœa and enteritis of children under 2 years, and 6 were from influenza.

In the 3 preceding weeks deaths from enteric fever numbered 0, one, and 0; deaths from diarrhœa and enteritis of children under 2 years 2, 3 and one, and deaths from influenza 6, 3 and 2 respectively.

Deaths attributed to pneumonia were 12 (comprising 3 from broncho-pneumonia, one from lobar pneumonia, and 8 from pneumonia, type not distinguished).

Tuberculous disease caused 25 deaths (comprising 19 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 4 from other forms of tuberculous disease), as against 31, 27, and 21, in the three weeks preceding.

Five deaths were caused by cancer, 7 by organic diseases of the heart, and 9 by bronchitis.

Among deaths of infants under one year old, 2 were due to convulsions, one to broncho-pneumonia, 2 to pneumonia, 2 to diarrhœa and enteritis, 6 to premature birth, and one to congenital debility.

There was one accidental death.

Twenty-six of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 18 being infants under one year, of whom 9 were under one month old, and 30 deaths were those of persons aged 65 and upwards, of whom 21 were 70 years of age or over.

Of the 119 deaths recorded, 56 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 21st June, in 96 large English towns (including London, in which the rate was 9·9) was equal to an average annual death rate of 10·0 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 11·0 per 1,000 persons living, the rate for Glasgow being 10·7 and for Edinburgh 11·3.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 21st June. From this Report it appears that of 52 cases notified, 20 were scarlet fever, 13 diphtheria, 12 pulmonary tuberculosis, 6 other forms of tuberculosis, and one erysipelas. Among the 392 cases of infectious diseases in hospital at the close of the week were 159 of pulmonary tuberculosis, 96 of scarlet fever, 56 of diphtheria, 36 of whooping-cough, 32 of measles, 6 of erysipelas, one of enteric fever, and one of influenza.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 21st June, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	May 31	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	2	1	·	26	31
	June 7	1	·	·	·	·	—	5	—	5	2	—	·	—	·	·	·	·	·	·	14	27
	June 14	·	·	·	·	·	—	5	—	1	3	—	1	—	·	·	·	·	·	·	25	35
	June 21	·	4	·	·	·	—	8	—	3	·	—	·	—	·	·	·	·	·	·	17	32
Rathmines & Rathgar Urban District	May 31	·	·	·	·	·	—	1	—	·	1	—	·	—	·	·	·	·	·	·	—	2
	June 7	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	June 14	·	·	·	·	·	—	1	—	1	1	—	·	—	·	·	·	·	·	·	—	3
	June 21	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
Pembroke Urban District	May 31	·	·	·	·	·	2	1	1	·	·	·	·	—	·	·	·	·	·	·	1	5
	June 7	·	·	·	·	·	1	·	·	·	·	·	·	—	·	·	·	·	2	·	·	3
	June 14	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
	June 21	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
Blackrock Urban District	May 31	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	June 7	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	June 14	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	June 21	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	May 31	3	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	1	—	·	·	4
	June 7	1	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	1
	June 14	2	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	2
	June 21	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
City of Belfast	May 31	1	·	·	·	·	—	9	—	1	·	—	·	—	·	·	·	·	·	·	1	12
	June 7	1	·	1	·	·	—	14	—	3	·	—	·	—	·	·	·	·	·	·	4	23
	June 14	4	·	·	·	·	—	10	—	1	2	—	·	—	·	·	·	·	·	·	1	18
	June 21	·	·	·	·	·	—	23	—	1	·	—	·	—	·	·	·	·	·	·	2	26
City of Cork	May 31	·	·	·	·	·	·	·	—	·	·	—	·	·	·	·	·	·	—	·	—	·
	June 7	·	·	·	·	·	·	·	—	1	·	—	1	·	·	·	·	·	—	·	—	2
	June 14	1	1	·	·	·	·	·	—	3	·	—	·	·	·	2	·	·	—	·	—	7
	June 21	·	2	·	·	·	·	1	—	·	·	—	·	·	1	·	·	·	—	·	—	4
City of Londonderry	May 31	·	·	·	·	·	—	4	—	·	·	—	·	—	·	·	·	·	·	—	—	4
	June 7	1	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	—	—	2
	June 14	·	·	·	·	·	—	2	—	2	·	—	·	—	·	·	·	·	·	—	—	4
	June 21	·	·	·	·	·	—	6	—	1	·	—	·	—	·	·	·	·	·	—	—	7
City of Limerick	May 31	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	June 7	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	June 14	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	June 21	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
City of Waterford	May 31	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	June 7	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	June 14	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	2	2
	June 21	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	2	2

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 21st June, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever one and 5; typhus 4 and 4; measles 3 and 12; scarlet fever 10 and 44*; and diphtheria 4 and 19. Seven cases of pneumonia were admitted during the week and 17 remained under treatment at its close, as compared with 25, 23 and 18 at the close of the 3 preceding weeks. Of the deaths in hospital during the week one was from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 21st June, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS	DEATHS: From all Causes.	DEATHS: From certain Epidemic Diseases. (b)	REGISTRATION—WEEK ENDING SATURDAY, 21ST JUNE, 1919. NUMBERS REGISTERED: BIRTHS: Total Number.	DEATHS: Total Number	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 21ST JUNE, 1919. Air Temperature: Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	23·8	13·7	0·4	521	300	37	73	2	1	·	·	·	·	·	·	53	13	21	18	24	4	2	3	5	113	6	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	25·5	15·3	0·5	198	119	18	30	1	·	·	·	·	·	·	·	19	6	5	12	12	3	·	1	1	56	2	(d) 65·0	43·4	63·3	48·3	55·8	0·21
Urban Districts. CITY OF DUBLIN,	310,500	38·0	27·7	15·6	0·3	165	93	15	20	·	·	·	·	·	·	·	·	14	3	2	10	11	2	·	1	1	44	2	(e) 65·0 (f) 66·6	46·1 44·4	62·9 64·5	51·2 49·7	57·1 57·1	0·12 0·12
RATHMINES and RATHGAR.	39,400	23·0	17·2	7·9	·	13	6	1	2	·	·	·	·	·	·	·	·	2	1	·	1	·	·	·	·	·	4	·	·	·	·	·	·	·
PEMBROKE, ..	29,500	18·8	23·0	23·0	1·8	13	13	2	4	·	·	·	·	·	·	·	·	2	2	2	1	·	1	·	·	·	7	·	·	·	·	·	·	·
BLACKROCK, ..	9,000	8·3	5·8	11·6	·	1	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ..	16,600	11·4	18·8	15·7	3·1	6	5	·	3	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	1	·	65	47	63·4	50·4	56·9	0·08
Urban Districts. BELFAST, ..	401,000	26·8	25·9	11·8	0·1	199	91	14	20	·	·	·	·	·	·	·	·	13	4	6	3	6	·	1	1	2	22	1	65·0	42·0	63·4	47·4	55·4	0·39
CORK, ...	76,673	28·6	25·2	16·3	2·0	37	24	2	4	·	1	·	·	·	·	·	·	4	1	2	3	1	1	1	·	·	12	·	64	48	60·6	49·9	55·3	0·16
LONDONDERRY, ..	41,000	15·9	28·0	14·0	·	22	11	·	5	·	·	·	·	·	·	·	·	1	1	·	·	3	·	·	·	1	3	·	·	·	·	·	·	·
LIMERICK, ..	38,518	16·1	10·8	16·2	·	8	12	·	3	·	·	·	·	·	·	·	·	4	·	3	·	·	·	·	·	·	9	·	66	41	62·3	45·5	53·9	0·31
WATERFORD, ..	27,464	19·1	11·4	13·3	·	6	7	1	2	·	·	·	·	·	·	·	·	3	·	1	·	1	·	·	·	·	1	1	67	45	63	47	55	0·07
GALWAY, ...	13,255	2·5				8	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	63	41	61	43	52	0·68
DUNDALK, ..	13,128	9·5				2	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
LURGAN, ..	12,553	14·7				6	5	·	1	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	64·8	42·8	62·7	46·4	54·5	0·46
DROGHEDA, ..	12,501	8·4	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			5	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·
LISBURN, ..	12,388	10·9				2	5	·	2	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	64	41	63·3	46·6	55·0	0·51
NEWRY, ...	11,963	17·0				6	3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	64·8	42·8	62·7	46·4	54·5	0·46
PORTADOWN, ..	11,727	15·3				5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	64·8	42·8	62·7	46·4	54·5	0·46
WEXFORD, ..	11,531	22·8				4	3	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
BALLYMENA, ..	11,381	9·3				1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
SLIGO, ...	11,163	3·8				3	3	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	2	·	62	40	60	46	53	0·85
KILKENNY, ..	10,514	11·4				2	5	·	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	1	1	1	·	69	43	63·7	47·1	55·4	0·25
TRALEE, ...	10,300	17·4				3	5	·	·	1	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·
CLONMEL, ..	10,209	7·8				4	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·
LONDON	4,206,901	—	—	9·9	—	1,487	763	85	255	·	—	·	8	2	1	10	—	84	25	106	33	45	11	6	42	86	363	2	83	44	75·1	50·4	62·8	1·30
EDINBURGH ...	336,500	—	—	11·3	—	139	73	7	24	·	·	·	2	1	·	·	—	—	—	—	—	—	1	—	4	—	—	—	64·0	45·0	61·6	48·3	54·9	0·06
GLASGOW	1,118,700	—	—	10·7	—	482	229g	30	67	·	1	·	9	1	4	2	—	—	—	—	—	—	3	—	6	—	—	—	61·2	45·1	59·3	48·5	53·9	0·89

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College, and those for Waterford by De La Salle College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including 2 deaths from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 25th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 21st June, 1919. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	141·2	131	9	9	3	5	3	4	5	4	11	18	15	11	20	14	119
Enteric Fever ..	·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	2·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	·8	6	.	.	.	.	.	.	.	1	.	.	2	2	1	.	6
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	24·4	20	.	.	.	1	1	.	4	1	5	6	2	.	.	.	19
Tuberculous Meningitis	4·0	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2
Abdominal Tuberculosis	2·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Tuberculosis of other Organs.	·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·2	2	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2
Venereal Diseases ..	·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	8·0	8	.	.	.	.	.	.	.	.	.	1	1	2	3	1	5
Tumour, situation undefined.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Other General Diseases	1·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·0	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	4·8	4	.	.	.	.	.	.	.	.	.	.	.	.	1	3	4
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epilepsy, ...	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Convulsions (non-puerperal).	2·4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	3·4	4	.	.	.	.	.	.	1	.	1	1	.	.	1	.	3
Pericarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	15·2	9	.	.	.	.	.	.	.	.	1	1	2	1	1	3	7
Embolism and Thrombosis (including Cerebral).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	8·8	9	.	.	.	.	.	.	.	.	.	.	.	2	3	4	9
Broncho-pneumonia ..	3·6	4	.	1	1	.	.	.	.	.	.	.	1	.	1	.	3
Lobar pneumonia ..	·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Pneumonia (type not distinguished).	4·6	8	.	2	.	1	.	.	.	.	2	.	1	.	1	1	8
Pleurisy	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
Other Diseases of Respiratory System	1·0	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1

in the TWENTY-FIFTH WEEK, ending Saturday, 21st June, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 25th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 21st June, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx Tonsillitis.	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·		1
Diseases of Stomach ..	2·2	3	1	1	·	·	·	·	·	·	·	·	·	·	·	1		3
Diarrhœa and Enteritis of Children under 2 years.	3·0	3	·	2	1	·	·	·	·	·	·	·	·	·	·	·		3
Diarrhœa 2 years and upwards.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Enteritis 2 years and upwards.	·6	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		·
Appendicitis and Typhlitis.	·4	1	·	·	·	·	·	·	·	·	·	·	1	·		·		1
Hernia and Intestinal Obstructions.	1·4	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·		2
Cirrhosis of Liver ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Liver	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Peritonitis (cause unknown).	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Digestive System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Acute Nephritis ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Chronic Bright's Disease	5·2	7	·	·	·	·	·	·	·	·	·	4	1	1	1	·		6
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Uterine Tumour (non-cancerous).	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Genito-urinary System.	·4	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·		1
Puerperal Septicæmia, &c.	·2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·		1
Other causes incident to Pregnancy and Childbirth.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Skin and Cellular Tissues.	·8	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·		1
Diseases of Locomotor System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Congenital Malformations.	1·0	2	·	·	·	2	·	·	·	·	·	·	·	·	·	·		2
Premature Birth ..	4·0	6	6	·	·	·	·	·	·	·	·	·	·	·	·	·		6
Congenital Debility ..	3·2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·		1
Old Age	2·8	4	·	·	·	·	·	·	·	·	·	·	·	·	3	1		4
Other Specified Diseases	1·4	2	·	·	·	·	·	·	·	1	·	·	1	·	·	·		1
VIOLENCE.																		
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Burns and Scalds ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Drowning	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suffocation in Bed, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Railways, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Vehicles and Horses ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Building Operations ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Gunshot Wounds, &c.	2·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Violent Deaths		1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		1
Not included in above—																		
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ill-defined, &c., Causes,	2·0	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·		1

TABLE IV.—Showing for the WEEK ENDED 21ST JUNE, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
					WEEK ENDED SATURDAY, 21ST JUNE, 1919. DEATHS. CAUSED BY																												
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	15·6	1·7	9	2	·	·	·	·	3	2	2	·	·	·	·	·	·	·	·	3	·	·	3	·	1	·	·	·	·	3	·	·
" 1, W., ...	41,100	12·7	·	10	2	·	·	·	·	4	1	3	·	·	·	·	·	·	·	·	1	·	1	1	2	·	·	·	·	·	4	1	·
" 2, ...	27,500	13·3	·	7	·	·	1	·	1	1	3	1	·	·	·	·	·	·	·	·	3	·	·	·	1	·	·	·	·	·	2	·	·
" 3, ...	34,100	9·2	·	6	·	·	·	1	·	1	3	1	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	3	2	·
CLONTARF AND HOWTH, No. 1, part of	5,500	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	7·7	·	2	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	4·7	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	9·7	1·2	8	3	1	1	·	1	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	1	·	1	4	·
" 2, ...	18,200	25·8	·	9	·	·	·	·	·	2	3	4	·	·	·	·	·	·	·	·	2	·	·	·	2	·	·	·	1	·	1	4	·
" 3, ...	43,300	25·3	·	21	3	·	1	3	1	7	1	5	·	·	·	·	·	·	·	·	3	1	·	2	3	·	·	1	·	1	4	8	·
" 4, ...	32,800	27·0	·	17	4	1	1	·	·	4	5	2	·	·	·	·	·	·	·	·	1	1	·	2	1	·	·	·	3	·	4	1	2
NEW KILMAINHAM, ...	10,300	15·2	·	3	·	·	1	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	1	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	7·9	·	6	1	·	·	1	1	1	·	2	·	·	·	·	·	·	·	·	2	1	·	1	·	·	·	·	1	·	4	·	·
PEMBROKE	29,500	23·0	1·8	13	2	1	·	1	3	1	1	4	·	·	·	·	·	·	·	·	2	2	2	1	·	1	·	·	·	·	7	·	·
BLACKROCK, ...	9,000	11·6	·	2	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ...	16,600	15·7	3·1	5	·	·	·	1	·	1	·	3	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	1	·
TOTAL CITY. North, ...	162,900	11·2	0·3	35	5	·	1	1	1	9	10	8	·	·	·	·	·	·	·	·	8	1	2	4	4	1	·	·	·	·	13	3	·
TOTAL CITY. South, ...	147,600	20·5	0·4	58	10	2	4	3	2	13	12	12	·	·	·	·	·	·	·	·	6	2	·	6	7	1	·	1	5	1	10	18	2
TOTAL CITY. North and South, ..	310,500	15·6	0·3	93	15	2	5	4	3	22	22	20	·	·	·	·	·	·	·	·	14	3	2	10	11	2	·	1	5	1	23	21	2
Total Urban Districts, ...	94,500	14·3	1·1	26	3	1	·	3	4	4	1	10	1	·	·	·	·	·	·	·	5	3	3	2	1	1	·	·	1	·	11	1	·
Total Registration Area, ..	405,000	15·3	0·5	119	18	3	5	7	7	26	23	30	1	·	·	·	·	·	·	·	19	6	5	12	12	3	·	1	6	1	34	22	2
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above),				12	·	·	·	·	2	3	3	4	·	·	·	·	·	·	·	·	1	·	3	1	·	·	·	·	·	·	12	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 21st June, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 21st JUNE, 1919.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and up wards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	28)	(29)
	ALL PERSONS.	397,957	—	131	26	7	9	29	26	20	14	1	.	.	.	.	.	.	.	20	6	8	2	13	12	3	.	1	65	2
	CLASSES.																													
	DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	17·8	5	.	.	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.
II.	MIDDLE CLASS	101,798	11·8	23	2	2	2	1	5	8	3	.	.	.	.	.	.	.	.	2	1	4	.	3	1	.	.	.	12	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	12·5	26	4	.	1	11	6	3	1	.	.	.	.	.	.	.	.	5	1	3	1	4	3	.	.	.	9	1
IV.	GENERAL SERVICE CLASS	167,479	17·1	55	17	4	4	9	12	5	4	1	.	.	.	.	.	.	.	9	3	1	1	4	5	2	.	.	29	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	22	3	1	2	7	2	3	4	.	.	.	.	.	.	.	.	4	1	.	.	1	3	1	.	1	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	3	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	6	1	1	.	.	2	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	4	.
	6. Clerks and Commercial Assistants,	33,249	—	6	1	.	1	.	2	2	.	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	10	.	1	1	1	1	3	3	.	.	.	.	.	.	.	.	.	1	2	.	2	.	.	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	4	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2	.
	9. Building and Furnishing Trades, ..	28,823	—	4	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	.
	10. Clothing Trades, ...	20,026	—	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	11. Food Supply Trades, ...	8,952	—	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	1
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	11	.	.	1	5	3	1	1	.	.	.	.	.	.	.	.	3	1	1	.	1	1	.	.	.	4	.
	13. Petty Shopkeepers, ...	6,772	—	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	5	.	1	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	3	.
	15. Domestic Servants, ...	36,041	—	4	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	4	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	42	14	3	4	4	11	3	3	1	.	.	.	.	.	.	.	7	2	1	1	4	3	2	.	.	21	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	22	3	1	2	7	2	3	4	.	.	.	.	.	.	.	.	4	1	.	.	1	3	1	.	1	11	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Mar. 29.	Apr. 5.	Apr. 12	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14	June 21.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.
No. of weeks in Annual Series ..	13	14	15	16	17	18	19	20	21	22	23	24	25	13	14	15	16	17	18	19	20	21	22	23	24	25
BIRTHS registered	192	217	190	145	169	166	215	182	169	217	178	187	198	167	175	162	145	170	197	189	190	191	185	203	205	199
Average Births in corresponding week of previous 10 years, ...	215	238	238	241	216	251	254	243	238	263	239	239	235	207	206	216	227	226	209	208	219	220	218	208	209	198
Number of Deaths, ...	245	253	196	177	146	148	134	139	118	123	120	104	119	207	168	184	131	125	119	114	116	118	98	95	104	91
Annual Death-rate per 1,000 ..	31·5	32·6	25·2	22·8	18·8	19·1	17·3	17·9	15·2	15·8	15·5	13·4	15·3	26·9	21·8	23·9	17·0	16·3	15·5	14·8	15·1	15·3	12·7	12·4	13·5	11·8
Average Deaths in corresponding week of previous 10 years, ...	186	192	191	189	161	167	184	154	151	143	140	142	129	158	168	166	162	154	138	133	142	133	125	120	122	120
Ages, .. Under one year, ..	37	41	29	22	19	17	12	22	17	18	18	12	18	29	30	25	23	20	23	18	11	14	13	9	13	14
1— 5 years, ..	25	18	12	12	12	10	10	7	6	8	8	4	8	12	6	14	7	5	4	6	7	8	4	5	5	3
5—25 ,, ..	26	25	23	21	15	14	15	18	12	14	18	11	14	21	16	30	16	22	15	22	20	23	14	23	21	11
25—45 ,, ..	39	55	28	32	19	14	17	23	21	23	20	16	26	42	18	29	25	16	20	18	27	25	27	14	26	18
45—65 ,, ..	59	62	58	27	40	44	34	25	29	25	25	32	23	50	54	42	29	23	25	25	23	23	17	22	24	25
65 and upwards, ..	59	52	46	63	41	49	46	44	33	35	31	29	30	53	44	44	31	39	32	25	28	25	23	22	15	20
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
Whooping-cough, ...	1	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Diphtheria, ...	1	1	.	.	1	.	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	21	27	18	20	14	20	19	9	16	24	18	19	19	26	16	21	13	13	25	27	25	18	19	18	18	13
Tuberculosis { Other Forms, ..	7	14	5	11	5	8	5	8	6	7	9	2	6	5	4	7	6	9	5	7	1	11	6	6	9	4
Cancer, ...	3	7	9	9	7	10	6	5	5	9	7	9	5	5	9	6	6	8	7	8	8	7	4	4	7	6
Diseases of Respiratory System, { Pneumonia ..	37	34	24	22	16	13	10	15	11	6	6	8	12	23	21	20	13	13	9	11	7	6	9	7	5	3
Diseases of Respiratory System, { Others, ..	54	44	36	24	24	20	23	23	12	11	8	7	12	52	33	38	31	23	12	18	11	7	8	7	10	6
Diarrhœa and Enteritis, under 2 years, ...	3	4	2	1	3	2	3	4	3	2	3	1	3	3	1	1	1	.	2	2	1	3	2	.	1	.
Diarrhœa, 2 years and upwards..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	1	2	1
Violent Deaths, ...	3	4	2	5	3	1	2	1	2	1	4	2	1	2	7	3	3	2	1	1	2	4	1	3	1	1
Number of Uncertified Deaths, ..	4	7	6	5	2	2	3	4	10	6	2	2	2	2	5	4	1	3	3	.	.	2	1	.	2	1
A Mean Maximum Temperature in degs.	42·4	49·1	55·6	55·4	54·7	51·4	56·9	66·9	62·3	67·8	63·0	65·5	63·3	43·1	48·9	54·9	53·5	55·2	50·8	56·8	63·6	62·9	67·5	59·0	63·7	63·4
B Mean Minimum ,, ,,	29·3	32·9	40·6	41·5	34·4	35·6	37·4	44·3	45·5	44·0	48·4	44·5	48·3	29·4	37·5	41·0	41·0	41·9	38·3	42·6	50·6	47·2	49·4	50·9	50·3	47·4
Mean of A and B ,, ,,	35·9	41·0	48·1	48·5	44·6	43·5	47·2	55·6	53·9	55·9	58·2	55·0	55·8	36·3	43·2	48·0	47·3	48·6	44·5	49·7	57·1	55·1	58·4	55·0	57·0	55·4
Rainfall in inches	0·37	0·18	0·22	0·50	0·27	0·71	0·14	0·34	0·79	0·00	0·05	1·47	0·21	0·37	0·06	0·39	0·52	0·30	0·50	0·35	0·21	0·42	0·11	0·03	1·60	0·39

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 21st June, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	6	13·1	.	4	1	.	1	.	1	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.
Do. 2 do.	49,500	28	12·6	.	12	3	1	.	1	5	2	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.	5	.
Do. 3 do.	50,032	21	15·6	.	15	4	1	3	2	3	2	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	1	3	.
Do. 4 do.	32,637	15	14·4	.	9	2	1	3	.	.	3	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.	5	1
Do. 5 do.	16,112	7	9·7	.	3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 6 do.	37,293	13	12·6	1·4	9	.	.	.	5	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
Do. 7 do.	2,681	3	19·4	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	17·5	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Do. 9 do.	24,427	14	12·8	.	6	.	.	3	.	1	2	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.	.	.	.
Do. 10 do.	28,958	17	10 8	.	6	1	.	.	2	2	1	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.	.	.
Do. 11 do.	39,311	27	10·6	.	8	2	.	.	2	2	2	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.	2	.
Do. 12 do.	38,076	19	11·0	.	8	.	.	1	2	4	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	1	.	.
Do. 13 do.	23,233	13	2·2	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	14	16·1	.	7	1	.	.	.	3	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
Total,	386,947	199	11·8	0·1	91	14	3	11	18	25	20	.	.	.	.	.	.	.	.	13	4	6	3	6	.	1	1	2	22	1
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	2	7·8	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.
Do 2 do.	10,399	3	25·1	5·0	5	.	1	.	3	1	.	.	1	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	3	.
Do. 3 do.	9,793	7	16·0	5·3	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.
Do. 4 do.	9,139	4	5·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 5 do.	6,250	3	8·3	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 6 do.	11,581	9	18·0	.	4	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 7 do	16,056	9	26·0	3·2	8	2	.	2	2	2	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1	.	.	.	3	.
Total.	76,673	37	16·3	2·0	24	2	1	3	5	9	4	.	1	.	.	.	.	.	.	4	1	2	3	1	1	1	.	.	12	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 21st June, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	9
" " 1, West ..	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	3
" " 2, ...	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	3
" " 3, ...	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	2	5
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	3
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " " 3, ...	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	3	6
" " " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	4	.	.	.	8	3	.	.	.	.	.	.	.	.	.	17	32

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 21st June, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 21st June.			
	May 31.	June 7.	June. 14.	No. admitted	Dis-charged.	Died.	No under treatment at close of week.
Enteric Fever, ...	5	5	4	1	.	.	5
Typhus, ...	2	1	.	4	.	.	4
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	24	22	20	3	11	.	12
Scarlet Fever	35	39	40	10	6	.	44*
Diphtheria, ...	8	14	16	4	1	.	19
Pneumonia, ...	25	23	18	7	7	1	17

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13045). Wt. 210. 3. 380. 9, 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 26. VOL. LVI.] WEEK ENDING SATURDAY, 28TH JUNE, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 16th September, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 13·8 and 13·9; Dublin Registration Area, 13·8 and 14·5; Dublin City, 14·8 and 15·2; Belfast, 12·7 and 12·6; Cork, 14·3 and 14·4; Londonderry, 16·5 and 15·3; Limerick, 16·2 and 15·9; and Waterford, 24·7 and 20·4.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·6 per 1,000. The 98 deaths from all causes for Belfast include 3 from scarlet fever, one from diphtheria, and one from diarrhœa and enteritis of a child under 2 years. Of the 21 deaths from all causes for Cork one is from enteric fever, and one from diphtheria, and of the 13 deaths deaths from all causes for Londonderry one is from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 196—110 boys and 86 girls—and the deaths to 117—49 males and 68 females.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 13·8 per 1,000 of the population. During the twenty-six weeks ending with 28th June, the death-rate averaged 26·9 and was 4·4 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the twenty-six weeks was 29·0 and for the corresponding period of the preceding ten years 24·0.

Of the 107 deaths appertaining to the Area 3 were from measles, one from scarlet fever, one from whooping-cough, and 3 were from influenza.

In the 3 preceding weeks deaths from measles numbered 0, one, and 0, and deaths from influenza 3, 2, and 6, respectively. There were no deaths from scarlet fever or whooping-cough in the three preceding weeks.

Deaths attributed to pneumonia were 9 (comprising 3 from broncho-pneumonia, one from lobar pneumonia, and 5 from pneumonia, type not distinguished).

Tuberculous disease caused 30 deaths (comprising 21 from pulmonary tuberculosis, 3 from tuberculous meningitis, and 6 from other forms of tuberculous disease), as against 27, 21, and 25, in the three weeks preceding.

Eight deaths were caused by cancer, 9 by organic diseases of the heart, and 5 by bronchitis.

Among deaths of infants under one year old, one was due to pneumonia (type not distinguished), 4 to premature birth, and 8 to congenital debility.

Twenty-five of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 17 being infants under one year, of whom 9 were under one month old, and 26 deaths were those of persons aged 65 and upwards, of whom 18 were 70 years of age or over.

Of the 107 deaths recorded, 52 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 28th June, in 96 large English towns (including London, in which the rate was 9·0) was equal to an average annual death rate of 9·6 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 11·5 per 1,000 persons living, the rate for Glasgow being 11·6 and for Edinburgh 12·9.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 28th June. From this Report it appears that of 51 cases notified, 16 were pulmonary tuberculosis, 7 other forms of tuberculosis, 15 diphtheria, and 13 scarlet fever. Among the 381 cases of infectious diseases in hospital at the close of the week were 143 of pulmonary tuberculosis, 90 of scarlet fever, 66 of diphtheria, 35 of measles, 26 of whooping-cough, 4 of erysipelas, one of enteric fever, and one of influenza.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 28th June, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	June 7	1	·	·	·	·	—	5	—	5	2	—	·	—	·	·	·	·	·	·	14	27
	June 14	·	·	·	·	·	—	5	—	1	3	—	1	—	·	·	·	·	·	·	25	35
	June 21	·	4	·	·	·	—	8	—	3	·	—	·	—	·	·	·	·	·	·	17	32
	June 28	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	2	·	·	13	15
Rathmines & Rathgar Urban District	June 7	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	June 14	·	·	·	·	·	—	1	—	1	1	—	·	—	·	·	·	·	·	·	—	3
	June 21	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	June 28	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
Pembroke Urban District	June 7	·	·	·	·	·	1	·	·	·	·	·	·	—	·	·	·	·	2	·	·	3
	June 14	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
	June 21	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
	June 28	·	·	·	·	·	·	·	·	·	1	·	·	—	·	·	·	·	1	·	·	2
Blackrock Urban District	June 7	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	June 14	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	June 21	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	June 28	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	June 7	1	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	1
	June 14	2	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	2
	June 21	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	June 28	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
City of Belfast	June 7	1	·	1	·	·	—	14	—	3	·	—	·	—	·	·	·	·	·	·	4	23
	June 14	4	·	·	·	·	—	10	—	1	2	—	·	—	·	·	·	·	·	·	1	18
	June 21	·	·	·	·	·	—	23	—	1	·	—	·	—	·	·	·	·	·	·	2	26
	June 28	1	·	·	·	·	—	29	—	5	1	—	·	—	·	·	·	·	·	·	·	36
City of Cork	June 7	·	·	·	·	·	·	·	—	1	·	—	1	—	·	·	·	·	—	·	—	2
	June 14	1	1	·	·	·	·	·	—	3	·	—	·	—	·	2	·	·	—	·	—	7
	June 21	·	2	·	·	·	·	1	—	·	·	—	·	—	1	·	·	·	—	·	—	4
	June 28	·	·	1	·	·	·	·	—	2	1	—	·	—	·	2	·	·	—	·	—	6*a*
City of Londonderry	June 7	1	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	—	—	2
	June 14	·	·	·	·	·	—	2	—	2	·	—	·	—	·	·	·	·	·	—	—	4
	June 21	·	·	·	·	·	—	6	—	1	·	—	·	—	·	·	·	·	·	—	—	7
	June 28	·	·	·	·	·	—	3	—	2	·	—	·	—	·	·	·	·	·	—	—	5
City of Limerick	June 7	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	June 14	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	June 21	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	June 28	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
City of Waterford	June 7	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	June 14	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	2	2
	June 21	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	2	2
	June 28	1	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	1

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 28th June, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever nil and 3; typhus nil and 4; measles 6 and 13; scarlet fever 6 and 46*; and diphtheria nil and 14. Thirteen cases of pneumonia were admitted during the week and 21 remained under treatment at its close, as compared with 23, 18 and 17 at the close of the 3 preceeding weeks. Of the deaths in hospital during the week 2 were from scarlet fever and 4 from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 28th June, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	POPULATION. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Enteritis under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) Week ending 28th June, 1919. Air Temperature: Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	27·6	13·8	0·6	605	302	43	81	1	·	·	3	4	1	3	·	63	15	22	22	22	1	·	2	6	117	7	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	25·2	13·8	0·6	196	107	17	26	·	·	·	3	1	1	·	·	21	9	8	9	5	·	·	·	2	52	2	(d) 66·2	39·0	61·6	46·3	54·0	0·63
Urban Districts. CITY OF DUBLIN,	310,500	38·0	25 9	14·8	0·8	154	88	16	19	·	·	·	3	1	1	·	·	19	9	5	8	4	·	·	·	2	42	2	(e) 64·1 (f) 67·0	45·0 43·0	61·2 62·7	49·6 47·9	55·4 55·3	0·75 0·80
Urban Districts. RATHMINES and RATHGAR	39,400	23·0	10·6	11·9	·	8	9	·	4	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	6	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,500	18·8	42·4	12·4	·	24	7	1	1	·	·	·	·	·	·	·	·	2	·	1	·	1	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,000	8·3	29·0	17·4	·	5	3	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,600	11·4	15·7	·	·	5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	65	46	61·3	50·1	55·7	0·80
Urban Districts. BELFAST, ..	401,000	26·8	33·4	12·7	0·7	257	98	18	27	·	·	·	·	3	·	1	·	19	5	10	7	4	1	·	1	2	26	2	66·0	44·0	60·0	47·4	53·7	0·36
Urban Districts. CORK, ...	76,673	28·6	24·5	14·3	1·4	36	21	1	4	1	·	·	·	·	·	1	·	3	·	·	2	5	·	·	1	1	10	1	67	47	62·9	51·1	57·0	0·12
Urban Districts. LONDONDERRY, ..	41,000	15·9	29·3	16·5	1·3	23	13	2	2	·	·	·	·	·	·	1	·	3	·	·	1	3	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	37·9	16·2	·	28	12	·	4	·	·	·	·	·	·	·	·	5	·	·	·	1	·	·	·	·	7	·	65	45	61·6	49·0	55·3	0·08
Urban Districts. WATERFORD, ..	27,464	19·1	20·9	24·7	·	11	13	·	5	·	·	·	·	·	·	·	·	3	·	·	1	1	·	·	·	1	10	·	67	43	65	47	56	0·47
Urban Districts. GALWAY, ...	13,255	2·5				6	7	2	2	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	·	3	·	64	47	62	49·5	55·8	0·25
Urban Districts. DUNDALK, ..	13,128	9·5				10	3	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				2	5	1	1	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·	·	1	·	67·8	41·7	62·1	46·7	54·4	0·26
Urban Districts. DROGHEDA, ..	12,501	8·4				4	6	·	4	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	1	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	68	44	62·7	46·7	54·7	0·39
Urban Districts. NEWRY, ...	11,963	17·0				7	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	67·8	41·7	62·1	46·7	54·4	0·26
Urban Districts. PORTADOWN, ..	11,727	15·3				3	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	67·8	41·7	62·1	46·7	54·4	0·26
Urban Districts. WEXFORD, ..	11,531	22·8				7	5	1	1	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				1	3	·	1	·	·	·	·	·	·	·	·	1	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				6	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	63	44	59	49	54	0·64
Urban Districts. KILKENNY, ..	10,514	11·4				2	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	65	42	61·8	49·1	55·7	0·45
Urban Districts. TRALEE, ...	10,300	17·4				2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				2	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	2	·	·	·	·	·	·	·
LONDON	4,206,901	—	—	9·0	—	1,6 7	696	72	242	·	—	·	5	2	5	13	—	69	17	98	32	44	7	3	39	67	353	2	74	39	66·1	47·6	56·8	0·08
EDINBURGH ...	336,500	—	—	12·9	—	124	83	7	31	·	·	·	·	·	·	1	—	—	—	—	—	—	·	—	1	—	—	—	67·0	40·0	61·0	46·0	53·5	0·24
GLASGOW	1,118,700	—	—	11·6	—	511	249g	30	57	·	1	·	12	1	11	·	—	—	—	—	—	—	1	—	11	—	—	—	63·2	42·1	58·9	47·5	53·2	0·07

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College, and those for Waterford by De La Salle College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including 3 deaths from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 26th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 28th June, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.		
ALL CAUSES.	136·4	117	9	9	3	5	3	2	7	3	13	11	12	12	18	10	107
Enteric Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	1·4	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	3
Scarlet Fever ..	·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Whooping-cough ..	·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Diphtheria	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1·4	3	.	.	.	1	.	.	.	.	.	.	2	.	.	.	3
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	19·6	23	.	.	.	.	.	.	3	2	9	5	4	.	.	.	21
Tuberculous Meningitis	4·6	3	.	1	.	.	.	1	.	.	1	.	.	.	.	.	3
Abdominal Tuberculosis	·6	4	.	.	1	.	.	1	1	.	.	1	.	.	.	.	4
Tuberculosis of the Spinal Column.	·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Tuberculosis of Joints	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	1·0	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Venereal Diseases ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	11·0	9	.	.	.	.	.	.	.	.	.	1	.	5	2	1	8
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·8	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	4·6	5	.	.	.	.	.	.	.	.	.	.	2	1	2	.	4
Softening of Brain ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Epilepsy.	·2	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2
Convulsions (non-puerperal).	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	1·6	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1
Pericarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	13·6	9	.	.	.	.	.	.	1	.	.	.	.	2	4	2	9
Embolism and Thrombosis (including Cerebral).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·0	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	13·4	5	.	.	.	.	.	.	.	.	.	.	.	.	4	1	5
Broncho-pneumonia ..	3·2	3	.	.	.	1	1	.	.	.	.	.	.	.	1	.	3
Lobar pneumonia ..	1·0	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Pneumonia (type not distinguished).	4·0	5	1	.	.	1	.	.	.	.	.	1	1	.	1	.	5
Pleurisy	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

in the TWENTY-SIXTH WEEK, ending Saturday, 28th June, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 26th Week of the 5 years 1914-1918.	Deaths registered during week ending Saturday, 28th June, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	2·0	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	
Diarrhœa and Enteritis of Children under 2 years.	3·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Diarrhœa 2 years and upwards.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Enteritis 2 years and upwards.	1·6	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	
Appendicitis and Typhlitis.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Hernia and Intestinal Obstructions.	2·6	2	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	
Cirrhosis of Liver ..	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Liver	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Peritonitis (cause unknown).	·2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	
Other Diseases of Digestive System	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Acute Nephritis ..	1·0	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	
Chronic Bright's Disease	3·0	3	·	·	·	·	·	·	·	·	·	1	1	·	·	1	2	
Urinary Calculi ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Uterine Tumour (non-cancerous).	·4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	
Ovarian Tumour (non-cancerous).	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Genito-urinary System.	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Puerperal Septicæmia, &c.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other causes incident to Pregnancy and Childbirth.	·4	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	
Diseases of Skin and Cellular Tissues.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Diseases of Locomotor System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Congenital Malformations.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Premature Birth ..	3·4	4	3	1	·	·	·	·	·	·	·	·	·	·	·	·	4	
Congenital Debility ..	2·2	8	3	5	·	·	·	·	·	·	·	·	·	·	·	·	8	
Old Age	4·8	6	·	·	·	·	·	·	·	·	·	·	·	·	1	5	6	
Other Specified Diseases	2·0	3	2	·	·	·	·	·	·	·	·	·	·	1	·	·	3	
VIOLENCE.																		
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Burns and Scalds ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Drowning	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Suffocation in Bed, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Railways, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Vehicles and Horses ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Building Operations ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Gunshot Wounds, &c.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Violent Deaths		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Not included in above—																		
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ill-defined, &c., Causes,	1·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	

TABLE IV.—Showing for the WEEK ENDED 28TH JUNE, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 28TH JUNE, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Caused by Enteric Fever.	Typhus.	Small-pox.	Measles	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No 1, E., ...	30,000	20·9	3·5	12	2	1	1	·	3	·	1	4	·	·	·	2	·	·	·	·	·	2	·	1	2	·	·	·	·	·	1	1	1
" 1, W., ...	41,100	8·9	·	7	1	·	·	·	·	2	1	3	·	·	·	·	·	·	·	·	1	1	·	1	1	·	·	·	·	·	3	3	·
" 2, ...	27,500	24·6	·	13	3	·	·	2	1	1	2	4	·	·	·	·	·	·	·	·	2	3	1	2	1	·	·	·	·	·	5	3	·
" 3, ...	34,100	9·2	·	6	1	1	·	·	1	1	1	1	·	·	·	·	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	1	·
CLONTARF AND HOWTH, No. 1, part of	5,500	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	3·8	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	9·4	·	2	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	19·4	·	16	3	·	1	·	1	4	6	1	·	·	·	·	·	·	·	·	6	·	2	·	·	·	·	·	·	1	2	7	·
" 2, ...	18,200	20·1	·	7	1	·	1	·	·	2	2	1	·	·	·	·	·	·	·	·	2	1	·	1	·	·	·	·	·	·	1	3	1
" 3, ...	43,300	13·2	1·2	11	1	·	·	2	·	3	1	4	·	·	·	·	1	·	·	·	3	1	2	·	·	·	·	·	·	·	6	·	·
" 4, ...	32,800	15·9	3·2	10	3	1	1	1	2	·	1	1	·	·	·	1	·	1	·	·	1	·	·	2	·	·	·	·	1	·	3	·	·
NEW KILMAINHAM, ...	10,300	15·2	·	3	1	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	1	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	11·9	·	9	·	·	·	·	·	1	4	4	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	5	1	·
PEMBROKE	29,500	12·4	·	7	1	·	1	·	·	2	2	1	·	·	·	·	·	·	·	·	2	·	1	·	1	·	·	·	1	·	2	1	·
BLACKROCK, ...	9,000	17·4	·	3	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	1	·
KINGSTOWN, ...	16,600	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
TOTAL CITY. North, ...	162,900	13·1	0·6	41	7	2	1	2	6	6	5	12	·	·	·	2	·	·	·	·	6	7	1	5	4	·	·	·	·	1	10	8	1
TOTAL CITY. South, ...	147,600	16·6	1·1	47	9	1	3	3	4	10	10	7	·	·	·	1	1	1	·	·	13	2	4	3	·	·	·	·	1	1	13	11	1
TOTAL CITY. North and South, ..	310,500	14·8	0·8	88	16	3	4	5	10	16	15	19	·	·	·	3	1	1	·	·	19	9	5	8	4	·	·	·	1	2	23	19	2
Total Urban Districts, ...	94,500	10·5	·	19	1	·	1	·	·	3	7	7	·	·	·	·	·	·	·	·	2	·	3	1	1	·	·	·	2	·	7	3	·
Total Registration Area, ..	405,000	13·8	0·6	107	17	3	5	5	10	19	22	26	·	·	·	3	1	1	·	·	21	9	8	9	5	·	·	·	3	2	30	22	2
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				10	1	·	·	·	·	5	2	2	·	·	·	·	·	·	·	·	2	1	1	·	·	·	·	·	·	·	9	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 28th June, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 28TH JUNE, 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	28)	(29)
	ALL PERSONS.	397,957	—	117	26	5	10	24	24	18	10	.	.	.	3	1	1	.	.	23	10	9	.	9	5	.	.	.	56	2
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	14·2	4	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2	.
II.	MIDDLE CLASS	101,798	9·2	18	1	1	1	6	3	3	3	.	.	.	1	1	.	.	.	4	.	1	.	.	.	.	.	.	11	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	18·8	39	5	3	3	12	8	6	2	.	.	.	1	.	.	.	.	9	5	7	.	4	.	.	.	.	13	1
IV.	GENERAL SERVICE CLASS	167,479	10·3	33	16	1	4	2	5	3	2	.	.	.	1	.	1	.	.	1	5	.	.	4	1	.	.	.	20	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	23	2	.	2	3	8	5	3	.	.	.	.	.	.	.	.	8	.	1	.	.	4	.	.	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	3	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	6. Clerks and Commercial Assistants,	33,249	—	6	1	1	1	2	1	.	.	.	.	.	1	1	.	.	.	1	.	.	.	.	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	6	.	.	.	3	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	4	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
	9. Building and Furnishing Trades, ..	28,823	—	6	1	.	.	4	.	1	.	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	.	.	1	.
	10. Clothing Trades, ...	20,026	—	8	1	.	2	1	1	2	1	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.	4	.
	11. Food Supply Trades, ...	8,952	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	19	3	2	1	5	5	2	1	.	.	.	1	.	.	.	.	4	3	4	.	2	.	.	.	.	5	1
	13. Petty Shopkeepers, ...	6,772	—	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	5	2	.	.	1	1	.	1	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	2	.
	15. Domestic Servants, ...	36,041	—	3	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	23	12	.	4	1	3	3	.	.	.	.	1	.	.	.	.	1	1	.	.	4	1	.	.	.	15	1
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	23	2	.	2	3	8	5	3	.	.	.	.	.	.	.	.	8	.	1	.	.	4	.	.	.	10	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Apr. 5.	Apr. 12	Apr. 19.	Apr. 26	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.
No. of weeks in Annual Series ..	14	15	16	17	18	19	20	21	22	23	24	25	26	14	15	16	17	18	19	20	21	22	23	24	25	26
BIRTHS registered	217	190	145	169	166	215	182	169	217	178	187	198	196	175	162	145	170	197	189	190	191	185	203	205	199	257
Average Births in corresponding week of previous 10 years, ...	238	238	241	216	251	254	243	238	263	239	239	235	249	206	216	227	226	209	208	219	220	218	208	209	198	207
Number of Deaths, ...	253	196	177	146	148	134	139	118	123	120	104	119	107	168	184	131	125	119	114	116	118	98	95	104	91	98
Annual Death-rate per 1,000 ..	32·6	25·2	22·8	18·8	19·1	17·3	17·9	15·2	15·8	15·5	13·4	15·3	13·8	21·8	23·9	17·0	16·3	15 5	14·8	15·1	15·3	12·7	12·4	13·5	11·8	12·7
Average Deaths in corresponding week of previous 10 years, ...	192	191	189	161	167	184	154	151	143	140	142	129	126	168	166	162	154	138	133	142	133	125	120	122	120	136
Ages, .. Under one year, ..	41	29	22	19	17	12	22	17	18	18	12	18	17	30	25	23	20	23	18	11	14	13	9	13	14	18
1— 5 years, ..	18	12	12	12	10	10	7	6	8	8	4	8	8	6	14	7	5	4	6	7	8	4	5	5	3	2
5—25 ,, ..	25	23	21	15	14	15	18	12	14	18	11	14	15	16	30	16	22	15	22	20	23	14	23	21	11	15
25—45 ,, ..	55	28	32	19	14	17	23	21	23	20	16	26	19	18	29	25	16	20	18	27	25	27	14	26	18	14
45—65 ,, ..	62	58	27	40	44	34	25	29	25	25	32	23	22	54	42	29	23	25	25	23	23	17	22	24	25	22
65 and upwards, ..	52	46	63	41	49	46	44	33	35	31	29	30	26	44	44	31	39	32	25	28	25	23	22	15	20	27
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	.	.	.	1	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	2	.	1	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	1	.	.	3
Whooping-cough, ...	1	2	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.
Diphtheria, ...	1	.	.	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	27	18	20	14	20	19	9	16	24	18	19	19	21	16	21	13	13	25	27	25	18	19	18	18	13	19
Tuberculosis { Other Forms, ..	14	5	11	5	8	5	8	6	7	9	2	6	9	4	7	6	9	5	7	1	11	6	6	9	4	5
Cancer, ...	7	9	9	7	10	6	5	5	9	7	9	5	8	9	6	6	8	7	8	8	7	4	4	7	6	10
Diseases of Respiratory System, { Pneumonia ..	34	24	22	16	13	10	15	11	6	6	8	12	9	21	20	13	13	9	11	7	6	9	7	5	3	7
Diseases of Respiratory System, { Others, ..	44	36	24	24	20	23	23	12	11	8	7	12	5	33	38	31	23	12	18	11	7	8	7	10	6	4
Diarrhœa and Enteritis, under 2 years, ...	4	2	1	3	2	3	4	3	2	3	1	3	.	1	1	1	.	2	2	1	3	2	.	1	.	1
Diarrhœa, 2 years and upwards..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	1	2	1	.
Violent Deaths, ...	4	2	5	3	1	2	1	2	1	4	2	1	.	7	3	3	2	1	1	2	4	1	3	1	1	1
Number of Uncertified Deaths, ..	7	6	5	2	2	3	4	10	6	2	2	2	2	5	4	1	3	3	.	.	2	1	.	2	1	2
A Mean Maximum Temperature in degs.	49·1	55·6	55·4	54·7	51·4	56·9	66·9	62·3	67·8	68·0	65·5	63·3	61·6	48·9	54·9	53·5	55·2	50·8	56·8	63·6	62·9	67·5	59·0	63·7	63·4	60·0
B Mean Minimum ,, ,,	32·9	40·6	41·5	34·4	35·6	37·4	44·3	45·5	44·0	48·4	44·5	48·3	46·3	37·5	41·0	41·0	41·9	38·3	42 6	50·6	47·2	49·4	50·9	50·3	47·4	47·4
Mean of A and B ,, ,,	41·0	48·1	48·5	44·6	43·5	47·2	55·6	53·9	55·9	58·2	55·0	55·8	54·0	43·2	48·0	47·3	48·6	44·5	49·7	57·1	55·1	58·4	55·0	57·0	55·4	53·7
Rainfall in inches	0·18	0·22	0·50	0·27	0·71	0·14	0·34	0·79	0·00	0·05	1·47	0·21	0·63	0·06	0·39	0·52	0·30	0·50	0·35	0·21	0·42	0·11	0·03	1·60	0·39	0·36

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 28th June, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	21	9·9	·	3	·	·	1	·	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·
Do. 2 do.	49,500	29	12·6	·	12	1	·	1	2	2	6	·	·	·	·	·	·	·	·	1	·	1	1	1	·	·	·	·	1	·
Do. 3 do.	50,032	44	11·5	1·0	11	5	1	1	1	2	1	·	·	·	·	·	·	1	·	·	·	1	2	·	·	·	1	1	3	·
Do. 4 do.	32,637	19	25·6	·	16	4	·	1	2	7	2	·	·	·	·	·	·	·	·	3	2	1	1	1	·	·	·	·	5	1
Do. 5 do.	16,112	18	9·7	·	3	1	·	1	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	1
Do. 6 do.	37,293	18	12·6	·	9	·	·	1	1	1	6	·	·	·	·	·	·	·	·	2	·	1	·	1	·	·	·	·	·	·
Do. 7 do.	2,681	·	19·4	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	4	17·5	·	2	·	·	·	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Do. 9 do.	24,427	14	12·8	2·1	6	·	·	1	·	3	2	·	·	·	·	1	·	·	·	·	·	1	·	1	·	·	·	1	1	·
Do. 10 do.	28,958	15	10·8	1·8	6	2	·	3	·	·	1	·	·	·	·	1	·	·	·	1	1	·	2	·	·	·	·	·	1	·
Do. 11 do.	39,311	24	11·9	·	9	1	·	2	3	1	2	·	·	·	·	·	·	·	·	5	·	1	·	·	·	·	·	·	5	·
Do. 12 do	38,076	23	8·2	·	6	1	·	2	·	2	1	·	·	·	·	·	·	·	·	2	1	1	·	·	·	·	·	·	3	·
Do 13 do.	23,233	9	11·2	·	5	1	·	·	3	·	1	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·	·	·	1	·
Do. 14 do	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	19	20·7	4·6	9	2	1	1	1	1	3	·	·	·	·	1	·	·	·	2	·	·	1	·	1	·	·	·	4	·
Total,	386,947	257	12·7	0·7	98	18	2	15	14	22	27	·	·	·	·	3	·	1	·	19	5	10	7	4	1	·	1	2	26	2
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	7	11·6	·	3	1	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·
Do 2 do.	10,399	8	25·1	5·0	5	·	1	·	·	3	1	·	·	·	·	·	·	1	·	1	·	·	·	2	·	·	·	·	3	1
Do. 3 do.	9,793	3	10·6	·	2	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2	·
Do. 4 do.	9,139	3	17·1	·	3	·	·	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 5 do.	6,250	3	8·3	8·3	1	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do 6 do.	11,581	5	9·0	·	2	·	·	·	1	·	1	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·
Do. 7 do	16,056	7	16·2	·	5	·	·	3	·	1	1	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	1	1	2	·
Total.	76,673	36	14·3	1·4	21	1	2	4	2	8	4	1	·	·	·	·	·	1	·	3	·	·	2	5	·	·	1	1	10	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 28th June, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 1, West ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	5
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	3
" " " 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	13	15

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 28th June, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 28th June.			
	June 7.	June 14.	June 21.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	5	4	5	.	2	.	3
Typhus, ...	1	.	4	.	.	.	4
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	22	20	12	6	5	.	13
Scarlet Fever, ...	39	40	44	6	2	2	46*
Diphtheria, ...	14	16	19	.	5	.	14
Pneumonia, ...	23	18	17	13	5	4	21

* Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13058). Wt. 210. 3. 380. 9. 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN EIGHTEEN OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LIMITED, 116, GRAFTON STREET, DUBLIN; or from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

1919.

Price 1½d. Net.

VOL. LVI.] QUARTER ENDING SATURDAY, 28TH JUNE, 1919. [No. 26A.

DUBLIN REGISTRATION AREA.—BIRTHS.—In the Dublin Registration Area, which consists of the city of Dublin, and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, there were registered during the thirteen weeks ended on Saturday, 28th June, 1919, 2,429 births—1,260 boys and 1,169 girls—being equal to an annual rate of 24·0 in every 1,000 of the population.

The number of births recorded for the city was 2,010, equivalent to an annual rate of 25·9 in every 1,000 of the population; and for the urban districts named above, 419, equal to an annual rate of 17·7 in every 1,000 of the population.

During the same period the births in London were equivalent to an annual rate of 16·1 per 1,000 of the population; in Glasgow the birth-rate was 21·7 per 1,000, and in Edinburgh 16·2 per 1,000.

DEATHS.—Omitting the deaths (158) referred to localities outside the Dublin Registration Area, the deaths for the Area, numbering 1,884, were equivalent to an annual rate of 18·6 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 20·6. The total number of deaths registered in the Dublin Registration Area during the quarter was 2,042—924 males and 1,118 females—affording an annual ratio of 20·2 in every 1,000 of the estimated population, as compared with 22·1 per 1,000 for the second quarter of the ten years, 1909-1918.

The number of deaths of inhabitants* of the North City districts registered last quarter was 735, representing an annual mortality of 18·0 in every 1,000 of the population; and the number in the South City districts was 761 equivalent to a rate of 20·6 per 1,000. For the urban districts the number of deaths registered was 388, being equal to an annual death-rate of 16·4 in every 1,000.

The deaths among civilians in London during the same period were equivalent to an annual rate of mortality of 12·2 in every 1,000 of the civil population; in Glasgow the death-rate was 14·6 per 1,000 of the total population, and in Edinburgh the annual rate was 13·7 per 1,000.

* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

CAUSES OF DEATH IN DUBLIN REGISTRATION AREA.

The number of deaths from the principal epidemic diseases* registered in the Dublin Registration Area during the last quarter was 60, being equal to an annual rate of 0·59 per 1,000 of the population.

Enteric Fever.—Four deaths were registered during the quarterly period under notice, the average for the corresponding period of the 5 preceding years being 7.

Of 14 cases of enteric fever under treatment in hospital during the quarterly period, 7 were admitted during the period, 9 were discharged, there were 2 deaths, and 3 cases were under treatment at its close.

Typhus.—There was no record of incidence from this disease in the Dublin Registration Area.

Small-Pox.—No case of small-pox was notified during the period.

Measles.—Only 6 deaths from measles were registered, the average for the June quarterly period of the past 5 years being 95. In the March quarter of this year the number was 19. Of the 6 deaths, 3 belonged to the district of North City No. 1 East, and 3 to South City No. 4 district. The hospital records show that of 124 cases treated, 18 were in hospital at the close of March period, 106 were admitted during the quarter under notice, 111 were discharged, and 13 cases remained at the end of the period.

Scarlet Fever.—Five deaths from scarlet fever were registered, the average for the second quarter of the 5 years, ending with 1918, being 6. All the deaths were of residents of the South City. Altogether 150 cases were under hospital care, including 9 cases at Beneavin; 44 were in hospital at the close of the March period and 106 cases were admitted during the June quarter, 98 cases were discharged, there were 6 deaths and 46† cases were under treatment at the close.

Whooping-cough.—Seven deaths were registered; the number in the March period was 9 and the average 41.

Diphtheria.—Of 5 deaths, there were 4 belonging to the area; in the previous quarter 5 deaths were registered, the average for the June period of the 5 years preceding being 11. It appears from Table I. that 41 cases of diphtheria were admitted to hospital, 36 were discharged, there were 3 deaths, and 14 cases remained under treatment at the close.

Diarrhœal Diseases.—The deaths of children under 2 years of age classified to diarrhœal diseases numbered 33; of this number 2 did not belong to the Area. In the previous quarter these deaths were 40, and the average for the June quarter of the 5 years ending with 1918 was 41.

Influenza.—A fall from 731 deaths from influenza in the March quarterly period to 155 in the period now under notice is the principal feature of this Report. In the corresponding period in 1918, the deaths from influenza numbered 24, increasing to 252 in the September quarter, and in the December quarter to 1,210, and in the March quarter of the present year the number was 731, as mentioned above.

The total deaths from influenza (155) include 52 belonging to North Dublin City, 50 to South Dublin City, 15 to the urban district of Rathmines and Rathgar, 10 to Pembroke, 5 to Blackrock, 11 to the urban district of Kingstown, and there were in addition 12 deaths of persons admitted to institutions from localities without the Dublin Registration Area.

Of the 155 deaths, 13 or 8·4 per cent. were of children under 5 years of age, 6 or 3·9 per cent. were of young persons between the ages of 5 years and 15 years, 12 or 7·7 per cent. were between the ages of 15 and 25 years, 33 or 21·3 per cent. were between the ages of 25 and 35 years, 21 or 13·5 per cent. were between the ages of 35 years and 45 years, 28 or 18.1 per cent. were between 45 and 55 years and 42 or 27·1 per cent. were deaths of persons aged 55 years and upwards.

Cerebro-Spinal Fever.—One death was registered.

Tuberculosis.—In the aggregate deaths from tuberculosis numbered 368, including the deaths of 29 persons admitted from outside the Area; the total is equal to a rate of 3·63 per 1,000, as compared with 4·05 in the quarter preceding.

The average for the corresponding quarterly period in the 5 years, 1914-1918, is 413. The deaths (368) include 262 from pulmonary tuberculosis, 32 from tuberculous meningitis, 23 from abdominal tuberculosis, and 51 from other forms of the disease.

Excluding deaths of non-residents the rate for the Registration Area was 3·35 per 1,000 of the estimated population. For the City the rate was 3·66 (North City, 3·56; South City, 3·77), and in the urban districts it was 2·33 per 1,000 of the population, estimated to the middle of the year.

Cancer.—The total number of deaths from cancer was 117, and includes the deaths of 21 persons, not residents of Dublin; in the March period the number of deaths from cancer was 141, the rates corresponding to these numbers being 1·16 and 1·39 per 1,000 respectively. The average number of deaths from cancer for the June quarterly period in the past 5 years was 128.

Pneumonia.—The deaths directly attributed to pneumonia were 195, and include 71 deaths from broncho-pneumonia, 25 from lobar pneumonia, and 99 from pneumonia (type not distinguished). The

* See note (*) page 260*d*. † See note (*) at foot of Table I.

rate which represents these deaths is 1·93 per 1,000 of the estimated population of the Area. In the 3 preceding quarters the deaths from pneumonia numbered 195, 604 and 552 respectively, and the average number of deaths from pneumonia in the second quarter of the past 5 years was 162. During the period there were 257 cases of pneumonia treated in hospital; of this number 101 were under treatment at the close of the March quarterly period, 156 cases were admitted, 198 were discharged, there were 38 deaths, and 21 cases were under treatment at the close.

Diseases of Brain and Nervous System.—To the several diseases which are included in this group, the deaths of 203 persons were attributed, as compared with the average 208. The former figure, is represented by a rate of 2·0 per 1,000, and includes the deaths of 34 children under 5 years of age from convulsions, and the death of one person from cerebro-spinal fever.

Diseases of the Circulatory System.—Altogether 190 deaths were assigned to diseases of the heart and blood-vessels. The total equals a rate of 1.88 per 1,000, and is below the average (217), by 27 deaths. Organic diseases of the heart account for 166 deaths.

Bronchitis.—The deaths from bronchitis numbered 228 and are represented by a rate of 2·25 per 1,000, the average for the second quarter of the previous 5 years being 199; in the 3 preceding quarters deaths from bronchitis were 141, 283, and 598 respectively.

Congenital Conditions.—There were 9 deaths due to congenital malformations, 56 to premature birth, and 27 to congenital debility.

Violence.—Among the deaths from violence which were 35 in number, were 7 (including 3 of children under 5 years) from burns and scalds, 6 by vehicles and horses, 5 by drowning, one from poison, and one by gunshot wound.

Of deaths by violence there were two in which a verdict of suicide was returned by the Coroner.

Table I.—Showing the Number of Cases of the undermentioned Diseases treated in Dublin Hospitals during the Quarter (13 weeks) ended Saturday, 28th June, 1919.

Diseases.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Enteric Fever, ...	7	7	9	2	3
Typhus, ...	.	6	2	.	4
Small-pox, ...	.	.	.	.	.
Measles, ...	18	106	111	.	13
Scarlet Fever, ...	44	106	98	6	46*
Diphtheria, ...	12	41	36	3	14
Pneumonia, ...	101	156	198	38	21

* Exclusive of 9 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 55 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 55 cases, 23 (or 41·8 per cent.) were deaths of children under 5 years of age. Of the deaths of 100 infants under one month old registered, there were 10 (or 10·0 per cent.) regarding which the cause was uncertified.

From Table III., page 260*f*, it will be seen that the annual rate represented by the mortality from the principal epidemic diseases† in the Dublin Registration Area was 0·6 per 1,000, that in the City it was 0·6, and in the urban districts 0·4, the rates for the several districts varying from 0·0 in Clontarf and Howth No. 1., part of, to 1·3 in North City, No. 1, East, the 160 deaths from all causes for that district including 3 from measles, and 7 from diarrhœa and enteritis of children under 2 years of age.

Occupations.—In Table IV., page 260*g*, it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 18·0 per 1,000 of the persons in that class according to the Census of 1911; the rate for the "Middle Class" was 16·6 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 17·0; and in the "General Service Class" it was 18·3.

Ages.—Of the 2,042 persons whose deaths were registered in the Dublin Registration Area during the quarter, 395 were under 5 years of age, including 268 infants under one year of age, the latter representing a rate of 110 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 38·6 in every 1,000 children at that age (according to the Census of 1911), the deaths of persons between the ages of 5 and 15 representing an annual rate of 5·9 per 1,000 persons at that age-period; those between the ages of 15 and 25 were equivalent to an annual rate of 6·8 per 1,000, the total number under 25 years being equal to an annual mortality of 13·2 per 1,000 of the population at that age-period (according to the Census of 1911); for those between 25 and 45 the rate was 11·9; for those between 45 and 65 it was 33·1; among persons between 65 and 75 the rate was 77·0; and among those aged 75 and upwards the average annual death rate was 160·9 per 1,000. The deaths of 11 persons aged 90 years and upwards were registered.

† See note (*) on page 260*d*.

Public Institutions.—Of the 2,042 deaths recorded during the quarter, 916, or 44·9 per cent., occurred in public institutions, viz., 588 in the various hospitals, prisons, and lunatic asylums; 321 in the Dublin Union Workhouse; and 7 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for thirteen weeks, deducted from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 50·9°. At Greenwich it was 54·2°; at Glasgow, 51·1°; and at Edinburgh, 49·8°.

The rainfall at Dublin during the thirteen weeks measured 4·51 inches; at Greenwich it was 4·685 inches; at Glasgow, 6·86 inches; and at Edinburgh, 5·34 inches.

NINETEEN PRINCIPAL TOWN DISTRICTS OF IRELAND.

As shown in Table II., the annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and eighteen of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 17·5 per 1,000 of the population, the respective rates for the several districts being as follows, ranging in order from the lowest to the highest:—Ballymena, 12·0; Dundalk, 12·2; Lurgan, 14·7; Tralee, 15·1; Belfast, 15·6; Cork, 16·1; Sligo, 16·5; Clonmel, 18·0; Lisburn, 18·1; Dublin Registration Area, 18·6; Newry, 18·7; Portadown, 19·1; Limerick, 19·8; Waterford, 20·0; Kilkenny, 20·9; Wexford, 21·2; Londonderry, 23·0; Galway, 24·1; and Drogheda, 25·0.

The annual rate represented by the deaths from the principal epidemic diseases* in the 19 districts is 0·5 per 1,000 of the population, the rates varying from 0·0 in three of the districts to 3·0 in Kilkenny, the 55 deaths from all causes in that district, including 8 from whooping-cough.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *eighteen provisional urban districts*, already named, and Tables II. and V. give in detail the results of the registration for the quarter:—

Enteric Fever.—Seven deaths from this cause occurred of which one belonged to each of the following districts:—Cork, Londonderry, Limerick, Galway, Newry, Portadown and Tralee.

Typhus.—Two deaths each from this disease belonged to Cork and Londonderry.

Small-pox.—No case of this disease was reported.

Measles.—There were 4 deaths in each of the districts of Waterford and Sligo and one in Londonderry.

Scarlet Fever.—Of 6 deaths, 5 belonged to Belfast and one to Londonderry.

Whooping-cough.—There were 30 deaths recorded, of which 20 belonged to Londonderry, 8 to Kilkenny, and one to each of Belfast and Newry.

Diphtheria.—The 7 deaths from this cause include 2 of residents of Belfast, 2 belonging to Cork, and one for each of Londonderry, Limerick and Dundalk.

Diarrhœal Diseases.—Of the deaths under this heading, 26 were of children under 2 years of age, of which 15 belonged to Belfast and 7 to Cork.

Pulmonary Tuberculosis.—The annual death-rate from pulmonary tuberculosis for the 19 towns in the aggregate was 2·4 per 1,000 of the estimated population; for the Dublin Registration Area it was 2·41 per 1,000; for Belfast county borough 2·44 per 1,000, and for the urban districts collectively (not including Dublin Registration Area and Belfast) it was 2.5.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

TABLE II.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ended Saturday, 28th June, 1919,** in the Dublin Registration Area, and in each of the undermentioned Eighteen Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

TOWNS AND DISTRICTS	Population. Total.*	Population. Persons to an Acre.	Annual Rate per 1,000 persons Represented by Births.	Annual Rate per 1,000 persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 persons Represented by Deaths. From certain Epidemic Diseases.†	REGISTRATION—QUARTER (13 WEEKS) ENDED SATURDAY, 28TH JUNE, 1919. Numbers Registered. Births. Total Number.	Deaths. Total Number	Under 1 year of Age	At 65 Years and upwards	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths
TOTAL OF 19 TOWN DISTRICTS ..	1,142,268	28·9	23·9	17·5	0·5	6,827	5,010	677	1,333	10	4	·	15	11	37	11	1	695	243	253	484	653	57	10	83	110	1,629	177
DUBLIN REGISTRATION AREA.—																												
TOTAL	405,000	20·0	24·0	18·6	0·6	2,429	1,884	262	525	3	·	·	6	5	7	4	·	244	95	96	186	249	31	·	28	34	758	53
CITY OF DUBLIN	310,500	38·0	25·9	19·3	0·6	2,010	1,496	224	373	2	·	·	6	5	3	3	·	202	82	68	151	212	28	·	26	34	632	44
Urban Districts. RATHMINES AND RATHGAR ..	39,400	23·0	15·0	15·6	0·1	148	154	13	61	·	·	·	·	·	1	·	·	19	6	14	11	19	·	·	·	·	57	3
PEMBROKE	29,500	18·8	22·4	16·9	0·4	165	125	13	45	·	·	·	·	·	·	1	·	11	7	10	16	10	2	·	·	·	43	2
BLACKROCK	9,000	8·3	15·1	16·9	0·4	34	38	5	18	·	·	·	·	·	·	·	·	5	·	2	3	2	1	·	·	·	7	3
KINGSTOWN	16,600	11·4	17·3	17·1	1·0	72	71	7	28	1	·	·	·	·	3	·	·	7	·	2	5	6	·	·	2	·	19	1
Urban Districts. BELFAST	401,000	26·8	24·6	15·6	0·3	2,468	1,561a	231	375	·	·	·	·	5	1	2	·	245	80	90	131	208	15	7	30	45	436	24
CORK	76,673	28·6	22·7	16·1	0·7	435	308	35	87	1	2	·	·	·	·	2	·	36	18	12	32	43	7	1	5	4	122	8
LONDONDERRY	41,000	15·9	29·6	23·0	2·5	303	236	40	48	1	2	·	1	1	20	1	·	24	8	9	44	33	·	·	2	6	33	10
LIMERICK	38,518	16·1	26·6	19·8	0·2	256	191	26	52	1	·	·	·	·	·	1	·	25	6	9	19	44	·	·	1	1	66	18
WATERFORD	27,464	19·1	18·5	20·0	0·9	127	137	11	40	·	·	·	4	·	·	·	·	23	6	5	12	18	2	·	7	8	48	4
GALWAY	13,255	2·5	30·2	24·1	0·6	100	80	10	27	1	·	·	·	·	·	·	·	14	3	3	5	11	1	·	1	1	24	5
DUNDALK	13,128	9·5	27·7	12·2	0·3	91	40	4	6	·	·	·	·	·	·	1	·	8	3	·	9	4	·	·	2	·	5	2
LURGAN	12,553	14·7	20·1	14·7	·	63	46	2	13	·	·	·	·	·	·	·	·	8	3	1	1	3	·	·	·	1	7	·
DROGHEDA	12,501	8·4	23·7	25·0	·	74	78	5	29	·	·	·	·	·	·	·	·	10	2	3	10	8	·	·	1	2	20	3
LISBURN	12,388	10·9	18·1	18·1	0·3	56	56	6	20	·	·	·	·	·	·	·	1	5	4	5	6	7	·	·	1	1	10	2
NEWRY	11,963	17·0	19·1	18·7	0·7	57	56	10	11	1	·	·	·	·	1	·	·	6	2	1	5	2	·	·	·	1	11	1
PORTADOWN	11,727	15·3	22·2	19·1	0·3	65	56	6	12	1	·	·	·	·	·	·	·	6	4	1	4	10	·	·	2	3	12	·
WEXFORD	11,531	22·8	23·9	21·2	0·3	69	61	7	16	·	·	·	·	·	·	·	·	11	5	3	1	5	·	1	·	·	5	8
BALLYMENA	11,381	9·3	17·6	12·0	0·7	50	34	3	12	·	·	·	·	·	·	·	·	6	·	3	2	3	1	1	·	·	4	7
SLIGO	11,163	3·8	14·3	16·5	1·4	40	46	7	13	·	·	·	4	·	·	·	·	5	1	4	4	2	·	·	·	1	14	10
KILKENNY	10,514	11·4	17·1	20·9	3·0	45	55	6	17	·	·	·	·	·	8	·	·	7	3	2	5	2	·	·	2	2	17	11
TRALEE	10,300	17·4	21·0	15·1	0·4	54	39	4	11	1	·	·	·	·	·	·	·	7	·	1	3	·	·	·	1	·	11	5
CLONMEL	10,209	7·8	17·6	18·0	·	45	46	2	19	·	·	·	·	·	·	·	·	5	·	5	4	1	·	·	·	·	26	6

*According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1919.

† See note (*) on page 260*d*.

(*a*) Including 2 deaths from cerebro-spinal fever.

TABLE III.—Showing for the **Quarter (13 weeks) ended 28th June, 1919,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.

REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 28TH JUNE, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population to middle of 1919.	Annual Rate of Mortality per 1000 Living represented by Deaths: From All Causes.	From certain Epidemic Diseases.*	Total Deaths.	Ages at Death: Under 1 year.	1 and under 2	2 and under 5.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer	Diseases of the Respiratory System: Pneumonia.	Other	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years of age and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions: Hospitals, Prisons and Lunatic Asylums.	Workhouse Hospitals.	Number of Uncertified Deaths.
Col.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1 E. ..	30,000	21·3	1·3	160	26	4	10	7	7	34	34	38	·	·	·	3	·	·	·	·	23	8	8	17	21	7	·	1	9	1	28	15	4
" 1 W. ..	41,100	20·7	0·6	213	30	8	5	16	14	35	47	58	·	·	·	·	·	1	·	·	28	14	11	28	30	5	·	3	13	5	65	39	6
" 2 ..	27,500	19·1	0·3	131	23	6	4	14	12	12	32	28	·	·	·	·	·	·	·	·	19	13	4	12	23	2	·	1	6	2	32	17	2
" 3 ..	34,100	14·9	0·2	127	18	5	2	5	9	27	33	28	·	·	·	·	·	·	1	·	16	9	6	7	12	1	·	2	13	2	26	28	4
CLONTARF AND HOWTH, No. 1, part of.	5,500	10·9	·	15	1	1	·	·	·	2	5	6	·	·	·	·	·	·	·	·	1	·	2	3	2	·	·	·	1	·	5	1	·
COOLOCK AND DRUMCONDRA, part of.	13,600	15·0	0·3	51	4	·	1	3	5	14	6	18	·	·	·	·	·	·	1	·	7	4	1	10	4	·	·	2	3	4	18	1	·
FINGLAS AND GLASNEVIN, part of	11,100	13·7	0·4	38	7	·	2	2	7	6	4	10	·	·	·	·	·	·	·	·	3	·	1	6	6	1	·	·	7	1	5	1	1
South City.																																	
SOUTH CITY, No. 1	43,000	18·5	0·6	199	32	7	7	6	11	33	54	49	·	·	·	·	2	·	1	·	24	7	8	23	26	3	·	8	7	9	36	67	4
" 2	18,200	26·2	0·9	119	19	3	2	5	2	19	36	33	·	·	·	·	·	·	·	·	21	7	4	11	15	4	·	·	8	·	22	43	3
" 3	43,300	21·9	0·6	237	33	5	14	15	13	38	61	58	2	·	·	·	2	·	·	·	33	9	18	17	41	2	·	5	15	7	54	51	9
" 4	32,800	21·0	1·0	172	28	9	9	12	10	27	35	42	·	·	·	3	·	2	·	·	22	10	4	14	25	3	·	4	16	3	41	26	11
NEW KILMAINHAM	10,300	13·2	0·4	34	3	2	2	2	4	7	9	5	·	·	·	·	1	·	·	·	5	1	1	3	7	·	·	·	4	·	7	4	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	15·6	0·1	154	13	4	·	5	8	27	36	61	·	·	·	·	·	1	·	·	19	6	14	11	19	·	·	·	15	·	48	9	3
PEMBROKE	29,500	16·9	0·4	125	13	4	4	6	8	14	31	45	·	·	·	·	·	·	1	·	11	7	10	16	19	2	·	·	10	·	34	9	2
BLACKROCK	9,000	16·9	0·4	38	5	2	·	1	·	4	8	18	·	·	·	·	·	·	·	·	5	·	2	3	2	1	·	·	5	·	4	3	3
KINGSTOWN	16,600	17·1	1·0	71	7	·	1	4	2	14	15	28	1	·	·	·	·	3	·	·	7	·	2	5	6	·	·	2	11	·	15	4	1
Total City. North, ...	162,900	18·0	0·5	735	109	24	24	47	54	130	161	186	·	·	·	3	·	1	2	·	97	48	33	83	98	16	·	9	52	15	179	102	17
Total City. South, ...	147,600	20·6	0·7	761	115	26	34	40	40	124	195	187	2	·	·	3	5	2	1	·	105	34	35	68	114	12	·	17	50	19	160	191	27
Total City. North and South,	310,500	19·3	0·6	1,496	224	50	58	87	94	254	356	373	2	·	·	6	5	3	3	·	202	82	68	151	212	28	·	26	102	34	339	293	44
Total Urban Districts, ..	94,500	16·4	0·4	388	38	10	5	16	18	59	90	152	1	·	·	·	·	4	1	·	42	13	28	35	37	3	·	2	41	·	101	25	9
Total Registration Area, ..	405,000	18·6	0·6	1,884	262	60	63	103	112	313	446	525	3	·	·	6	5	7	4	·	244	95	96	186	249	31	·	28	143	34	440	318	53
Deaths in institutions of Persons admitted from without the Registration Area (not included in above).				158	6	·	4	1	25	56	41	25	1	·	·	·	·	·	1	·	18	11	21	9	4	2	·	7	12	3	148	10	2

* See note (*) on page 260*d*.

TABLE IV.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATION or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ended Saturday, 28th June, 1919**; the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1911.	REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 28TH JUNE 1919.																											
			Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths	AGES.							CAUSES OF DEATH																		
					Under 5 Years.	5 and under 15.	15 and under 25	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia	Diseases of the Respiratory System. Other	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence	Other Causes.	Number of Uncertified Deaths.
	ALL PERSONS, ...	397,957	.	2,042	395	104	137	369	487	325	225	4	.	.	6	5	7	5	.	262	106	117	35	195	253	33	.	35	979	55
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,..	14,658	18·0	66	5	1	4	10	10	19	17	1	.	.	.	.	.	.	.	3	1	2	.	9	6	.	.	.	44	.
II.	MIDDLE CLASS	101,798	16·6	422	47	14	30	83	104	72	72	.	.	.	1	2	2	1	.	55	13	37	4	35	36	4	.	2	230	10
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS..	108,420	17·0	461	76	25	42	96	122	65	35	2	.	.	1	1	1	1	.	73	25	32	5	53	52	7	.	9	199	12
IV.	GENERAL SERVICE CLASS	167,479	18·3	765	225	59	51	139	151	84	56	1	.	.	4	2	4	3	.	93	56	29	26	77	92	14	.	21	343	33
V.	INMATES OF WORKHOUSES	5,602	.	328	42	5	10	41	100	85	45	.	.	.	.	.	.	.	.	38	11	17	.	21	67	8	.	3	163	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal and other Professions; Naval and Military Officers, and Heads of Public Departments ..	7,868	.	44	4	1	3	8	7	12	9	.	.	.	.	.	.	.	.	3	1	2	.	7	5	.	.	.	26	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	3. Persons of Rank and Property, not otherwise described	5,443	.	20	1	.	1	2	3	6	7	1	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	16	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	.	32	3	1	1	6	11	4	6	.	.	.	.	.	1	.	.	2	1	2	.	.	2	.	.	.	24	2
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	.	93	11	3	3	17	24	25	10	.	.	.	.	1	.	1	.	10	3	7	1	11	11	.	.	.	48	3
	6. Clerks and Commercial Assistants ..	33,249	.	112	26	2	17	29	22	12	4	.	.	.	1	1	1	.	.	21	5	4	2	12	5	3	.	.	57	3
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above	33,827	.	185	7	8	9	31	47	31	52	.	.	.	.	.	.	.	.	22	4	24	1	12	18	1	.	2	101	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers ..	11,777	.	40	9	3	1	8	8	7	4	.	.	.	.	.	.	.	.	4	1	1	2	6	6	2	.	.	18	1
	9. Building and Furnishing Trades ..	28,823	.	87	28	5	5	21	17	7	4	.	.	.	.	.	1	.	.	13	6	3	.	10	10	.	.	1	43	.
	10. Clothing Trades	20,026	.	60	4	5	7	13	14	12	5	2	.	.	.	.	.	.	.	15	1	3	.	4	8	.	.	1	26	2
	11. Food Supply Trades	8,952	.	23	5	.	2	2	6	6	2	.	.	.	.	.	.	.	.	2	4	2	1	1	3	2	.	.	8	1
	12. Other Trades and Callings ranking with Trades	32,070	.	228	27	11	24	47	71	29	19	.	.	.	1	1	.	1	.	38	11	22	.	26	21	3	.	7	97	7
	13. Petty Shopkeepers	6,772	.	23	3	1	3	5	6	4	1	.	.	.	.	.	.	.	.	1	2	1	2	6	4	.	.	.	7	1
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c.	12,977	.	125	40	15	8	33	16	6	7	.	.	.	.	1	2	1	.	21	11	6	3	8	9	1	.	5	57	6
	15. Domestic Servants	36,041	.	81	9	1	7	21	19	12	12	.	.	.	.	.	.	.	.	13	3	2	.	7	7	.	.	.	49	2
	16. Coach and Car Drivers, Vanmen, &c. ..	15,380	.	49	10	3	1	10	13	7	5	.	.	.	.	.	1	.	.	7	3	2	2	4	9	.	.	.	21	2
	17. Hawkers, Porters, Labourers, &c. ..	103,081	.	510	166	40	35	75	103	59	32	1	.	.	4	1	1	2	.	52	39	19	21	58	67	13	.	16	216	23
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates	5,602	.	328	42	5	10	41	100	85	45	.	.	.	.	.	.	.	.	38	11	17	.	21	67	8	.	3	163	.

TABLE V.—Showing by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK Registered during the **Quarter (13 weeks) ended 28th June, 1919,** Deaths in Public Institutions of persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of MORTALITY per 1,000 of the Population according to the Census of 1911, represented by the Deaths from all Causes and from certain Epidemic Diseases; the Number of Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 years and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	120	17·6	·	70	9	3	11	13	18	16	·	·	·	·	·	·	·	·	13	2	7	5	6	·	·	3	3	21	3
Do. 2 do.	49,500	295	15·4	0·1	190	17	8	30	34	49	52	·	·	·	·	1	·	·	·	22	10	20	14	29	·	·	4	5	51	2
Do. 3 do.	50,032	280	17·1	0·5	214	39	10	38	36	45	46	·	·	·	·	1		2	·	22	10	12	17	31	1	2	5	11	63	4
Do. 4 do.	32,637	206	17·5	0·2	143	31	5	21	26	26	34	·	·	·	·	·	1	·	·	21	11	7	7	17	·	1	3	3	62	4
Do. 5 do.	16,112	114	18·1	·	73	12	5	9	16	17	14	·	·	·	·	·	·	·	·	9	2	2	10	11	·	·	·	3	34	3
Do. 6 do.	37,293	200	15·1	0·2	141	17	4	11	33	30	46	·	·	·	·	·	·	·	·	18	2	10	10	26	·	2	1	1	34	1
Do. 7 do.	2,681	16	7·5	·	5	·	·	2	·	3	·	·	·	·	·	·	·	·	·	·	·	2	2	·	·	·	·	·	·	·
Do. 8 do.	5,964	26	21·5	·	32	1	·	5	7	11	8	·	·	·	·	·	·	·	·	4	·	2	1	5	·	·	·	·	8	·
Do. 9 do.	24,427	178	14·1	0·5	86	11	3	19	17	15	21	·	·	·	·	1	·	·	·	13	11	4	16	8	1	1	1	2	15	2
Do. 10 do.	28,958	199	13·5	0·4	98	15	8	17	19	24	15	·	·	·	·	1	·	·	·	18	6	4	9	10	2	·	4	5	18	·
Do. 11 do.	39,311	274	16·1	0·6	158	25	8	28	19	38	40	·	·	·	·	·	·	·	·	33	7	8	9	13	5	1	·	1	31	1
Do. 12 do.	38,076	268	13·3	0·4	127	22	11	22	22	26	24	·	·	·	·	·	·	·	·	29	5	3	8	26	4	·	5	6	36	·
Do. 13 do.	23,233	125	14·1	·	82	8	2	19	9	16	28	·	·	·	·	·	·	·	·	14	10	3	5	8	·	·	3	4	15	1
Do. 14 do.	175	1	22·7	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Do. 15 do.	22,669	166	24·9	0·5	141	24	9	16	25	36	31	·	·	·	·	1	·	·	·	29	4	6	17	18	2	·	1	1	48	3
Total, ...	386,947	2,468	15·6	0·3	1,561	231	76	248	277	354	375	·	·	·	·	5	1	2	·	245	80	90	131	208	15	7	30	45	436	24
City of Cork.																														
CORK URBAN No. 1 DISTRICT, ..	13,455	71	16·6	0·3	56	8	3	7	8	13	17	·	·	·	·	·	·	·	·	7	1	2	5	6	1	·	·	·	21	2
Do. 2 do. ..	10,399	63	17·7	1·5	46	4	3	3	10	13	13	·	1	·	·	·	·	2	·	10	3	2	4	5	1	·	1	·	18	2
Do. 3 do. ..	9,793	57	10·2	0·8	25	2	1	3	4	7	8	·	·	·	·	·	·	·	·	2	·	2	1	5	1	1	·	·	9	1
Do. 4 do. ..	9,139	40	17·1	·	39	6	2	3	6	8	14	·	·	·	·	·	·	·	·	1	3	1	6	10	·	·	·	·	13	2
Do. 5 do. ..	6,250	21	18·6	0·6	29	5	1	6	2	9	6	1	·	·	·	·	·	·	·	6	1	·	4	3	·	·	·	·	14	1
Do. 6 do. ..	11,581	70	15·2	0·3	44	3	3	6	11	9	12	·	1	·	·	·	·	·	·	2	3	4	2	4	·	·	2	2	17	·
Do. 7 do. ..	16,056	104	17·2	1·0	69	7	3	13	10	19	17	·	·	·	·	·	·	·	·	8	7	1	11	10	4	·	2	2	30	·
Total, ...	76,673	435	16·1	0·7	308	35	16	41	51	78	87	1	2	·	·	·	·	2	·	36	18	12	33	43	7	1	5	4	122	8

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919. † See note (*) on page 260*d*.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
4th September, 1919.

WILLIAM J. THOMPSON,
Registrar-General.

Printed under the Authority of His Majesty's Stationery Office,
By A. THOM & Co., Ltd., Crow Street, Dublin.
(13047). Wt. 210. 3, 380. 8/1919.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 27. VOL. LVI.] WEEK ENDING SATURDAY, 5TH JULY, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 20th September, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 12·2 and 13·4; Dublin Registration Area, 12·7 and 13·8; Dublin City, 13·8 and 14·5; Belfast, 11·3 and 12·3; Cork, 12·9 and 14·1; Londonderry, 17·8 and 15·9; Limerick, 8·1 and 13·2; and Waterford, 7·6 and 18·5.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·5 per 1,000. Among the 87 deaths from all causes for Belfast are 2 from scarlet fever, and 2 from diarrhœal diseases. Included in the 19 deaths from all causes for Cork is one from diphtheria, and of the 4 deaths from all causes for Waterford one is from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 192—92 boys and 100 girls—and the deaths to 115—57 males and 58 females.

The deaths registered, omitting the deaths (numbering 16) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 12·7 per 1,000 of the population. During the twenty-seven weeks ending with 5th July, the death-rate averaged 26·4 and was 4·1 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the twenty-seven weeks was 28·5 and for the corresponding period of the preceding ten years 23·7.

Of the 99 deaths appertaining to the Area, one was from diphtheria, 2 were from diarrhœa and enteritis of children under 2 years, one was from influenza, and one from cerebro-spinal fever.

In the 3 preceding weeks deaths from diarrhœa and enteritis of children under 2 years, numbered one, 3, and 0, and deaths from influenza 2, 6, and 3 respectively. There were no deaths from diphtheria registered in the 3 preceding weeks,

Deaths attributed to pneumonia were 13 (comprising 4 from broncho-pneumonia, one from lobar pneumonia, and 8 from pneumonia, type not distinguished).

Tuberculous disease caused 20 deaths (all of which were from pulmonary tuberculosis) as against 21, 25, and 30 in the 3 weeks preceding.

Four deaths were caused by cancer, 2 by meningitis, 6 by organic diseases of the heart, and 7 by bronchitis.

Among deaths of infants under one year old, 2 were due to convulsions, 2 to diarrhœa and enteritis, 7 to premature birth, and 4 to congenital debility.

There were 2 accidental deaths, of which one (that of a child aged 2½ years) was caused by burns, and one by drowning.

Twenty-seven of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 20 being infants under one year, of whom 16 were under one month old, and 22 deaths were those of persons aged 65 and upwards, of whom 15 were 70 years of age or over.

Of the 99 deaths recorded, 46 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 5th July, in 96 large English towns (including London, in which the rate was 10·0) was equal to an average annual death rate of 10·0 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 9·9 per 1,000 persons living, the rate for Glasgow being 9·9 and for Edinburgh 10·7.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 5th July. From this Report it appears that of 56 cases notified, 15 were pulmonary tuberculosis, 12 other forms of tuberculosis, 14 diphtheria, 12 scarlet fever, and 3 erysipelas. Among the 379 cases of infectious diseases in hospital at the close of the week were 139 of pulmonary tuberculosis, 89 of scarlet fever, 64 of diphtheria, 35 of measles, 28 of whooping-cough, 4 of erysipelas, one of enteric fever, and one of influenza.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 5th July, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	June 14	·	·	·	·	·	—	5	—	1	3	—	1	—	·	·	·	·	·	·	25	35
	June 21	·	4	·	·	·	—	8	—	3	·	—	·	—	·	·	·	·	·	·	17	32
	June 28	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	2	·	·	13	15
	July 5	1	·	·	·	·	—	3	—	·	3	—	·	—	·	·	·	1	·	·	17	25
Rathmines & Rathgar Urban District	June 14	·	·	·	·	·	—	1	—	1	1	—	·	—	·	·	·	·	·	·	—	3
	June 21	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	June 28	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	July 5	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
Pembroke Urban District	June 14	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·		·	·	·	·	·
	June 21	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
	June 28	·	·	·	·	·	·	·	·	·	1	·	·	—	·	·	·	·	1	·	·	2
	July 5	·	·	·	·	·	·	·	·	·	1	·	·	—	·	·	·	·	·	·	·	1
Blackrock Urban District	June 14	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	June 21	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	June 28	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	July 5	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	June 14	2	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	2
	June 21	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	June 28	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	July 5	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	—	·	·	1
City of Belfast	June 14	4	·	·	·	·	—	10	—	1	2	—	·	—	·	·	·	·	·	·	1	18
	June 21	·	·	·	·	·	—	23	—	1	·	—	·	—	·	·	·	·	·	·	2	26
	June 28	1	·	·	·	·	—	29	—	5	1	—	·	—	·	·	·	·	·	·	·	36
	July 5	·	·	·	·	·	—	30	—	3	·	—	·	—	·	·	·	·	·	·	1	34
City of Cork	June 14	1	1	·	·	·	·	·	—	3	·	—	·	·	·	2	·	·	—	·	—	7
	June 21	·	2	·	·	·	·	1	—	·	·	—	·	·	1	·	·	·	—	·	—	4
	June 28	·	·	1	·	·	·	·	—	2	1	—	·	·	·	2	·	·	—	·	—	6a
	July 5	·	·	·	·	·	·	·	—	2	·	—	·	1	·	5	·	·	—	·	—	8
City of Londonderry	June 14	·	·	·	·	·	—	2	—	2	·	—	·	—	·	·	·	·	·	—	—	4
	June 21	·	·	·	·	·	—	6	—	1	·	—	·	—		·	·	·	·	—	—	7
	June 28	·	·	·	·	·	—	3	—	2	·	—	·	—	·	·	·	·	·	—	—	5
	July 5	·	·	·	·	·	—	6	—	1	·	—	·	—	·	·	·	·	·	—	—	7
City of Limerick	June 14	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	June 21	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	June 28	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	July 5	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
City of Waterford	June 14	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	2	2
	June 21	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	2	2
	June 28	1	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	1
	July 5	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1

(a) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 5th July, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 2 and 5; typhus nil and 4; measles 7 and 17; scarlet fever 7 and 42*; and diphtheria 2 and 10. Nine cases of pneumonia were admitted during the week and 27 remained under treatment at its close, as compared with 18, 17, and 21 at the close of the 3 preceding weeks. Of the deaths in hospital during the week one was from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 5th July 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths: From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths: From certain Epidemic Diseases (b)	Registration—Week ending Saturday, 5th July, 1919. Numbers Registered. Births: Total Number.	Deaths: Total Number	Deaths: Under 1 year of Age.	Deaths: At 65 years and upwards.	Caused by: Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Meteorology (c) Week ending 5th July, 1919. Air Temperature: Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	25·8	12·2	0·5	566	267	40	61	1	·	·	·	2	·	2	·	42	9	22	23	21	4	1	7	9	92	12	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	24·7	12.7	0·4	192	99g	20	22	·	·	·	·	·	·	1	·	20	·	4	13	11	2	·	2	3	46	2	(d) 67·2	41·0	61·1	44·0	52·5	0·38
Urban Districts. CITY OF DUBLIN,	310,500	38·0	27·0	13·8	0·5	161	82	20	16	·	·	·	·	·	·	1	·	17	·	3	11	10	2	·	1	2	39	2	(e) 65·7	45·1	60·7	48·6	54·7	0·42
																													(f) 67·8	43·6	62·0	46·1	54·1	0·39
RATHMINES and RATHGAR	39,400	23·0	15·9	7·9	·	12	6	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	2	·	·	·	·	·	·	·
PEMBROKE, ..	29,500	18·8	14·1	12·4	·	8	7	·	1	·	·	·	·	·	·	·	·	1	·	1	2	1	·	·	·	·	5	·	·	·	·	·	·	·
BLACKROCK, ..	9,000	8·3	17·4	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ..	16,600	11·4	25·1	12·6	·	8	4	·	2	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	66	45	61·8	48·8	55·3	0·51
Urban Districts. BELFAST, ..	401,000	26·8	23·4	11·3	0·5	180	87	12	25	·	·	·	·	2	·	·	·	10	5	8	4	7	1	1	3	4	32	1	63·5	45·0	61·3	49·9	55·6	0·21
CORK, ...	76,673	28·6	24·0	12·9	0·7	50	19	3	·	·	·	·	·	·	·	1	·	5	·	2	2	2	·	·	1	1	3	1	66	49	62·7	50·6	56·7	0·47
LONDONDERRY, ..	41,000	15·9	28·0	17·8	·	22	14	1	3	·	·	·	·	·	·	·	·	3	·	3	1	·	·	·	1	1	2	2	·	·	·	·	·	·
LIMERICK, ..	38,518	16·1	32·5	8·1	·	24	6	1	1	·	·	·	·	·	·	·	·	·	·	3	2	·	·	·	·	·	2	·	71	44	65	47·8	56·4	0·28
WATERFORD, ..	27,464	19·1	13·3	7·6	1·9	7	4	·	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	1	69	45	66	46	56·0	0·56
GALWAY, ...	13,255	2·5				5	5	·	3	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	2	67	46	63	48·6	55·8	0·95
DUNDALK, ..	13,128	9·5				9	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LURGAN, ..	12,553	14·7				7	7	·	3	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	2	·	66·1	42·0	62·0	44·9	53·4	0·19
DROGHEDA, ..	12,501	8·4	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			5	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
LISBURN, ..	12,388	10·9				7	4	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	66	43	63·3	46	54·7	0·21
NEWRY, ...	11,963	17·0				·	4	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	66·1	42·0	62·0	44·9	53·4	0·19
PORTADOWN, ..	11,727	15·3				10	3	·	1	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	66·1	42·0	62·0	44·9	53·4	0·19
WEXFORD, ..	11,531	22·8				1	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
BALLYMENA, ..	11,381	9·3				35	4	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·
SLIGO, ...	11,163	3·8				5	3	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	66	45	61	48	54·5	0·45
KILKENNY, ..	10,514	11·4				2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	66	45	62·5	47·0	54·7	0·29
TRALEE, ...	10,300	17·4				·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
CLONMEL, ..	10,209	7·8				5	3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·	·
LONDON	4,206,901	—	—	10·0	—	1,448	773	80	271	1	—	·	8	6	3	9	—	86	20	91	31	43	15	10	44	87	375	·	69	45	64·1	48·3	56·2	0·98
EDINBURGH ...	336,500	—	—	10·7	—	111	69	12	22	·	·	·	6	·	2	·	—	—	—	—	—	—	1	—	2	—	—	—	61·0	43·0	53·9	45·9	49·9	0·36
GLASGOW	1,118,700	—	—	9·9	—	475	213h	24	55	·	·	·	4	·	5	1	—	—	—	—	—	—	3	—	12	—	—	—	66·8	45·4	60·1	48·8	54·4	0·15

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1917, and that for Glasgow and Edinburgh is the estimate in the middle of 1918. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Lisburn, Newry, and Portadown, those of Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal fever. (h) Including 2 deaths from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 27th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 5th July, 1919. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15	15—20	20—25	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	146·0	115	18	4	2	6	3	2	5	4	13	10	14	10	17	7	99
Enteric Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	7·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	24·0	22	.	.	.	.	2	1	2	3	4	3	5	1	1	.	20
Tuberculous Meningitis	2·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Abdominal Tuberculosis	1·0	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	8·8	8	.	.	.	.	.	.	.	.	1	1	3	1	2	.	4
Tumour, situation undefined.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·4	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2
Anæmia, Leucocythæmia.	·2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2
Other General Diseases	1·0	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	2
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Simple Meningitis ..	1·8	3	.	.	.	2	.	.	1	.	.	.	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	4·6	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Epilepsy.	·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Convulsions (non-puerperal).	4·0	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pericarditis ..	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	12·2	6	.	.	.	.	.	.	.	.	.	.	1	.	3	2	6
Embolism and Thrombosis (including Cerebral).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Diseases of the Larynx	·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Bronchitis	12·4	7	.	.	.	1	.	.	.	.	.	.	1	1	4	.	7
Broncho-pneumonia ..	5·2	4	.	1	1	1	.	.	.	.	.	.	.	1	.	.	4
Lobar pneumonia ..	1·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Pneumonia (type not distinguished).	3·4	9	1	1	.	.	.	.	.	.	2	1	1	2	1	.	8
Pleurisy	·8	2	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2
Pulmonary Congestion, Pulmonary Apoplexy.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1

in the TWENTY-SEVENTH WEEK, ending Saturday, 5th July, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 27th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 5th July, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	2·0	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	
Diarrhœa and Enteritis of Children under 2 years.	4·6	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	2	
Diarrhœa 2 years and upwards.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Enteritis 2 years and upwards.	·6	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	
Appendicitis and Typhlitis.	·4	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	
Hernia and Intestinal Obstructions.	·4	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	
Cirrhosis of Liver ..	1·2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	
Other Diseases of Liver	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Peritonitis (cause unknown).	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Digestive System.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Acute Nephritis ..	1·0	2	·	·	·	·	·	·	·	·	·	1	1	·	·	·	2	
Chronic Bright's Disease	3·8	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Genito-urinary System.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other causes incident to Pregnancy and Childbirth.	·4	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	
Diseases of Skin and Cellular Tissues.	1·4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	
Diseases of Locomotor System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Congenital Malformations.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Premature Birth ..	3·2	8	8	·	·	·	·	·	·	·	·	·	·	·	·	·	7	
Congenital Debility ..	3·8	4	4	·	·	·	·	·	·	·	·	·	·	·	·	·	4	
Old Age	4·4	5	·	·	·	·	·	·	·	·	·	·	·	·	2	3	5	
Other Specified Diseases	1·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
VIOLENCE.																		
Poisons or Poisonous Vapours.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Burns and Scalds ..	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	
Drowning	·4	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	
Suffocation in Bed, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Railways, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Vehicles and Horses ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Gunshot Wounds, &c.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Violent Deaths		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Not included in above—																		
Homicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ill-defined, &c., Causes,	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	

TABLE IV.—Showing for the WEEK ENDED 5TH JULY, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 5TH JULY, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes	From certain Epidemic Diseases*	Total Deaths	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	20·9	1·7	12	2	·	1	1	2	2	1	3	·	·	·	·	·	·	·	·	3	·	·	2	2	1	·	·	·	·	2	3	·
" 1, W., ...	41,100	12·7	·	10	2	·	1	1	·	1	4	1	·	·	·	·	·	·	·	·	3	·	·	1	2	·	·	·	1	·	2	3	·
" 2, ...	27,500	9·5	1·9	5	·	·	·	1	·	·	2	2	·	·	·	·	·	·	1	·	2	·	1	·	·	·	·	·	·	1	4	·	·
" 3, ...	34,100	6·1	·	4	1	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·
CLONTARF AND HOWTH, No. 1, part of	5,500	47·4	·	5	3	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	3·8	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	9·4	·	2	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·
South City																																	
SOUTH CITY, No. 1, ..	43,000	10·9	·	9	4	1	1	·	·	1	1	1	·	·	·	·	·	·	·	·	2	·	·	1	1	·	·	·	·	·	3	2	1
" 2, ...	18,200	20·1	2·9	7	1	·	·	·	1	2	3	·	·	·	·	·	·	·	·	·	1	·	·	4	·	1	·	·	·	·	3	1	·
" 3, ...	43,300	18·1	·	15	4	·	2	·	·	4	2	3	·	·	·	·	·	·	·	·	3	·	1	2	1	·	·	1	·	1	7	1	1
" 4, ...	32,800	17·5	·	11	2	·	·	1	3	1	1	3	·	·	·	·	·	·	·	·	3	·	1	·	3	·	·	·	·	·	4	2	·
NEW KILMAINHAM, ...	10,300	5·1	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	7·9	·	6	·	1	·	·	·	1	1	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	1	1	·
PEMBROKE	29,500	12·4	·	7	·	·	·	·	1	·	5	1	·	·	·	·	·	·	·	·	1	·	1	2	1	·	·	·	·	·	4	1	·
BLACKROCK, ...	9,000	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ...	16,600	12·6	·	4	·	·	·	·	2	·	·	2	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·
TOTAL CITY. North, ...	162,900	12·5	0·6	39	9	·	2	3	2	6	9	8	·	·	·	·	·	·	1	·	8	·	1	4	5	1	·	·	1	1	10	6	·
TOTAL CITY. South, ...	147,600	15·2	0·4	43	11	1	3	1	4	8	7	8	·	·	·	·	·	·	·	·	9	·	2	7	5	1	·	1	·	1	17	6	2
TOTAL CITY. North and South, ..	310,500	13·8	0·5	82	20	1	5	4	6	14	16	16	·	·	·	·	·	·	1	·	17	·	3	11	10	2	·	1	1	2	27	12	2
Total Urban Districts, ...	94,500	9·4	·	17	·	1	·	·	3	1	6	6	·	·	·	·	·	·	·	·	3	·	1	2	1	·	·	1	·	1	5	2	·
Total Registration Area, ..	405,000	12·7	0·4	99	20	2	5	4	9	15	22	22	·	·	·	·	·	·	1	·	20	·	4	13	11	2	·	2	1	3	32	14	2
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				16	2	·	1	1	·	8	2	2	·	·	·	·	·	·	·	·	2	2	4	1	·	·	·	·	·	·	15	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 5th July, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 5TH JULY, 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths
Cols.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	115	30	5	9	23	24	17	7	.	.	.	.	.	.	1	.	22	2	8	3	14	11	2	.	2	50	2
	CLASSES.																													
	DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	14·2	4	.	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
II.	MIDDLE CLASS	101,798	15·9	31	8	1	4	4	7	5	2	.	.	.	.	.	.	.	.	4	1	3	.	2	2	1	.	.	18	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	16·4	34	8	3	1	6	10	4	2	.	.	.	.	.	.	1	.	11	.	3	1	4	2	1	.	.	11	1
IV.	GENERAL SERVICE CLASS	167,479	9·7	31	10	1	4	9	2	4	1	.	.	.	.	.	.	.	.	4	1	1	2	3	3	.	.	1	16	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	15	4	.	.	4	4	3	.	.	.	.	.	.	.	.	.	3	.	1	.	5	3	.	.	1	2	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	4	.	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	6	1	1	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	4	.
	6. Clerks and Commercial Assistants,	33,249	—	11	4	.	4	.	2	1	.	.	.	.	.	.	.	.	.	3	.	1	.	1	1	.	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	11	1	.	.	3	3	2	2	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ..	28,823	—	7	3	.	.	1	3	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	.	.	2	.
	10 Clothing Trades, ...	20,026	—	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.
	11. Food Supply Trades, ...	8,952	—	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	18	4	3	.	3	4	2	2	.	.	.	.	.	.	1	.	4	.	1	1	2	1	.	.	.	8	1
	13. Petty Shopkeepers, ...	6,772	—	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	8	1	.	.	4	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	5	.
	15. Domestic Servants, ...	36,041	—	5	3	.	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	18	6	1	3	5	1	2	.	.	.	.	.	.	.	.	.	2	1	1	1	2	3	.	.	.	8	1
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	15	4	.	.	4	4	3	.	.	.	.	.	.	.	.	.	3	.	1	.	5	3	.	.	1	2	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5
No. of weeks in Annual Series ..	15	16	17	18	19	20	21	22	23	24	25	26	27	15	16	17	18	19	20	21	22	23	24	25	26	27
BIRTHS registered	190	145	169	136	215	182	169	217	178	187	198	196	192	162	145	170	197	189	190	191	185	203	205	195	257	180
Average Births in corresponding week of previous 10 years, ...	238	241	216	251	254	243	238	263	239	239	235	249	203	216	227	226	209	208	219	220	218	208	209	198	207	198
Number of Deaths, ...	196	177	146	148	134	139	118	123	120	104	119	107	99	184	131	125	119	114	116	118	98	95	104	91	98	87
Annual Death-rate per 1,000 ..	25·2	22·8	18·8	15·1	17·3	17·9	15·2	15·8	15·5	13·4	15·3	13·8	12·7	23·9	17·0	16·3	15·5	14·8	15·1	15·3	12·7	12·4	13·5	11·8	12·7	11·3
Average Deaths in corresponding week of previous 10 years, ...	191	189	161	167	184	154	151	143	140	142	129	126	129	166	162	154	138	133	142	133	125	120	122	120	136	128
Ages, .. Under one year, ..	29	22	19	17	12	22	17	18	18	12	18	17	20	25	23	20	23	18	11	14	13	9	13	14	18	12
1—5 years, ..	12	12	12	10	10	7	6	8	8	4	8	8	7	14	7	5	4	6	7	8	4	5	5	3	2	1
5—25 ,, ..	23	21	15	14	15	18	12	14	18	11	14	15	13	30	16	22	15	22	20	23	14	23	21	11	15	14
25—45 ,, ..	28	32	19	14	17	23	21	23	20	16	26	19	15	29	25	16	20	18	27	25	27	14	26	18	14	17
45—65 ,, ..	58	27	40	44	34	25	29	25	25	32	23	22	22	42	29	23	25	25	23	23	17	22	24	25	22	18
65 and upwards, ..	46	63	41	49	46	44	33	35	31	29	30	26	22	44	31	39	32	25	28	25	23	22	15	20	27	25
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	1	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	2	.	1	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	1	.	.	3	2
Whooping-cough, ...	2	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Diphtheria, ...	.	.	1	.	.	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	18	20	14	20	19	9	16	24	18	19	19	21	20	21	13	13	25	27	25	18	19	18	18	13	19	10
Tuberculosis { Other Forms, ..	5	11	5	8	5	8	6	7	9	2	6	9	.	7	6	9	5	7	1	11	6	6	9	4	5	5
Cancer, ...	9	9	7	10	6	5	5	9	7	9	5	8	4	6	6	8	7	8	8	7	4	4	7	6	10	8
Diseases of Respiratory System, { Pneumonia ..	24	22	16	13	10	15	11	6	6	8	12	9	13	20	13	13	9	11	7	6	9	7	5	3	7	4
Diseases of Respiratory System, { Others, ..	36	24	24	20	23	23	12	11	8	7	12	5	11	38	31	23	12	18	11	7	8	7	10	6	4	7
Diarrhœa and Enteritis, under 2 years, ...	2	1	3	2	3	4	3	2	3	1	3	.	2	1	1	.	2	2	1	3	2	.	1	.	1	1
Diarrhœa, 2 years and upwards..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	1	2	1	.	1
Violent Deaths, ...	2	5	3	1	2	1	2	1	4	2	1	.	2	3	3	2	1	1	2	4	1	3	1	1	1	3
Number of Uncertified Deaths, ..	6	5	2	2	3	4	10	6	2	2	2	2	2	4	1	3	3	.	.	2	1	.	2	1	2	1
A Mean Maximum Temperature in degs.	55·6	55·4	54·7	51·4	56·9	66·9	62·3	67·8	68·0	65·5	66·3	61·6	61·1	54·9	53·5	55·2	50·8	56·8	63·6	62·9	67·5	59·0	63·7	63·4	60·0	61·3
B Mean Minimum ,, ,,	40·6	41·5	34·4	35·6	37·4	44·3	45·5	44·0	48·4	44·5	48·3	46·3	41·0	41·0	41·0	41·9	38·3	42·6	50·6	47·2	49·4	50·9	50·3	47·4	47·4	49·9
Mean of A and B ,, ,,	48·1	48·5	44·6	43·5	47·2	55·6	53·9	55·9	58·2	55·0	55·8	54·0	52·5	48·0	47·3	48·6	44·5	49·7	57·1	55·1	58·4	55·0	57·0	55·4	53·7	55·6
Rainfall in inches	0·22	0·50	0·27	0·71	0·14	0·34	0·79	0·00	0·05	1·47	0·21	0·63	0·38	0·39	0·52	0·30	0·50	0·35	0·21	0·42	0·11	0·03	1·60	0·39	0·36	0·21

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 5th July, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS. Pulmonary.	Other Forms	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	10	16·4	·	5	1	·	1	2	·	1	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	1	1	5	·
Do. 2 do.	49,500	22	8·4	·	8	2	·	1	2	3	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	1	1	2	·
Do. 3 do.	50,032	24	8·3	1·0	8	·	·	2	2	·	4	·	·	·	·	1	·	·	·	1	1	·	·	2	·	·	·	·	4	·
Do. 4 do.	32,637	15	19·2	·	12	3	·	2	2	1	4	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	·	·	5	·
Do. 5 do.	16,112	13	6·5	·	2	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 6 do.	37,293	22	11·2	·	8	2	·	1	1	1	3	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	·	·	2	1
Do. 7 do.	2,681	4	38·9	·	2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·
Do. 9 do.	24,427	10	12·8	2·1	6	1	·	1	1	2	1	·	·	·	·	·	·	·	·	1	·	1	·	·	1	·	·	·	2	·
Do. 10 do.	28,958	13	9·0	·	5	·	·	·	2	1	2	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	·	1	·
Do. 11 do.	39,311	23	11·9	·	9	·	·	2	1	2	4	·	·	·	·	·	·	·	·	·	2	2	1	·	·	·	1	1	3	·
Do. 12 do.	38,076	10	8·2	1·4	6	·	·	3	1	2	·	·	·	·	·	1	·	·	·	2	·	1	·	·	·	·	·	·	·	·
Do 13 do.	23,233	11	11·2	·	5	1	1	·	·	1	2	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	1	·	·
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	3	25·3	2·3	11	·	·	1	2	4	4	·	·	·	·	·	·	·	·	1	·	2	·	1	·	1	·	·	5	·
Total,	386,947	180	11·3	0·5	87	12	1	14	17	18	25	·	·	·	·	2	·	·	·	10	5	8	4	7	1	1	3	4	32	1
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	3	3·9	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	1	·
Do 2 do.	10,399	11	25·1	5·0	5	1	1	1	1	1	·	·	·	·	·	·	·	1	·	1	·	1	·	1	·	·	·	·	1	1
Do. 3 do.	9,793	8	5·3	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Do. 4 do.	9,139	7	5·7	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Do. 5 do.	6,250	6	25·0	·	3	·	·	·	2	1	·	·	·	·	·	·	·	·	·	2	·	·	1	·	·	·	·	·	·	·
Do 6 do.	11,581	7	13·5	·	3	1	·	·	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Do. 7 do	16,056	8	16·2	·	5	1	·	1	1	2	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	1	·
Total.	76,673	50	12·9	0·7	19	3	3	2	6	5	·	·	·	·	·	·	·	1	·	5	·	2	2	2	·	·	1	1	3	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 5th July, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 1, West ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3
" " 2, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	3
" " 3, ...	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	3	6
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	3	5
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	4
" " " 3, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	2
" " " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	1	.	.	.	.	3	.	.	3	.	.	.	.	1	.	.	17	25

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 5th July, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 5th July.			
	June 14.	June 21.	June 28.	No. admitted	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	4	5	3	2	.	.	5
Typhus, ...	.	4	4	.	.	.	4
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	20	12	13	7	3	.	17
Scarlet Fever, ...	40	44	46	7	11	.	42*
Diphtheria, ...	16	19	14	2	6	.	10
Pneumonia, ...	18	17	21	9	2	1	27

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13125). Wt. 4739. 3. 380. 9. 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 28. VOL. LVI.] WEEK ENDING SATURDAY, 12TH JULY, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 4th October, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 12·0 and 12·9; Dublin Registration Area, 13·1 and 13·7; Dublin City, 14·1 and 14·6; Belfast, 11·7 and 11·9; Cork, 12·9 and 14·1; Londonderry, 8·9 and 14·3; Limerick, 10·8 and 12·8; and Waterford, 17·1 and 15·7.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·5 per 1,000. Among the 90 deaths from all causes for Belfast are one from enteric fever, 3 from scarlet fever, and one from whooping-cough; and of the 3 deaths from from all causes for Dundalk one is from enteric fever. One of the 2 deaths recorded for Lisburn was caused by measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 198—104 boys and 94 girls—and the deaths to 116—66 males and 50 females.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 13·1 per 1,000 of the population. During the twenty-eight weeks ending with 12th July, the death-rate averaged 25·9 and was 3·8 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the twenty-eight weeks was 28·0 and for the corresponding period of the preceding ten years 23·6.

Of the 102 deaths appertaining to the Area, 3 were from diarrhœa and enteritis of children under 2 years, and 3 from influenza.

In the 3 preceding weeks deaths from diarrhœa and enteritis of children under 2 years numbered 3, 0, and 2, and deaths from influenza 6, 3, and one respectively.

Deaths attributed to pneumonia were 8 (comprising one from broncho-pneumonia, one from lobar pneumonia, and 6 from pneumonia, type not distinguished).

Tuberculous disease caused 13 deaths (comprising 10 from pulmonary tuberculosis, one from tuberculous meningitis, and 2 from other forms of tuberculous disease), as against 25, 30, and 20, in the three weeks preceding.

Twelve deaths were caused by cancer, 15 by organic diseases of the heart, and 9 by bronchitis.

Among deaths of infants under one year old, one was due to simple meningitis, 3 were due to to diarrhœa and enteritis, and 2 to congenital debility.

There were 2 accidental deaths.

Twelve of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 9 being infants under one year, of whom 2 were under one month old, and 30 deaths were those of persons aged 65 and upwards, of whom 20 were 70 years of age or over.

Of the 102 deaths recorded, 43 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 12th July, in 96 large English towns (including London, in which the rate was 10·0) was equal to an average annual death rate of 10·1 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 11·0 per 1,000 persons living, the rate for Glasgow being 10·5 and for Edinburgh 11·2.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 12th July. From this Report it appears that of 46 cases notified, 17 were scarlet fever, 13 diphtheria, 8 pulmonary tuberculosis, 5 other forms of tuberculosis, one enteric fever, one erysipelas, and one puerperal fever. Among the 401 cases of infectious diseases in hospital at the close of the week were 145 of pulmonary tuberculosis, 89 of scarlet fever, 64 of diphtheria, 47 of measles, 23 of whooping-cough, 5 of erysipelas, 2 of enteric fever, one of puerperal fever, and one of influenza.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 12th July, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	June 21	·	4	·	·	·	—	8	—	3	·	—	·	—	·	·	·	·	·	·	17	32
	June 28	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	2	·	·	13	15
	July 5	1	·	·	·	·	—	3	—	·	3	—	·	—	·	·	·	1	·	·	17	25
	July 12	·	·	·	·	·	—	9	—	1	·	—	1	—	·	·	·	·	1	·	13	25
Rathmines & Rathgar Urban District	June 21	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	June 28	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	July 5	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	July 12	·	·	·	·	·	—	2	—	1	·	—	·	—	·	·	·	·	·	·	—	3
Pembroke Urban District	June 21	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
	June 28	·	·	·	·	·	·	·	·	·	1	·	·	—	·	·	·	·	1	·	·	2
	July 5	·	·	·	·	·	·	·	·	·	1	·	·	—	·	·	·	·	·	·	·	1
	July 12	·	·	·	·	·	1	1	·	·	·	·	·	—	·	·	·	·	·	·	1	3
Blackrock Urban District	June 21	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	June 28	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	July 5	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	July 12	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	June 21	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	June 28	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	July 5	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	—	·	·	1
	July 12	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
City of Belfast	June 21	·	·	·	·	·	—	23	—	1	·	—	·	—	·	·	·	·	·	·	2	26
	June 28	1	·	·	·	·	—	29	—	5	1	—	·	—	·	·	·	·	·	·	·	36
	July 5	·	·	·	·	·	—	30	—	3	·	—	·	—	·	·	·	·	·	·	1	34
	July 12	2	·	·	·	·	—	17	—	1	·	—	·	—	·	·	·	·	·	·	6	26
City of Cork	June 21	·	2	·	·	·	·	1	—	·	·	—	·	·	1	·	·	·	—	·	—	4
	June 28	·	·	1	·	·	·	·	—	2	1	—	·	·	·	2	·	·	—	·	—	6a
	July 5	·	·	·	·	·	·	·	—	2	·	—	·	1	·	5	·	·	—	·	—	8
	July 12	·	·	·	·	·	·	·	—	1	·	—	·	2	·	·	·	·	—	·	—	3a
City of Londonderry	June 21	·	·	·	·	·	—	6	—	1	·	—	·	—	·	·	·	·	·	—	—	7
	June 28	·	·	·	·	·	—	3	—	2	·	—	·	—		·	·	·	·	—	—	5
	July 5	·	·	·	·	·	—	6	—	1	·	—	·	—	·	·	·	·	·	—	—	7
	July 12	1	·	·	·	·	—	4	—	·	1	—	·	—	·	·	·	·	·	—	—	6
City of Limerick	June 21	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	June 28	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	July 5	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	July 12	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
City of Waterford	June 21	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	2	2
	June 28	1	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	1
	July 5	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	July 12	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1

(a) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th July, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever nil and 4; typhus one and 5; measles 14 and 23; scarlet fever 13 and 42*; and diphtheria 3 and 11. Five cases of pneumonia were admitted during the week and 19 remained under treatment at its close, as compared with 17, 21, and 27 at the close of the 3 preceding weeks. Of the deaths in hospital during the week 2 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 12th July 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Deaths. Births.	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases (b)	Registration—Week ending Saturday, 12th July 1919. Numbers Registered. Births. Total Number	Deaths. Total Number	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Deaths. Caused by. Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Meteorology. (c) Week ending 12th July, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
Total of 19 Town Districts, ...	1,142,268	20·0	23·8	12·0	0·5	522	262	31	73	2	·	·	1	3	1	·	·	33	10	22	19	22	4	·	5	5	83	9	·	·	·	·	·	·
Dublin Registration Area, ...	405,000	28·9	25·5	13·1	0·4	198	102	9	30	·	·	·	·	·	·	·	·	10	3	12	8	10	3	·	2	2	43	1	(d) 69·0	38·0	65·6	43·8	54·7	0·18
Urban Districts. City of Dublin,	310,500	38·0	28·5	14·1	0·5	170	84	7	28	·	·	·	·	·	·	·	·	7	1	12	7	10	3	·	1	1	37	·	(e) 68·0 (f) 70·0	47·2 42·0	64·2 65·7	50·9 47·1	57·6 56·4	0·15 0·16
Urban Districts. Rathmines and Rathgar	39,400	23·0	14·6	6·6	·	11	5	1	·	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·	1	1	3	·	·	·	·	·	·	·
Urban Districts. Pembroke, ..	29,500	18·8	17·7	8·8	·	10	5	1	·	·	·	·	·	·	·	·	·	2	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. Blackrock, ..	9,000	8·3	5·8	17·4	·	1	3	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. Kingstown, ..	16,600	11·4	18·8	15·7	·	6	5	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	68	48	61·7	52	56·8	0·14
Urban Districts. Belfast, ..	401,000	26·8	23·1	11·7	0·7	178	90	11	22	1	·	·	·	3	1	·	·	12	3	5	8	7	·	·	2	2	26	1	66·0	46·0	63·7	50·7	57·2	0·02
Urban Districts. Cork, ...	76,673	28·6	27·2	12·9	·	40	19	1	5	·	·	·	·	·	·	·	·	3	2	1	·	·	·	·	·	·	3	1	70	51	6·3	53.1	5·7	0·04
Urban Districts. Londonderry, ..	41,000	15·9	25·4	8·9	·	20	7	·	1	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. Limerick, ..	38,518	16·1	43·3	10·8	·	32	8	2	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	1	1	1	2	69	45	64·5	49·9	57·2	0·18
Urban Districts. Waterford, ..	27,464	19·1	26·6	17·1	1·9	14	9	3	1	·	·	·	·	·	·	·	·	3	1	2	·	1	1	·	·	·	4	·	73	45	69	48	58·5	0·14
Urban Districts. Galway, ...	13,255	2·5				10	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	69	43	66	48·6	57·3	0·00
Urban Districts. Dundalk, ..	13,128	9·5				·	3	·	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Lurgan, ..	12,553	14·7				2	3	·	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	71·3	42·1	67·0	47·0	57·0	0·03
Urban Districts. Drogheda, ..	12,501	8·4				3	5	1	3	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	2	1	·	·	·	·	·	·
Urban Districts. Lisburn, ..	12,388	10·9				3	2	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	70	42	66·6	45·1	55·8	0·01
Urban Districts. Newry, ...	11,963	17·0				2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	71·3	42·1	67·0	47·0	57·0	0·03
Urban Districts. Portadown, ..	11,727	15·3				1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	71·3	42·1	67·0	47·0	57·0	0·03
Urban Districts. Wexford, ..	11,531	22·8				8	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Ballymena, ..	11,381	9·3				·	2	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. Sligo, ...	11,163	3·8				3	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	64	49	61	51	56	0·10
Urban Districts. Kilkenny, ..	10,514	11·4				1	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	2	·	70	45	66·0	48·2	57·1	0·13
Urban Districts. Tralee, ...	10,300	17·4				4	5	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. Clonmel, ..	10,209	7·8				3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
London	4,206,901	—	—	10·0	—	1,612	774	74	272	1	—	2	3	2	3	8	—	73	22	111	35	56	9	3	32	67	366	4	80	43	67·6	50·1	58·9	0·35
Edinburgh ...	336,500	—	—	11·2	—	97	72	2	28	·	·	·	1	1	3	·	—	—	—	—	—	—	·	—	1	—	—	—	71·0	44·0	63·0	48·0	55·5	0·11
Glasgow	1,118,700	—	—	10·5	—	455	225	38	56	1	·	·	3	1	6	·	—	—	—	—	—	—	2	—	11	—	—	—	72·1	46·3	65·8	50·1	58·0	0·01

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College, and those for Waterford by De La Salle College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 28th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 12th July, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
ALL CAUSES.	156·4	116	3	7	1	2	2	6	7	2	12	10	15	18	18	13	102	
Enteric Fever ..	·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Scarlet Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Whooping-cough ..	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diphtheria	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza	19·2	4	.	.	.	.	.	.	1	.	1	2	.	.	.	.	3	
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Pyæmia and Septicæmia (non-puerperal).	·6	2	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
TUBERCULOSIS.																		
Pulmonary Tuberculosis	19·6	11	.	.	.	.	.	2	1	1	3	2	.	2	.	.	10	
Tuberculous Meningitis	1·6	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1	
Abdominal Tuberculosis	·4	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	
Tuberculosis of the Spinal Column.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis of Joints	·4		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis of other Organs.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Disseminated Tuberculosis.	·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	
Venereal Diseases ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cancer	8·4	14	.	.	.	.	.	.	.	.	1	.	2	5	4	2	12	
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Rheumatic Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diabetes	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	
Anæmia, Leucocythæmia.	1·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	
Other General Diseases	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Simple Meningitis ..	1·6	4	.	1	1	.	.	1	.	.	1	.	.	.	.	.	4	
Cerebral Hæmorrhage, Apoplexy.	5·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	
Softening of Brain ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Paralysis, without specified cause.	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epilepsy, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Convulsions (non-puerperal).	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Other Diseases of Nervous System.	1·8	5	.	.	.	.	.	.	1	1	.	1	.	2	.	.	4	
Pericarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Acute Endocarditis ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Organic Diseases of the Heart.	12·0	15	.	.	.	.	.	1	.	.	.	2	3	4	3	2	15	
Embolism and Thrombosis (including Cerebral).	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	
Other Diseases of Circulatory System.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of the Larynx	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Bronchitis	9·2	9	.	.	.	1	.	.	.	.	1	.	1	2	2	2	9	
Broncho-pneumonia ..	4·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	
Lobar pneumonia ..	2·8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	
Pneumonia (type not distinguished).	9·2	6	.	.	.	.	.	1	.	.	1	.	3	1	.	.	6	
Pleurisy	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Pulmonary Congestion, Pulmonary Apoplexy.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Respiratory System	·8	2	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	

in the TWENTY-EIGHTH WEEK, ending Saturday, 12th July, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 28th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 12th July, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx Tonsillitis.	·4	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Diseases of Stomach ..	1·6	2	·	1	·	·	·	·	·	·	·	·	·	1	·	·	2
Diarrhœa and Enteritis of Children under 2 years.	2·6	3	1	2	·	·	·	·	·	·	·	·	·	·	·	·	3
Diarrhœa 2 years and upwards.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Appendicitis and Typhlitis.	·4	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·
Hernia and Intestinal Obstructions.	1·2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Cirrhosis of Liver ..	·8	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Other Diseases of Liver	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Peritonitis (cause unknown).	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Nephritis ..	·4	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1
Chronic Bright's Disease	3·6	6	·	·	·	·	·	·	·	·	·	2	1	·	3	·	5
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Puerperal Septicæmia, &c.	·4	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Other causes incident to Pregnancy and Childbirth.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	1·0	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Diseases of Locomotor System.	·2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Congenital Malformations.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Premature Birth ..	3·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Debility ..	2·6	3	2	1	·	·	·	·	·	·	·	·	·	·	·	·	2
Old Age	4·2	6	·	·	·	·	·	·	·	·	·	·	·	·	2	4	6
Other Specified Diseases	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
VIOLENCE.																	
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	·8	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1
Suffocation in Bed, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	6·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		3	·	·	·	·	1	·	·	·	1	·	1	·	·	·	1
Not included in above—																	
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	2·2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1

TABLE IV.—Showing for the WEEK ENDED 12TH JULY, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
					WEEK ENDED SATURDAY, 12TH JULY, 1919. DEATHS. CAUSED BY																												
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
North City, No 1, E., ...	30,000	13·9	3·5	8	3	·	·	1	2	·	2	·	·	·	·	·	·	·	·	·	·	·	1	2	·	2	·	·	1	·	1	1	·
" 1, W., ...	41,100	20·3	·	16	·	1	1	2	·	2	2	8	·	·	·	·	·	·	·	·	·	·	2	·	3	·	·	·	·	·	1	3	·
" 2, ...	27,500	13·3	·	7	1	·	·	·	·	2	1	3	·	·	·	·	·	·	·	·	1	·	1	·	3	·	·	·	·	·	·	·	·
" 3, ...	34,100	16·8	·	11	·	·	·	1	·	3	3	4	·	·	·	·	·	·	·	·	1	·	1	1	1	·	·	1	·	1	4	3	·
Clontarf and Howth, No. 1, part of	5,500	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Coolock and Drumcondra, part of ..	13,600	15·3	·	4	·	·	·	·	·	1	2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	3	·	·
Finglas and Glasnevin, part of ..	11,100	14·1	·	3	·	·	·	·	·	1	·	2	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	1	1	·
South City.																																	
South City, No. 1, ..	43,000	7·3	1·2	6	1	·	·	1	·	3	·	1	·	·	·	·	·	·	·	·	2	·	·	1	1	1	·	·	·	·	1	3	·
" 2, ...	18,200	14·3	·	5	·	·	1	·	1	1	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	2	
" 3, ...	43,300	15·7	·	13	1	·	·	·	1	·	7	4	·	·	·	·	·	·	·	·	2	·	3	·	1	·	·	·	·	·	4	3	·
" 4, ...	32,800	15·9	·	10	1	·	·	·	·	1	4	4	·	·	·	·	·	·	·	·	1	·	3	·	1	·	·	·	·	·	2	4	·
New Kilmainham, ...	10,300	5·1	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·
Urban Districts.																																	
Rathmines and Rathgar, ..	39,400	6·6	·	5	1	·	·	2	1	·	1	·	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·	1	·	1	2	1	·
Pembroke	29,500	8·8	·	5	1	·	·	·	2	·	2	·	·	·	·	·	·	·	·	·	2	·	·	1	·	·	·	·	·	·	1	·	·
Blackrock, ...	9,000	17·4	·	3	·	·	·	·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Kingstown, ...	16,600	15·7	·	5	·	·	·	·	·	1	3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	2	·	·
Total City, North, ...	162,900	15·7	0·6	49	4	1	1	4	2	9	10	18	·	·	·	·	·	·	·	·	2	·	6	5	7	2	·	1	2	1	10	8	·
Total City, South, ...	147,600	12·4	0·4	35	3	·	1	1	2	6	12	10	·	·	·	·	·	·	·	·	5	1	6	2	3	1	·	·	·	·	7	12	·
Total City, North and South, ..	310,500	14·1	0·5	84	7	1	2	5	4	15	22	28	·	·	·	·	·	·	·	·	7	1	12	7	10	3	·	1	2	1	17	20	·
Total Urban Districts, ...	94,500	9·9	·	18	2	·	·	2	3	2	7	2	·	·	·	·	·	·	·	·	3	2	·	1	·	·	·	1	1	1	5	1	1
Total Registration Area, ..	405,000	13·1	0·4	102	9	1	2	7	7	17	29	30	·	·	·	·	·	·	·	·	10	3	12	8	10	3	·	2	3	2	22	21	1
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				14	1	·	·	1	2	5	4	1	1	·	·	·	·	·	·	·	1	1	2	·	1	·	·	2	1	2	11	3	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 12th July, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 12TH JULY 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	116	13	8	9	22	33	18	13	1	.	.	.	.	.	.	.	11	4	14	.	8	11	3	.	4	60	1
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	10·7	3	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS	101,798	17·9	35	1	2	7	3	11	9	2	.	.	.	.	.	.	.	.	3	2	6	.	2	4	.	.	3	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	9·6	20	2	.	1	4	6	5	2	.	.	.	.	.	.	.	.	2	.	4	.	1	1	.	.	.	12	1
IV.	GENERAL SERVICE CLASS	167,479	10·6	34	7	6	1	7	10	.	3	.	.	.	.	.	.	.	.	3	1	4	.	4	3	3	.	1	15	.
V.	INMATES OF WORKHOUSES, ...	5,602	—	24	3	.	.	8	6	2	5	1	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	15	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
	6. Clerks and Commercial Assistants,	33,249	—	12	.	.	3	1	4	3	1	.	.	.	.	.	.	.	.	2	1	3	.	1	1	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	16	1	2	2	1	6	3	1	.	.	.	.	.	.	.	.	1	1	3	.	1	1	.	.	3	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ..	28,823	—	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	1
	10. Clothing Trades, ...	20,026	—	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
	11. Food Supply Trades, ...	8,952	—	3	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	9	1	.	.	2	3	2	1	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	5	.
	13. Petty Shopkeepers, ...	6,772	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	6	2	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	1	2	.	.	2	1	.	.	.	.
	15. Domestic Servants, ...	36,041	—	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	25	4	6	1	4	9	.	1	.	.	.	.	.	.	.	.	3	.	2	.	3	1	2	.	1	13	.
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	24	3	.	.	8	6	2	5	1	.	.	.	.	.	.	.	3	1	.	.	1	3	.	.	.	15	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Apr. 19.	Apr. 26	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.
No. of weeks in Annual Series ..	16	17	18	19	20	21	22	23	24	25	26	27	28	16	17	18	19	20	21	22	23	24	25	26	27	28
BIRTHS registered	145	169	166	215	182	160	217	178	187	198	196	192	198	145	170	197	189	190	191	185	203	205	195	257	180	178
Average Births in corresponding week of previous 10 years, ...	241	216	251	254	243	238	263	239	239	235	249	203	206	227	226	209	208	219	220	218	208	209	198	207	198	185
Number of Deaths, ...	177	146	148	134	139	118	123	120	104	119	107	99	102	131	125	119	114	116	118	98	95	104	91	98	87	90
Annual Death-rate per 1,000 ..	22·8	18·8	19·1	17·3	17·9	15·2	15·8	15·5	13·4	15·3	13·8	12·7	13·1	17·0	16·3	15·5	14·8	15·1	15·3	12·7	12·4	13·5	11·8	12·7	11·3	11·7
Average Deaths in corresponding week of previous 10 years, ...	189	161	167	184	154	151	143	140	142	129	126	129	142	162	154	138	133	142	133	125	120	122	120	136	128	123
Ages, .. Under one year, ..	22	19	17	12	22	17	18	18	12	18	17	20	9	23	20	23	18	11	14	13	9	13	14	18	12	11
1— 5 years, ..	12	12	10	10	7	6	8	8	4	8	8	7	3	7	5	4	6	7	8	4	5	5	3	2	1	6
5—25 ,, ..	21	15	14	15	18	12	14	18	11	14	15	13	14	16	22	15	22	20	23	14	23	21	11	15	14	17
25—45 ,, ..	32	19	14	17	23	21	23	20	16	26	19	15	17	25	16	20	18	27	25	27	14	26	18	14	17	13
45—65 ,, ..	27	40	44	34	25	29	25	25	32	23	22	22	29	29	23	25	25	23	23	17	22	24	25	22	18	21
65 and upwards, ..	63	41	49	46	44	33	35	31	29	30	26	22	30	31	39	32	25	28	25	23	22	15	20	27	25	22
Deaths from :—																										
Enteric Fever, ...	·	·	·	·	·	1	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	·	·	·	·	1	·	·	·	1	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Scarlet Fever, ...	·	1	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·	1	·	1	·	·	3	2	3
Whooping-cough, ...	3	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Diphtheria, ...	·	1	·	·	1	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	1	·	·
Dysentery, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis { Pulmonary, ..	20	14	20	19	9	16	24	18	19	19	21	20	10	13	13	25	27	25	18	19	18	18	13	19	10	12
Tuberculosis { Other Forms, ..	11	5	8	5	5	6	7	9	2	6	9	·	3	6	9	5	7	1	11	6	6	9	4	5	5	3
Cancer, ...	9	7	10	6	8	5	9	7	9	5	8	4	12	6	8	7	8	8	7	4	4	7	6	10	8	5
Diseases of Respiratory System, { Pneumonia ..	22	15	13	10	15	11	6	5	8	12	9	13	8	13	13	9	11	7	6	9	7	5	3	7	4	8
Diseases of Respiratory System, { Others, ..	24	24	20	23	23	12	11	8	7	12	5	11	10	31	23	12	18	11	7	8	7	10	6	4	7	7
Diarrhœa and Enteritis, under 2 years, ...	1	3	2	3	4	3	2	3	1	3	·	2	3	1	·	2	2	1	3	2	·	1	·	1	1	·
Diarrhœa, 2 years and upwards..	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	1	·	1	2	1	·	1	·
Violent Deaths, ...	5	3	1	2	1	2	1	4	2	1	·	2	2	3	2	1	1	2	4	1	3	1	1	1	3	2
Number of Uncertified Deaths, ..	5	2	2	3	4	10	6	2	2	2	2	2	1	1	3	3	·	·	2	1	·	2	1	2	1	1
A Mean Maximum Temperature in degs.	55·4	54·7	51·4	56·9	66·9	62·3	67·8	68·0	65·5	63·3	61·6	61·1	65·6	53·5	55·2	50·8	56·8	63·6	62·9	67·5	59·0	63·7	63·4	60·0	61·3	63·7
B Mean Minimum ,, ,,	48·5	34·4	35·6	37·4	44·3	45·5	44·0	48·1	44·5	48·3	46·3	44·0	43·8	41·0	41·9	38·3	42·6	50·6	47·2	49·4	50·9	50·3	47·4	47·4	49·9	50·7
Mean of A and B ,, ,,	47·5	44·6	43·5	47·2	55·6	53·9	55·9	58·2	55·0	55·8	54·0	52·5	54·7	47·3	48·6	44·5	49·7	57·1	55·1	58·4	55·0	57·0	55·4	53·7	55·6	57·2
Rainfall in inches	0·50	0·27	0·71	0·14	0·34	0·79	0·00	0·05	1·47	0·21	0·63	0·38	0·18	0·52	0·30	0·50	0·35	0·21	0·42	0·11	0·03	1·60	0·39	0·36	0·21	0·02

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 12th July, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	8	3·3	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 2 do.	49,500	20	10·5	2·1	10	1	4	2	1	.	2	.	.	.	.	1	1	.	.	2	.	.	2	.	.	.	1	1	2	.
Do. 3 do.	50,032	22	9·4	1·0	9	1	1	4	.	2	1	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.	4	.
Do. 4 do.	32,637	12	22·4	.	14	5		2	3	2	2	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	5	1
Do. 5 do.	16,112	7	9·7	3·2	3	.	1	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Do. 6 do.	37,293	14	9·8	.	7	1	.	2	1	1	2	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	1	.
Do. 7 do.	2,681	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	17·5	.	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.
Do. 9 do.	24,427	5	12·8	.	6	2	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 10 do.	28,958	15	10·8	.	6	1	.	1	1	2	1	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.	3	.
Do. 11 do.	39,311	23	13·3	1·3	10	.	.	1	4	2	3	1	.	.	.	.	.		.	2	.	1	1	.	.	.	.	.	4	.
Do. 12 do.	38,076	19	20·5	.	15	.	.	2	2	6	5	.	.	.	.	.	.	.	.	1	1	1	1	2	.	.	1	1	3	.
Do. 13 do.	23,233	19	4·5	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	9	11·5	.	5	.	.	.	.	3	2	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.	.
Total,	386,947	178	1[illegible]·7	0·7	90	11	6	17	13	21	22	1	.	.	.	3	1	.	.	12	3	5	8	7	.	.	2	2	26	1
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	9	3·9	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 2 do.	10,399	5	20·1	.	4	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 3 do.	9,793	2	10·6	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.
Do. 4 do.	9,139	10	11·4	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 5 do.	6,250	4	25·0	.	3	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Do. 6 do.	11,581	2	13·5	.	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 7 do.	16,056	8	13·0	.	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Total,	76,673	40	12·9	.	19	1	.	6	4	3	5	.	.	.	.	.	.	.	.	3	2	1	.	.	.	.	.	.	3	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 12th July, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 1, West ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 2, ...	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	1	5
" " 3, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	1	3
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	3
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " " 3, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	3
" " " 4, ...	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	2	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	.	.	.	.	9	1	.	.	1	.	.	.	.	1	.	13	25

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 12th July, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 12th July.			
	June 21.	June 28.	July 5.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	5	3	5	.	1	.	4
Typhus, ...	4	4	4	1	.	.	5
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	12	13	17	14	8	.	23
Scarlet Fever, ...	44	46	42	13	13	.	42*
Diphtheria, ...	19	14	10	3	2	.	11
Pneumonia, ...	17	21	27	5	11	2	19

* Exclusive of 14 patients in "Peneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13124). Wt. 4739. 3. 380. 9. 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd. 116, Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1;
37, Peter Street, Manchester; 1, St Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 29. Vol. LVI.] Week ending Saturday, 19th July, 1919. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 21st July, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 11·3 and 12·3; Dublin Registration Area, 9·0 and 12·1; Dublin City, 9·6 and 13·1; Belfast, 10·9 and 11·7; Cork, 9·5 and 12·4; Londonderry, 17·8 and 15·3; Limerick, 10·8 and 11·5; and Waterford, 24·7 and 18·5.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·6 per 1,000. Among the 84 deaths from all causes for Belfast are one from measles, one from scarlet fever, one from diphtheria, and 2 from diarrhœal diseases. The 14 deaths from all causes for Londonderry include one from whooping-cough; and one of the 3 deaths from all causes for Newry is also from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 178—90 boys and 88 girls—and the deaths to 79—37 males and 42 females.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 9·0 per 1,000 of the population. During the twenty-nine weeks ending with 19th July, the death-rate averaged 25·3 and was 3·3 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the twenty-nine weeks was 27·4 and for the corresponding period of the preceding ten years 23·4.

Of the 70 deaths appertaining to the Area there were 7 from diarrhœal diseases and 2 from influenza.

In the 3 preceding weeks deaths from diarrhœal diseases numbered 0, 2, and 3, and deaths from influenza 3, one, and 3 respectively.

Deaths attributed to pneumonia were 5 (comprising 2 from broncho-pneumonia and 3 from pneumonia, type not distinguished).

Tuberculous disease caused 16 deaths (comprising 11 from pulmonary tuberculosis, one from tuberculous meningitis, and 4 from other forms of tuberculous disease), as against 30, 20, and 13, in the three weeks preceding.

Six deaths were caused by cancer, 9 by organic diseases of the heart, and 3 by bronchitis.

Among deaths of infants under one year old, 2 were due to convulsions, one to bronchitis, 5 to diarrhœa and enteritis, one to premature birth, and 2 to congenital debility.

The one death attributed to violence was caused by a vehicle.

Fourteen of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 11 being infants under one year, of whom 3 were under one month old, and 15 deaths were those of persons aged 65 and upwards, of whom 12 were 70 years of age or over.

Of the 70 deaths recorded, 29 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 19th July, in 96 large English towns (including London, in which the rate was 9·2) was equal to an average annual death rate of 9·0 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 10·6 per 1,000 persons living, the rate for Glasgow being 10·6 and for Edinburgh 9·1.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 19th July. From this Report it appears that of 51 cases notified, 19 were scarlet fever, 15 diphtheria, 10 pulmonary tuberculosis, 5 other forms of tuberculosis, one erysipelas, and one cerebro-spinal fever. Among the 394 cases of infectious diseases in hospital at the close of the week were 134 of pulmonary tuberculosis, 99 of scarlet fever, 63 of diphtheria, 47 of measles, 21 of whooping-cough, 4 of erysipelas, one of influenza, one of enteric fever, one of puerperal fever, and one of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 19th July, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	June 28	.	.	.	.	.	—		—	.	.	—	.	—	.	.	.	2	.	.	13	15
	July 5	1	.	.	.	.	—	3	—	.	3	—	.	—	.	.	.	1	.	.	17	25
	July 12	.	.	.	.	.	—	9	—	1	.	—	1	—	.	.	.	.	1	.	13	25
	July 19	1	1	.	.	.	—	3	—	4	1	—	.	—	.	.	.	.	1	.	21	32
Rathmines & Rathgar Urban District	June 28	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	July 5	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1
	July 12	.	.	.	.	.	—	2	—	1	.	—	.	—	.	.	.	.	.	.	—	3
	July 19	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1
Pembroke Urban District	June 28	.	.	.	.	.	.	.	.	.	1	.	.	—	.	.		.	1	.	.	2
	July 5	.	.	.	.	.	.	.	.	.	1	.	.	—	.	.	.	.	.	.	.	1
	July 12	.	.	.	.	.	1	1	.	.	.	.	.	—	.	.	.	.	.	.	1	3
	July 19	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	1	1
Blackrock Urban District	June 28	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	July 5	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	July 12	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	July 19	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	June 28	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	July 5	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
	July 12	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	July 19	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
City of Belfast	June 28	1	.	.	.	.	—	29	—	5	1	—	.	—	.	.	.	.	.	.	.	36
	July 5	.	.	.	.	.	—	30	—	3	.	—	.	—	.	.	.	.	.	.	1	34
	July 12	2	.	.	.	.	—	17	—	1	.	—	.	—	.	.	.	.	.	.	6	26
	July 19	1	.	1	.	.	—	12	—	4	.	—	.	—	.	.	.	.	.	.	.	18
City of Cork (a)	June 28	.	.	1	.	.	.		—	2	1	—	.	.	.	2	.	.	—	.	—	6
	July 5	.	.	.	.	.	.	.	—	2	.	—	.	1	.	5	.	.	—	.	—	8
	July 12	.	.	.	.	.	.	.	—	.	1	—	.	2	.	.	.	.	—	.	—	3
	July 19	1	.	.	.	.	.	.	—	2	.	—	.	.	.	.	.	.	—	.	—	3
City of Londonderry	June 28	.	.	.	.	.	—	3	—	2	.	—	.	—	.	.	.	.	.	—	—	5
	July 5	.	.	.	.	.	—	6	—	1	.	—	.	—		.	.	.	.	—	—	7
	July 12	1	.	.	.	.	—	4	—	.	1	—	.	—	.	.	.	.	.	—	—	6
	July 19	.	.	.	.	.	—	2	—	2	1	—	.	—	.	.	.	.	.	—	—	5
City of Limerick	June 28	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	July 5	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	July 12	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	July 19	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
City of Waterford	June 28	1	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	1
	July 5	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	1	1
	July 12	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	1	1
	July 19	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	23	23

(a) One case of varicella was notified during each of the weeks ended 28th June and 12th July, and one case of cerebro-spinal fever during the week ended 19th July.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 19th July, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever nil and 3; typhus one and 2; measles 7 and 16; scarlet fever 5 and 40*; and diphtheria 2 and 8. Eleven cases of pneumonia were admitted during the week and 23 remained under treatment at its close, as compared with 21, 27, and 19 at the close of the 3 preceding weeks. Of the deaths in hospital during the week one was from enteric fever and 2 were from pneumonia.

* See note (*) at foot of Table IX.

Table II.—BIRTHS and DEATHS registered during the week ending Saturday, 19th July, 1919, in the Dublin Registration Area and in each of the under-mentioned 18 Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the Principal Causes, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 19th July, 1919. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Deaths. Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Meteorology. (c) Week ending 19th July, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
Total of 19 Town Districts, ...	1,142,268	20·0	22·8	11·3	0·6	500	247	36	58	·	·	·	1	1	2	1	·	35	17	18	12	13	7	2	10	11	77	13	° ·	° ·	° ·	° ·	° ·	·
Dublin Registration Area, ...	405,000	28·9	22·9	9·0	0·9	178	70	11	15	·	·	·	·	·	·	·	·	11	5	6	5	3	6	1	1	1	29	1	(d) 66·8	43·0	64·3	51·2	57·7	0·04
Urban Districts. City of Dublin,	310,500	38·0	25·5	9·6	0·8	152	57	10	9	·	·	·	·	·	·	·	·	10	2	4	4	3	5	·	1	1	28	·	(e) 66·9 (f) 67·6	46·3 44·0	64·1 65·4	54·1 52·4	59·1 58·9	0·08 0·10
Urban Districts. Rathmines and Rathgar	39,400	23·0	9·3	2·6	·	7	2	·	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. Pembroke, ..	29,500	18·8	23·0	5·3	·	13	3	·	1	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Blackrock, ..	9,000	8·3	11·6	34·8	11 6	2	6	1	3	·	·	·	·	·	·	·	·	·	2	1	·	·	1	1	·	·	·	·	·	·	·	·	·	·
Urban Districts. Kingstown, ..	16,600	11·4	12·6	6·3	·	4	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	69	47	65·3	54·1	59·7	0·08
Urban Districts. Belfast, ..	401,000	26·8	26·0	10·9	0·7	202	84	12	12	·	·	·	1	1	·	1	·	13	8	7	5	5	1	1	1	1	25	3	68·0	46·0	62·6	52·2	57·4	0·23
Urban Districts. Cork, ...	76,673	28·6	21·1	9·5	·	31	14	3	3	·	·	·	·	·	·	·	·	2	2	·	·	·	·	·	2	2	2	2	66	50	64·1	54·4	59 3	0·55
Urban Districts. Londonderry, ..	41,000	15·9	15·3	17·8	1·3	12	14	4	5	·	·	·	·	·	1	·	·	·	·	·	1	1	·	·	2	2	2	2	·	·	·	·	·	·
Urban Districts. Limerick, ..	38,518	16·1	17·6	10·8	·	13	8	2	·	·	·	·	·	·	·	·	·	3	·	·	·	2	·	·	·	·	2	2	68·0	41·0	65·0	51·4	58·2	0·41
Urban Districts. Waterford, ..	27,464	19·1	20·9	24·7	·	11	13	·	5	·	·	·	·	·	·	·	·	4	·	2	·	·	·	·	·	·	6	1	73	43	68	50	59	0·26
Urban Districts. Galway, ...	13,255	2·5				8	13	3	7	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	3	3	5	2	64	43	62	45	53·5	0·29
Urban Districts. Dundalk, ..	13,128	9·5				1	5	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	1	·	·	·	·	·	·	·	·
Urban Districts. Lurgan, ..	12,553	14·7				2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	67·3	45·2	63·8	51·8	57·8	0·31
Urban Districts. Drogheda, ..	12,501	8·4				9	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Lisburn, ..	12,388	10·9				10	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	70	43	64·7	50·9	57·8	0·32
Urban Districts. Newry, ...	11,963	17·0				4	3	1	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	67·3	45·2	63·8	51·8	57·8	0·31
Urban Districts. Portadown, ..	11,727	15·3				5	3	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	67·3	45·2	63·8	51·8	57·8	0·31
Urban Districts. Wexford, ..	11,531	22·8				3	5	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Ballymena, ..	11,381	9·3				2	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Sligo, ...	11,163	3·8				2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	67·0	45·0	62·0	51·0	56·5	1·27
Urban Districts. Kilkenny, ..	10,514	11·4				6	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	69	39	66·2	52·4	59·3	0 37
Urban Districts. Tralee, ...	10,300	17·4				1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Clonmel, ..	10,209	7·8				·	7	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	6	·	·	·	·	·	·	·
London	4,206,901	—	—	9·2	—	1,369	708	68	245	1	—	·	3	1	3	8	—	60	18	90	42	44	5	5	35	80	341	2	79	41	71·4	52·3	61·9	0·31
Edinburgh ...	336,500	—	—	9·1	—	81	59	4	22	·	·	·	1	·	1	·	—	—	—	—	—	—	1	—	—	—	—	—	69·0	43·0	66·4	49·3	57·9	0·18
Glasgow	1,118,700	—	—	10·6	—	456	227g	45	54	·	·	·	3	·	10	4	—	—	—	—	—	—	3	—	9	—	—	—	70·8	45·4	64·3	50·9	57·6	0 26

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 29th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 19th July, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.		
ALL CAUSES.	144·2	79	3	8	2	1	4	2	6	1	7	3	10	15	12	5	70
Enteric Fever ..	·2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	11·0	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1·0	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	20·0	11	.	.	.	.	.	1	1	.	4	2	1	1	1	.	11
Tuberculous Meningitis	2·8	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Abdominal Tuberculosis	2·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·4	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·8	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
Venereal Diseases ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	8·2	8	.	.	.	.	.	.	.	.	.	.	2	4	2	.	6
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Simple Meningitis ..	·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	4·4	5	.	.	.	.	.	.	.	.	.	.	2	1	2	.	5
Softening of Brain ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·0	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Epilepsy, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	3·2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pericarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	12·8	11	.	.	.	.	1	.	1	.	.	1	2	4	2	.	9
Embolism and Thrombosis (including Cerebral).	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	10·8	3	.	1	.	.	.	.	.	.	.	.	.	1	.	1	3
Broncho-pneumonia ..	3·0	3	.	.	.	.	.	.	.	.	1	.	.	2	.	.	2
Lobar pneumonia ..	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	6·8	3	.	.	.	.	1	.	1	.	.	.	.	.	1	.	3
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

in the TWENTY-NINTH WEEK, ending Saturday, 19th July, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 29th Week of the 5 years 1914-1918.	Deaths registered during week ending Saturday, 19th July, 1919.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.														
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
Diseases of the Pharynx Tonsillitis.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	1·2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Diarrhœa and Enteritis of Children under 2 years.	3·0	6	·	5	1	·	·	·	·	·	·	·	·	·	·	·	6
Diarrhœa 2 years and upwards.	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Enteritis 2 years and upwards.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Appendicitis and Typhlitis.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	1·6	2	·	·	·	·	·	·	·	·	1	·	·	·	·	1	2
Cirrhosis of Liver ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Peritonitis (cause unknown).	·4	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Other Diseases of Digestive System.	1·0	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1
Acute Nephritis ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Bright's Disease	3·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urinary Calculi ..	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Locomotor System.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Premature Birth ..	4·2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Congenital Debility ..	3·6	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	2
Old Age	4·6	3	·	·	·	·	·	·	·	·	·	·	·	·	1	2	2
Other Specified Diseases	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
VIOLENCE.																	
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·2	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	1·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Not included in above—																	
Homicide. ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	2·8	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·

TABLE IV.—Showing for the WEEK ENDED 19TH JULY, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 19TH JULY, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
					DEATHS.								CAUSED BY																					
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	1·7	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 1, W., ...	41,100	6·3	.	5	.	.	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	4	.	.
" 2, ...	27,500	11·4	1·9	6	1	.	.	.	1	.	3	1	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	.	.	.	1	2	.
" 3, ...	34,100	7·6	1·5	5	1	1	.	1	.	.	1	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.	4	.	.
CLONTARF AND HOWTH, No. 1, part of	5,500	9·5	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
COOLOCK AND DRUMCONDRA, part of ..	13,600	7·7	.	2	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
FINGLAS AND GLASNEVIN, part of ..	11,100	9·4	.	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City.																																	
SOUTH CITY, No. 1, ..	43,000	17·0	2·4	14	6	.	.	.	1	1	4	2	.	.	.	.	.	.	.	.	3	.	1	.	1	2	.	.	.	.	2	5	.
" 2, ...	18,200	5·7	.	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	1	.
" 3, ...	43,300	10·8	.	9	.	1	.	1	.	2	4	1	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.	1	1	1	2	.	.
" 4, ...	32,800	15·9	1·6	10	2	.	.	1	.	3	1	3	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	4	2	.
NEW KILMAINHAM, ...	10,300	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	2·6	.	2	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	1	.
PEMBROKE	29,500	5·3	.	3	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.
BLACKROCK, ...	9,000	34·8	11·6	6	1	.	.	.	.	.	2	3	.	.	.	.	.	.	.	.	.	2	1	.	.	1	1	.	.	.	.	.	.
KINGSTOWN, ...	16,600	6·3	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
TOTAL CITY. North, ...	162,900	7·0	0·6	22	2	1	.	4	3	2	7	3	.	.	.	.	.	.	.	.	4	1	1	2	.	2	.	.	1	.	9	2	.
TOTAL CITY. South, ...	147,600	12·4	1·1	35	8	1	.	2	1	6	11	6	.	.	.	.	.	.	.	.	6	1	3	2	3	3	.	1	1	1	9	8	.
TOTAL CITY. North and South, ..	310,500	9·6	0·8	57	10	2	.	6	4	8	18	9	.	.	.	.	.	.	.	.	10	2	4	4	3	5	.	1	2	1	18	10	.
Total Urban Districts, ...	94,500	7·2	1·1	13	1	.	1	.	.	1	4	6	.	.	.	.	.	.	.	.	1	3	2	1	.	1	1	.	.	.	.	1	1
Total Registration Area, ..	405,000	9·0	0·9	70	11	2	1	6	4	9	22	15	.	.	.	.	.	.	.	.	11	5	6	5	3	6	1	1	2	1	18	11	1
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				9	.	.	.	.	3	1	3	2	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	7	2	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 19th July, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 19TH JULY, 1919.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	79	14	6	7	10	25	12	5	1	.	.	.	.	.	.	.	11	5	8	2	6	3	6	1	1	35	1
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	10·7	3	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.
II.	MIDDLE CLASS	101,798	8·2	16	.	.	2	4	6	4	.	.	.	.	.	.	.	.	.	3	1	3	.	.	.	.	1	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	10·1	21	4	2	1	4	6	2	2	.	.	.	.	.	.	.	.	5	1	.	.	1	2	3	.	.	9	.
IV.	GENERAL SERVICE CLASS	167,479	8·1	26	3	4	4	2	11	2	.	1	.	.	.	.	.	.	.	2	1	3	1	4	1	.	.	1	12	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	13	6	.	.	.	2	3	2	.	.	.	.	.	.	.	.	1	1	2	.	.	.	3	.	.	6	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3 Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4 General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	6	.	.	.	2	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	5	.
	6 Clerks and Commercial Assistants,	33,249	—	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	6	.	.	1	.	3	2	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.	2	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8 Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	9. Building and Furnishing Trades, ..	28,823	—	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.
	10 Clothing Trades, ...	20,026	—	4	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
	11. Food Supply Trades, ...	8,952	—	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	10	2	.	.	1	5	1	1	.	.	.	.	.	.	.	.	1	1	.	.	1	1	1	.	.	5	.
	13. Petty Shopkeepers, ...	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	5	.	1	2	.	2	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.
	15. Domestic Servants, ...	36,041	—	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	16	1	3	2	2	7	1	.	.	.	.	.	.	.	.	.	2	.	1	.	3	1	.	.	1	8	1
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	13	6	.	.	.	2	3	2	.	.	.	.	.	.	.	.	1	1	2	.	.	.	3	.	.	6	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Apr. 26.	May 3.	May 10.	May 17.	May 24	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	Apr. 26	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.
No. of weeks in Annual Series ..	17	18	19	20	21	22	23	24	25	26	27	28	29	17	18	19	20	21	22	23	24	25	26	27	28	22
BIRTHS registered	169	166	215	182	169	217	178	187	198	196	192	198	178	170	197	198	190	191	185	203	205	195	257	180	178	202
Average Births in corresponding week of previous 10 years, ...	216	251	254	243	238	263	239	239	235	249	203	206	216	226	209	208	219	220	218	208	209	198	207	198	185	214
Number of Deaths, ...	146	148	134	139	118	123	120	104	119	107	90	102	70	125	119	114	116	113	98	95	104	91	98	87	90	84
Annual Death-rate per 1,000 ..	18·8	19·1	17·3	17·9	15·2	15·8	15·5	13·4	15·3	13·8	12·7	13·1	9·0	16·3	15·5	14·8	15·1	15·3	12·7	12·4	13·5	11·8	12·7	11·3	11·7	10·9
Average Deaths in corresponding week of previous 10 years, ...	161	167	184	154	151	143	140	142	129	126	129	142	132	154	138	133	142	133	125	120	122	120	136	128	123	114
Ages, .. Under one year, ..	19	17	12	22	17	18	18	12	18	17	20	9	11	20	23	18	11	14	13	9	13	14	18	12	11	12
1— 5 years, ..	12	10	10	7	6	8	8	4	8	8	7	3	3	5	4	6	7	8	4	5	5	3	2	1	6	5
5—25 ,, ..	15	14	15	18	12	14	18	11	14	15	13	14	10	22	15	22	20	23	14	23	21	11	15	14	17	10
25—45 ,, ..	19	14	17	23	21	23	20	16	26	19	15	17	9	16	20	18	27	25	27	14	26	18	14	17	13	14
45—65 ,, ..	40	44	34	25	29	25	25	32	23	22	22	29	22	23	25	25	23	23	17	22	24	25	22	18	21	31
65 and upwards, ..	41	49	46	44	33	35	31	29	30	26	22	30	15	39	32	25	28	25	23	22	15	20	27	25	22	12
Deaths from :—																										
Enteric Fever, ...	·	·	·	·	1	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	·	·	·	1	·	·	·	1	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Scarlet Fever, ...	1	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·	1	·	1	·	·	3	2	3	1
Whooping-cough, ...	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·
Diphtheria, ...	1	·	·	1	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	1	·	·	1
Dysentery, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis { Pulmonary, ..	14	20	19	9	16	24	18	19	19	21	20	10	11	13	25	27	25	18	19	18	18	13	19	10	12	13
Tuberculosis { Other Forms, ..	5	8	5	8	6	7	9	2	6	9	·	3	5	9	5	7	1	11	6	6	9	4	5	5	3	8
Cancer, ...	7	10	6	5	5	9	7	9	5	8	4	12	6	8	7	8	8	7	4	4	7	6	10	8	5	7
Diseases of Respiratory System, { Pneumonia ..	16	13	10	15	11	6	6	8	12	9	13	8	5	13	9	11	7	6	9	7	5	3	7	4	8	5
Diseases of Respiratory System, { Others, ..	24	20	23	23	12	11	8	7	12	5	11	10	3	23	12	18	11	7	8	7	10	6	4	7	7	5
Diarrhœa and Enteritis, under 2 years, ...	3	2	3	4	3	2	3	1	3	·	2	3	6	·	2	2	1	3	2	·	1	·	1	1	·	1
Diarrhœa, 2 years and upwards..	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	1	·	1	2	1	·	1	·	1
Violent Deaths, ...	3	1	2	1	2	1	4	2	1	·	2	2	1	2	1	1	2	4	1	3	1	1	1	3	2	1
Number of Uncertified Deaths, ..	2	2	3	4	10	6	2	2	2	2	2	1	1	3	3	·	·	2	1	·	2	1	2	1	1	3
A Mean Maximum Temperature in degs.	54·7	51·4	56·9	66·9	62·3	67·8	60·1	65·5	63·3	61·6	61·1	65·6	64·3	55·2	50·8	56·8	63·6	62·9	67·5	59·0	63·7	63·4	60·0	61·3	63·7	62·6
B Mean Minimum ,, ,,	34·4	35·6	37·4	44·3	45·5	44·0	45·2	44·5	48·3	46·3	44·0	43·8	51·2	41·9	38·3	42·6	50·6	47·2	49·4	50·9	50·3	47·4	47·4	49·9	50·7	52·2
Mean of A and B ,, ,,	44·6	43·5	47·2	55·6	53·9	55·9	52·7	55·0	55·8	54·0	52·5	54·7	57·7	48·6	44·5	49·7	57·1	55·1	58·4	55·0	55·4	59·2	53·7	55·6	57·2	57·4
Rainfall in inches	0·27	0·71	0·14	0·34	0·79	0·60	1·15	1·47	0·21	0·63	0·38	0·18	0·04	0·30	0·50	0·35	0·21	0·42	0·11	0·03	1·39	1·60	0·36	0·21	0·02	0·23

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 19th July, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms	Cancer	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No 1 DISTRICT,	15,879	10	19·7	·	6	1	·	2	1	2	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	3	·
Do 2 do.	49,500	22	16·9	1·1	16	4	·	1	2	6	3	·	·	·	·	·	·	1	·	2	2	1	·	2	·	·	·	·	4	3
Do. 3 do.	50,032	31	11·5	·	11	2	1	1	1	5	1	·	·	·	·	·	·	·	·	1	1	1	1	·	·	·	1	1	4	·
Do. 4 do.	32,637	18	9·6	·	6	·		1	3	1	1	·	·	·	·	·	·	·	·	4	1	·	·	·	·	·	·	·	2	·
Do. 5 do.	16,112	8	35·6	3·2	11	1	1	1	1	5	2	·	·	·	·	1	·	·	·	1	·	3	·	1	·	·	·	·	3	·
Do. 6 do.	37,293	23	8 4	·	6	·	·	1	1	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
Do. 7 do.	2,681	2	19·4	19·4	1	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·	·	·	·	·	·	·	·
Do. 9 do.	24,427	15	10·7	·	5	1	1	·	1	·	2	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	·	·	2	·
Do. 10 do.	28,958	10	10·8	·	6	·	·	·	1	5	·	·	·	·	·	·	·	·	·	3	·	1	·	1	·	·	·	·	1	·
Do. 11 do.	39,311	17	2·7	1·3	2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Do. 12 do	38,076	26	6·8	·	5	1	1	·	·	3	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	1	·
Do. 13 do.	23,233	7	18·0	2·2	8	1	·	3	2	1	1	·	·	·	·	·	·	·	·	·	1	1	2	·	·	1	·	·	·	·
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	10	2·3	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Total,	386,947	202	10·9	0·7	84	12	5	10	14	31	12	·	·	·	1	1	·	1	·	13	8	7	5	5	1	1	1	1	25	3
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	1	3·9	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do 2 do.	10,399	3	15·0	·	3	·	·	2	1	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·
Do. 3 do.	9,793	5	5·3	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 4 do	9,139	7	5·7	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 5 do.	6,250	3	41·7	·	5	2	·	2	1	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	1	1	·	2
Do 6 do.	11,581	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 7 do	16,056	8	9·7	·	3	·	·	·	1	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	1	·
Total.	76,673	31	9·5	·	14	3	·	4	3	1	3	·	·	·	·	·	·	·	·	2	2	·	·	·	·	·	2	2	2	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 19th July, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	4
" " 1, West ..	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	3
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3, ...	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	2	5
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	2	4
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " " 3, ...	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	9	12
" " " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	1	1	.		.	3	4	.	1	.	.	.	.	.	1	.	21	32

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 19th July, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 19th July.			
	June 28.	July 5.	July 12.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	3	5	4	.	.	1	3
Typhus, ...	4	4	5	1	4	.	2
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	13	17	23	7	14	.	16
Scarlet Fever, ...	46	42	42	5	7	.	40*
Diphtheria, ...	14	10	11	2	5	.	8
Pneumonia, ...	21	27	19	11	5	2	23

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), Crow-street, Dublin.

(13122). Wt. 4739. 3. 380. 9. 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD. 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 30. VOL. LVI.] WEEK ENDING SATURDAY, 26TH JULY, 1919. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 28th July, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 11·6 and 11·8; Dublin Registration Area, 11·5 and 11·6; Dublin City, 11·4 and 12·2; Belfast, 12·0 and 11·5; Cork, 11·6 and 9·5; Londonderry, 12·7 and 14·3; Limerick, 12·2 and 10·2; and Waterford, 1·9 and 12·8.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·5 per 1,000. The 92 deaths from all causes for Belfast include 2 from scarlet fever, and one from diarrhœa and enteritis of a child under 2 years. Among the 17 deaths from all causes for Cork are 2 from diphtheria and one from diarrhœa and enteritis of a child under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 207—116 boys and 91 girls—and the deaths to 102—47 males and 55 females.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 11·5 per 1,000 of the population. During the thirty weeks ending with 26th July, the death-rate averaged 24·8 and was 3·0 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the thirty weeks was 26·9 and for the corresponding period of the preceding ten years 23·2.

Of the 89 deaths appertaining to the Area, 2 were from diphtheria and 3 from diarrhœal diseases.

In the 3 preceding weeks, deaths from diphtheria numbered one, 0, and 0, and deaths from diarrhœal diseases 2, 3, and 7.

Deaths attributed to pneumonia were 4 (comprising one from broncho-pneumonia and 3 from pneumonia, type not distinguished).

Tuberculous disease caused 20 deaths (comprising 13 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 5 from other forms of tuberculous disease), as against 20, 13, and 16, in the three weeks preceding.

Four deaths were caused by cancer, 5 by organic diseases of the heart, and 8 by bronchitis.

Among deaths of infants under one year old, one was due to convulsions, 2 were due to diarrhœa and enteritis, 3 to premature birth, and one to congenital debility.

There were 3 accidental deaths, all of which were caused by vehicles and horses.

Fifteen of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 9 being infants under one year, of whom 4 were under one month old, and 25 deaths were those of persons aged 65 and upwards, of whom 22 were 70 years of age or over.

Of the 89 deaths recorded, 43 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 26th July, in 96 large English towns (including London, in which the rate was 10·5) was equal to an average annual death rate of 10·3 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 11·1 per 1,000 persons living, the rate for Glasgow being 10·3 and for Edinburgh 12·7.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 26th July. From this Report it appears that of 52 cases notified, 25 were scarlet fever, 8 diphtheria, 7 erysipelas, 5 pulmonary tuberculosis, and 7 other forms of tuberculosis. Among the 398 cases of infectious diseases in hospital at the close of the week were 136 of pulmonary tuberculosis, 117 of scarlet fever, 58 of diphtheria, 39 of measles, 22 of whooping-cough, 8 of erysipelas, one of enteric fever, and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford during the week ended 26th July, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total
City of Dublin	July 5	1	·	·	·	·	—	3	—	·	3	—	·	—	·	·	·	1	·	·	17	25
	July 12	·	·	·	·	·	—	9	—	1	·	—	1	—	·	·	·	·	1	·	13	25
	July 19	1	1	·	·	·	—	3	—	4	1	—	·	—	·	·	·	·	1	·	21	32
	July 26	2	1	·	·	·	—	7	—	6	1	—	·	—	·	·	·	·	·	·	16	33
Rathmines & Rathgar Urban District	July 5	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	July 12	·	·	·	·	·	—	2	—	1	·	—	·	—	·	·	·	·	·	·	—	3
	July 19	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	July 26	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	1	·	·	—	3
Pembroke Urban District	July 5	·	·	·	·	·	·	·	·	·	1	·	·	—	·	·	·	·	·	·	·	1
	July 12	·	·	·	·	·	1	1	·	·	·	·	·	—	·	·	·	·	·	·	1	3
	July 19	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	1	1
	July 26	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
Blackrock Urban District	July 5	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	July 12	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	July 19	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	July 26	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	July 5	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	—	·	·	1
	July 12	·	·	·	·	·	—	·	—		·	—	·	—	·	·	·	·	—	·	·	·
	July 19	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	July 26	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
City of Belfast	July 5	·	·	·	·	·	—	30	—	3	·	—	·	—	·	·	·	·	·	·	1	34
	July 12	2	·	·	·	·	—	17	—	1	·	—	·	—	·	·	·	·	·	·	6	26
	July 19	1	·	1	·	·	—	12	—	4	·	—	·	—	·	·	·	·	·	·	·	18
	July 26	·	·	·	·	·	—	10	—	4	·	—	·	—	·	·	·	·	·	·	·	14
City of Cork (a)	July 5	·	·	·	·	·	·	·	—	2	·	—	·	1	·	5	·	·	—	·	—	8
	July 12	·	·	·	·	·	·	·	—	·	1	—	·	2	·	·	·	·	—	·	—	3
	July 19	1	·	·	·	·	·	·	—	2	·	—	·	·	·	·	·	·	—	·	—	3
	July 26	·	·	·	·	·	·	·	—	5	1	—	·	1	·	·	·	·	—	·	—	7
City of Londonderry	July 5	·	·	·	·	·	—	6	—	1	·	—	·	—	·	·	·	·	·	—	—	7
	July 12	1	·	·	·	·	—	4	—	·	1	—	·	—	·	·	·	·	·	—	—	6
	July 19	·	·	·	·	·	—	2	—	2	1	—	·	—	·	·	·	·	·	—	—	5
	July 26	·	·	·	·	·	—	2	—	1	·	—	·	—	·	·	·	·	·	—	—	3
City of Limerick	July 5	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	July 12	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	July 19	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	July 26	·	·	·	·	·	—	3	—	1	·	—	·	—	·	·	·	·	·	·	—	4
City of Waterford	July 5	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—		1
	July 12	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	July 19	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	23	23
	July 26	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

(a) One case of varicella was notified during the week ended 12th July and one case of cerebro-spinal fever during the week ended 19th July.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 26th July, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever nil and 3; typhus nil and 2; measles 14 and 22; scarlet fever 16 and 46*; and diphtheria 10 and 12. Four cases of pneumonia were admitted during the week and 22 remained under treatment at its close, as compared with 27, 19, and 23 at the close of the 3 preceding weeks. Of the deaths in hospital during the week 2 were from diphtheria.

* See note (*) at foot of Table IX

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 26th July, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Deaths: From all Causes.	Deaths: From certain Epidemic Diseases. (b)	Births: Total Number	Deaths: Total Number	Under 1 year of Age	At 65 years and upwards	Enteric Fever	Typhus	Small-pox	Measles	Scarlet Fever	Whooping-cough	Diphtheria	Dysentery	Tuberculosis: Pulmonary	Tuberculosis: Other Forms	Cancer	Diseases of the Respiratory System: Pneumonia	Diseases of the Respiratory System: Other	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards	Violence	Inquest Cases	No. of Deaths in Public Institutions	Number of Uncertified Deaths	Meteorology (c) Week ending 26th July, 1919. Air Temperature: Absolute Highest	Absolute Lowest	Mean Maximum (A)	Mean Minimum (B)	Mean of (A) and (B)	Rainfall in Inches
Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	26·0	11·6	0·5	570	254	35	58	·	·	·	·	2	·	4	·	44	16	9	7	26	4	1	8	10	88	6	·	·	·	·	·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	26·7	11·5	0·6	207	89	9	25	·	·	·	·	·	·	2	·	13	7	4	4	12	2	1	3	3	43	1	(d) 70·2	42·0	67·1	47·0	57·1	0·46
Urban Districts. CITY OF DUBLIN,	310,500	38·0	28·9	11·4	0·7	172	68	8	19	·	·	·	·	·	·	2	·	10	6	1	4	10	1	1	2	2	32	1	(e) 67·6	49·7	64·8	51·3	58·1	0·48
																													(f) 70·0	45·0	66·9	48·5	57·7	0·41
RATHMINES and RATHGAR	39,400	23·0	23·8	15·9	1·3	18	12	1	4	·	·	·	·	·	·	·	·	2	1	2	·	2	1	·	1	1	4	·	·	·	·	·	·	·
PEMBROKE, ..	29,500	18·8	17·7	7·1	·	10	4	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·
BLACKROCK, ..	9,000	8·3	11·6	11·6	·	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·
KINGSTOWN, ..	16,600	11·4	15·7	9·4	·	5	3	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	·	67	49	64·8	52·4	58·6	0·58
Urban Districts. BELFAST, ..	401,000	26·8	30·9	12·0	0·4	238	92	19	18	·	·	·	·	2	·	·	·	18	6	2	3	8	1	·	3	5	25	1	71·5	48·0	65·1	51·3	58·2	0·01
CORK, ...	76,673	28·6	24·5	11·6	2·0	36	17	1	5	·	·	·	·	·	·	2	·	·	2	·	·	·	1	·	·	·	8	1	70	50	66·9	54·1	60·5	0·16
LONDONDERRY, ..	41,000	15·9	2 ·2	12·7	·	19	10	·	2	·	·	·	·	·	·	·	·	4	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·
LIMERICK, ..	38,518	16·1	20·3	12·2	·	15	9	2	1	·	·	·	·	·	·	·	·	2	·	·	·	3	·	·	·	·	4	3	·	·	·	·	·	·
WATERFORD, ..	27,464	19·1	22·8	1·9	·	12	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	76	47	71	49	60	0·43
GALWAY, ...	13,255	2·5				5	7	1	1	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	1	1	2	·	72	45	66	48·6	57·3	0·15
DUNDALK, ..	13,128	9·5				4	5	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	1	1	1	·	·	·	·	·	·	·
LURGAN, ..	12,553	14 7				4	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	72·6	45·1	67·6	49·6	58·6	0·04
DROGHEDA, ..	12,501	8·4				2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LISBURN, ..	12,388	10·9				8	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	76	42	69·6	48·3	59	0·02
NEWRY, ...	11,963	17·0				3	3	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	72 6	45·1	67·6	49·6	58·6	0·04
PORTADOWN, ..	11,727	15·3				4	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	72 6	45 1	67·6	49·6	58·6	0 04
WEXFORD, ..	11,531	22·8				8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
BALLYMENA, ..	11,381	9·3				·	4	·	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
SLIGO, ...	11,163	3·8				·	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	65	42	63	49	56	0·21
KILKENNY ..	10,514	11·4				4	3	·	1	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	1	·	73	44	68·2	49·7	59·0	0·38
TRALEE, ...	10,300	17·4				·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
CLONMEL, ..	10,209	7·8				1	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·
LONDON	4,206,901	–	—	10·5	—	1,6[illegible]1	809	85	252	1	—	·	5	4	·	6	—	91	17	100	43	5[illegible]	12	8	36	90	376	1	69	48	64·6	52·4	58·5	0·75
EDINBURGH ...	336,[illegible]00	—	—	12·7	—	126	8[illegible]g	18	23	·	·	·	2	·	·	3	—	—	—	—	—	—	1	—	2	—	—	—	66·0	46·0	63·7	49·3	56·5	0·02
GLASGOW	1,118,700	--	—	10·3	—	425	222g	28	60	·	·	·	4	·	5	·	—	—	—	—	—	—	2	—	15	—	—	—	75·2	45·6	68·6	49·1	58·9	0·02

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College and those for Waterford by De La Salle College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 30th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 26th July, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
ALL CAUSES.	130·6	102	5	6	2	4	3	1	4	4	9	7	13	18	10	16	89
Enteric Fever ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Typhus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Scarlet Fever ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Whooping-cough ..	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diphtheria	·2	2	·	·	1	1	·	·	·	·	·	·	·	·	·	·	2
Croup	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	5·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Dysentery	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Erysipelas	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Epidemic Diseases	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pyæmia and Septicæmia (non-puerperal).	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tetanus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
TUBERCULOSIS.																	
Pulmonary Tuberculosis	17·6	13	·	·	·	·	·	1	1	2	4	5	·	·	·	·	13
Tuberculous Meningitis	3·6	3	·	·	·	2	·	·	1	·	·	·	·	·	·	·	2
Abdominal Tuberculosis	1·6	2	·	·	·	·	·	·	1	·	·	·	1	·	·	·	1
Tuberculosis of the Spinal Column.	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Tuberculosis of Joints	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of other Organs.	·8	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Scrofula	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Disseminated Tuberculosis.	1·8	4	·	·	·	·	·	·	·	·	·	·	1	3	·	·	4
Venereal Diseases ..	·2	·	·	·	·	·	·	·	·		·	·	·	·	·	·	·
Cancer	9·2	6	·	·	·	·	·	·	·	·	·	·	2	3	·	1	4
Tumour, situation undefined.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Rheumatic Fever ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diabetes	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Anæmia, Leucocythæmia.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other General Diseases	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Alcoholism ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Poisonings ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cerebro-spinal Fever..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Simple Meningitis ..	2·8	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1
Cerebral Hæmorrhage, Apoplexy.	4·0	3	·	·	·	·	·	·	·	·	·	·	1	·	2	·	3
Softening of Brain ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Paralysis, without specified cause.	1·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Epilepsy, ...	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Convulsions (non-puerperal).	4·0	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Other Diseases of Nervous System.	1·2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Pericarditis ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Endocarditis ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Organic Diseases of the Heart.	10·6	6	·	·	·	·	·	·	·	·	·	·	3	·	2	1	5
Embolism and Thrombosis (including Cerebral).	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Circulatory System.	·6	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Diseases of the Larynx	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Bronchitis	7·8	10	·	2	·	·	·	·	·	·	·	·	1	1	3	3	8
Broncho-pneumonia ..	4·8	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1
Lobar pneumonia ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pneumonia (type not distinguished).	3·8	3	·	·	·	·	·	·	·	·	1	1	·	1	·	·	3
Pleurisy	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pulmonary Congestion, Pulmonary Apoplexy.	·4	3	·	·	·	·	·	·	·	·	·	·	·	1	·	2	3
Other Diseases of Respiratory System	·2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1

in the THIRTIETH WEEK, ending Saturday, 26th July, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 30th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 26th July,, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
Diseases of the Pharynx. Tonsillitis.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	2·8	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Diarrhœa and Enteritis of Children under 2 years.	5·2	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	2
Diarrhœa 2 years and upwards.	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Enteritis 2 years and upwards.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Appendicitis and Typhlitis.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	·8	2	·	·	1	·	·	·	·	·	·	·	·	1	·	·	1
Cirrhosis of Liver ..	·6	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Other Diseases of Liver	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Peritonitis (cause unknown).	1·2	2	·	·	·	·	·	·	1	·	·	·	·	1	·	·	1
Other Diseases of Digestive System.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Nephritis ..	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Bright's Disease	3·4	5	·	·	·	·	·	·	·	·	·	·	·	4	·	1	5
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·		·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	·6	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Puerperal Septicæmia, &c.	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Other causes incident to Pregnancy and Childbirth.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Locomotor System.	·2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Congenital Malformations.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Premature Birth ..	2·4	4	4	·	·	·	·	·	·	·	·	·	·	·	·	·	3
Congenital Debility ..	4·0	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Old Age	4·4	10	·	·	·	·	·	·	·	·	·	·	·	·	2	8	9
Other Specified Diseases	1·4	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1
VIOLENCE.																	
Poisons or Poisonous Vapours.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·2	3	·	·	·	·	1	·	·	1	·	·	1	·	·	·	3
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Not included in above—																	
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes.	1·8	3	·	·	·	·	·	·	·	·	1	·	·	2	·	·	3

TABLE IV.—Showing for the WEEK ENDED 26TH JULY, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted*

REGISTRARS' DISTRICTS, &c.	Estimated Population Middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
					WEEK ENDED SATURDAY, 26TH JULY, 1919. DEATHS. CAUSED BY																												
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	10·4	1·7	6	1	·	1	·	2	·	1	1	·	·	·	·	·	·	·	·	1	2	·	1	1	1	·	·	·	·	1	·	·
" 1, W., ...	41,100	12·7	·	10	1	·	1	2	1	3	1	1	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	4	2	·
" 2, ...	27,500	11·4	1·9	6	1	·	·	·	·	1	3	1	·	·	·	·	·	·	·	·	1	1	·	·	1	·	1	·	·	·	1	2	1
" 3, ...	34,100	13·8	1·5	9	1	·	1	·	·	1	1	5	·	·	·	·	·	·	1	·	1	·	·	·	2	·	·	·	·	·	3	2	·
CLONTARF AND HOWTH, No. 1, part of	5,500	19·0	·	2	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	3·8	·	1	·	·	·	·		·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	4·7	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	4·9	·	4	1	·	·	·	·	1	·	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·
" 2, ...	18,200	2·9	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·
" 3, ...	43,300	18·1	·	15	1	·	1	1	·	3	5	4	·	·	·	·	·	·	·	·	2	2	1	·	4	·	·	2	·	2	6	2	·
" 4, ...	32,800	19·1	1·6	12	2	2	·	·	1	3	2	2	·	·	·	·	·	·	1	·	3	1	·	·	·	·	·	·	·	·	6	·	·
NEW KILMAINHAM, ...	10,300	5·1	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	15·9	1·3	12	1	·	·	1	1	1	4	4	·	·	·	·	·	·	·	·	2	1	2	·	2	1	·	1	·	1	4	·	·
PEMBROKE	29,500	7·1	·	4	·	·	·	·	·	1	2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	3	·	·
BLACKROCK, ...	9,000	11·6	·	2	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·
KINGSTOWN, ...	16,600	9·4	·	3	·	·	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	1	·
TOTAL CITY. North, ...	162,900	11·2	1·0	35	4	·	3	2	3	5	7	11	·	·	·	·	·	·	1	·	3	3	·	4	6	1	1	·	·	·	10	6	1
TOTAL CITY. South, ...	147,600	11·7	0·4	33	4	2	1	1	2	7	8	8	·	·	·	·	·	·	1	·	7	3	1	·	4	·	·	2	·	2	14	2	·
TOTAL CITY. North and South, ..	310,500	11·4	0·7	68	8	2	4	3	5	12	15	19	·	·	·	·	·	·	2	·	10	6	1	4	10	1	1	2	·	2	24	8	1
Total Urban Districts, ...	94,500	11·6	0·6	21	1	·	·	1	2	2	9	6	·	·	·	·	·	·	·	·	3	1	3	·	2	1	·	1	·	1	10	1	·
Total Registration Area, ..	405,000	11·5	0·6	89	9	2	4	4	7	14	24	25	·	·	·	·	·	·	2	·	13	7	4	4	12	2	1	3	·	3	34	9	1
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				13	2	·	·	·	1	2	7	1	·	·	·	·	·	·	·	·	·	4	2	·	2	·	·	·	·	·	11	2	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 26th July, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 26TH JULY 1919.

Class.	Occupation or Social Position. (The 31,348 persons registered under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	28)	(29)
	ALL PERSONS.	397,957	—	102	17	4	8	16	31	10	16	.	.	.	.	.	.	2	.	13	11	6	1	4	14	2	1	3	45	1
	CLASSES.																													
	DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	7·1	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS	101,798	13·3	26	3	2	3	5	6	2	5	.	.	.	.	.	.	2	.	6	3	3	.	.	4	1	.	1	6	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	10·6	22	.	1	1	4	11	4	1	.	.	.	.	.	.	.	.	4	1	1	.	1	1	.	1	1	12	.
IV.	GENERAL SERVICE CLASS	167,479	12·8	41	1[illegible]	1	4	6	11	3	3	.	.	.	.	.	.	.	.	3	5	2	1	2	6	1	.	1	20	.
V	INMATES OF WORKHOUSES, ...	5,602	—	11	1	.	.	1	2	1	6	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	6	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3 Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4 General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	4	1	.	.	1	.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	4	.	1	.	.	2	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	1	.
	6 Clerks and Commercial Assistants,	33,249	—	6	1	.	.	2	1	1	1	.	.	.	.	.	.	.	.	2	.	.	.	.	2	1	.	.	1	1
	7 Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	12	1	1	3	2	3	.	2	.	.	.	.	.	.	1	.	3	3	2	.	.	1	.	.	1	1	.
III	ARTISAN CLASS AND PETTY SHOPKEEPERS																													
	8 Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ..	28,823	—	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	10 Clothing Trades, ...	20,026	—	7	.	1	.	1	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	5	.
	11. Food Supply Trades, ...	8,952	—	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	8	.	.	1	2	2	2	1	.	.	.	.	.	.	.	.	3	.	1	.	1	1	.	.	.	2	.
	13. Petty Shopkeepers, ...	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	7	4	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	4	.
	15. Domestic Servants, ...	36,041	—	8	2	.	.	1	3	1	1	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	5	.	1	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	3	.
	17 Hawkers, Porters, Labourers, &c., ..	103,081	—	21	7	.	2	3	7	1	1	.	.	.	.	.	.	.	.	2	3	.	.	1	5	1	.	.	9	.
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	11	1	.	.	1	2	1	6	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	6	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	May 3	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.
No. of weeks in Annual Series ..	18	19	20	21	22	23	24	25	26	27	28	29	30	18	19	20	21	22	23	24	25	26	27	28	29	30
BIRTHS registered	166	215	182	169	217	178	187	198	196	192	198	178	207	197	189	190	191	185	203	205	199	257	180	178	202	238
Average Births in corresponding week of previous 10 years, ...	251	254	243	238	263	239	239	235	249	203	206	216	212	209	208	219	220	218	208	209	198	207	198	185	214	208
Number of Deaths, ...	148	134	139	118	123	120	104	119	107	99	102	70	89	119	114	116	118	98	95	104	91	98	87	90	84	92
Annual Death-rate per 1,000 ..	19·1	17·3	17·9	15·2	15·8	15·5	13·4	15·3	13·8	12·7	13·1	9·0	11·5	15·5	14·8	15·1	15·3	12·7	12·4	13·5	11·8	12·7	11·3	11·7	10·9	12·0
Average Deaths in corresponding week of previous 10 years, ...	167	184	154	151	143	140	142	129	126	129	142	132	131	1 8	133	142	123	125	120	122	120	136	128	123	114	111
Ages, .. Under one year, ..	17	12	22	17	18	18	12	18	17	20	9	11	9	23	18	11	14	13	9	13	14	18	12	11	12	19
1— 5 years, ..	10	10	7	6	8	8	4	8	8	7	3	3	6	4	6	7	8	4	5	5	3	2	1	6	5	3
5—25 ,, ..	14	15	18	12	14	18	11	14	15	13	14	10	11	15	22	20	23	14	23	21	11	15	14	17	10	7
25—45 ,, ..	14	17	23	21	23	20	16	26	19	15	17	9	14	20	18	27	25	27	14	26	18	14	17	13	14	22
45—65 ,, ..	41	34	25	29	25	25	32	23	22	22	29	22	24	25	25	23	23	17	22	24	25	22	18	21	31	23
65 and upwards, ..	49	46	44	33	35	31	29	30	26	22	30	15	25	32	25	28	25	23	22	15	20	27	25	22	12	18
Deaths from :—																										
Enteric Fever, ...	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	1	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever, ...	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	1	.	.	3	2	3	1	2
Whooping-cough, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
Diphtheria, ...	.	.	1	.	1	.	.	.	.	1	.	.	2	.	.	.	.	.	1	.	.	1	.	.	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	20	19	9	16	24	18	19	19	21	20	10	11	13	25	27	25	18	19	18	18	13	19	10	12	13	18
Tuberculosis { Other Forms, ..	8	5	8	6	7	9	2	6	9	.	3	5	7	5	7	1	11	6	6	9	4	5	5	3	8	6
Cancer, ...	10	6	5	5	9	7	9	5	8	4	12	6	4	7	8	8	7	4	4	7	6	10	8	5	7	2
Diseases of Respiratory System, { Pneumonia ..	13	10	15	11	6	6	8	12	9	13	8	5	4	9	11	7	6	9	7	5	3	7	4	8	5	3
Diseases of Respiratory System, { Others, ..	20	23	23	12	11	8	7	12	5	11	10	3	12	12	18	11	7	8	7	10	6	4	7	7	5	8
Diarrhœa and Enteritis, under 2 years, ...	2	3	4	3	2	3	1	3	.	2	3	6	2	2	2	1	3	2	.	1	.	1	1	.	1	1
Diarrhœa, 2 years and upwards..	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	1	2	1	.	1	.	1	.
Violent Deaths, ...	1	2	1	2	1	4	2	1	.	2	2	1	3	1	1	2	4	1	3	1	1	7	3	2	1	3
Number of Uncertified Deaths, ..	2	3	4	10	6	2	2	2	2	2	1	1	1	3	.	.	2	1	.	2	1	2	1	1	3	1
A Mean Maximum Temperature in degs	51·4	56·9	66·9	62·3	67·8	68 0	65 5	63·3	61·6	61·1	65·6	64·3	67·1	50·8	56 8	63·6	62·9	57·5	59·0	63·7	63·4	60·0	61·3	63·7	62·6	65·1
B Mean Minimum ,, ,,	35·6	37·4	44·3	45·5	44·0	48·4	44·5	48·3	46·3	44·6	43·8	51·2	47·0	38·3	42·6	50 6	47·2	49·4	50·9	50·3	47·4	47·4	49·9	50·7	52·2	51·3
Mean of A and B ,, ,,	43·5	47·2	55·6	53·9	55·9	57 2	55·0	55·8	54·0	52·5	54·7	57·7	57·1	44·5	49·7	57·1	55·1	58·4	55·0	57·0	55·4	53·7	55·6	57·2	57·4	58·2
Rainfall in inches	0·71	0·14	0·34	0·79	0 00	0·05	1·47	0·21	0·63	0·38	0·18	0·04	0·46	0·50	0·35	0·21	0·42	0·11	0·03	1 60	0·39	0·36	0·21	0·02	0·23	0·01

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 26th July, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No 1 DISTRICT,	15,879	11	23·0	·	7	1	1	·	1	2	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	2	2	·
Do 2 do.	49,500	35	10·5	1·0	10	·	1	1	3	2	3	·	·	·	·	1	·	·	·	3	1	·	·	1	·	·	·	·	3	·
Do. 3 do.	50,032	35	14·6	·	14	4	·	2	5	1	2	·	·	·	·	·	·	·	·	4	2	1	1	1	·	·	·	·	2	·
Do. 4 do.	32,637	17	16·0	·	10	3	·	·	1	5	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	3	·
Do. 5 do.	16,112	8	12·9	·	4	2	·	·	1	·	1	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	1	1	2	·
Do. 6 do.	37,293	16	8·4	·	6	·	·	·	·	3	3	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	1	·
Do. 7 do.	2,681	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	3	8·7	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 9 do	24,427	15	14·9	2·1	7	1	·	1	1	3	1	·	·	·	·	·	·	·	·	3	·	·	1	1	1	·	·	·	2	·
Do. 10 do.	28,958	27	9·0	·	5	2	·	·	1	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·
Do. 11 do.	39,311	14	10·6	1·3	8	3	·	2	·	1	2	·	·	·	·	1	·	·	·	1	1	·	·	3	·	·	·	·	3	·
Do. 12 do	38,076	28	9·6	·	7	·	·	·	2	4	1	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	1	·	1	·
Do. 13 do.	23,233	14	13·5	·	6	2	·	·	3	1	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	3	1
Do. 14 do	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	12	16·1	·	7	·	1	1	4	1	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	1	3	·
Total.	386,947	238	12·0	0·4	92	19	3	7	22	23	18	·	·	·	·	2	·	·		18	6	2	3	8	1	·	3	5	25	1
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	4	15·5	·	4	·	·	1	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·
Do 2 do.	10,399	8	10·0	10·0	2	·	1	1	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	2	·
Do. 3 do.	9,793	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 4 do	9,139	·	5·7	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 5 do.	6,250	7	33·4	8·3	4	1	1	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·
Do. 6 do.	11,581	7	27·0	·	6	·	2	·	·	1	3	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	1
Do. 7 do	16,056	6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Total.	76,673	36	11·6	2·0	17	1	4	3	2	2	5	·	·	·	·	·	·	2	·	·	2	·	·	·	1	·	·	·	8	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th July, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3
" " 1, West ..	.	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	3	7
" " 2, ...	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	1	4
" " 3, ...	1	.	.	.	.	1	4	.	.	.	.	.	.	.	.	.	2	8
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	4
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " " 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " " 4, ...	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	2	1	.	.	.	7	6	.	1	.	.	.	.	.	.	.	16	33

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 26th July, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 26th July.			
	July 5.	July 12.	July 19.	No. admitted	Discharged.	Died.	No under treatment at close of week.
Enteric Fever, ...	5	4	3	.	.	.	3
Typhus, ...	4	5	2	.	.	.	2
Small-pox, ...	.	.	.	.	.	.	
Measles, ...	17	23	16	14	8	.	22
Scarlet Fever, ...	42	42	40	16	10	.	46*
Diphtheria, ...	10	11	8	10	4	2	12
Pneumonia, ...	27	19	23	4	5	.	22

* Exclusive of 21 patients in "Peneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13121). Wt. 4739. 3. 380. 10. 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd. 116, Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1;
37, Peter Street, Manchester; 1, St Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 31. Vol. LVI.] Week ending Saturday, 2nd August, 1919. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 4th August, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 11·8 and 11·7; Dublin Registration Area, 11·8 and 11·7; Dublin City, 12·3 and 11·9; Belfast, 10·3 and 11·2; Cork, 10·2 and 11·1; Londonderry, 17·8 and 14·3; Limerick, 12·2 and 11·5; and Waterford, 19·0 and 15·7.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·5 per 1,000. The 79 deaths from all causes for Belfast include one from diphtheria and 3 from diarrhœal diseases. Among the 9 deaths from all causes for Limerick is one from diphtheria, and one of the 2 deaths for Lisburn is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 233—124 boys and 109 girls—and the deaths to 99—54 males and 45 females.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 11·8 per 1,000 of the population. During the thirty-one weeks ending with 2nd August the death-rate averaged 24·4 and was 2·8 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the thirty-one weeks was 26·4 and for the corresponding period of the preceding ten years 23·0.

Of the 92 deaths appertaining to the Area, 4 were from diarrhœa and enteritis of children under 2 years, and one was from influenza.

In the 3 preceding weeks, deaths from diarrhœa and enteritis of children under 2 years numbered 3, 6 and 2, and deaths from influenza, one, 3 and 0, respectively.

Deaths attributed to pneumonia were 2 (comprising one from broncho-pneumonia and one from pneumonia, type not distinguished).

Tuberculous disease caused 11 deaths (comprising 6 from pulmonary tuberculosis, one from tuberculous meningitis, and 4 from other forms of tuberculous disease), as against 13, 16, and 20, in the three weeks preceding.

Eight deaths were caused by cancer, 12 by organic diseases of the heart, and 5 by bronchitis.

Among deaths of infants under one year old, 4 were due to convulsions, 3 to diarrhœa and enteritis, one to congenital malformation, 3 to premature birth, and 2 to congenital debility.

There were 4 accidental deaths, of which one was due to gas poisoning, one to drowning and one was caused by a vehicle.

Twenty-one of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 16 being infants under one year, of whom 9 were under one month old, and 26 deaths were those of persons aged 65 and upwards, of whom 23 were 70 years of age or over.

Of the 92 deaths recorded, 40 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 2nd August, in 96 large English towns (including London, in which the rate was 9·5 was equal to an average annual death rate of 9·7 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 10·6 per 1,000 persons living, the rate for Glasgow being 10·6 and for Edinburgh 11·2.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 2nd August. From this Report it appears that of 37 cases notified, 13 were scarlet fever, 10 pulmonary tuberculosis, 5 other forms of tuberculosis, and 9 diphtheria. Among the 383 cases of infectious diseases in hospital at the close of the week were 136 of pulmonary tuberculosis, 112 of scarlet fever, 60 of diphtheria, 42 of measles, 13 of whooping-cough, and 7 of erysipelas.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 2nd August, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	July 12	.	.	.	.	.	—	9	—	1	.	—	1	—	.	.	.	.	1	.	13	25
	July 19	1	1	.	.	.	—	3	—	4	1	—	.	—	.	.	.	.	1	.	21	32
	July 26	2	1	.	.	.	—	7	—	6	1	—	.	—	.	.	.	.	.	.	16	33
	Aug. 2	1	.	.	.	.	—	15	—	2	1	—	.	—	.	.	.	.	.	.	16	35
Rathmines & Rathgar Urban District	July 12	.	.	.	.	.	—	2	—	1	.	—	.	—	.	.	.	.	.	.	—	3
	July 19	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1
	July 26	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	1	.	.	—	3
	Aug. 2	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
Pembroke Urban District	July 12	.	.	.	.	.	1	1	.	.	.	.	.	—	.	.	.	.	.	.	1	3
	July 19	.	.	.	.	.	.		.	.	.	.	.	—	.	.	.	.	.	.	1	1
	July 26	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Aug. 2	1	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	1
Blackrock Urban District	July 12	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	July 19	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	July 26	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Aug. 2	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	July 12	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	July 19	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	July 26	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Aug. 2	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
City of Belfast	July 12	2	.	.	.	.	—	17	—	1	.	—	.	—	.	.	.	.	.	.	6	26
	July 19	1	.	1	.	.	—	12	—	4	.	—	.	—	.	.	.	.	.	.	.	18
	July 26	.	.	.	.	.	—	10	—	4	.	—	.	—	.	.	.	.	.	.	.	14
	Aug. 2	1	.	.	.	.	—	17	—	4	1	—	.	—	.	5	.	3	1	.	.	32
City of Cork (a)	July 12	.	.	.	.	.	.	.	—	.	1	—	.	2	.	.	.	.	—	.	—	3
	July 19	1	.	.	.	.	.	.	—	2	.	—	.	.	.	.	.	.	—	.	—	3
	July 26	.	.	.	.	.	.	.	—	5	1	—	.	1	.	.	.	.	—	.	—	7
	Aug. 2	.	.	.	.	.	.	.	—	.	1	—	.	4	.	.	.	.	—	.	—	5
City of Londonderry	July 12	1	.	.	.	.	—	4	—	.	1	—	.	—	.	.	.	.	.	—	—	6
	July 19	.	.	.	.	.	—	2	—	2	1	—	.	—	.	.	.	.	.	—	—	5
	July 26	.	.	.	.	.	—	2	—	1	.	—	.	—	.	.	.	.	.	—	—	3
	Aug. 2	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	—	—	.
City of Limerick	July 12	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	July 19	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	July 26	.	.	.	.	.	—	3	—	1	.	—	.	—	.	.	.	.	.	.	—	4
	Aug. 2	1	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	1
City of Waterford	July 12	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	1	1
	July 19	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	1	1
	July 26	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	23	23
	Aug. 2	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(a) One case of varicella was notified during the week ended 12th July, and one case of cerebro-spinal fever during the week ended 19th July.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd August, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever nil and 2; typhus nil and 2, measles 6 and 25; scarlet fever 22 and 59;* and diphtheria 2 and 13. Four cases of pneumonia were admitted during the week and 14 remained under treatment at its close, as compared with 19, 23, and 22 at the close of the 3 preceding weeks.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 2nd August, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 2nd August, 1919. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age	Deaths. At 65 years and upwards.	Deaths. Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 2nd August, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
Total of 19 Town Districts, ...	1,142,268	20·0	25·6	11·8	0·5	561	259	37	76	·	·	·	1	·	·	2	·	35	10	22	11	30	7	1	4	4	91	9	·	·	·	·	·	·
Dublin Registration Area, ...	405,000	28·9	30·0	11·8	0·5	233	92	16	26	·	·	·	·	·	·	·	·	6	5	8	2	7	4	·	4	4	40	3	(d) 71·2	38·0	66·5	45·5	56·0	0·13
Urban Districts. City of Dublin,	310,500	38·0	32·4	12·3	0·7	193	73	16	16	·	·	·	·	·	·	·	·	5	3	4	2	7	4	·	3	3	35	3	(e) 70·0 (f) 71·6	47·9 41·2	65·9 67·1	52·7 48·5	59·3 57·8	0·11 0·11
Urban Districts. Rathmines and Rathgar	39,400	23·0	25·1	13·2	·	19	10	·	5	·	·	·	·	·	·	·	·	·	2	3	·	·	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. Pembroke, ..	29,500	18·8	24·7	5·3	·	14	3	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·	·	·	·
Urban Districts. Blackrock, ..	9,000	8·3	·	5·8	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Kingstown, ..	16,600	11·4	22·0	15·7	·	7	5	·	2	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	1	·	71	49	65·0	53·2	59·1	0·04
Urban Districts. Belfast, ..	401,000	26·8	26·5	10·3	0·5	204	79	12	15	·	·	·	·	·	·	1	·	18	2	5	4	9	2	1	·	·	23	1	70·0	42·0	65·6	47·1	56·4	0·13
Urban Districts. Cork, ...	76,673	28·6	11·6	10·2	·	17	15	2	8	·	·	·	·	·	·	·	·	1	1	2	1	2	·	·	·	·	5	1	72	50	67·1	53·3	60·2	0·04
Urban Districts. Londonderry, ..	41,000	15·9	19·1	17·8	·	15	14	1	2	·	·	·	·	·	·	·	·	4	·	1	·	3	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. Limerick, ..	38,518	16·1	31·1	12·2	1·4	23	9	·	3	·	·	·	·	·	·	1	·	·	1	2	1	3	·	·	·	·	4	1	72	44	68·2	49·0	58·6	0·00
Urban Districts. Waterford, ..	27,464	19·1	28·5	19·0	·	15	10	1	5	·	·	·	·	·	·	·	·	1	·	·	2	3	·	·	·	·	5	1	75	42	72	50	61	0·05
Urban Districts. Galway, ...	13,255	2·5				2	4	·	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	73	47	68	50	59	0·27
Urban Districts. Dundalk, ..	13,128	9·5				9	4	1	1	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. Lurgan, ..	12,553	14·7				7	5	1	2	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	73·4	40·9	68·6	47·6	58·1	0·19
Urban Districts. Drogheda, ..	12,501	8·4				2	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. Lisburn, ..	12,388	10·9				5	2	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	75	38	67·3	46·0	56·6	0·14
Urban Districts. Newry, ...	11,963	17·0				5	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	73·4	40·9	68·6	47·6	58·1	0·19
Urban Districts. Portadown, ..	11,727	15·3				3	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	73·4	40·9	68·6	47·6	58·1	0·19
Urban Districts. Wexford, ..	11,531	22·8				5	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Ballymena, ..	11,381	9·3				4	6	3	2	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Sligo, ...	11,163	3·8				1	5	·	3	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	·	4	·	70	39	65	48	56·5	0·10
Urban Districts. Kilkenny, ..	10,514	11·4				1	3	·	3	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	1	1	74	44	68·5	50·8	59·6	0·02
Urban Districts. Tralee, ...	10,300	17·4				3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Clonmel, ..	10,209	7·8				7	4	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·
London	4,206,901	—	—	9·5	—	1,630	737	86	254	2	·	·	5	1	3	10	—	83	17	99	33	40	14	10	33	71	364	3	85	46	70·4	52·3	61·4	0·04
Edinburgh ...	336,500	—	—	11·2	—	102	72	3	22	·	·	·	4	1	1	1	—	—	—	—	—	—	·	—	6	—	—	—	68·0	48·0	63·1	49·6	56·4	0·11
Glasgow	1,118,700	—	—	10·6	—	497	227	38	53	1	·	·	6	·	2	1	—	—	—	—	—	—	5	—	11	—	—	—	70·0	45·8	64·1	49·6	56·9	0·64

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College, and those for Waterford by De La Salle College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 31st Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 2nd August, 1919. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	125·2	99	9	7	5	.	3	1	2	.	4	9	15	15	17	12	92
Enteric Fever ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	2·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	21·4	6	.	.	.	.	.	.	1	.	1	1	2	1	.	.	6
Tuberculous Meningitis	2·0	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Abdominal Tuberculosis	1·4	3	.	1	1	.	.	.	.	.	1	.	.	.	.	.	3
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·6	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases ..	·4	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.
Cancer	7·0	11	.	.	.	.	.	.	.	.	.	1	4	2	3	1	8
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Anæmia, Leucocythæmia.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·[illegible]	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2
Alcoholism ..	·[illegible]	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.	3·4	4	.	.	.	.	.	.	.	.	.	.	1	1	1	1	4
Softening of Brain ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	1·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Epilepsy, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	3·6	5	3	1	1	.	.	.	.	.	.	.	.	.	.	.	5
Other Diseases of Nervous System.	1·6	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2
Pericarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	10·2	13	.	.	.	.	.	1	.	.	.	2	2	2	5	1	12
Embolism and Thrombosis (including Cerebral).	·4	3	.	.	.	.	.	.	.	.	.	1	.	1	.	1	3
Other Diseases of Circulatory System.	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	9·4	5	.	.	1	.	.	.	.	.	.	.	.	1	2	1	5
Broncho-pneumonia ..	2·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Lobar pneumonia ..	·6	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.
Pneumonia (type not distinguished).	2·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Pleurisy	·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1

in the THIRTY-FIRST WEEK, ending Saturday, 2nd August, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 31st Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 2nd August, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
Diseases of the Pharynx Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	1·4	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	7·2	4	.	3	1	.	.	.	.	.	.	.	.	.	.	.	4
Diarrhœa 2 years and upwards.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Appendicitis and Typhlitis.	·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Hernia and Intestinal Obstructions.	1·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Cirrhosis of Liver ..	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown).	·2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Other Diseases of Digestive System.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease	4·0	3	.	.	.	.	.	.	.	.	.	.	1	1	.	1	3
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	1·0	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Puerperal Septicæmia, &c.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	1·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Diseases of Skin and Cellular Tissues.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Premature Birth ..	2·4	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Congenital Debility ..	3·2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2
Old Age	3·8	5	.	.	.	.	.	.	.	.	.	.	.	.	4	1	5
Other Specified Diseases	1·2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
VIOLENCE.																	
Poisons or Poisonous Vapours.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Suffocation in Bed ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c.	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Violent Deaths		1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Not included in above—																	
Homicide. ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes,	1·4	4	.	.	1	.	.	.	.	.	.	.	.	2	1	.	3

TABLE IV.—Showing for the WEEK ENDED 2ND AUGUST, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
					DEATHS.								CAUSED BY																					
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	15·6	·	9	2	1	·	1	·	1	2	2	·	·	·	·	·	·	·	·	1	·	·	·	3	·	·	1	·	1	1	3	2
" 1, W., ...	41,100	11·4	1·3	9	1	1	·	1	·	2	1	3	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	1	·	·	1	3	·
" 2, ...	27,500	7·6	·	4	1	·	·	·	1	1	1	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	1	·	·
" 3, ...	34,100	7·6	·	5	·	1	·	·	·	·	2	2	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	1	2	·
CLONTARF AND HOWTH, No. 1, part of	5,500	9·5	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	3·8	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	4·7	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	6·1	1·2	5	2	·	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	1	·	4	·
" 2, ...	18,200	20·1	·	7	·	1	·	·	·	1	4	1	·	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·	2	3	·
" 3, ...	43,300	19·3	·	16	4	·	·	·	·	2	6	4	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	1	·	1	4	4	1
" 4, ...	32,800	17·5	3·2	11	5	1	·	·	·	2	2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·	5	·	·
NEW KILMAINHAM, ...	10,300	20·2	·	4	1	·	·	1	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	1	·	·	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	13·2	·	10	·	·	·	1	·	2	2	5	·	·	·	·	·	·	·	·	·	2	3	·	·	·	·	·	·	·	3	·	·
PEMBROKE	29,500	5·3	·	3	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·
BLACKROCK, ...	9,000	5·8	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ...	16,600	15·7	·	5	·	·	·	·	·	·	3	2	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	1	·	·
TOTAL CITY. North, ...	162,900	9·6	0·3	30	4	3	·	2	1	4	7	9	·	·	·	·	·	·	·	·	4	·	1	1	5	1	·	2	·	1	4	9	2
South, ...	147,600	15·2	1·1	43	12	2	·	1	·	7	14	7	·	·	·	·	·	·	·	·	1	3	3	1	2	3	·	1	1	2	11	11	1
North and South, ..	310,500	12·3	0·7	73	16	5	·	3	1	11	21	16	·	·	·	·	·	·	·	·	5	3	4	2	7	4	·	3	1	3	15	20	3
Total Urban Districts, ...	94,500	10·5	·	19	·	·	·	1	·	2	6	10	·	·	·	·	·	·	·	·	1	2	4	·	·	·	·	1	·	1	5	·	·
Total Registration Area, ..	405,000	11·8	0·5	92	16	5	·	4	1	13	27	26	·	·	·	·	·	·	·	·	6	5	8	2	7	4	·	4	1	4	20	20	3
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				7	·	·	·	·	1	·	3	3	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·	7	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 2nd August, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 2ND AUGUST, 1919.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	99	21	4	2	13	30	17	12	.	.	.	.	.	.	.	.	6	5	11	5	2	7	4	.	4	55	3
	CLASSES.																													
	DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	14·2	4	.	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
II.	MIDDLE CLASS	101,798	10·2	20	.	.	.	1	5	8	6	.	.	.	.	.	.	.	.	.	1	3	.	1	.	.	.	1	14	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	10·1	21	4	1	1	3	10	2	.	.	.	.	.	.	.	.	.	2	1	2	1	.	2	1	.	1	11	1
IV.	GENERAL SERVICE CLASS	167,479	10·6	34	13	3	1	8	6	1	2	.	.	.	.	.	.	.	.	2	2	5	4	.	1	1	.	2	17	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	20	4	.	.	1	8	5	2	.	.	.	.	.	.	.	.	2	1	1	.	1	4	2	.	.	9	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	7	.	.	.	.	3	3	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1	3	.
	6. Clerks and Commercial Assistants,	33,249	—	3	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	9	.	.	.	.	1	5	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	9. Building and Furnishing Trades, ..	28,823	—	6	2	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	3	1
	10. Clothing Trades, ...	20,026	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	11. Food Supply Trades, ...	8,952	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	9	1	.	1	2	4	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	6	.
	13. Petty Shopkeepers, ...	6,772	—	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.
	15. Domestic Servants, ...	36,041	—	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	27	11	3	1	5	5	.	2	.	.	.	.	.	.	.	.	2	1	4	3	.	1	1	.	1	14	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	20	4	.	.	1	8	5	2	.	.	.	.	.	.	.	.	2	1	1	.	1	4	2	.	.	9	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
WEEK ENDING	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28	July 5.	July 12.	July 19.	July 26.	Aug. 2.
No. of weeks in Annual Series ..	19	20	21	22	23	24	25	26	27	28	29	30	31	19	20	21	22	23	24	25	26	27	28	29	30	31
BIRTHS registered	215	182	169	217	178	187	198	196	192	198	178	207	233	189	190	191	185	203	205	199	257	180	178	202	238	204
Average Births in corresponding week of previous 10 years, ...	254	243	238	263	239	239	235	249	203	206	216	212	200	208	219	220	218	208	209	198	207	198	185	214	208	195
Number of Deaths, ...	134	139	118	123	120	104	119	107	99	102	70	89	92	114	116	118	98	95	104	91	98	87	90	84	92	79
Annual Death-rate per 1,000 ..	17·3	17·9	15·2	15·8	15·5	13·4	15·3	13·8	12·7	13·1	9·0	11·5	11·8	14·8	15·1	15·3	12·7	12·4	13·5	11·8	12·7	11·3	11·7	10·9	12·0	10·3
Average Deaths in corresponding week of previous 10 years, ...	184	154	151	143	140	142	129	126	129	142	132	131	127	133	142	133	125	120	122	120	136	128	123	114	111	106
Ages, .. Under one year, ..	12	22	17	18	18	12	18	17	20	9	11	9	16	18	11	14	13	9	13	14	18	12	11	12	19	12
1— 5 years, ..	10	7	6	8	8	4	8	8	7	3	3	6	5	6	7	8	4	5	5	3	2	1	6	5	3	5
5—25 ,, ..	15	18	12	14	18	11	14	15	13	14	10	11	5	22	20	23	14	23	21	11	15	14	17	10	7	11
25—45 ,, ..	17	23	21	23	20	16	26	19	15	17	9	14	13	18	27	25	27	14	26	18	14	17	13	14	22	17
45—65 ,, ..	34	25	29	25	25	32	23	22	22	29	22	24	27	25	23	23	17	22	24	25	22	18	21	31	23	19
65 and upwards, ..	46	44	33	35	31	29	30	26	22	30	15	25	26	25	28	25	23	22	15	20	27	25	22	12	18	15
Deaths from :—																										
Enteric Fever, ...	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Scarlet Fever, ...	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	1	.	.	3	2	3	1	2	.
Whooping-cough, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
Diphtheria, ...	.	1	.	1	.	.	.	.	1	.	.	2	.	.	.	.	.	1	.	.	1	.	.	1	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	19	9	16	24	18	19	19	21	20	10	11	13	6	27	25	18	19	18	18	13	19	10	12	13	18	18
Tuberculosis { Other Forms, ..	5	8	6	7	9	2	6	9	.	3	5	7	5	7	1	11	6	6	9	4	5	5	3	8	6	2
Cancer, ...	6	5	5	9	7	9	5	8	4	12	6	4	8	8	8	7	4	4	7	6	10	8	5	7	2	5
Diseases of Respiratory System, { Pneumonia ..	10	15	11	6	6	8	12	9	13	8	5	4	2	11	7	6	9	7	5	3	7	4	8	5	3	4
Diseases of Respiratory System, { Others, ..	23	23	12	11	8	7	12	5	11	10	3	12	7	18	11	7	8	7	10	6	4	7	7	5	8	9
Diarrhœa and Enteritis, under 2 years, ...	3	4	3	2	3	1	3	.	2	3	6	2	4	2	1	3	2	.	1	.	1	1	.	1	1	2
Diarrhœa, 2 years and upwards..	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	1	2	1	.	1	.	1	.	1
Violent Deaths, ...	2	1	2	1	4	2	1	.	2	2	1	3	4	1	2	4	1	3	1	1	1	3	2	1	3	.
Number of Uncertified Deaths, ..	3	4	10	6	2	2	2	2	2	1	1	1	3	.	.	2	1	.	2	1	2	1	1	3	1	1
A Mean Maximum Temperature in degs.	56·9	66·9	62·3	67·8	68·1	65·5	63·3	61·6	61·1	65·6	64·3	67·1	66·5	56·8	63 6	62·9	67·5	59·0	63·7	63·4	60·0	61·3	63·7	62·6	65·1	65·6
B Mean Minimum ,, ,,	37·4	44·3	45·5	44·0	48·4	44·5	48·3	46·3	44 0	43·8	51·2	47 0	45·5	42·6	50·6	47 2	49·4	50·9	50·3	47·4	47·4	49·9	50·7	52·2	51·3	47·1
Mean of A and B ,, ,,	47·2	55·6	53·9	55·9	58·2	55 0	55·8	54·0	52·5	54·7	57·7	57·1	56·0	49·7	57·1	55·1	58·4	55·0	57·0	55·4	53·7	55·6	57·2	57·4	58·2	56·4
Rainfall in inches	0·14	0·34	0·79	0·00	0·05	1·47	0·21	0·63	0·38	0·18	0·04	0·46	0·13	0·35	0·21	0·42	0·11	0·03	1·60	0·39	0·36	0·21	0·2	0·23	0·01	0·13

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 2nd August, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS. Pulmonary.	Other Forms	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No 1 DISTRICT,	15,879	8	3·3	3·3	1	.	1	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 2 do.	49,500	22	17·9	.	17	2	.	.	5	5	5	.	.	.	.	.	.	.	.	4	1	1	.	3	.	.	.	.	6	.
Do. 3 do.	50,032	24	12·5	.	12	1	1	3	3	4	.	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	4	.
Do. 4 do.	32,637	13	8·0	.	5	3	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 5 do.	16,112	16	16·2	.	5	1	.	1	2	.	1	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.	.	.
Do. 6 do.	37,293	30	5·6	.	4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	1	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	17·5	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 9 do.	24,427	14	6·4	.	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
Do. 10 do.	28,958	14	9·0	.	5	.	1	1	.	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	2	.
Do. 11 do.	39,311	14	8·0	.	6	.	.	.	2	1	3	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.	1	.
Do. 12 do.	38,076	23	5·5	1·4	4	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
Do 13 do.	23,233	12	10·2	2·2	9	1	1	1	2	.	4	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.	4	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	13	13·8	2·3	6	2	.	.	1	3	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.	.	.	.	.
Total,	386,947	204	10·3	0·5	79	12	5	11	17	19	15	.	.	.	.	.	.	1	.	18	2	5	4	9	2	1	.	.	23	1
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	1	7·8	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do 2 do.	10,399	1	10·0	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do 3 do.	9,793	5	10·6	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 4 do	9,139	1	5·7	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 5 do.	6,250	5	8·3	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do 6 do.	11,581	2	22·5	.	5	1	.	2	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	1
Do. 7 do	16,056	2	6·5	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Total.	76,673	17	10·2	.	15	2	.	2	2	1	8	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	.	5	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES. notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 2nd August, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2	4
" " 1, West ..	..	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	4	6
" " 2, ...	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	3
" " 3, ...	1	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	2	6
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	1	4
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " " 3, ...	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	2	4
" " " 4, ...	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	2	5
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	1	.	.		.	15	2	.	1	.	.	.	.	.	.	.	16	35

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 2nd August, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 2nd August.			
	July 12.	July 19.	July 26.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	4	3	3	.	1	.	2
Typhus, ...	5	2	2	.	.	.	2
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	23	16	22	6	3	.	25
Scarlet Fever, ...	42	40	46	22	9	.	59*
Diphtheria, ...	11	8	12	2	1	.	13
Pneumonia, ...	19	23	22	4	12	.	14

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), Crow-street, Dublin.

(13118). Wt. 4739. 3. 380. 9. 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd. 116, Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1;
37, Peter Street, Manchester; 1, St Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 32. Vol. LVI.] Week ending Saturday, 9th August, 1919. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 11th August, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 10·9 and 11·4; Dublin Registration Area, 12·7 and 11·3; Dublin City, 12·9 and 11·6; Belfast, 9·5 and 10·7; Cork, 10·9 and 10·6; Londonderry, 12·7 and 15·2; Limerick, 14·9 and 12·5; and Waterford, 11·4 and 14·2.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·9 per 1,000. Among the 73 deaths from all causes for Belfast are one from enteric fever, one from scarlet fever and 2 from diarrhœa and enteritis of children under 2 years, and one of the 16 deaths from all causes for Cork was from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 190—91 boys and 99 girls—and the deaths to 110—61 males and 49 females.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 12·7 per 1,000 of the population. During the thirty-two weeks ending with Saturday last, the death-rate averaged 24·1 and was 2·6 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the thirty-two weeks was 26·0 and for the corresponding period of the preceding ten years 22·9.

Of the 99 deaths appertaining to the Area there was one from enteric fever, one from measles, and 13 from diarrhœal diseases.

In the 3 preceding weeks, deaths from diarrhœal diseases numbered 7, 3 and 4 respectively. There were no deaths from enteric fever or measles in the preceding three weeks.

Deaths attributed to pneumonia were 5 (comprising 2 from broncho-pneumonia and 3 from pneumonia, type not distinguished).

Tuberculous disease caused 17 deaths (comprising 12 from pulmonary tuberculosis, 2 from abdominal tuberculosis, and 3 from other forms of tuberculous disease), as against 16, 20 and 11, in the three weeks preceding.

Ten deaths were caused by cancer, 10 by organic diseases of the heart, and 9 by bronchitis.

Among deaths of infants under one year old, 2 were due to convulsions, 10 to diarrhœa and enteritis, one to premature birth, and 2 to congenital debility.

There were 2 deaths by drowning.

Twenty-four of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 19 being infants under one year, of whom 9 were under one month old, and 24 deaths were those of persons aged 65 and upwards, of whom 19 were 70 years of age or over.

Of the 99 deaths recorded, 40 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 9th August, in 96 large English towns (including London, in which the rate was 9·5 was equal to an average annual death rate of 9·7 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 10·0 per 1,000 persons living, the rate for Glasgow being 10·4 and for Edinburgh 9·6.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 9th August. From this Report it appears that of 61 cases notified, 23 were scarlet fever, 15 diphtheria, 11 pulmonary tuberculosis, 7 other forms of tuberculosis, and 5 erysipelas. Among the 378 cases of infectious diseases in hospital at the close of the week were 131 of pulmonary tuberculosis, 118 of scarlet fever, 63 of diphtheria, 40 of measles, 13 of whooping-cough, and 5 of erysipelas.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 9th August, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	July 19	1	1	.	.	.	—	3	—	4	1	—	.	—	.	.	.	.	1	.	21	32
	July 26	2	1	.	.	.	—	7	—	6	1	—	.	—	.	.	.	.	.	.	16	33
	Aug. 2	1	.	.	.	.	—	15	—	2	1	—	.	—	.	.	.	.	.	.	16	35
	Aug. 9	.	.	.	.	.	—	12	—	2	1	—	.	—	.	.	.	.	.	.	2	17
Rathmines & Rathgar Urban District	July 19	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1
	July 26	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	1	.	.	—	3
	Aug. 2	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Aug. 9	.	.	.	.	.	—	.	—	1	1	—	.	—	.	.	.	.	.	.	—	2
Pembroke Urban District	July 19	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	1	1
	July 26	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Aug. 2	1	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	1
	Aug. 9	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
Blackrock Urban District	July 19	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	July 26	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Aug. 2	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Aug. 9	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	July 19	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	July 26	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Aug. 2	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Aug. 9	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
City of Belfast	July 19	1	.	1	.	.	—	12	—	4	.	—	.	—	.	.	.	.	.	.	.	18
	July 26	.	.	.	.	.	—	10	—	4	.	—	.	—	.	.	.	.	.	.	.	14
	Aug. 2	1	.	.	.	.	—	17	—	4	1	—	.	—	.	5	.	3	1	.	.	32
	Aug. 9	.	.	.	.	.	—	15	—	3	2	—	.	—	.	1	.	1	1	.	19	42
City of Cork (a)	July 19	1	.	.	.	.	.	.	—	2	.	—	.	.	.	.	.	.	—	.	—	3
	July 26	.	.	.	.	.	.	.	—	5	1	—	.	1	.	.	.	.	—	.	—	7
	Aug. 2	.	.	.	.	.	.	.	—	.	1	—	.	4	.	.	.	.	—	.	—	5
	Aug. 9	.	.	.	.	.	.	.	—	5	.	—	.	3	.	.	.	.	—	.	—	8
City of Londonderry	July 19	.	.	.	.	.	—	2	—	2	1	—	.	—	.	.	.	.	.	—	—	5
	July 26	.	.	.	.	.	—	2	—	1	.	—	.	—		.	.	.	.	—	—	3
	Aug. 2	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	—	—	.
	Aug. 9	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	.	—	—	2
City of Limerick	July 19	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	July 26	.	.	.	.	.	—	3	—	1	.	—	.	—	.	.	.	.	.	.	—	4
	Aug. 2	1	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	Aug. 9	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
City of Waterford	July 19	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	1	1
	July 26	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	23	23
	Aug. 2	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Aug. 9	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(a) Not including one case of cerebro-spinal fever.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th August, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 2 and 4; typhus nil and 2; measles 11 and 26; scarlet fever 15 and 68*; and diphtheria 3 and 15. Two cases of pneumonia were admitted during the week and 11 remained under treatment at its close, as compared with 23, 22 and 14 at the close of the 3 preceding weeks. Of the deaths in hospital during the week 2 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 9th August, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	BIRTHS Total Number.	DEATHS Total Number.	Under 1 year of Age	At 65 years and upwards.	Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	METEOROLOGY. (c) Week ending 9th August, 1919. Air Temperature: Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	22·6	10·9	0·9	494	238	32	71	2	·	·	1	1	·	1	·	27	15	14	14	21	14	1	6	8	81	4	·	·	·	·	·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	24·5	12·7	1·9	190	99	19	24	1	·	·	1	·	·	·	·	12	5	10	5	11	12	1	2	2†	40	1	(d) 74·0	45·0	69·9	52·2	61·1	0·10
Urban Districts. CITY OF DUBLIN,	310,500	38·0	26·5	12·9	2·5	158	77	18	16	1	·	·	1	·	·	·	·	10	3	7	3	9	12	1	2	2	31	1	(e) 71·0	50·8	68·2	54·7	61·5	0·07
																													(f) 74·2	48·0	70·2	52·6	61·4	0·09
Urban Districts. RATHMINES and RATHGAR.	39,400	23·0	18·5	11·9	·	14	9	1	3	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	·	6	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ...	29,500	18·8	14·1	12·4	·	8	7	·	3	·	·	·	·	·	·	·	·	2	·	1	·	1	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,000	8·3	5·8	11·6	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,600	11·4	28·3	12·6	·	9	4	·	2	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	1	·	72	51	69·3	53·8	61·6	0·05
Urban Districts. BELFAST, ..	401,000	26·8	23·7	9·5	0·5	182	73	12	23	1	·	·	·	1	·	·	·	8	7	1	3	6	2	·	1	2	22	·	75·0	52·0	68·1	53·5	60·8	0·29
Urban Districts. CORK, ...	76,673	28·6	23·8	10·9	0·7	35	16	·	6	·	·	·	·	·	·	1	·	1	1	1	2	1	·	·	1	1	5	·	—	53	68·9	54·3	61·6	0·00
Urban Districts. LONDONDERRY, ..	41,000	15·9	34·3	12·7	·	27	10	·	4	·	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	1	1	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	20·3	14·9	·	15	11	1	3	·	·	·	·	·	·	·	·	3	·	·	1	·	·	·	·	2	6	·	80	50	71·2	53·2	62·2	0·05
Urban Districts. WATERFORD, ..	27,464	19·1	17·1	11·4	·	9	6	·	3	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	·	1	1	·	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5				1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	80	50	72	52·4	62·2	0·00
Urban Districts. DUNDALK, ..	13,128	9·5				1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				2	3	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	78·4	48·4	70·7	51·4	61·0	0·28
Urban Districts. DROGHEDA, ..	12,501	8·4				3	4	·	3	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	1	1	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	78·5	50	71·6	51·0	61·3	0·50
Urban Districts. NEWRY, ...	11,963	17·0				5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	78·4	48·4	70·7	51·4	61·0	0·28
Urban Districts. PORTADOWN, ..	11,727	15·3				3	2	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	78·4	48·4	70·7	51·4	61·0	0·28
Urban Districts. WEXFORD, ..	11,531	22·8				4	3	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	74	46	65	51	58	0·21
Urban Districts. KILKENNY, ..	10,514	11·4				3	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	2	·	77	47	70·1	50·8	60·5	0·01
Urban Districts. TRALEE, ...	10,300	17·4				3	3	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				2	3	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·	·	·	·
LONDON	4,206,901	—	—	9·5	—	1,538	730	75	277	2	—	·	7	·	4	10	—	67	16	108	41	27	6	4	33	70	347	4	86	47	76·0	52·9	64·5	0·00
EDINBURGH ...	336,500	—	—	9·6	—	88	62	3	24	·	·	·	·	·	1	1	—	—	—	—	—	—	·	—	4	—	—	—	74·0	48·0	67·6	50·9	59·2	0·10
GLASGOW	1,118,700	—	—	10·4	—	458	224g	46	49	3	·	·	2	·	2	4	—	—	—	—	—	—	9	—	14	—	—	—	73·9	50·1	64·5	53·3	58·9	0·35

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown those at Markree for Sligo, and those Cahir for Clonmel. The readings for Limerick are supplied by Mungret College, and those for Waterford by De La Salle College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) ncluding one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 32nd Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 9th August, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.		
ALL CAUSES.	133·6	110	10	11	2	3	2	1	3	3	11	9	15	15	12	13	99
Enteric Fever ..	·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	1·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	17·4	16	.	.	.	.	.	.	1	2	4	6	3	.	.	.	12
Tuberculous Meningitis	2·4	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	1·0	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	2
Tuberculosis of the Spinal Column.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·0	3	.	1	.	.	2	.	.	.	.	.	.	.	.	.	3
Venereal Diseases ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	7·6	11	.	.	.	.	.	.	.	.	1	1	5	2	1	1	10
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·0	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.	4·4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2
Softening of Brain ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·2	4	.	.	.	.	.	.	.	.	.	.	1	1	1	1	3
Epilepsy, ...	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Convulsions (non-puerperal).	2·8	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	1·2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Pericarditis ..	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Acute Endocarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	11·0	10	.	.	.	.	.	.	.	.	.	.	1	4	2	3	10
Embolism and Thrombosis (including Cerebral).	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Other Diseases of Circulatory System.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	7·4	9	.	.	.	.	.	.	.	.	.	1	1	2	3	2	9
Broncho-pneumonia ..	1·8	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2
Lobar pneumonia ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	2·4	3	.	.	.	.	.	.	1	.	.	1	.	.	1	.	3
Pleurisy	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	1·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1

in the THIRTY-SECOND WEEK, ending Saturday, 9th August, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 32nd Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 9th August, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx. Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	3·6	2	·	·	·	·	·	·	·	·	1	·	·	·	1	·	2	
Diarrhœa and Enteritis of Children under 2 years.	12·4	12	2	8	2	·	·	·	·	·	·	·	·	·	·	·	12	
Diarrhœa 2 years and upwards.	·8	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	
Enteritis 2 years and upwards.	2·0	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	
Appendicitis and Typhlitis.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Hernia and Intestinal Obstructions.	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Cirrhosis of Liver ..	1·0	2	·	·	·	·	·	·	·	·	·	·	1	1	·	·	2	
Other Diseases of Liver	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Peritonitis (cause unknown).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Digestive System.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Acute Nephritis ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Chronic Bright's Disease	5·2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	
Urinary Calculi ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Uterine Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Genito-urinary System.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other causes incident to Pregnancy and Childbirth.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Diseases of Skin and Cellular Tissues.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Diseases of Locomotor System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Congenital Malformations.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Premature Birth ..	2·4	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	
Congenital Debility ..	4·4	3	2	1	·	·	·	·	·	·	·	·	·	·	·	·	2	
Old Age	4·6	5	·	·	·	·	·	·	·	·	·	·	·	·	1	4	5	
Other Specified Diseases	·8	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Burns and Scalds ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Drowning	1·6	2	·	·	·	·	·	1	·	·	1	·	·	·	·	·	2	
Suffocation in Bed ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Vehicles and Horses ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Gunshot Wounds, &c.	1·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Violent Deaths		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Not included in above—																		
Homicide. ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ill-defined, &c., Causes,	2·0	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	

TABLE IV.—Showing for the WEEK ENDED 9TH AUGUST, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
North City, No 1, E., ...	30,000	19·1	3·5	11	3	·	2	·	·	2	1	3	·	·	·	1	·	·	·	·	1	2	·	·	2	1	·	1	·	1	·	2	·
" 1, W., ...	41,100	16·5	5·1	13	4	·	·	·	1	4	2	2	·	·	·	·	·	·	·	·	4	·	1	·	2	3	1	·	·	·	3	2	·
" 2, ...	27,500	11·4	3·8	6	2	·	·	1	·	·	2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·	·	1	·
" 3, ...	34,100	9·2	3·1	6	2	·	·	·	·	2	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	·	1	·	·
Clontarf and Howth, No. 1, part of	5,500	28·4	·	3	·	·	·	·	1	·	2	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	·	·	1	·	·
Coolock and Drumcondra, part of ..	13,600	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Finglas and Glasnevin, part of ..	11,100	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
South City.																																	
South City, No. 1, ..	43,000	9·7	3·6	8	1	2	·	·	1	·	2	2	1	·	·	·	·	·	·	·	1	·	·	·	2	2	·	·	·	·	2	2	1
" 2, ...	18,200	14·3	2·9	5	2	·	·	·	·	·	3	·	·	·	·	·	·	·	·	·	1	·	·	·	1	1	·	·	·	·	2	1	·
" 3, ...	43,300	21·7	·	18	2	·	1	·	·	6	5	4	·	·	·	·	·	·	·	·	2	·	3	3	1	·	·	·	·	·	8	5	·
" 4, ...	32,800	9·5	1·6	6	1	·	·	1	·	·	1	3	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	1	·	1	1	·	·
New Kilmainham, ...	10,300	5·1	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts.																																	
Rathmines and Rathgar, ..	39,400	11·9	·	9	1	·	·	·	·	2	3	3	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	·	·	5	1	·
Pembroke	29,500	12·4	·	7	·	·	·	·	·	1	3	3	·	·	·	·	·	·	·	·	2	·	1	·	1	·	·	·	·	·	·	1	·
Blackrock, ...	9,000	11·6	·	2	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	1	·	·
Kingstown, ...	16,600	12·6	·	4	·	·	·	1	·	·	1	2	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	1	·
TOTAL CITY. North, ...	162,900	12·5	3·2	39	11	·	2	1	2	8	8	7	·	·	·	1	·	·	·	·	6	3	3	·	5	8	1	1	·	1	5	5	·
South, ...	147,600	13·4	1·8	38	7	2	1	1	1	6	11	9	1	·	·	·	·	·	·	·	4	·	4	3	4	4	·	1	·	1	13	8	1
North and South, ..	310,500	12·9	2·5	77	18	2	3	2	3	14	19	16	1	·	·	1	·	·	·	·	10	3	7	3	9	12	1	2	·	2	18	13	1
Total Urban Districts, ...	94,500	12·1	·	22	1	·	·	1	1	3	8	8	·	·	·	·	·	·	·	·	2	2	3	2	2	·	·	·	·	·	6	3	·
Total Registration Area, ..	405,000	12·7	1·9	99	19	2	3	3	4	17	27	24	1	·	·	1	·	·	·	·	12	5	10	5	11	12	1	2	·	2	24	16	1
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				11	2	·	·	·	2	3	3	1	·	·	·	·	·	·	·	·	4	2	1	·	·	·	·	·	·	·	11	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 9th August, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 9TH AUGUST, 1919.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	110	26	3	6	20	30	12	13	1	.	.	1	.	.	.	.	16	7	11	2	5	11	12	1	2	41	1
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	3·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS	101,798	12·3	24	2	.	3	4	7	4	4	.	.	.	1	.	.	.	.	5	1	3	.	.	1	.	.	.	13	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	11·1	23	2	.	.	6	7	5	3	.	.	.	.	.	.	.	.	5	.	2	.	1	5	1	.	.	9	.
IV.	GENERAL SERVICE CLASS	167,479	14·3	46	21	3	3	7	9	1	2	1	.	.	.	.	.	.	.	3	5	5	2	3	1	11	1	2	12	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	16	1	.	.	3	6	2	4	.	.	.	.	.	.	.	.	3	1	1	.	1	4	.	.	.	6	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	6. Clerks and Commercial Assistants,	33,249	—	15	2	.	1	4	5	1	2	.	.	.	1	.	.	.	.	4	.	2	.	.	1	.	.	.	7	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	7	.	.	2	.	1	2	2	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	4	.
III	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ..	28,823	—	5	2	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	2	.
	10. Clothing Trades, ...	20,026	—	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	11. Food Supply Trades, ...	8,952	—	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	11	.	.	.	3	4	4	.	.	.	.	.	.	.	.	.	4	.	1	.	.	3	.	.	.	3	.
	13. Petty Shopkeepers, ...	6,772	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	8	2	.	1	2	3	.	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	2	.	1	2	.
	15. Domestic Servants, ...	36,041	—	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	6	2	.	1	.	2	.	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	30	17	3	1	5	2	1	1	.	.	.	.	.	.	.	.	3	3	3	2	1	.	8	1	1	8	1
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	16	1	.	.	3	6	2	4	.	.	.	.	.	.	.	.	3	1	1	.	1	4	.	.	.	6	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9
No. of weeks in Annual Series ..	20	21	22	23	24	25	26	27	28	29	30	31	32	20	21	22	23	24	25	26	27	28	29	30	31	32
BIRTHS registered	182	169	217	178	187	198	196	192	198	178	207	233	190	190	191	185	203	205	199	257	180	178	202	238	204	182
Average Births in corresponding week of previous 10 years, ...	243	238	263	239	239	235	249	203	206	216	212	200	198	219	220	218	208	209	198	207	198	185	214	208	195	193
Number of Deaths, ...	139	118	123	120	104	119	107	99	102	70	89	92	99	116	118	98	95	104	91	98	87	90	84	92	79	73
Annual Death-rate per 1,000 ..	17·9	15·2	15·8	15·5	13·4	15·3	13·8	12·7	13·1	9·0	11·5	11·8	12·7	15·1	15·3	12·7	12·4	13·5	11·8	12·7	11·3	11·7	10·9	12·0	10·3	9·5
Average Deaths in corresponding week of previous 10 years, ...	154	151	143	140	142	129	126	129	142	132	131	127	129	142	133	125	120	122	120	136	128	123	114	111	106	105
Ages, .. Under one year, ..	22	17	18	18	12	18	17	20	9	11	9	16	19	11	14	13	9	13	14	18	12	11	12	19	12	12
1— 5 years, ..	7	6	8	8	4	8	8	7	3	3	6	5	5	7	8	4	5	5	3	2	1	6	5	3	5	6
5—25 ,, ..	18	12	14	18	11	14	15	13	14	10	11	5	7	20	23	14	23	21	11	15	14	17	10	7	11	11
25—45 ,, ..	23	21	23	20	16	26	19	15	17	9	14	13	17	27	25	27	14	26	18	14	17	13	14	22	17	9
45—65 ,, ..	25	29	25	25	32	23	22	22	29	22	24	27	27	23	23	17	22	24	25	22	18	21	31	23	19	12
65 and upwards, ..	44	33	35	31	29	30	26	22	30	15	25	26	24	28	25	23	22	15	20	27	25	22	12	18	15	23
Deaths from :—																										
Enteric Fever, ...	·	1	·	1	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	1
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	1	·	·	·	1	·	3	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·
Scarlet Fever, ...	·	1	·	·	·	·	1	·	·	·	·	·	·	·	1	·	1	·	·	3	2	3	1	2	·	1
Whooping-cough, ...	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·
Diphtheria, ...	1	·	1	·	·	·	·	1	·	·	2	·	·	·	·	·	1	·	·	1	·	·	1	·	1	·
Dysentery, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis { Pulmonary, ..	9	16	24	18	19	19	21	20	10	11	13	6	12	25	18	19	18	18	13	19	10	12	13	18	18	8
Tuberculosis { Other Forms, ..	8	6	7	9	2	6	9	·	3	5	7	5	5	1	11	6	6	9	4	5	5	3	8	6	2	7
Cancer, ...	5	5	9	7	9	5	8	4	12	6	4	8	10	8	7	4	4	7	6	10	8	5	7	2	5	1
Diseases of Respiratory System, { Pneumonia ..	15	11	6	6	8	12	9	13	8	5	4	2	5	7	6	9	7	5	3	7	4	8	5	3	4	3
Diseases of Respiratory System, { Others, ..	23	12	11	8	7	12	5	11	10	3	12	7	11	11	7	8	7	10	6	4	7	7	5	8	9	6
Diarrhœa and Enteritis, under 2 years, ...	4	3	2	3	1	3	·	2	3	6	2	4	12	1	3	2	·	1	·	1	1	·	1	1	2	2
Diarrhœa, 2 years and upwards..	·	·	·	·	·	·	·	·	·	1	1	·	1	·	1	·	1	2	1	·	1	·	1	·	1	·
Violent Deaths, ...	1	2	1	4	2	1	·	2	2	1	3	4	2	2	4	1	3	1	1	1	3	2	1	3	·	1
Number of Uncertified Deaths, ..	4	10	6	2	2	2	2	2	1	1	1	3	1	·	2	1	·	2	1	2	1	1	3	1	1	·
A Mean Maximum Temperature in degs.	66·9	62·3	67·8	68·0	65·5	63·3	61·6	61·1	65·6	64·3	67·1	66·5	69·9	63·6	62·9	67·5	59·0	63·7	63·4	60·0	61·3	63·7	62·6	65·1	65·6	68·1
B Mean Minimum ,, ,,	44·3	45·5	44·0	48·4	44·5	48·3	46·3	44·0	43·8	51·2	47·0	45·5	52·2	50·6	47·2	49·4	50·9	50·3	47·4	47·4	49·9	50·7	52·2	51·3	47·1	53·5
Mean of A and B ,, ,,	55·6	53·9	55·9	58·2	55·0	55·8	54·0	52·5	54·7	57·7	57·1	56·0	61·1	57·1	55·1	58·4	55·0	57·0	55·4	53·7	55·6	57·2	57·4	58·2	56·4	60·8
Rainfall in inches	0·34	0·79	0·00	0·05	1·47	0·21	0·63	0·38	0·18	0·04	0·46	0·13	0·10	0·21	0·42	0·11	0·03	1·60	0·39	0·36	0·21	0·02	0·23	0·10	0·13	0·29

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 9th August, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No 1 DISTRICT,	15,879	7	9·9	3·3	3	.	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 2 do.	49,500	23	9·5	1·1	9	2	3	.	.	1	3	.	.	.	.	1	.	.	.	.	1	.	.	3	.	.	.	.	3	.
Do. 3 do.	50,032	16	14·6	1·0	14	4	2	1	2	3	2	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	1	4	.
Do. 4 do.	32,637	11	8·0	.	5	.	.	2	2	.	1	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	3	.
Do. 5 do.	16,112	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	37,293	15	14 0	.	10	1	.	2	1	3	3	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	1	1	4	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	5	8·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Do. 9 do.	24,427	24	2·1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 10 do.	28,958	12	9·0	.	5	.	1	.	1	2	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.
Do. 11 do.	39,311	22	15·9	1·3	12	3	.	2	2	1	4	.	.	.	.	.	.	.	.	3	.	.	1	1	1	.	.	.	3	.
Do. 12 do	38,076	21	5·5	.	4	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do 13 do.	23,233	11	9·0	.	4	.	.	2	.	.	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.
Do. 14 do	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	7	11·5	.	5	.	.	1	1	.	3	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1	.
Total,	386,947	182	9·5	0·5	73	12	6	11	9	12	23	1	.	.	.	1	.	.	.	8	7	1	3	6	2	.	1	2	22	.
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	5	31·0	.	8	.	.	.	2	2	4	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	2	.
Do 2 do.	10,399	2	15·0	5·0	3	.	1	.	.	2	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	1	.
Do. 3 do.	9,793	6	5·3	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do	9.139	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.	6,250	1	8·3	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
Do. 6 do.	11,581	7	4·5	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 7 do	16,056	12	6·5	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.
Total.	76,673	35	10·9	0·7	16	.	1	.	3	6	6	.	.	.	.	.	.	1	.	1	1	1	2	1	.	.	1	1	5	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 9th August, 1919.

DISTRICTS	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
" " 1, West ..	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
" " 2, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
" " 3, ...	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	3
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2	4
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " " 3, ...	.	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	4
" " " 4, ...	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	.	.	.	.	12	2	.	1	.	.	.	.	.	.	.	2	17

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th August, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 9th August.			
	July 19.	July 26.	Aug. 2.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ..	3	3	2	2	.	.	4
Typhus, ...	2	2	2	.	.	.	2
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	16	22	25	11	10	.	26
Scarlet Fever, ...	40	46	59	15	6	.	68*
Diphtheria, ...	8	12	13	3	1	.	15
Pneumonia, ...	23	22	14	2	3	2	11

* Exclusive of 14 patients in "Peneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13119). Wt. 4739. 3, 380. 9. 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd. 116, Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1;
37, Peter Street, Manchester; 1, St Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 33. Vol. LVI.] Week ending Saturday, 16th August, 1919. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 18th August, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 11·7 and 11·5; Dublin Registration Area, 14·3 and 12·6; Dublin City, 16·1 and 13·2; Belfast, 10·7 and 10·6; Cork, 11·6 and 11·1; Londonderry, 17·8 and 15·2; Limerick, 5·4 and 11·2; and Waterford, 9·5 and 10·5.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·9 per 1,000. Among the 82 deaths from all causes for Belfast are one from scarlet fever, and 6 from diarrhœa and enteritis of children under 2 years. One of the 14 deaths from all causes for Londonderry is from measles and of the 4 deaths from all causes for Lisburn 2 are from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 160—93 boys and 67 girls—and the deaths to 121—60 males and 61 females.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 14·3 per 1,000 of the population. During the thirty-three weeks ending with Saturday last, the death-rate averaged 23·8 and was 2·4 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the thirty-three weeks was 25·7 and for the corresponding period of the preceding ten years 22·7.

Of the 111 deaths appertaining to the Area one was from measles, one from influenza, and 30 were from diarrhœal diseases.

In the 3 preceding weeks, deaths from measles numbered 0, 0 and one; deaths from influenza 0, one and 0; and deaths from diarrhœal diseases, 3, 4 and 13, respectively.

Deaths attributed to pneumonia were 2 (both from pneumonia, type not distinguished), as against 4, 2 and 5 in the three weeks preceding.

Tuberculous disease caused 15 deaths (comprising 8 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 5 from other forms of tuberculous disease), as against 20, 11, and 17, in the three weeks preceding.

Eight deaths were caused by cancer, 4 by meningitis, 6 by organic diseases of the heart, and 7 by bronchitis.

Among deaths of infants under one year old, 19 were due to diarrhœa and enteritis, one to congenital malformation, one to premature birth, and 3 to congenital debility.

There was one death by drowning.

Forty-nine of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 29 being infants under one year, of whom 7 were under one month old, and 18 deaths were those of persons aged 65 and upwards, of whom 13 were 70 years of age or over.

Of the 111 deaths recorded, 36 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 16th August in 96 large English towns (including London, in which the rate was 10·4 was equal to an average annual death rate of 10·0 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 9·9 per 1,000 persons living, the rate for Glasgow being 10·8 and for Edinburgh 10·8.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 16th August, From this Report it appears that of 50 cases notified, 15 were scarlet fever, 13 pulmonary tuberculosis, 4 other forms of tuberculosis, 9 diphtheria, 8 erysipelas, and one cerebro-spinal fever. Among the 375 cases of infectious diseases in hospital at the close of the week were 133 of pulmonary tuberculosis, 116 of scarlet fever, 58 of diphtheria. 42 of measles, 11 of whooping-cough, 7 of erysipelas, and one of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 16th August, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	July 26	2	1	.	.	.	—	7	—	6	1	—	.	—	.	.	.	.	.	.	16	33
	Aug. 2	1	.	.	.	.	—	15	—	2	1	—	.	—	.	.	.	.	.	.	16	35
	Aug. 9	.	.	.	.	.	—	12	—	2	1	—		—	.	.	.	.	.	.	2	17
	Aug. 16	4	1	.	.	.	—	9	—	3	3	—	.	—	.	.	.	.	.	.	5	25
Rathmines & Rathgar Urban District	July 26	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	1	.	.	—	3
	Aug. 2	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Aug. 9	.	.	.	.	.	—	.	—	1	1	—	.	—	.	.	.	.	.	.	—	2
	Aug. 16	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
Pembroke Urban District	July 26	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.		.	.	.	.	.
	Aug. 2	1	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	1
	Aug. 9	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Aug. 16	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
Blackrock Urban District	July 26	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Aug. 2	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Aug. 9	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Aug. 16	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	July 26	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Aug. 2	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Aug. 9	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Aug. 16	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
City of Belfast	July 26	.	.	.	.	.	—	10	—	4	.	—	.	—	.	.	.	.	.	.	.	14
	Aug. 2	1	.	.	.	.	—	17	—	4	1	—	.	—	.	5	.	3	1	.	.	32
	Aug. 9	.	.	.	.	.	—	15	—	3	2	—	.	—	.	1	.	1	1	.	19	42
	Aug. 16	3	.	1	.	.	—	26	—	3	1	—	.	—	.	1	.	1	.	.	.	36
City of Cork	July 26	.	.	.	.	.	.	.	—	5	1	—	.	1	.	.	.	.	—	.	—	7
	Aug. 2	.	.	.	.	.	.	.	—	.	1	—	.	4	.	.	.	.	—	.	—	5
	Aug. 9	.	.	.	.	.	.	.	—	5	.	—	.	3	.	.	.	.	—	.	—	8
	Aug. 16	.	.	.	.	.	.	.	—	4	.	—	.	11	.	.	.	.	—	.	—	15
City of Londonderry	July 26	.	.	.	.	.	—	2	—	1	.	—	.	—	.	.	.	.	.	—	—	3
	Aug. 2	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	—	—	.
	Aug. 9	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	.	—	—	2
	Aug. 16	.	.	.	.	.	—	7	—	.	.	—	.	—	.	.	.	.	.	—	—	7
City of Limerick	July 26	.	.	.	.	.	—	3	—	1	.	—	.	—	.	.	.	.	.	.	—	4
	Aug. 2	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	Aug. 9	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	Aug. 16	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1
City of Waterford	July 26	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	23	23
	Aug. 2	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Aug. 9	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Aug. 16	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 16th August, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 2 and 5; typhus one and one; measles 2 and 21; scarlet fever 13 and 78*; and diphtheria 2 and 14. Three cases of pneumonia were admitted during the week and 13 remained under treatment at its close, as compared with 22, 14 and 11 at the close of the 3 preceding weeks. Of the deaths in hospital during the week one was from measles.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 16th August 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases (b)	Registration—Week ending Saturday, 16th August, 1919. Numbers Registered. Births. Total Number	Deaths. Total Number.	Deaths. Under 1 year of Age	Deaths. At 65 years and upwards.	Deaths. Caused by. Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Meteorology. (c) Week ending 16th August, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	21·0	11·7	1·9	460	256	50	55	·	·	·	4	1	·	·	·	25	21	19	6	23	34	2	3	7	73	6	·	·	·	·	·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	20·6	14·3	4·0	160	111	23	18	·	·	·	1	·	·	·	·	8	7	8	2	9	28	2	1	2	36	1	(d) 76·0	9·8	73·1	53·2	63·2	0·08
Urban Districts. CITY OF DUBLIN,	310,500	38·0	21·8	16·1	5·0	130	96	27	12	·	·	·	1	·	·	·	·	8	6	6	2	6	27	2	1	2	33	1	(e) 74·2 (f) 78·0	54·2 51·0	72·0 74·2	58·1 55·5	65·1 64.9	0·11 0·11
Urban Districts. RATHMINES and RATHGAR	39,400	23·0	6·6	5·3	·	5	4	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,500	18·8	19·4	15·9	1·8	11	9	1	3	·	·	·	·	·	·	·	·	·	1	2	·	3	1	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,000	8·3	29·0	·	·	5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,600	11·4	28·3	6·3	·	9	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	75	55	71·1	56·8	64·0	0·06
Urban Districts. BELFAST, ..	401,000	26·8	22·5	10·7	0·9	173	82	14	18	·	·	·	·	1	·	·	·	11	7	6	3	8	6	·	2	3	23	1	77·8	50·5	72·2	54·5	63·3	0·43
Urban Districts. CORK, ...	76,673	28·6	29·9	11·6	·	44	17	1	6	·	·	·	·	·	·	·	·	1	3	1	·	1	·	·	·	1	6	·	75	53	70·7	56·7	63·7	0·12
Urban Districts. LONDONDERRY, ..	41,000	15·9	15·3	17·8	1·3	12	14	4	3	·	·	·	1	·	·	·	·	1	3	·	·	2	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	17·6	5·4	·	13	4	1	1	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	2	·	77	47	75·7	53·7	64·7	0·05
Urban Districts. WATERFORD, ..	27,464	19·1	7·6	9·5	·	8	5	·	1	·	·	·	·	·	·	·	·	1	1	1	·	1	·	·	·	1	2	·	·	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			5	3	·	1	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	2	78	50	74·4	57·0	65·7	0·00
Urban Districts. DUNDALK, ..	13,128	9·5				3	3	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				10	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	76·3	51·0	73·6	54·6	64·1	0·34
Urban Districts. DROGHEDA, ..	12,501	8·4				3	5	·	2	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				6	4	·	1	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	75	49	73·0	51·7	62·3	0·82
Urban Districts. NEWRY, ...	11,963	17·0				1	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	76·3	51·0	73·6	54·6	64·1	0·34
Urban Districts. PORTADOWN, ..	11,727	15·3				3	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	76·3	51·0	73·6	54·6	64·1	0·34
Urban Districts. WEXFORD, ..	11,531	22·8				7	2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BALLYMENA, .	11,381	9·3				1	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	73	46	70	52	61	0·37
Urban Districts. KILKENNY, ..	10,514	11·4				4	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	78	49	74·8	54·7	64·8	0·05
Urban Districts. TRALEE, ...	10,300	17·4				3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
LONDON	4,206,901	—	—	0·4	—	1,704	800	90	264	1	—	·	6	·	1	8	—	73	21	111	37	31	20	14	50	89	406	·	88	52	83·9	54·9	69·4	0·09
EDINBURGH ...	336,700	—	—	1·8	—	10[illegible]	70	12	26	·	·	·	·	·	·	·	—	—	—	—	—	—	·	—	2	—	—	—	73·0	48·0	70·0	53·0	61·5	0·12
GLASGOW	1,118,700	—	—	10·8	—	458	2[illegible]2	44	[illegible]2	1	·	·	1	·	4	6	—	—	—	—	—	—	14	—	11	—	—	—	74·0	50·4	67·1	54·1	60·6	0·25

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College and those for Waterford by De La Salle College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 33rd Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 16th August, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
ALL CAUSES.	135·2	121	7	23	14	8	·	1	4	2	8	7	13	16	8	10	111
Enteric Fever ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Typhus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles	·2	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1
Scarlet Fever ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Whooping-cough ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diphtheria	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Croup	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	1·0	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1
Dysentery	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Erysipelas	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Epidemic Diseases	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pyæmia and Septicæmia (non-puerperal).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tetanus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
TUBERCULOSIS.																	
Pulmonary Tuberculosis	16·2	9	·	·	·	1	·	·	1	·	2	2	2	1	·	·	8
Tuberculous Meningitis	1·2	2	·	·	·	·	·	1	·	·	1	·	·	·	·	·	2
Abdominal Tuberculosis	1·6	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1
Tuberculosis of the Spinal Column.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of Joints	·	3	·	·	·	1	·	·	1	·	·	·	1	·	·	·	2
Tuberculosis of other Organs.	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Scrofula	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Disseminated Tuberculosis.	1·2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Venereal Diseases ..	1·0	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1
Cancer	8·2	9	·	·	·	·	·	·	·	·	1	1	2	4	·	1	8
Tumour, situation undefined.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Rheumatic Fever ..	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Diabetes	1·0	2	·	·	·	·	·	·	·	·	·	1	1	·	·	·	2
Anæmia, Leucocythæmia.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other General Diseases	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Alcoholism ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Poisonings ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cerebro-spinal Fever..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Simple Meningitis ..	2·4	4	1	1	·	2	·	·	·	·	·	·	·	·	·	·	4
Cerebral Hæmorrhage, Apoplexy.	4·4	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Softening of Brain ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Paralysis, without specified cause.	1·0	6	·	·	·	·	·	·	·	·	·	·	2	1	·	3	6
Epilepsy, ...	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Convulsions (non-puerperal).	3·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Nervous System.	3·2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Pericarditis ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Endocarditis ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Organic Diseases of the Heart.	11·2	7	·	·	·	·	·	·	·	·	1	1	2	1	·	2	6
Embolism and Thrombosis (including Cerebral).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Circulatory System.	·6	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Diseases of the Larynx	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Bronchitis	9·0	7	·	·	1	·	·	·	·	·	1	·	·	2	3	·	7
Broncho-pneumonia ..	3·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Lobar pneumonia ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pneumonia (type not distinguished).	2·2	3	·	1	1	1	·	·	·	·	·	·	·	·	·	·	2
Pleurisy	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pulmonary Congestion, Pulmonary Apoplexy.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Respiratory System.	·4	2	·	·	·	·	·	·	·	·	·	·	·	·	2	·	2

in the THIRTY-THIRD WEEK, ending Saturday, 16th August, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 33rd Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 16th August, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tonsillitis.																		
Diseases of Stomach ..	2·2	2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	1	
Diarrhœa and Enteritis of Children under 2 years.	16·0	28	1	18	9	·	·	·	·	·	·	·	·	·	·	·	28	
Diarrhœa 2 years and upwards.	1·2	2	·	·	·	1	·	·	·	·	·	·	·	1	·	·	2	
Enteritis 2 years and upwards.	2·0	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	
Appendicitis and Typhlitis.	·4	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	
Hernia and Intestinal Obstructions.	2·0	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	
Cirrhosis of Liver ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Liver	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Peritonitis (cause unknown).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Digestive System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Acute Nephritis ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Chronic Bright's Disease	2·6	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Genito-urinary System.	·8	3	·	·	·	·	·	·	·	·	·	·	1	1	1	·	3	
Puerperal Septicæmia, &c.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other causes incident to Pregnancy and Childbirth.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Diseases of Skin and Cellular Tissues.	1·4	2	·	·	·	·	·	·	·	·	·	·	1	1	·	·	1	
Diseases of Locomotor System.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Congenital Malformations.	·2	4	1	·	2	1	·	·	·	·	·	·	·	·	·	·	2	
Premature Birth ..	3·2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	
Congenital Debility ..	4·4	3	1	2	·	·	·	·	·	·	·	·	·	·	·	·	3	
Old Age	4·6	3	·	·	·	·	·	·	·	·	·	·	·	·	1	2	3	
Other Specified Diseases	1·4	2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	2	
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Burns and Scalds ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Drowning	·8	1		·	·	·	·	·	·	·	1	·	·	·	·	·	1	
Suffocation in Bed ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Railways, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Vehicles and Horses ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ships, Boats, Docks, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Gunshot Wounds, &c.	2·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Violent Deaths		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Not included in above—																		
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Suicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ill-defined, &c., Causes,	3·2	2	·	·	·	·	·	·	·	·	·	1	·	1	·	·	2	

TABLE IV.—Showing for the WEEK ENDED 16TH AUGUST, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths	Week ended Saturday, 16th August, 1919. Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	17·4	5·2	10	5	1	1	·	·	·	1	2	·	·	·	·	·	·	·	·	1	1	·	·	2	3	·	·	·	·	1	·	1
" 1, W., ...	41,100	10·1	3·8	8	2	2	1	·	·	1	2	·	·	·	·	·	·	·	·	·	1	·	·	2	1	3	·	·	·	·	3	·	·
" 2, ...	27,500	28·4	9·5	15	3	2	1	1	·	1	3	4	·	·	·	·	·	·	·	·	·	1	1	·	·	4	1	1	·	1	1	5	·
" 3, ...	34,100	12·2	4·6	8	2	2	·	·	·	2	2	·	·	·	·	·	·	·	·	·	1	·	1	·	1	3	·	·	·	·	·	2	·
CLONTARF AND HOWTH, No. 1, part of	5,500	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	19·2	7·7	5	2	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	2	·	·	·	·	·	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	10·9	2·4	9	1	1	·	·	1	1	4	1	·	·	·	1	·	·	·	·	1	·	1	·	·	1	·	·	·	·	3	5	·
" 2, ...	18,200	25·8	2·9	9	2	·	1	·	·	1	4	1	·	·	·	·	·	·	·	·	·	2	·	·	1	1	·	·	·	·	2	2	·
" 3, ...	43,300	22·9	4·8	19	5	1	2	·	2	1	4	4	·	·	·	·	·	·	·	·	2	2	2	·	1	4	·	·	·	·	4	3	·
" 4, ...	32,800	19·1	9·5	12	5	2	2	·	·	1	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	5	1	·	·	1	1	1	·
NEW KILMAINHAM, ...	10,300	5·1	5·1	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	5·3	·	4	·	·	·	·	1	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
PEMBROKE	29,500	15·9	1·8	9	1	·	·	·	·	2	3	3	·	·	·	·	·	·	·	·	·	1	2	·	3	1	·	·	1	·	3	·	·
BLACKROCK, ...	9,000	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ...	16,600	6·3	·	2	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
TOTAL CITY. North, ...	162,900	14·7	5·1	46	14	7	3	1	·	6	9	6	·	·	·	·	·	·	·	·	4	2	3	2	4	15	1	1	·	1	5	7	1
TOTAL CITY. South, ...	147,600	17·7	4·9	50	13	5	5	·	3	4	14	6	·	·	·	1	·	·	·	·	4	4	3	·	2	12	1	·	·	1	10	11	·
TOTAL CITY. North and South, ..	310,500	16·1	5·0	96	27	12	8	1	3	10	23	12	·	·	·	1	·	·	·	·	8	6	6	2	6	27	2	1	·	2	15	18	1
Total Urban Districts, ...	94,500	8·3	0·6	15	2	·	·	·	1	2	4	6	·	·	·	·	·	·	·	·	·	1	2	·	3	1	·	·	1	·	3	·	·
Total Registration Area, ..	405,000	14·3	4·0	111	29	12	8	1	4	12	27	18	·	·	·	1	·	·	·	·	8	7	8	2	9	28	2	1	1	2	18	18	1
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				10	1	2	·	·	2	3	2	·	·	·	·	·	·	·	·	·	1	1	1	1	·	·	·	·	·	1	10	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 16th August, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 16TH AUGUST, 1919.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	121	52	1	6	15	29	8	10	.	.	.	1	.	.	.	.	9	8	9	.	3	9	28	2	1	51	1
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	10·7	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.
II.	MIDDLE CLASS	101,798	12·3	24	8	.	2	4	9	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	18	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	10·6	22	8	1	1	4	3	2	3	.	.	.	.	.	.	.	.	3	3	2	.	.	1	6	.	1	6	1
IV.	GENERAL SERVICE CLASS	167,479	16·8	54	35	.	2	4	8	3	2	.	.	.	1	.	.	.	.	3	4	2	.	3	4	17	2	.	18	.
V.	INMATES OF WORKHOUSES, ...	5,602	—	18	1	.	1	2	8	2	4	.	.	.	.	.	.	.	.	2	1	4	.	.	2	1	.	.	8	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	9	6	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	6	.
	6. Clerks and Commercial Assistants,	33,249	—	7	2	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	7	.	.	1	1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	6	.
III	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	4	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	.
	9. Building and Furnishing Trades, ..	28,823	—	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	10. Clothing Trades, ...	20,026	—	4	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.	.	.	.
	11. Food Supply Trades, ...	8,952	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	11	3	1	1	2	2	2	.	.	.	.	.	.	.	.	.	1	3	.	.	.	1	2	.	1	3	1
	13. Petty Shopkeepers, ...	6,772	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	9	6	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	2	.	.	4	.
	15. Domestic Servants, ...	36,041	—	6	4	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	4	3	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	35	22	.	.	2	7	2	2	.	.	.	.	.	.	.	.	3	3	1	.	3	2	11	2	.	10	.
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	18	1	.	1	2	8	2	4	.	.	.	.	.	.	.	.	2	1	4	.	.	2	1	.	.	8	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

Week ending	Dublin Registration Area.													Belfast City.												
	May 24.	May 31.	June 7.	June 14.	June 21.	June 28	July 5	July 12.	July 19.	July 26.	Aug. 2	Aug. 9.	Aug. 16	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19	July 26.	Aug. 2.	Aug 9.	Aug. 16.
No. of weeks in Annual Series ..	21	22	23	24	25	26	27	28	29	30	31	32	33	21	22	23	24	25	26	27	28	29	30	31	32	33
Births registered	169	217	178	187	198	196	192	198	178	207	233	190	160	191	185	203	205	199	257	180	178	202	238	204	182	173
Average Births in corresponding week of previous 10 years, ...	238	263	239	239	235	249	203	206	216	212	200	198	215	220	218	208	209	198	207	198	185	214	208	195	193	201
Number of Deaths, ...	118	123	120	104	119	107	99	102	70	89	92	99	111	118	98	95	104	91	98	87	90	84	92	79	73	82
Annual Death-rate per 1,000 ..	15·2	15·8	15·5	13·4	15·3	13·8	12·7	13·1	9·0	11·5	11·8	12·7	14·3	15·3	12·7	12·4	13·5	11·8	12·7	11·3	11·7	10·9	12·0	10·3	9·5	10·7
Average Deaths in corresponding week of previous 10 years, ...	151	143	140	142	129	126	129	142	132	131	127	129	139	133	125	120	122	120	136	128	123	114	111	106	105	114
Ages, .. Under one year, ..	17	18	18	12	18	17	20	9	11	9	16	19	29	14	13	9	13	14	18	12	11	12	19	12	12	14
1— 5 years, ..	6	8	8	4	8	8	7	3	3	6	5	5	20	8	4	5	5	3	2	1	6	5	3	5	6	5
5—25 ,, ..	12	14	18	11	14	15	13	14	10	11	5	7	5	23	14	23	21	11	15	14	17	10	7	11	11	13
25—45 ,, ..	21	23	20	16	26	19	15	17	9	14	13	17	12	25	27	14	26	18	14	17	13	14	22	17	9	14
45—65 ,, ..	29	25	25	32	23	22	22	29	22	24	27	27	27	23	17	22	24	25	22	18	21	31	23	19	12	18
65 and upwards, ..	33	35	31	29	30	26	22	30	15	25	26	24	18	25	23	22	15	20	27	25	22	12	18	15	23	18
Deaths from :—																										
Enteric Fever, ...	1	.	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	1	.	3	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.
Scarlet Fever, ...	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	1	.	.	3	2	3	1	2	.	1	1
Whooping-cough, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
Diphtheria, ...	.	1	.	.	.	.	1	.	.	2	.	.	.	.	.	1	.	.	1	.	.	1	.	1	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	16	24	18	19	19	21	20	10	11	13	6	12	8	18	19	18	18	13	19	10	12	13	18	18	8	11
Tuberculosis { Other Forms, ..	6	7	9	2	6	9	.	3	5	7	5	5	7	11	6	6	9	4	5	5	3	8	6	2	7	7
Cancer, ...	5	9	7	9	5	8	4	12	6	4	8	10	8	7	4	4	7	6	10	8	5	7	2	5	1	6
Diseases of Respiratory System, { Pneumonia ..	11	6	6	8	12	9	13	8	5	4	2	5	2	6	9	7	5	3	7	4	8	5	3	4	3	3
Diseases of Respiratory System, { Others, ..	12	11	8	7	12	5	11	10	3	12	7	11	9	7	8	7	10	6	4	7	7	5	8	9	6	8
Diarrhœa and Enteritis, under 2 years, ...	3	2	3	1	3	.	2	3	6	2	4	12	28	3	2	.	1	.	1	1	.	1	1	2	2	6
Diarrhœa, 2 years and upwards..	.	.	.	.	.	.	.	.	1	1	.	1	2	1	.	1	2	1	.	1	.	1	.	1	.	.
Violent Deaths, ...	2	1	4	2	1	.	2	2	1	3	4	2	1	4	1	3	1	1	1	3	2	1	3	.	1	2
Number of Uncertified Deaths, ..	10	6	2	2	2	2	2	1	1	1	3	1	1	1	1	.	2	1	2	1	1	3	1	1	.	1
A Mean Maximum Temperature in degs	62·3	67·8	68·0	65·5	63·3	61·6	61·1	65·6	64·3	67·1	66·5	69·6	73·1	62·9	67·5	59·0	63·7	63·4	60·0	61·3	63·7	62·6	65·1	65·6	68·4	72·2
B Mean Minimum ,, ,,	45·5	44·0	48·4	44·5	48·3	46·3	44·0	43·8	51·2	47·0	45·5	52·2	53·2	47·2	49·4	50·9	50·3	47·4	47·4	49·9	50·7	52·2	51·3	47·1	53·5	54·5
Mean of A and B ,, ,,	53·9	55·9	58·2	55·0	55·8	54·0	52·5	54·7	57·7	57·1	56·0	61·1	63·2	55·1	58·4	55·0	57·0	55·4	53·7	55·5	57·2	57·4	58·2	56·4	60·8	63·3
Rainfall in inches	0·79	0·00	0·05	1·47	0·21	0·63	0·38	0·18	0·04	0·46	1·13	0·10	0·08	0·42	0·11	0·03	1·60	0·39	0·36	0·21	0·02	0·23	0·10	0·13	0·29	0·43

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 16th August, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS. Pulmonary.	Other Forms	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	7	9·9	3·3	3	.	1	.	.	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	1	.
Do. 2 do.	49,500	22	7·4	.	7	1	1	1	.	1	3	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	4	.
Do. 3 do.	50,032	27	7·3	.	7	2	.	.	1	3	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	1	3	.
Do. 4 do.	32,637	13	6·4	1·6	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	2	.
Do. 5 do.	16,112	7	12·9	3·2	4	1	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
Do. 6 do.	37,293	19	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	6	17·5	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
Do. 9 do.	24,427	5	14·9	2·1	7	1	.	2	3	.	1	.	.	.	.	.	.	.	.	1	1	.	.	1	1	.	.	.	3	.
Do. 10 do.	28,958	9	16·2	.	9	1	.	4	1	1	2	.	.	.	.	.	.	.	.	1	2	1	.	1	.	.	.	.	2	.
Do. 11 do.	39,311	16	1·9	1·3	9	2	.	.	2	3	2	.	.	.	.	.	.	.	.	1	.	.	1	3	1	.	.	.	2	.
Do. 12 do.	38,076	20	21·9	2·7	16	3	3	2	3	3	2	.	.	.	.	1	.	.	.	2	1	1	.	.	1	.	1	1	3	.
Do. 13 do.	23,233	8	18·0	.	8	1	.	2	.	1	4	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.	.	.
Do. 14 do	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	14	13·8	.	6	.	.	1	3	2	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	3	.
Total,	386,947	173	10·7	0·9	82	14	5	13	14	18	18	.	.	.	.	1	.	.	.	11	7	6	3	8	6	.	2	3	23	1
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	4	7·8	.	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 2 do.	10,399	8	10·0	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Do. 3 do.	9,793	7	16·0	.	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	2	.
Do. 4 do.	9,139	4	28·5	.	5	.	.	1	1	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.
Do. 5 do.	6,250	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	3	9·0	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 7 do	16,056	13	9·7	.	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Total.	76,673	44	11·6	.	17	1	.	2	5	3	6	.	.	.	.	.	.	.	.	1	3	1	.	1	.	.	.	1	6	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 16th August, 1919.

DISTRICTS	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	..	..	..	1	.	..	1	.	.	.	.	.	.	.	1	3
" " 1, West ..	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	3
" " 2, ...	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	1	4
" " 3, ...	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of)	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2
South City No. 1	.	.	..	.	.	3	.	.	.	.	.	.	.	.	.	.	1	4
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " " 3, ...	.	.	..	.	.	1	..	..	.	.	.	.	.	.	.	.	2	3
" " " 4, ...	.	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	4	1	.		.	9	3	.	3	.	.	.	.	.	.	.	5	25

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th August, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 16th August.			
	July 26.	Aug. 2.	Aug. 9.	No. admitted	Discharged.	Died.	No under treatment at close of week.
Enteric Fever, ...	3	2	4	2	1	.	5
Typhus, ...	2	2	2	1	2	.	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	22	25	26	2	6	1	21
Scarlet Fever, ...	46	59	68	13	3	..	78*
Diphtheria, ...	12	13	15	2	3	.	14
Pneumonia, ...	22	14	11	3	1	.	13

* Exclusive of 7 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13120). Wt. 4739. 3. 380. 11 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 34. VOL. LVI.] WEEK ENDING SATURDAY, 23RD AUGUST, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 25th August, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 15·6 and 12·5; Dublin Registration Area, 16·0 and 13·7; Dublin City, 17·0 and 14·6; Belfast, 16·9 and 11·9; Cork, 10·2 and 10·7; Londonderry, 7·6 and 14·0; Limerick, 16·2 and 12·2; and Waterford, 28·5 and 17·1.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 3·3 per 1,000. Among the 130 deaths from all causes for Belfast are one from scarlet fever, one from diphtheria, 24 from diarrhœal diseases, and one from cerebro-spinal meningitis. Three of the 15 deaths from all causes for Cork are from diarrhœa and enteritis of children under 2 years. Of the 15 deaths from all causes for Waterford 4 are from diarrhœal diseases. Two of the 5 deaths from all causes for Drogheda are from diarrhœa and enteritis of children under 2 years. The 4 deaths from all causes for Ballymena include one from whooping-cough. One of the 5 deaths from all causes for Sligo is from measles, and the 5 deaths recorded for Clonmel include one from whooping-cough and one from diarrhœa and enteritis of a child under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 226—117 boys and 109 girls—and the deaths to 130—71 males and 59 females.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 16·0 per 1,000 of the population. During the thirty-four weeks ending with Saturday last the death-rate averaged 23·5 and was 2·2 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the thirty-four weeks was 25·5 and for the corresponding period of the preceding ten years 22·6.

Of the 124 deaths appertaining to the Area there was one from influenza, and 29 from diarrhœal diseases.

In the 3 preceding weeks deaths from influenza numbered one, 0, and one, and deaths from diarrhœal diseases 4, 13, and 30, respectively.

Deaths attributed to pneumonia were 6 (comprising 4 from broncho-pneumonia, one from lobar pneumonia, and one from pneumonia, type not distinguished), as against 2, 5, and 2 in the three weeks preceding.

Tuberculous disease caused 18 deaths (comprising 12 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 4 from other forms of tuberculous disease), as against 11, 17 and 15, in the three weeks preceding.

Five deaths were caused by cancer, 6 by organic diseases of the heart, and 6 by bronchitis.

Among deaths of infants under one year old, 3 were due to convulsions, 22 to diarrhœa and enteritis, 2 to congenital malformations, 3 to premature birth, and 2 to congenital debility.

Forty-seven of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 38 being infants under one year, of whom 10 were under one month old, and 24 deaths were those of persons aged 65 and upwards, of whom 14 were 70 years of age or over.

Of the 124 deaths recorded, 34 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 23rd August, in 96 large English towns (including London, in which the rate was 10·4) was equal to an average annual death rate of 10·0 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 10·7 per 1,000 persons living, the rate for Glasgow being 11·3 and for Edinburgh 11·2.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 23rd August. From this Report it appears that of 50 cases notified, 18 were scarlet fever, 12 diphtheria, 7 pulmonary tuberculosis, 6 other forms of tuberculosis, and 7 erysipelas. Among the 375 cases of infectious diseases in hospital at the close of the week were 134 of pulmonary tuberculosis, 121 of scarlet fever, 53 of diphtheria, 37 of measles, 12 of whooping-cough, 7 of erysipelas, and one of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 23rd August, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Aug. 2	1	·	·	·	·	—	15	—	2	1	—	·	—	·	·	·	·	·	·	16	35
	Aug. 9	·	·	·	·	·	—	12	—	2	1	—	·	—	·	·	·	·	·	·	2	17
	Aug. 16	4	1	·	·	·	—	9	—	3	3	—	·	—	·	·	·	·	·	·	5	25
	Aug. 23	2	2	·	·	·	—	9	—	2	·	—	·	—	·	·	·	·	·	·	7	22
Rathmines & Rathgar Urban District	Aug. 2	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Aug. 9	·	·	·	·	·	—	·	—	1	1	—	·	—	·	·	·	·	·	·	—	2
	Aug. 16	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Aug. 23	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
Pembroke Urban District	Aug. 2	1	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	1
	Aug. 9	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
	Aug. 16	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
	Aug. 23	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
Blackrock Urban District	Aug. 2	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Aug. 9	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Aug. 16	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Aug. 23	·	·	·	·	·	·	1	—	1	·	—	·	—	·	·	·	·	·	·	·	2
Kingstown Urban District	Aug. 2	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Aug. 9	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Aug. 16	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Aug. 23	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
City of Belfast	Aug. 2	1	·	·	·	·	—	17	—	4	1	—	·	—	·	5	·	3	1	·	·	32
	Aug. 9	·	·	·	·	·	—	15	—	3	2	—	·	—	·	1	·	1	1	·	19	42
	Aug. 16	3	·	1	·	·	—	26	—	3	1	—	·	—	·	1	·	1	·	·	·	36
	Aug. 23	7	·	2	·	·	—	31	—	5	1	—	2	—	·	·	·	·	·	·	·	48
City of Cork (*a*)	Aug. 2	·	·	·	·	·	·	·	—	·	1	—	·	4	·	·	·	·	—	·	—	5
	Aug. 9	·	·	·	·	·	·	·	—	5	·	—	·	3	·	·	·	·	—	·	—	8
	Aug. 16	·	·	·	·	·	·	·	—	4	·	—	·	11	·	·	·	·	—	·	—	15
	Aug. 23	·	·	·	·	·	·	·	—	·	·	—	·	19	1	·	·	·	—	·	—	20
City of Londonderry	Aug. 2	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	—	—	·
	Aug. 9	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	·	·	—	—	2
	Aug. 16	·	·	·	·	·	—	7	—	·	·	—	·	—	·	·	·	·	·	—	—	7
	Aug. 23	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	—	—	·
City of Limerick	Aug. 2	1	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Aug. 9	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Aug. 16	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	Aug. 23	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
City of Waterford	Aug. 2	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Aug. 9	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Aug. 16	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Aug. 23	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd August, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 2 and 67; typhus 4 and 5; measles one and 8; scarlet fever 17 and 79*; and diphtheria 2 and 16. Four cases of pneumonia were admitted during the week and 13 remained under treatment at its close, as compared with 14, 11 and 13 at the close of the 3 preceding weeks. Of the deaths in hospital during the week one was from enteric fever.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 23rd August, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases (b)	Registration—Week ending Saturday, 23rd August, 1919. Numbers Registered. Births. Total Number.	Deaths. Total Number	Under 1 year of Age	At 65 years and upwards	Caused by: Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Uncertified Number of Deaths.	Meteorology. (c) Week ending 23rd August, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	25·2	15·6	3·3	552	342	94	70	·	·	·	1	1	2	1	·	32	12	12	15	16	53	14	6	5	86	9	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	29·1	16·0	3·7	226	124	38	24	·	·	·	·	·	·	·	·	12	6	5	6	7	23	3	·	·	34	5	(d) 73·6	44·8	68·4	51·8	60·1	0·59
Urban Districts. CITY OF DUBLIN,	310,500	38·0	31·4	17·0	4·5	187	101	35	17	·	·	·	·	·	·	·	·	9	4	3	4	7	24	3	·	·	27	5	(e) 73·8 (f) 77·0	49·2 45·0	67·6 70·0	54·9 52·9	61·3 61·5	0·56 0·53
Urban Districts. RATHMINES and RATHGAR.	39,400	23·0	19·9	18·5	2·6	15	14	3	3	·	·	·	·	·	·	·	·	2	2	2	1	·	2	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,500	18·8	23·0	10·6	·	13	6	·	3	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	4	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,000	8·3	17·4	11·6	·	3	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,600	11·4	25·1	3·1	·	8	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	77	50	71·4	54·5	63·0	0·60
Urban Districts. BELFAST, ..	401,000	26·8	28·0	16·9	3·4	215	130g	33	20	·	·	·	·	1	·	1	·	12	4	5	5	7	16	8	3	3	30	1	75·0	46·0	68·0	53·0	60·5	0·48
Urban Districts. CORK, ...	76,673	28·6	19·0	10·2	2·0	28	15	6	2	·	·	·	·	·	·	·	·	2	·	1	·	1	3	·	·	·	2	·	69	50	66·0	54·7	60·4	2·09
Urban Districts. LONDONDERRY, ..	41,000	15·9	22·9	7·6	1·3	18	6	2	1	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	14·9	16·2	·	11	12	1	4	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	1	·	5	1	73	45	69·4	51·4	60·4	0·58
Urban Districts. WATERFORD, ..	27,464	19·1	19·0	28·5	7·6	10	15	3	7	·	·	·	·	·	·	·	·	3	1	·	·	·	2	2	·	·	4	·	·	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5				7	6	2	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	4	·	71	44	67	49	58	0·75
Urban Districts. DUNDALK, ..	13,128	9·5				3	5	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				4	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	74·3	46·1	67·0	51·7	59·3	0·86
Urban Districts. DROGHEDA, ..	12,501	8·4	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			6	5	2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				3	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	76	42	67·4	47·1	57·3	0·75
Urban Districts. NEWRY, ...	11,963	17·0				2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	74·3	46·1	67·0	51·7	59·3	0·86
Urban Districts. PORTADOWN, ..	11,727	15·3				4	3	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	74·3	46·1	67·0	51·7	59·3	0·86
Urban Districts. WEXFORD, ..	11,531	22·8				3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				3	4	1	2	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				4	5	2	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	70	47	66	52	59	0·80
Urban Districts. KILKENNY, ..	10,514	11·4				1	1	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	74	44	68·2	50·1	59·2	0·62
Urban Districts. TRALEE, ...	10,300	17·4				1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				3	5	1	2	·	·	·	·	·	1	·	·	1	·	·	·	·	1	·	1	1	2	1	·	·	·	·	·	·
LONDON	4,206,901	—	—	10·4	—	1,826	804	117	243	1	—	·	14	2	2	9	—	79	19	100	57	—	37	16	54	85	401	—	85	47	75·3	57·6	66·5	0·39
EDINBURGH ...	336,500	—	—	11·2	—	144	72	11	21	·	·	·	2	·	2	·	—	—	—	—	—	—	·	—	2	—	—	—	73·0	47·0	65·0	51·0	58·0	0·5[illegible]
GLASGOW	1,118,700	—	—	11·3	—	470	243g	47	66	·	·	·	4	·	1	·	—	—	—	—	—	—	28	—	11	—	—	—	70·6	47·5	63·3	51·1	57·2	0·92

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College, and those for Waterford by De La Salle College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis for Belfast and 2 for Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 34th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 23rd August, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.		
ALL CAUSES.	140·4	130	10	28	6	3	2	3	5	2	8	12	12	14	16	9	124
Enteric Fever ..	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	17·8	12	.	.	.	.	.	.	3	1	4	3	1	.	.	.	12
Tuberculous Meningitis	2·0	2	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2
Abdominal Tuberculosis	·6	2	.	1	.	.	.	.	.	.	1	.	.	.	.	.	2
Tuberculosis of the Spinal Column.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·8	2	.	.	.	.	1	.	.	1	.	.	.	.	.	.	2
Venereal Diseases ..	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2
Cancer	11·2	7	.	.	.	.	.	.	.	.	1	.	3	1	2	.	5
Tumour, situation undefined.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	.	3	.	.	.	.	.	.	.	.	.	1	.	.	2	.	3
Anæmia, Leucocythæmia.	2·2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2
Other General Diseases	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.	3·8	4	.	.	.	.	.	.	.	.	.	.	1	.	2	1	4
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	1·2	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	3
Epilepsy, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	2·8	4	3	.	1	.	.	.	.	.	.	.	.	.	.	.	4
Other Diseases of Nervous System.	1·4	3	.	.	.	.	.	.	.	.	2	1	.	.	.	.	3
Pericarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	11·8	7	.	.	.	.	.	.	.	.	.	.	1	4	1	1	6
Embolism and Thrombosis (including Cerebral).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	8·4	6	.	.	.	.	.	.	.	.	.	1	.	3	1	1	6
Broncho-pneumonia ..	1·4	4	1	.	1	.	1	.	.	.	.	.	1	.	.	.	4
Lobar pneumonia ..	1·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Pneumonia (type not distinguished).	2·8	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
Pleurisy	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1

in the TWENTY-FOURTH WEEK, ending Saturday, 23rd August, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 34th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 23rd August, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx. Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Stomach ..	1·4	3	.	2	.	.	.	.	.	.	.	1	.	.	.	.		3
Diarrhœa and Enteritis of Children under 2 years.	22·8	26	2	20	4	.	.	.	.	.	.	.	.	.	.	.		26
Diarrhœa 2 years and upwards.	·4	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.		3
Enteritis 2 years and upwards.	2·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Appendicitis and Typhlitis.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.		.		.
Hernia and Intestinal Obstructions.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cirrhosis of Liver ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Liver	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Peritonitis (cause unknown).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Digestive System	·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Acute Nephritis ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Bright's Disease	1·8	9	.	.	.	.	.	.	.	.	.	.	4	2	3	.		9
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	·6	3	.	.	.	.	.	.	1	.	.	.	.	.	1	1		3
Puerperal Septicæmia, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other causes incident to Pregnancy and Childbirth.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Skin and Cellular Tissues.	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1
Diseases of Locomotor System.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Congenital Malformations.	·4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.		2
Premature Birth ..	3·6	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.		3
Congenital Debility ..	5·6	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.		2
Old Age	4·0	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3		3
Other Specified Diseases	1·4	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.		2
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Drowning	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suffocation in Bed, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Railways, ..	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.		.
Vehicles and Horses ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Gunshot Wounds, &c.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Violent Deaths		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Not included in above—																		
Homicide, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suicide, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes,	1·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1

TABLE IV.—Showing for the WEEK ENDED 23RD AUGUST, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
					DEATHS.								CAUSED BY																				
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	20·9	7·0	12	2	2	.	.	.	2	4	2	.	.	.	.	.	.	.	.	1	.	1	1	1	4	.	.	.	.	2	1	.
" 1, W., ...	41,100	15·2	2·5	12	5	.	1	1	.	.	2	3	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	2	4	.
" 2, ...	27,500	20·9	3·8	11	5	1	.	.	1	2	2	.	.	.	.	.	.	.	.	.	2	1	.	2	1	2	.	.	.	.	2	.	.
" 3, ...	34,100	12·2	6·1	8	2	1	1	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	3	1	.	.	.	.	2	.
CLONTARF AND HOWTH, No. 1, part of	5,500	19·0	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
COOLOCK AND DRUMCONDRA, part of ..	13,600	19·2	.	5	1	.	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
FINGLAS AND GLASNEVIN, part of ..	11,100	4·7	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City.																																	
SOUTH CITY, No. 1, ..	43,000	15·8	3·6	13	4	.	1	.	.	3	2	3	.	.	.	.	.	.	.	.	2	.	1	.	.	2	1	.	.	.	.	4	1
" 2, ...	18,200	14·3	5·7	5	3	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	1	.
" 3, ...	43,300	16·9	1·2	14	4	1	.	.	.	4	3	2	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	3	4	.
" 4, ...	32,800	25·4	14·3	16	8	.	.	1	1	2	2	2	.	.	.	.	.	.	.	.	3	.	.	.	2	8	1	.	.	.	2	.	4
NEW KILMAINHAM, ...	10,300	10·1	.	2	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	18·5	2·6	14	3	1	.	2	1	2	2	3	.	.	.	.	.	.	.	.	2	2	2	1	.	2	.	.	1	.	3	.	.
PEMBROKE	29,500	10·6	.	6	.	.	.	.	1	1	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	1	.
BLACKROCK, ...	9,000	11·6	.	2	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, ...	16,600	3·1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TOTAL CITY. North, ...	162,900	16·3	3·8	51	16	4	2	1	1	6	14	7	.	.	.	.	.	.	.	.	3	3	2	4	3	11	1	.	.	.	6	7	.
TOTAL CITY. South, ...	147,600	17·7	5·3	50	19	1	1	1	2	9	7	10	.	.	.	.	.	.	.	.	6	1	1	.	4	13	2	.	.	.	5	9	5
TOTAL CITY. North and South, ..	310,500	17·0	4·5	101	35	5	3	2	3	15	21	17	.	.	.	.	.	.	.	.	9	4	3	4	7	24	3	.	.	.	11	16	.
Total Urban Districts, ...	94,500	12·7	1·1	23	3	1	.	2	3	4	3	7	.	.	.	.	.	.	.	.	3	2	2	2	.	2	.	.	1	.	6	1	.
Total Registration Area, ..	405,000	16·0	3·7	124	38	6	3	4	6	19	24	24	.	.	.	.	.	.	.	.	12	6	5	6	7	26	3	.	1	.	17	17	5
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				6	.	.	.	1	1	1	2	1	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	1	6	.	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 23rd August, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 23RD AUGUST, 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	28)	(29)
	ALL PERSONS.	397,957	—	130	47	5	7	20	26	16	9	1	.	.	.	.	.	.	.	12	6	7	4	7	7	26	3	1	56	5
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	14·2	4	.	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS	101,798	12·8	25	5	1	3	5	6	4	1	.	.	.	.	.	.	.	.	3	2	3	.	1	.	2	.	.	14	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	12·0	25	7	.	1	7	3	4	3	1	.	.	.	.	.	.	.	3	1	1	.	1	2	3	.	.	13	.
IV.	GENERAL SERVICE CLASS	167,479	18·4	59	32	4	2	8	11	.	2	.	.	.	.	.	.	.	.	6	1	1	4	5	5	21	3	1	12	5
V.	INMATES OF WORKHOUSES, ...	5,602	—	17	3	.	1	.	6	5	2	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	14	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	5	.	.	.	3	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	2	.
	6. Clerks and Commercial Assistants,	33,249	—	7	3	.	.	2	1	1	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	10	1	1	2	.	3	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	9. Building and Furnishing Trades, ..	28,823	—	6	1	.	.	4	1	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	.	.	2	.
	10. Clothing Trades, ...	20,026	—	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades, ...	8,952	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	14	4	.	.	3	1	3	3	1	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	9	.
	13. Petty Shopkeepers, ...	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	7	6	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	5	.	.	1	.
	15. Domestic Servants, ...	36,041	—	9	5	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	5	.	1	1	3
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	10	8	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	3	1	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	33	13	3	1	5	9	.	2	.	.	.	.	.	.	.	.	5	1	.	.	4	5	8	2	.	8	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	17	3	.	1	.	6	5	2	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	14	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2	Aug. 9.	Aug. 16.	Aug. 23.
No of weeks in Annual Series ..	22	23	24	25	26	27	28	29	30	31	32	33	34	22	23	24	25	26	27	28	29	30	31	32	33	34
BIRTHS registered	217	178	187	198	196	192	198	178	207	233	190	160	226	185	203	205	199	257	180	178	202	238	204	182	173	215
Average Births in corresponding week of previous 10 years, ...	263	239	239	235	249	203	206	216	212	200	198	215	209	218	208	209	198	207	198	185	214	208	195	193	201	183
Number of Deaths, ...	123	120	104	119	107	99	102	70	89	92	99	111	124	98	95	104	91	98	87	99	84	92	79	73	82	130
Annual Death-rate per 1,000 ..	15·8	15·5	13·4	15·3	13·8	12·7	13·1	9·0	11·5	11·8	12·7	14·3	16·0	12·7	12·4	13·5	11·8	12·7	11·3	11·7	10·9	12·0	10·3	9·5	10·7	16·9
Average Deaths in corresponding week of previous 10 years, ...	143	140	142	129	126	129	142	132	131	127	129	139	138	125	120	122	120	136	128	123	114	111	106	105	114	119
Ages, .. Under one year, ..	18	18	12	18	17	20	9	11	9	16	19	29	38	13	9	13	14	18	12	11	12	19	12	12	14	33
1— 5 years, ..	8	8	4	8	8	7	3	3	6	5	5	20	9	4	5	5	3	2	1	6	5	3	5	6	5	11
5—25 ,, ..	14	18	11	14	15	13	14	10	11	5	7	5	10	14	23	21	11	15	14	17	10	7	11	11	13	18
25—45 ,, ..	23	20	16	26	19	15	17	9	14	13	17	12	19	27	14	26	18	14	17	13	14	22	17	9	14	23
45—65 ,, ..	25	25	32	23	22	22	29	22	24	27	27	27	24	17	22	24	25	22	18	21	31	23	19	12	18	25
65 and upwards, ..	35	31	29	30	26	22	30	15	25	26	24	18	24	23	22	15	20	27	25	22	12	18	15	23	18	20
Deaths from :—																										
Enteric Fever, ...	·	1	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	·	·	1	·	3	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Scarlet Fever, ...	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	3	2	3	1	2	·	1	1	1
Whooping-cough, ...	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·
Diphtheria, ...	1	·	·	·	·	1	·	·	2	·	·	·	·	·	1	·	·	1	·	·	1	·	1	·	·	1
Dysentery, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis { Pulmonary, ..	24	18	19	19	21	20	10	11	13	6	12	8	12	19	18	18	13	19	10	12	13	18	18	8	11	12
Tuberculosis { Other Forms, ..	7	9	2	6	9	·	3	5	7	5	5	7	6	6	6	9	4	5	5	3	8	6	2	7	7	4
Cancer, ...	9	7	9	5	8	4	12	6	4	8	10	8	5	4	4	7	6	10	8	5	7	2	5	1	6	5
Diseases of Respiratory System, { Pneumonia ..	6	6	8	12	9	13	8	5	4	2	5	2	6	9	7	5	3	7	4	8	5	3	4	3	3	5
Diseases of Respiratory System, { Others, ..	11	8	7	12	5	11	10	3	12	7	11	9	7	8	7	10	6	4	7	7	5	8	9	6	8	7
Diarrhœa and Enteritis, under 2 years, ...	2	3	1	3	·	2	3	6	2	4	12	28	26	2	·	1	·	1	1	·	1	1	2	2	6	16
Diarrhœa, 2 years and upwards..	·	·	·	·	·	·	·	1	1	·	1	2	3	·	1	2	1	·	1	·	1	·	1	·	·	8
Violent Deaths, ...	1	4	2	1	·	2	2	1	3	4	2	1	·	1	3	1	1	1	3	2	1	3	·	1	2	3
Number of Uncertified Deaths, ..	6	2	2	2	2	2	1	1	1	3	1	1	4	1	·	2	1	2	1	1	3	1	1	·	1	1
A Mean Maximum Temperature in degs.	67·8	63·0	65·5	63·3	61·6	61·1	65·6	64·3	67·1	66·5	69·9	73·1	68·4	67·5	59·0	63·7	63·4	60·0	61·3	63·7	62·6	65·1	65·6	68·1	72·2	68·0
B Mean Minimum ,, ,,	44·0	48·4	44·5	48·3	46·3	44·0	43·8	51·2	47·0	45·5	52·2	53·2	51·8	49·4	50·9	50·3	47·4	47·4	49·9	50·7	52·2	51·3	47·1	53·5	54·5	53·0
Mean of A and B ,, ,,	55·9	58·2	55·0	55·8	54·0	52·5	54·7	57·7	57·1	56·0	61·1	63·2	60·1	58·4	55·0	57·0	55·4	53·7	55·6	57·2	57·4	58·2	56·4	60·8	63·3	60·5
Rainfall in inches	0·00	0·05	1·47	0·21	0·63	0·38	0·18	0·04	0·46	0·13	0·10	0·08	0·59	0·11	0·03	1·60	0·39	0·36	0·21	0·02	0·23	0·01	0·13	0·29	0·43	0·48

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 23rd August, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS. Pulmonary.	Other Forms	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	8	9·9	3·3	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Do 2 do.	49,500	31	11·6	1·0	11	3	1	1	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.
Do. 3 do.	50,032	28	20·8	4·2	20	2	2	4	7	4	1	.	.	.	.	1	.	1	.	3	.	1	.	1	2	.	.	.	4	.
Do. 4 do.	32,637	13	19·2	3·2	12	5	.	2	.	2	3	.	.	.	.	.	.	.	.	.	1	.	.	2	1	1	.	.	4	.
Do. 5 do.	16,112	7	25·9	9·7	8	5	1	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	.	1	2	.
Do. 6 do.	37,293	16	12·6	2·8	9	3	.	1	3	1	1	.	.	.	.	.	.	.	.	2	.	.	1	.	2	.	.	.	3	.
Do. 7 do.	2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	3	8·7	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	19	17·1	.	8	3	.	1	2	1	1	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	1	1
Do. 10 do.	28,958	7	5·4	.	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2	.
Do. 11 do.	39,311	22	35·8	14·6	27	4	6	6	4	5	2	.	.	.	.	.	.	.	.	2	1	3	1	1	4	7	.	.	3	.
Do. 12 do.	38,076	27	15·1	.	11	2	.	2	2	3	2	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.	.	3	.
Do. 13 do.	23,233	18	9·0	.	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	1	.
Do. 14 do.	175	5	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 15 do.	22,669	10	23·0	4·6	10	3	1	.	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	1	4	.
Total,	386,947	215	16·9	3·4	130	33	11	18	23	25	20	.	.	.	.	1	.	1	.	12	4	5	5	7	16	8	3	3	30	1
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	2	3·9	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 2 do.	10,399	5	20·1	5·0	4	1	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.
Do. 3 do.	9,793	4	16·0	5·3	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
Do. 4 do.	9,139	4	5·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.	6,250	2	16·7	8·3	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
Do. 6 do.	11,581	5	4·5	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 do	16,056	6	9·7	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total.	76,673	28	10·2	2·0	15	6	.	1	2	4	2	.	.	.	.	.	.	.	.	2	.	1	.	1	3	.	.	.	2	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 23rd August, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	4
" " 1, West ..	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3, ...	1	.	.	.	.	3	.	.	.	.	.	.		.	.	.	1	5
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	3
" " " 2, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
" " " 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " " 4, ...	.	2	.	.	.	4	.	.	.	.	.	.	.	.	.	.	1	7
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	2	2	.	.	.	9	2	.	.	.	.	.	.	.	.	.	7	22

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd August, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 23rd August. *			
	Aug. 2.	Aug 9.	Aug. 16.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	2	4	5	2	.	1	6
Typhus, ...	2	2	1	4	.	.	5
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	25	26	21	1	14	.	8
Scarlet Fever	59	68	78	17	16	.	79*
Diphtheria, ...	13	15	14	2	.	.	16
Pneumonia, ...	14	11	13	4	4	.	13

* Exclusive of 9 patients in "Peneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13033). Wt. 210. 3. 380. 8, 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1;
37, Peter Street, Manchester; 1, St Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 35. Vol. LVI.] Week ending Saturday, 30th August, 1919. [Price 1½*d*.

General Register Office, Charlemont House,
Dublin, 1st September, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 16·2 and 13·6; Dublin Registration Area, 18·3 and 15·3; Dublin City, 18·0 and 16·0; Belfast, 17·0 and 13·5; Cork, 15·0 and 11·9; Londonderry, 14·0 and 13·0; Limerick, 12·2 and 12·2; and Waterford, 13·3 and 15·7.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 4·3 per 1,000. Among the 131 deaths from all causes for Belfast are 3 from scarlet fever, one from dysentery, and 37 from diarrhœal diseases. Two of the 22 deaths from all causes for Cork are from diarrhœa and enteritis of children under 2 years. Of the 11 deaths from all causes for Londonderry 3 are from diarrhœal diseases. Three of the 7 deaths from all causes for Waterford are from diarrhœa and enteritis of children under 2 years. The 4 deaths from all causes for Dundalk include one from enteric fever, and one of the 2 deaths recorded for Clonmel is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 171—101 boys and 70 girls—and the deaths to 149—65 males and 84 females.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·3 per 1,000 of the population. During the thirty-five weeks ending with Saturday last the death-rate averaged 23·4 and was 2·2 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the thirty-five weeks was 25·3 and for the corresponding period of the preceding ten years 22·6.

Of the 142 deaths appertaining to the Area there were 2 from scarlet fever, one from diphtheria, one from influenza, and 40 from diarrhœal diseases.

In the 3 preceding weeks deaths from influenza numbered 0, one, and one, and deaths from diarrhœal diseases 13, 30, and 29, respectively. There were no deaths from scarlet fever or diphtheria in the 3 preceding weeks.

Deaths attributed to pneumonia were 5 (comprising 3 from lobar pneumonia, and 2 from pneumonia, type not distinguished), as against 5, 2, and 6 in the three weeks preceding.

Tuberculous disease caused 16 deaths (comprising 14 from pulmonary tuberculosis, and 2 from tuberculosis of joints), as against 17, 15, and 18, in the three weeks preceding.

Eight deaths were caused by cancer, 10 by organic diseases of the heart, and 8 by bronchitis.

Among deaths of infants under one year old, 2 were due to convulsions, 32 to diarrhœa and enteritis, 2 to congenital malformations, 4 to premature birth, and 2 to congenital debility.

There were 4 accidental deaths, of which one was caused by burns and 3 by drowning.

Fifty-eight of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 48 being infants under one year, of whom 12 were under one month old, and 36 deaths were those of persons aged 65 and upwards, of whom 27 were 70 years of age or over.

Of the 142 deaths recorded, 44 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 30th August, in 96 large English towns (including London, in which the rate was 9·6) was equal to an average annual death rate of 10·0 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 10·9 per 1,000 persons living, the rate for Glasgow being 11·5 and for Edinburgh 11·3.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 30th August. From this Report it appears that of 39 cases notified, 17 were scarlet fever, 8 diphtheria, 6 pulmonary tuberculosis, 3 other forms of tuberculosis, and 5 erysipelas. Among the 366 cases of infectious diseases in hospital at the close of the week were 134 of pulmonary tuberculosis, 115 of scarlet fever, 48 of diphtheria, 30 of measles, 13 of whooping-cough, 10 of erysipelas, and one of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 30th August, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Aug. 9	.	.	.	.	.	—	12	—	2	1	—	.	—	.	.	.	.	.	.	2	17
	Aug. 16	4	1	.	.	.	—	9	—	3	3	—	.	—	.	.	.	.	.	.	5	25
	Aug. 23	2	2	.	.	.	—	9	—	2	.	—	.	—	.	.	.	.	.	.	7	22
	Aug. 30	5	1	.	.	.	—	13	—	7	3	—	.	—	.	.	.	.	.	.	2	31
Rathmines & Rathgar Urban District	Aug. 9	.	.	.	.	.	—	.	—	1	1	—	.	—	.	.	.	.	.	.	—	2
	Aug. 16	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Aug. 23	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Aug. 30	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
Pembroke Urban District	Aug. 9	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Aug. 16	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Aug. 23	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Aug. 30	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
Blackrock Urban District	Aug. 9	.	.	.	.	.	.	.	.	.	.	—	.	—	.	.	.	.	.	.	.	.
	Aug. 16	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Aug. 23	.	.	.	.	.	.	1	—	1	.	—	.	—	.	.	.	.	.	.	.	2
	Aug. 30	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	Aug. 9	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Aug. 16	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Aug. 23	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Aug. 30	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
City of Belfast	Aug. 9	.	.	.	.	.	—	15	—	3	2	—	.	—	.	1	.	1	1	.	19	42
	Aug. 16	3	.	1	.	.	—	26	—	3	1	—	.	—	.	1	.	1	.	.	.	36
	Aug. 23	7	.	2	.	.	—	31	—	5	1	—	2	—	.	.	.	.	.	.	.	48
	Aug. 30	4	.	.	.	.	—	44	—	7	1	—	1	—	.	.	.	.	.	.	.	57
City of Cork	Aug. 9	.	.	.	.	.	.	.	—	5	.	—	.	3	.	.	.	.	—	.	—	8
	Aug. 16	.	.	.	.	.	.	.	—	4	.	—	.	11	.	.	.	.	—	.	—	15
	Aug. 23	.	.	.	.	.	.	.	—	.	.	—	.	19	1	.	.	.	—	.	—	20
	Aug. 30	.	.	.	.	.	1	.	—	3	.	—	.	15	.	1	.	.	—	.	—	20
City of Londonderry	Aug. 9	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	.	—	—	2
	Aug. 16	.	.	.	.	.	—	7	—	.	.	—	.	—	.	.	.	.	.	—	—	7
	Aug. 23	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	—	—	.
	Aug. 30	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	—	—	.
City of Limerick	Aug. 9	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	Aug. 16	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1
	Aug. 23	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1
	Aug. 30	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
City of Waterford	Aug. 9	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Aug. 16	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Aug. 23	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Aug. 30	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	—	1	2

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 30th August, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever one and 5; typhus nil and 5; measles nil and 3; scarlet fever 14 and 72*; and diphtheria 6 and 16. Four cases of pneumonia were admitted during the week and 11 remained under treatment at its close, as compared with 11, 13 and 13 at the close of the 3 preceding weeks. Of the deaths in hospital during the week 2 were from scarlet fever and one was from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 30th August, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS	DEATHS: From all Causes.	DEATHS: From certain Epidemic Diseases. (b)	REGISTRATION—WEEK ENDING SATURDAY, 30TH AUGUST, 1919. NUMBERS REGISTERED: BIRTHS: Total Number.	DEATHS: Total Number	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 30TH AUGUST, 1919. Air Temperature: Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	25·6	16·2	4·3	560	354	103	80	1	·	·	·	5	1	1	1	42	4	18	12	19	75	11	4	5	96	10	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	22·0	18·3	5·5	171	142	48	36	·	·	·	·	2	·	1	·	14	2	8	5	9	37	3	4	4	44	6	(d) 68·4	39·6	60·1	45·2	52·7	1·15
Urban Districts. CITY OF DUBLIN,	310,500	38·0	25·2	18·0	6·4	150	107	45	20	·	·	·	·	2	·	1	·	11	2	5	4	6	32	3	1	1	38	4	(e) 66·9	43·1	59·7	49·0	54·4	1·23
																													(f) 68·0	41·0	61·0	47·6	54·3	1·22
RATHMINES and RATHGAR	39,400	23·0	9·3	22·5	4·0	7	17	3	9	·	·	·	·	·	·	·	·	1	·	1	·	3	3	·	2	2	2	·	·	·	·	·	·	·
PEMBROKE, ..	29,500	18·8	5·3	19·4	1·8	3	11	·	3	·	·	·	·	·	·	·	·	2	·	1	1	·	1	·	1	1	4	2	·	·	·	·	·	·
BLACKROCK, ..	9,000	8·3	17·4	5·8	·	3	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ..	16,600	11·4	25·1	18·8	3·1	8	6	·	3	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	68	45	62·7	49·6	56·1	1·25
Urban Districts. BELFAST, ..	401,000	26·8	31·5	17·0	5·3	242	131	41	23	·	·	·	·	3	·	·	1	18	1	3	4	9	30	7	·	1	30	·	62·0	43·0	58·6	48·3	53·4	1·78
CORK, ...	76,673	28·6	18·4	15·0	1·4	27	22	1	7	·	·	·	·	·	·	·	·	3	1	2	2	·	2	·	·	·	9	1	69	47	61·4	52·0	56·7	2·20
LONDONDERRY, ..	41,000	15·9	40·7	14·0	3·8	32	11	5	1	·	·	·	·	·	·	·	·	1	·	·	1	1	2	1	·	·	1	·	·	·	·	·	·	·
LIMERICK, ..	38,518	16·1	9·5	12·2	1·4	7	9	4	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	4	·	·	·	·	·	·	·
WATERFORD, ..	27,464	19·1	19·0	13·3	5·7	10	7	2	1	·	·	·	·	·	·	·	·	2	·	·	·	·	3	·	·	·	1	1	·	·	·	·	·	·
GALWAY, ...	13,255	2·5				10	3	·	1	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	69	45	64·5	47·0	55·7	1·09
DUNDALK, ..	13,128	9·5				7	4	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LURGAN, ..	12,553	14·7				4	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	64·6	41·0	59·6	45·0	52·3	1·51
DROGHEDA, ..	12,501	8·4				2	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
LISBURN, ..	12,388	10·9				9	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	66	37	58·7	43·6	51·2	2·60
NEWRY, ...	11,963	17·0				6	3	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	64·6	41·0	59·6	45·0	52·3	1·51
PORTADOWN, ..	11,727	15·3				5	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	64·6	41·0	59·6	45·0	52·3	1·51
WEXFORD, ..	11,531	22·8				5	2	·	1	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·
BALLYMENA, ..	11,381	9·3				2	4	1	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
SLIGO, ...	11,163	3·8				5	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	66	42	59	47	53	1·86
KILKENNY, ..	10,514	11·4				2	3	·	3	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	·	69	36	60·2	48·7	54·4	1·31
TRALEE, ...	10,300	17·4				10	4	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
CLONMEL, ..	10,209	7·8				4	2	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
LONDON	4,206,901	—	—	9·6	—	1,515	738	117	248	·	—	·	2	·	3	4	—	65	7	104	25	4	40	21	39	84	395	1	75	43	68·0	51·4	59·7	1·77
EDINBURGH ...	336,500	—	—	11·3	—	112	73	13	27	·	·	·	2	2	1	·	—	—	—	—	—	—	1	—	3	—	—	—	61·0	41·0	57·0	45·6	51·3	0·73
GLASGOW	1,118,700	—	—	11·5	—	489	246	51	63	·	·	·	1	1	3	2	—	—	—	—	—	—	25	—	10	—	—	—	62·8	41·1	56·7	46·3	51·5	1·08

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College, and those for Waterford by De La Salle College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 35th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 30th August, 1919.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.														
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.	
ALL CAUSES.	149·4	149	13	37	7	3	3	2	4	6	5	7	12	14	18	18	142
Enteric Fever ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·6	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
Whooping-cough ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	18·6	15	.	1	.	.	1	.	2	4	4	1	2	.	.	.	14
Tuberculous Meningitis	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·6	2	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2
Tuberculosis of other Organs.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases ..	.	3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	3
Cancer	10·8	9	.	.	.	.	.	.	.	.	.	2	3	1	2	1	8
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·6	2	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
Anæmia, Leucocythæmia.	·6	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
Other General Diseases	2·0	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·6	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	5·2	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1	3
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·0	2	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2
Epilepsy.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	1·6	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	1·0	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Pericarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	10·0	10	.	.	.	.	.	.	.	.	.	1	1	3	3	2	10
Embolism and Thrombosis (including Cerebral).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	7·8	8	.	1	1	.	.	.	.	.	.	.	1	4	.	1	8
Broncho-pneumonia ..	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lobar pneumonia ..	1·2	3	.	1	.	.	.	.	.	.	.	.	.	1	.	1	3
Pneumonia (type not distinguished).	2·4	2	.	.	.	.	1	.	.	.	.	.	1	.	.	.	2
Pleurisy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Other Diseases of Respiratory System	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

in the THIRTY-FIFTH WEEK, ending Saturday, 30th August, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 35th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 30th August, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	2·6	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2	2
Diarrhœa and Enteritis of Children under 2 years.	25·4	37	4	28	5	·	·	·	·	·	·	·	·	·	·	·	37
Diarrhœa 2 years and upwards.	1·2	3	·	·	·	1	·	·	·	·	·	·	·	·	1	1	3
Enteritis 2 years and upwards.	1·2	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	2
Appendicitis and Typhlitis.	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·		·	·
Hernia and Intestinal Obstructions.	1·0	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Cirrhosis of Liver ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Peritonitis (cause unknown).	·4	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Nephritis ..	·2	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1
Chronic Bright's Disease	4·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	1·8	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	1·6	2	·	·	·	·	·	·	·	·	·	·	·	2	·	·	2
Diseases of Locomotor System.	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Congenital Malformations.	1·0	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	2
Premature Birth ..	3·6	4	4	·	·	·	·	·	·	·	·	·	·	·	·	·	4
Congenital Debility ..	4·6	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	2
Old Age	3·0	10	·	·	·	·	·	·	·	·	·	·	·	·	3	7	10
Other Specified Diseases	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	·2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Drowning	1·0	4	·	·	·	·	1	·	·	·	1	1	1	·	·	·	3
Suffocation in Bed, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	6·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Not included in above—																	
Homicide. ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	2·0	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	2

TABLE IV.—Showing for the WEEK ENDED 30TH AUGUST, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
		WEEK ENDED SATURDAY, 30TH AUGUST, 1919. DEATHS. CAUSED BY																																
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																		
NORTH CITY, No 1, E., ...	30,000	17·4	7·0	10	4	1	·	1	1	1	1	1	·	·	·	·	·	·	·	·	1	·	1	·	·	4	·	·	·	·	1	·	·
" 1, W., ...	41,100	20·3	8·9	16	8	1	·	·	1	3	1	2	·	·	·	·	·	·	·	·	3	·	1	·	·	7	·	·	·	·	2	3	·
" 2, ...	27,500	17·1	3·8	9	4	·	·	1	·	·	3	1	·	·	·	·	·	·	1	·	·	·	1	2	1	1	·	·	·	·	1	4	·
" 3, ...	34,100	15·3	7·6	10	4	·	2	·	1	·	1	2	·	·	·	·	1	·	·	·	1	·	·	·	·	3	1	1	·	1	3	2	·
CLONTARF AND HOWTH, No. 1, part of	5,500	28·4	·	3	·	·	·	1	·	·	·	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	11·5	·	3	·	·	·	·	1	·	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	14·1	4·7	3	2	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·
South City.																																		
SOUTH CITY, No. 1, ..	43,000	20·6	7·3	17	8	1	·	·	2	·	3	3	·	·	·	·	1	·	·	·	2	1	1	·	·	5	·	·	·	·	3	2	·
" 2, ...	18,200	22·9	5·7	8	3	1	·	·	·	·	3	1	·	·	·	·	·	·	·	·	1	·	·	1	2	1	1	·	·	·	·	2	2
" 3, ...	43,300	10·8	4·8	9	4	1	·	·	1	·	1	2	·	·	·	·	·	·	·	·	1	·	·	1	1	4	·	·	·	·	2	1	·
" 4, ...	32,800	25·4	7·9	16	5	·	1	1	·	2	3	4	·	·	·	·	·	·	·	·	2	·	·	·	1	4	1	·	·	·	5	3	1
NEW KILMAINHAM, ...	10,300	15·2	10·1	3	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	1	·	1
Urban Districts.																																		
RATHMINES AND RATHGAR, ..	39,400	22·5	4·0	17	3	·	·	·	1	1	3	9	·	·	·	·	·	·	·	·	1	·	1	·	3	3	·	2	·	2	1	1	·
PEMBROKE	29,500	19·4	1·8	11	·	1	·	1	·	1	5	3	·	·	·	·	·	·	·	·	2	·	1	1	·	1	·	1	1	1	3	1	2
BLACKROCK, ...	9,000	5·8	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ...	16,600	18·8	3·1	6	·	1	·	·	·	1	1	3	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·
TOTAL CITY. North, ...	162,900	17·3	6·1	54	22	2	2	3	5	4	6	10	·	·	·	·	1	·	1	·	5	1	4	2	2	16	1	1	·	1	10	9	·
TOTAL CITY. South, ...	147,600	18·7	6·7	53	23	3	1	1	3	2	10	10	·	·	·	·	1	·	·	·	6	1	1	2	4	16	2	·	·	·	11	8	4
TOTAL CITY. North and South, ..	310,500	18·0	6·4	107	45	5	3	4	8	6	16	20	·	·	·	·	2	·	1	·	11	2	5	4	6	32	3	1	·	1	21	17	4
Total Urban Districts, ...	94,500	19·3	2·8	35	3	2	·	1	1	3	9	16	·	·	·	·	·	·	·	·	3	·	3	1	3	5	·	3	1	3	4	2	2
Total Registration Area, ..	405,000	18·3	5·5	142	48	7	3	5	9	9	25	36	·	·	·	·	2	·	1	·	14	2	8	5	9	37	3	4	1	4	25	19	6
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				7	2	·	·	·	1	3	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	1	·	1	6	1	·

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 30th August, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 30TH AUGUST, 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	28)	(29)
	ALL PERSONS.	397,957	—	149	60	5	10	12	26	18	13	.	.	.	.	2	.	1	.	15	2	9	2	5	9	37	3	5	59	6
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	3·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
II.	MIDDLE CLASS	101,798	14·3	28	6	.	4	2	5	7	4	.	.	.	.	.	.	.	.	2	2	.	.	.	2	4	.	.	18	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	12·5	26	10	1	2	4	4	2	3	.	.	.	.	.	.	.	.	5	.	1	.	2	1	6	1	.	10	3
IV.	GENERAL SERVICE CLASS	167,479	23·0	74	34	4	4	6	13	4	9	.	.	.	.	2	.	1	.	7	.	7	1	2	4	23	2	5	20	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	20	10	.	.	.	4	5	1	.	.	.	.	.	.	.	.	1	.	1	1	1	1	4	.	.	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	7	2	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	5	.
	6. Clerks and Commercial Assistants,	33,249	—	10	4	.	4	1	.	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	3	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	9	.	.	.	1	2	2	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	.	.	.
	9. Building and Furnishing Trades, ..	28,823	—	5	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	3	.	.	.	.
	10. Clothing Trades, ...	20,026	—	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	11. Food Supply Trades, ...	8,952	—	4	1	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	1
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	11	4	.	1	2	2	.	2	.	.	.	.	.	.	.	.	2	.	1	.	1	1	1	.	.	5	2
	13. Petty Shopkeepers, ...	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	8	5	.	1	.	1	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	3	.	.	3	.
	15. Domestic Servants, ...	36,041	—	10	4	1	.	.	1	1	3	.	.	.	.	1	.	.	.	.	.	1	.	1	.	2	.	1	4	1
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	8	1	.	.	1	2	2	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.	4	1
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	48	24	3	3	5	9	1	3	.	.	.	.	1	.	.	.	6	.	4	1	.	4	17	2	4	9	1
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	20	10	.	.	.	4	5	1	.	.	.	.	.	.	.	.	1	.	1	1	1	1	4	.	.	11	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	June 7.	June 14.	June 21.	June 28.	July 5.	July 12	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2	Aug. 9.	Aug 16.	Aug. 23.	Aug. 30.
No. of weeks in Annual Series ..	23	24	25	26	27	28	29	30	31	32	33	34	35	23	24	25	26	27	28	29	30	31	32	33	34	35
BIRTHS registered	178	187	198	196	192	198	178	207	233	190	160	226	171	203	205	199	257	180	178	202	238	204	182	173	215	242
Average Births in corresponding week of previous 10 years, ...	239	239	235	249	203	206	216	212	200	198	215	209	208	208	209	198	207	198	185	214	208	195	193	201	183	194
Number of Deaths, ...	120	104	119	107	99	102	70	89	92	99	111	124	142	95	104	91	98	87	90	84	92	79	73	82	130	131
Annual Death-rate per 1,000 ..	15·5	13·4	15·3	13·8	12·7	13·1	9·0	11·5	11·8	12·7	14·3	16·0	18·3	12·4	13·5	11·8	12·7	11·3	11·7	10·9	12·0	10·3	9 5	10·7	16·9	17·0
Average Deaths in corresponding week of previous 10 years, ...	140	142	129	126	129	142	132	131	127	129	139	138	143	120	122	120	136	128	123	114	111	106	105	114	119	122
Ages, .. Under one year, ..	18	12	18	17	20	9	11	9	16	19	29	38	48	9	13	14	18	12	11	12	19	12	12	14	33	41
1— 5 years, ..	8	4	8	8	7	3	3	6	5	5	20	9	10	5	5	3	2	1	6	5	3	5	6	5	11	9
5—25 ,, ..	18	11	14	15	13	14	10	11	5	7	5	10	14	23	21	11	15	14	17	10	7	11	11	13	18	16
25—45 ,, ..	20	16	26	19	15	17	9	14	13	17	12	19	9	14	26	18	14	17	13	14	22	17	9	14	23	15
45—65 ,, ..	25	32	23	22	22	29	22	24	27	27	27	24	25	22	24	25	22	18	21	31	23	19	12	18	25	27
65 and upwards, ..	31	29	30	26	22	30	15	25	26	24	18	24	36	22	15	20	27	25	22	12	18	15	23	18	20	23
Deaths from :—																										
Enteric Fever, ...	1	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	·	1	·	3	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Scarlet Fever, ...	·	·	·	1	·	·	·	·	·	·	·	·	2	1	·	·	3	2	3	1	2	·	1	1	1	3
Whooping-cough, ...	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·
Diphtheria, ...	·	·	·	·	1	·	·	2	·	·	·	·	1	1	·	·	1	·	·	1	·	1	·	·	1	·
Dysentery, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Tuberculosis { Pulmonary, ..	18	19	19	21	20	10	11	13	6	12	8	12	14	18	18	13	19	10	12	13	18	18	8	11	12	18
Tuberculosis { Other Forms, ..	9	2	6	9	·	3	5	7	5	5	7	6	2	6	9	4	5	5	3	8	6	2	7	7	4	1
Cancer, ...	7	9	5	8	4	12	6	4	8	10	8	5	8	4	7	6	10	8	5	7	2	5	1	6	5	3
Diseases of Respiratory System, { Pneumonia ..	6	8	12	9	13	8	5	4	2	5	2	6	5	7	5	3	7	4	8	5	3	4	3	3	5	4
Diseases of Respiratory System, { Others, ..	8	7	12	5	11	10	3	12	7	11	9	7	9	7	10	6	4	7	7	5	8	9	6	8	7	9
Diarrhœa and Enteritis, under 2 years, ...	3	1	3	·	2	3	6	2	4	12	28	26	37	·	1	·	1	1	·	1	1	2	2	6	16	30
Diarrhœa, 2 years and upwards..	·	·	·	·	·	·	1	1	·	1	2	3	3	1	2	1	·	1	·	1	·	1	·	·	8	7
Violent Deaths, ...	4	2	1	·	2	2	1	3	4	2	1	·	4	3	1	1	1	3	2	1	3	·	1	2	3	·
Number of Uncertified Deaths, ..	2	2	2	2	2	1	1	1	3	1	1	4	6	·	2	1	2	1	1	3	1	1	·	1	1	·
A Mean Maximum Temperature in degs	63·0	65·5	63·3	61·6	61·1	65·6	64·3	67·1	66·5	69·9	73·1	68·4	60·1	59·0	63·7	63·4	60·0	61·3	63·7	62·6	65·1	65·6	68·1	72·2	68·0	58·6
B Mean Minimum ,, ,,	48·4	44·5	48·3	46·3	44·0	43·8	51·2	47·0	45·5	52·2	53·2	51·8	45·2	50·9	50·3	47·4	47·4	49·9	50·7	52·2	51·3	47·1	53·5	54·5	53·0	48·3
Mean of A and B ,, ,,	58·2	55·0	55·8	54·0	52·5	54·7	57·7	57·1	56·0	61·1	63·2	60·1	52·7	55·0	57·0	55·4	53·7	55·6	57·2	57·4	58·2	56·4	60·8	63·3	60·5	53·4
Rainfall in inches	0·05	1·47	0·21	0·63	0·38	0·18	0·04	0·46	0·13	0·10	0·08	0·59	1·15	0·03	1·60	0·39	0·36	0·21	0·02	0·23	0·01	0·13	0·29	0·43	0·48	1·78

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 30th August, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	15	39·4	6·6	12	5	1	·	·	4	2	·	·	·	·	·	·	·	·	1	·	·	1	1	2	·	·	·	3	·
Do. 2 do.	49,500	33	12·6	3·2	12	6	·	1	·	3	2	·	·	·	·	·	·	·	·	1	·	1	·	1	3	·	·	·	3	·
Do. 3 do.	50,032	37	18·8	6·3	18	5	1	2	1	5	4	·	·	·	·	1	·	·	·	1	·	·	·	3	4	1	·	·	4	·
Do. 4 do.	32,637	23	16·0	1·6	10	4	1	·	1	1	3	·	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	1	3	·
Do. 5 do.	16,112	17	29·1	16·2	9	5	·	2	1	·	1	·	·	·	·	·	·	·	·	2	·	·	·	·	5	·	·	·	2	·
Do. 6 do.	37,293	16	15·4	5·6	11	2	3	3	1	1	1	·	·	·	·	2	·	·	·	3	·	·	1	·	2	·	·	·	4	·
Do. 7 do.	2,681	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	3	17·5	8·7	2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·
Do. 9 do.	24,427	22	2·1	2·1	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Do. 10 do.	28,958	14	10 8	3·6	6	2	·	·	·	4	·	·	·	·	·	·	·	·	·	2	·	·	·	1	2	·	·	·	2	·
Do. 11 do.	39,311	9	23·9	9.3	18	3	·	3	5	3	4	·	·	·	·	·	·	·	1	4	·	1	·	·	2	4	·	·	5	·
Do. 12 do.	38,076	19	12·3	5·5	9	2	1	2	·	2	2	·	·	·	·	·	·	·	·	1	·	·	·	·	3	1	·	·	·	·
Do. 13 do.	23,233	13	20·2	4·5	9	1	2	2	3	·	1	·	·	·	·	·	·	·	·	2	·	·	1	·	1	1	·	·	2	·
Do. 14 do	175	1	·	·	2	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	17	27·6	6·9	12	4	·	1	3	2	2	·	·	·	·	·	·	·	·	1	1	·	1	1	3	·	·	·	2	·
Total,	386,947	242	17·0	5·3	131	41	9	16	15	27	23	·	·	·	·	3	·	·	1	18	1	3	4	9	30	7	·	1	30	·
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	4	19·4	·	5	·	·	·	2	·	3	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	3	·
Do 2 do.	10,399	3	10·0	5·0	2	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Do. 3 do.	9,793	3	26·6	5·3	5	1	·	·	1	1	2	·	·	·	·	·	·	·	·	2	·	·	·	·	1	·	·	·	1	·
Do. 4 do.	9,139	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 5 do.	6,250	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 6 do.	11,581	6	9·0	·	2	·	·	·	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
Do. 7 do	16,056	4	26·0	·	8	·	2	1	1	2	2	·	·	·	·	·	·	·	·	·	1	1	2	·	·	·	·	·	4	1
Total.	76,673	27	15·0	1·4	22	1	3	1	5	5	7	·	·	·	·	·	·	·	·	3	1	2	2	·	2	·	·	·	9	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 30th August, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2
" " 1, West ..	2	.	.	.	.	5	3	.	.	.	.	.	.	.	.	.	.	10
" " 2, ...	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	3
" " 3, ...	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	4
South City No. 1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	4
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " " 3, ...	1	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	4
" " " 4, ...	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	5	1	.	.	.	13	7	.	3	.	.	.	.	.	.	.	2	31

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 30th August, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 30th August.			
	Aug. 9.	Aug. 16.	Aug. 23.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	4	5	6	1	2	.	5
Typhus, ...	2	1	5	.	.	.	5
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	26	21	8	.	5	.	3
Scarlet Fever	68	78	79	14	19	2	72*
Diphtheria, ...	15	14	16	6	6	.	16
Pneumonia, ...	11	13	13	4	5	1	11

* Exclusive of 19 patients in "Peneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), Crow-street, Dublin.

(13057). Wt. 210. 3. 380. 9, 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 36. VOL. LVI.] WEEK ENDING SATURDAY, 6TH SEPTEMBER, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 8th September, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 16·8 and 15·1; Dublin Registration Area, 19·7 and 17·1; Dublin City, 18·1 and 17·3; Belfast, 14·6 and 14·8; Cork, 17·0 and 13·5; Londonderry, 12·7 and 13·0; Limerick, 12·2 and 11·5; and Waterford, 24·7 and 19·0.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·7 per 1,000. Among the 112 deaths from all causes for Belfast are one from enteric fever, 2 from scarlet fever, one from diphtheria, and 17 from diarrhœal diseases. Of the 25 deaths from all causes for Cork one is from diphtheria and 2 are from diarrhœa and enteritis of children under 2 years, and one of the 3 deaths recorded for Ballymena is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 190—94 boys and 96 girls—and the deaths to 163—83 males and 80 females.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·7 per 1,000 of the population. During the thirty-six weeks ending with Saturday last, the death-rate averaged 23·3 and was 2·2 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the thirty-six weeks was 25·2 and for the corresponding period of the preceding ten years 22·5.

Of the 153 deaths appertaining to the Area one was from enteric fever, one from measles, 2 from dysentery, and 25 from diarrhœal diseases.

In the 3 preceding weeks deaths from measles numbered one, 0, and 0, and deaths from diarrhœal diseases 30, 29, and 40, respectively. There were no deaths from enteric fever or dysentery in the 3 preceding weeeks.

Deaths attributed to pneumonia were 10 (comprising 2 from broncho-pneumonia, one from lobar pneumonia, and 7 from pneumonia, type not distinguished), as against 2, 6, and 5 in the 3 weeks preceding.

Tuberculous disease caused 23 deaths (comprising 14 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 7 from other forms of tuberculous disease), as against 15, 18, and 16, in the three weeks preceding.

Nine deaths were caused by cancer, 13 by organic diseases of the heart, and 2 by bronchitis.

Among deaths of infants under one year old, 4 were due to convulsions, 24 to diarrhœa and enteritis, one to congenital malformation, 7 to premature birth, and one to congenital debility.

There was one accidental death.

Fifty-three of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 46 being infants under one year, of whom 16 were under one month old, and 44 deaths were those of persons aged 65 and upwards, of whom 37 were 70 years of age or over.

Of the 153 deaths recorded, 55 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 6th September, in 96 large English towns (including London, in which the rate was 10·5) was equal to an average annual death rate of 10·7 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 10·8 per 1,000 persons living, the rate for Glasgow being 10·4 and for Edinburgh 12·1.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 6th September. From this Report it appears that of 69 cases notified, 28 were scarlet fever, 15 diphtheria, 13 pulmonary tuberculosis, 9 other forms of tuberculosis, 3 erysipelas and one enteric fever. Among the 368 cases of infectious diseases in hospital at the close of the week were 135 of pulmonary tuberculosis, 126 of scarlet fever, 47 of diphtheria, 28 of measles, 13 of whooping-cough, 7 of erysipelas, one of enteric fever, and one of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 6th September, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Aug. 16	4	1	·	·	·	—	9	—	3	3	—	·	—	·	·	·	·	·	·	5	25
	Aug. 23	2	2	·	·	·	—	9	—	2	·	—	·	—	·	·	·	·	·	·	7	22
	Aug. 30	5	1	·	·	·	—	13	—	7	3	—	·	—	·	·	·	·	·	·	2	31
	Sept. 6	4	·	·	·	·	—	10	—	1	3	—	1	—	26	1	·	2	·	·	9	57
Rathmines & Rathgar Urban District	Aug. 16	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Aug. 23	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Aug. 30	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Sept. 6	·	·	·	·	·	—	·	—	·	1	—	·	—	·	·	·	1	·	·	—	2
Pembroke Urban District	Aug. 16	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·		·	·	·	·	·
	Aug. 23	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
	Aug. 30	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
	Sept. 6	·	·	·	·	·	1	·	·	·	·	·	·	—	·	·	·	·	·	·	3	4
Blackrock Urban District	Aug. 16	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Aug. 23	·	·	·	·	·	·	1	—	1	·	—	·	—	·	·	·	·	·	·	·	2
	Aug. 30	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Sept. 6	·	·	·	·	·	·	1	—	·	·	—	·	—	·	·	·	·	·	·	·	1
Kingstown Urban District	Aug. 16	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Aug. 23	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Aug. 30	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Sept. 6	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	·	—	·	·	2
City of Belfast	Aug. 16	3	·	1	·	·	—	26	—	3	1	—	·	—	·	1	·	1	·	·	·	36
	Aug. 23	7	·	2	·	·	—	31	—	5	1	—	2	—	·	·	·	·	·	·	·	48
	Aug. 30	4	·	·	·	·	—	44	—	7	1	—	1	—	·	·	·	·	·	·	·	57
	Sept. 6	8	·	·	·	·	—	52	—	9	1	—	2	—	·	·	·	·	·	·	·	72
City of Cork	Aug. 16	·	·	·	·	·	·	·	—	4	·	—	·	11	·	·	·	·	—	·	—	15
	Aug. 23	·	·	·	·	·	·	·	—	·	·	—	·	19	1	·	·	·	—	·	—	20
	Aug. 30	·	·	·	·	·	1	·	—	3	·	—	·	15	·	1	·	·	—	·	—	20
	Sept. 6	·	·	·	·	·	·	·	—	3	·	—	·	10	·	·	·	·	—	·	—	13
City of Londonderry	Aug. 16	·	·	·	·	·	—	7	—	·	·	—	·	—	·	·	·	·	·	—	—	7
	Aug. 23	·	·	·	·	·	—	·	—	·	·	—	·	—		·	·	·	·	—	—	·
	Aug. 30	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	—	—	·
	Sept. 6	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	—	—	·
City of Limerick	Aug. 16	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	Aug. 23	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	Aug. 30	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Sept. 6	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
City of Waterford	Aug. 16	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Aug. 23	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Aug. 30	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	—	—	1	2
	Sept. 6	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	2	2

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th September, 1919, and the number under treatment at the close of each of the 3 preceding weeks

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 6 and 9: typhus nil and 5; measles 2 and 5; scarlet fever 15 and 68*; and diphtheria 2 and 15. Two cases of pneumonia were admitted during the week and 8 remained under treatment at its close. Of the deaths in hospital during the week one was from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 6th September, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS	DEATHS: From all Causes.	DEATHS: From certain Epidemic Diseases. (b)	REGISTRATION—WEEK ENDING SATURDAY, 6TH SEPTEMBER, 1919. NUMBERS REGISTERED: BIRTHS: Total Number.	DEATHS: Total Number	Under 1 year of Age	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 6TH SEPTEMBER, 1919. Air Temperature: Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	25·9	16·8	2·7	568	367	84	88	2	·	·	2	2	·	2	2	38	19	23	22	12	42	8	5	8	114	8	·	·	·	·	·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	24·5	19·7	3·7	190	153	46	44	1	·	·	1	·	·	·	2	14	9	9	10	4	24	1	1	3	55	4	(d) 71·4	34·0	65·3	45·6	55·4	0·98
Urban Districts. CITY OF DUBLIN,	310,500	38·0	26·7	18·1	3·9	159	108	38	19	1	·	·	·	·	·	·	2	11	7	5	7	3	19	1	1	3	41	3	(e) 71·0 (f) 73·0	41·7 38·0	65·4 67·8	52·5 50·4	59·0 59·1	0·90 0·86
Urban Districts. RATHMINES and RATHGAR	39,400	23·0	11·9	19·9	·	9	15	·	9	·	·	·	·	·	·	·	·	1	1	3	1	·	·	·	·	·	4	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,500	18·8	17·7	19·4	7·1	10	11	4	5	·	·	·	1	·	·	·	·	·	·	·	1	·	3	·	·	·	3	1	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,000	8·3	11·6	34·8	·	2	6	·	4	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,600	11·4	31·4	40·8	6·3	10	13	4	7	·	·	·	·	·	·	·	·	·	1	1	1	1	2	·	·	·	5	·	73	44	64·7	52·1	58·4	1·24
Urban Districts. BELFAST, ..	401,000	26·8	28·5	14·6	2·7	119	112	26	19	1	·	·	·	2	·	1	·	11	1	8	6	5	12	5	1	2	29	·	69·0	41·0	65·4	48·7	57·0	1·52
Urban Districts. CORK, ...	76,673	28·6	18·4	17·0	2·0	27	25	3	5	·	·	·	·	·	·	1	·	2	2	2	1	·	2	·	2	2	10	1	66	46	63·1	51·3	57·2	0·91
Urban Districts. LONDONDERRY, ..	41,000	15·9	22·9	12·7	1·3	18	10	1	4	·	·	·	·	·	·	·	·	2	1	·	·	1	·	1	1	1	2	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	12·2	12·2	1·4	9	9	2	1	·	·	·	·	·	·	·	·	1	·	·	·	1	1	·	·	·	2	1	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	17·1	24·7	3·8	9	13	2	5	·	·	·	·	·	·	·	·	1	·	1	·	·	1	1	·	·	4	2	·	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5				4	5	·	1	·	·	·	·	·	·	·	·	2	1	·	2	·	·	·	·	·	3	·	70	42	64	52	58	1·82
Urban Districts. DUNDALK, ..	13,128	9·5				10	4	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				8	6	1	1	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	·	1	·	71·0	38·6	66·0	50·0	58·0	0·52
Urban Districts. DROGHEDA, ..	12,501	8·4				7	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				8	4	1	1	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	2	·	70	38	66·6	47·3	56·9	1·76
Urban Districts. NEWRY, ...	11,963	17·0				6	3	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	1	·	71·0	38·6	66·0	50·0	58·0	0·52
Urban Districts. PORTADOWN, ..	11,727	15·3				6	6	·	2	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	1	·	71·0	38·6	66·0	50·0	58·0	0·52
Urban Districts. WEXFORD, ..	11,531	22·8				6	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				10	3	1	·	·	·	·	1	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				1	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	70	32	66	49	57·5	1·48
Urban Districts. KILKENNY, ..	10,514	11·4				4	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	70	43	66·2	52·0	59·1	0·79
Urban Districts. TRALEE, ...	10,300	17·4				11	5	·	2	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				5	2	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
LONDON	4,206,901	—	—	14·5	—	1,695	811	153	251	·	—	·	4	4	2	12	—	71	18	96	37	32	79	12	34	75	414	·	·	·	·	·	·	·
EDINBURGH ...	336,500	—	—	12·1	—	118	78	10	25	·	·	·	1	2	·	2	—	—	—	—	—	—	2	—	3	—	—	—	69·0	44·0	65·1	52·0	58·6	0·33
GLASGOW	1,118,700	—	—	10·4	—	488	223	50	51	·	·	·	3	·	4	1	—	—	—	—	—	—	18	—	6	—	—	—	66·8	45·1	62·4	52·2	57·3	1·10

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College, and those for Waterford by De La Salle College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 36th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 6th September, 1919.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.														
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
ALL CAUSES.	144·8	163	17	30	4	3	3	2	4	3	11	8	18	16	16	28	153
Enteric Fever ..	·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	·6	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·6	3	2	.	.	.	.	.	.	.	1	.	.	.	.	.	2
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	20·6	15	.	.	.	1	.	1	2	.	4	3	3	1	.	.	14
Tuberculous Meningitis	1·8	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2
Abdominal Tuberculosis	2·6	4	.	1	.	.	.	.	2	1	.	.	.	.	.	.	4
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·6	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	·8	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	2
Venereal Diseases ..	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	14·0	10	.	.	.	.	1	.	.	.	.	1	2	3	1	2	9
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·6	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	3·8	7	.	.	.	.	.	.	.	.	.	.	.	1	2	4	7
Softening of Brain ..	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
Paralysis, without specified cause.	2·4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2
Epilepsy, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	3·2	4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	4
Other Diseases of Nervous System.	1·0	3	.	.	.	.	.	.	.	.	.	.	.	.	3	.	3
Pericarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	2·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	10·0	16	.	.	.	.	.	.	.	.	1	2	3	1	4	5	13
Embolism and Thrombosis (including Cerebral).	1·0	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Other Diseases of Circulatory System.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Bronchitis	7·2	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2
Broncho-pneumonia ..	2·8	3	.	.	.	1	.	.	.	.	.	.	1	.	1	.	2
Lobar pneumonia ..	1·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Pneumonia (type not distinguished).	2·0	7	.	1	.	.	.	.	.	.	.	1	1	3	.	1	7
Pleurisy	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	1·0	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1

in the THIRTY-SIXTH WEEK, ending Saturday, 6th September, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 36th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 6th September, 1919.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.											
Diseases of the Pharynx Tonsillitis.	·2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Diseases of Stomach ..	3·8	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·	1
Diarrhœa and Enteritis of Children under 2 years.	20·6	24	4	20	·	·	·	·	·	·	·	·	·	·	·	·	24
Diarrhœa 2 years and upwards.	·8	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Enteritis 2 years and upwards.	1·6	5	·	·	·	·	1	·	·	1	1	·	·	·	2	·	5
Appendicitis and Typhlitis.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	1·0	2	·	·	·	·	·	·	·	·	·	·	·	1	1	·	2
Cirrhosis of Liver ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·4	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Peritonitis (cause unknown).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Nephritis ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Bright's Disease	3·6	6	·	·	·	·	·	·	·	·	·	·	4	2	·	·	5
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	·6	3	·	·	·	·	·	·	·	·	·	1	·	·	·	2	3
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	1·0	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Diseases of Locomotor System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	·4	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Premature Birth ..	1·6	8	5	3	·	·	·	·	·	·	·	·	·	·	·	·	7
Congenital Debility ..	5·6	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Old Age	4·8	9	·	·	·	·	·	·	·	·	·	·	·	·	2	7	9
Other Specified Diseases	1·2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
VIOLENCE.																	
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1
Not included in above—																	
Homicide. ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	2·6	3	·	·	·	·	·	·	·	·	·	·	1	2	·	·	3

TABLE IV.—Showing for the WEEK ENDED 6TH SEPTEMBER, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes	From certain Epidemic Diseases*	Total Deaths	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No 1, E., ...	30,000	13·9	1·7	8	4	.	.	.	2	.	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	2	.	.
" 1, W., ...	41,100	12·7	3·8	10	5	.	.	1	.	1	3	.	.	.	.	.	.	.	.	.	1	.	.	1	1	3	.	.	.	.	2	.	.
" 2, ...	27,500	15·2	1·9	8	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	.	.	2	.	.
" 3, ...	34,100	9·2	1·5	6	2	1	.	.	1	1	.	1	.	.	.	.	.	.	.	.	1	2	1	.	.	1	.	.	.	.	3	.	.
CLONTARF AND HOWTH, No. 1, part of	5,500	9·5	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
COOLOCK AND DRUMCONDRA, part of ..	13,600	3·8	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
FINGLAS AND GLASNEVIN, part of ..	11,100	4·7	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City.																																	
SOUTH CITY, No. 1, ..	43,000	24·3	4·9	20	7	.	1	.	.	3	6	3	1	.	.	.	.	.	.	.	2	1	1	1	1	3	.	.	.	1	3	8	1
" 2, ...	18,200	17·2	2·9	6	3	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	1	.	1	.
" 3, ...	43,300	24·1	4·8	20	6	.	1	.	1	1	6	5	.	.	.	.	.	.	.	.	2	1	1	2	.	4	.	.	.	.	3	5	1
" 4, ...	32,800	38·2	12·7	24	7	.	.	1	1	4	4	7	.	.	.	.	.	.	.	2	3	.	.	1	.	5	1	1	.	1	4	6	1
NEW KILMAINHAM, ...	10,300	15·2	.	3	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	19·9	.	15	.	.	.	1	.	2	3	9	.	.	.	.	.	.	.	.	1	1	3	1	.	.	.	.	.	.	3	1	.
PEMBROKE	29,500	19·4	7·1	11	4	1	.	.	.	.	1	5	.	.	.	1	.	.	.	.	.	.	.	1	.	3	.	.	.	.	1	2	1
BLACKROCK, ...	9,000	34·8	.	6	.	.	.	.	1	.	1	4	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	1	.
KINGSTOWN, ...	16,600	40·8	6·3	13	4	.	.	.	.	1	1	7	.	.	.	.	.	.	.	.	.	1	1	1	1	2	.	.	.	.	3	2	.
TOTAL CITY. North, ...	162,900	11·2	1·9	35	15	2	.	1	4	3	6	4	.	.	.	.	.	.	.	.	3	4	2	3	2	6	.	.	.	.	10	.	.
TOTAL CITY. South, ...	147,600	25·8	6·0	73	23	1	3	2	2	9	18	15	1	.	.	.	.	.	.	2	8	3	3	4	1	13	1	1	.	3	11	20	3
TOTAL CITY. North and South, ..	310,500	18·1	3·9	108	38	3	3	3	6	12	24	19	1	.	.	.	.	.	.	2	11	7	5	7	3	19	1	1	.	3	21	20	3
Total Urban Districts, ...	94,500	24·8	3·3	45	8	1	.	1	1	3	6	25	.	.	.	1	.	.	.	.	3	2	4	3	1	5	.	.	.	.	8	6	1
Total Registration Area, ..	405,000	19·7	3·7	153	46	4	3	4	7	15	30	44	1	.	.	1	.	.	.	2	14	9	9	10	4	24	1	1	.	3	29	26	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				10	1	.	.	1	.	4	4	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	10	.	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th, Sept., 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 6TH SEPTEMBER, 1919.

Class.	Occupation or Social Position (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	28)	(29)
	ALL PERSONS.	397,957	—	163	54	5	7	19	34	16	28	1	.	.	1	.	.	.	2	15	9	10	4	11	4	24	1	1	80	4
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	28·5	8	.	.	1	.	1	1	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	6	.
II.	MIDDLE CLASS	101,798	17·9	35	4	2	1	3	9	6	10	.	.	.	.	.	.	.	.	2	1	4	1	4	.	3	.	1	19	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	11·5	24	7	2	2	5	4	3	1	.	.	.	1	.	.	.	.	5	1	2	1	2	1	2	.	.	9	2
IV.	GENERAL SERVICE CLASS	167,479	21·8	70	40	1	3	7	12	2	5	1	.	.	.	.	.	.	2	3	5	3	2	4	2	17	1	.	30	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	26	3	.	.	4	8	4	7	.	.	.	.	.	.	.	.	5	1	.	.	1	1	2	.	.	16	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	8	.	.	1	.	1	1	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	6	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	12	.	1	.	1	3	3	4	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.	8	.
	6. Clerks and Commercial Assistants,	33,249	—	7	4	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	15	.	1	.	2	5	2	5	.	.	.	.	.	.	.	.	2	.	2	.	2	.	.	.	1	8	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ..	28,823	—	8	4	2	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	1	.	.	4	1
	10 Clothing Trades, ...	20,026	—	5	.	.	1	2	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.
	11. Food Supply Trades, ...	8,952	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	10	2	.	1	2	2	2	1	.	.	.	.	.	.	.	.	1	1	2	.	2	1	1	.	.	2	1
	13. Petty Shopkeepers, ...	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	12	6	.	.	3	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2	1	2	.	.	6	.
	15. Domestic Servants, ...	36,041	—	7	3	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.	2	.
	16 Coach and Car Drivers, Vanmen, &c,	15,380	—	8	6	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	5	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	43	25	1	3	2	8	1	3	1	.	.	.	.	.	.	2	2	5	1	2	2	.	11	.	.	17	1
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	26	3	.	.	4	8	4	7	.	.	.	.	.	.	.	.	5	1	.	.	1	1	2	.	.	16	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

———	Dublin Registration Area.													Belfast City.												
WEEK ENDING	June 14	June 21.	June 28	July 5.	July 12.	July 19.	July 26	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.
No. of weeks in Annual Series ..	24	25	26	27	28	29	30	31	32	33	34	35	36	24	25	26	27	28	29	30	31	32	33	34	35	36
BIRTHS registered	187	198	196	192	198	178	207	233	190	163	226	171	190	205	199	257	180	178	202	238	204	182	173	211	241	219
Average Births in corresponding week of previous 10 years, ...	239	235	249	203	206	216	212	200	198	215	209	208	216	209	198	207	198	185	214	208	195	193	201	183	194	192
Number of Deaths, ...	104	119	107	99	102	70	89	92	99	111	124	142	153	104	91	98	87	90	84	92	79	73	82	127	129	112
Annual Death-rate per 1,000 ..	13·4	15·3	13·8	12·7	13·1	9·0	11·5	11·8	12·7	14·3	16·0	18·3	19·7	13·5	11·8	12·7	11·3	11·7	10·9	12·0	10·3	9·5	10·7	16·5	16·8	14·6
Average Deaths in corresponding week of previous 10 years, ...	142	129	126	129	142	132	131	127	129	139	138	143	143	122	120	136	128	123	114	111	106	105	114	119	122	118
Ages, .. Under one year, ..	12	18	17	20	9	11	9	16	19	29	38	48	46	13	14	18	12	11	12	19	12	12	14	32	41	26
1— 5 years, ..	4	8	8	7	3	3	6	5	5	20	9	10	7	5	3	2	1	6	5	3	5	6	5	11	9	5
5—25 ,, ..	11	14	15	13	14	10	11	5	7	5	10	14	11	21	11	15	14	17	10	7	11	11	13	17	16	12
25—45 ,, ..	16	26	19	15	17	9	14	13	17	12	19	9	15	26	18	14	17	13	14	22	17	9	14	23	15	22
45—65 ,, ..	32	23	22	22	29	22	24	27	27	27	24	25	30	24	25	22	18	21	31	23	19	12	18	25	26	28
65 and upwards, ..	29	30	26	22	30	15	25	26	24	18	24	36	44	15	20	27	25	22	12	18	15	23	18	19	22	19
Deaths from :—																										
Enteric Fever, ...	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	3	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	3	2	3	1	2	.	1	1	1	3	2
Whooping-cough, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	.	.	.	1	.	.	2	.	.	.	.	1	.	.	.	1	.	.	1	.	1	.	.	1	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.
Tuberculosis { Pulmonary, ..	19	19	21	20	10	11	13	6	12	8	12	14	14	18	13	19	10	12	13	18	18	8	11	12	18	11
Tuberculosis { Other Forms, ..	2	6	9	.	3	5	7	5	5	7	6	2	9	9	4	5	5	3	8	6	2	7	7	4	1	1
Cancer, ...	9	5	8	4	12	6	4	8	10	8	5	8	9	7	6	10	8	5	7	2	5	1	6	5	3	8
Diseases of Respiratory System. { Pneumonia ..	8	12	9	13	8	5	4	2	5	2	6	5	10	5	3	7	4	8	5	3	4	3	3	4	4	6
Diseases of Respiratory System. { Others, ..	7	12	5	11	10	3	12	7	13	9	7	9	4	10	6	4	7	7	5	8	9	6	8	7	9	5
Diarrhœa and Enteritis, under 2 years.	1	3	.	2	3	6	2	4	12	28	26	37	24	1	.	1	1	.	1	1	2	2	6	16	30	12
Diarrhœa, 2 years and upwards..	.	.	.	.	.	1	1	.	1	2	3	3	1	2	1	.	1	.	1	.	1	.	.	8	7	5
Violent Deaths, ...	2	1	.	2	2	1	3	4	2	1	.	4	1	1	1	1	3	2	1	3	.	1	2	3	.	1
Number of Uncertified Deaths, ..	2	2	2	2	1	1	1	3	1	1	4	6	4	2	1	2	1	1	3	1	1	.	1	1	.	.
A Mean Maximum Temperature in degs	65·5	63·3	61·6	61·1	65·6	64·3	57·1	65·5	69·9	73·1	68·4	60·1	65·3	63·7	63·4	61·0	61·3	63·7	62·6	65·1	65·6	68·1	72·2	68·0	58·6	65·4
B Mean Minimum ,, ,,	44·5	48·3	46·3	44·0	43·8	51·2	47·0	45·5	52·2	53·2	51·8	45·2	45·6	50·3	47·4	47·4	49·9	50·7	52·2	51·3	47·1	53·5	54·5	53·0	48·3	48·7
Mean of A and B	55·0	55·8	54·0	52·5	54·7	57·7	57·1	56·0	61·1	63·2	60·1	52·7	55·4	57·0	55·4	53·7	55·6	57·2	57·4	58·2	56·4	60·8	63·3	60·5	53·4	57·0
Rainfall in inches	1·47	0·21	0·63	0·38	0·13	0·04	0·46	0·13	0·10	0·08	0·59	1·15	0·98	1·60	0·39	0·36	0·21	0·02	0·23	0·01	0·13	0·29	0·43	0·43	1·78	1·52

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 6th September, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	5	23·0	3·3	7	2	·	·	2	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	1	4	·
Do. 2 do.	49,500	26	24·2	5·3	23	6	1	2	4	4	6	·	·	·	·	·	·	·	·	3	·	2	1	2	5	·	·	·	5	·
Do. 3 do.	50,032	26	14·6	4·2	14	6	·	1	4	2	1	1	·	·	·	·	·	·	·	2	·	·	1	·	3	·	·	·	2	·
Do. 4 do.	32,637	14	12·8	3·2	8	3	1	1	·	3	·	·	·	·	·	·	·	1	·	1	·	1	·	·	1	·	·	·	3	·
Do. 5 do.	16,112	2	12·9	3·2	4	2	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·
Do. 6 do.	37,293	19	16·8	1·4	12	2	·	1	1	4	4	·	·	·	·	1	·	·	·	·	·	2	·	·	·	·	·	·	3	·
Do. 7 do.	2,681	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 9 do.	24,427	18	12·8	2·1	6	·	·	·	·	4	2	·	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	4	·
Do. 10 do.	28,958	37	16·2	1·8	9	1	·	1	2	4	1	·	·	·	·	1	·	·	·	·	·	3	·	1	·	·	·	·	1	·
Do. 11 do.	39,311	22	14·6	6·6	11	·	2	2	4	3	·	·	·	·	·	·	·	·	·	1	·	·	1	·	1	4	·	·	3	·
Do. 12 do.	38,076	23	15·1	·	11	3	1	1	2	2	2	·	·	·	·	·	·	·	·	2	·	·	2	·	·	·	·	·	1	·
Do. 13 do.	23,233	9	2·2	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	14	13·8	·	6	1	·	2	2	·	1	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	·	2	·
Total.	386,947	219	14·6	2·7	112	26	5	12	22	28	19	1	·	·	·	2	·	1	·	11	1	8	6	5	12	5	1	2	29	·
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	2	11·6	·	3	·	·	1	·	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1
Do. 2 do.	10,399	7	10·0	·	2	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 3 do.	9,793	6	21·3	5·3	4	·	1	·	1	1	1	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·	2	·
Do. 4 do.	9,139	6	5·7	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·
Do. 5 do.	6,250	2	16·7	·	2	·	·	1	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
Do. 6 do.	11,581	1	22·5	·	5	1	·	1	·	1	2	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	1	·
Do. 7 do.	16,056	3	26·0	6·5	8	2	1	·	·	5	·	·	·	·	·	·	·	·	·	1	·	1	·	·	2	·	1	1	5	·
Total.	76,673	27	17·0	2·0	25	3	2	3	3	9	5	·	·	·	·	·	·	1	·	2	2	2	1	·	2	·	2	2	10	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 6th September, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No 1, East, ..	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.	1	2
" " 1, West ..	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	3	6
" " 2, ...	.	.	.	.	.	4	.	.	1	.	.	.	.	.	.	.	1	6
" " 3, ...	.	.	.	.	.	2	1	.	.	.	.	.		1	.	.	.	4
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
South City No 1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	5
" " " 2, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	2
" " " 3, ...	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	3
" " " 4, ...	.	.	.	.	.	.	.	.	.	.	25	.	.	1	.	.	1	27
New Kilmainham, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Total, ...	4	.	.	.	.	10	1	.	3	1	26	1	.	2	.	.	9	57

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 6th September, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 6th September.			
	Aug 16.	Aug. 23.	Aug. 30.	No. admitted	Dis-charged.	Died.	No under treatment at close of week.
Enteric Fever, ...	5	6	5	6	2	.	9
Typhus, ...	1	5	5	.	.	.	5
Small-pox, ...	.	.	.	.	.	.	.
Measles.	21	8	3	2	.	.	5
Scarlet Fever	78	79	72	15	19	.	68*
Diphtheria, ...	14	16	16	2	3	.	15
Pneumonia, ...	13	13	11	2	4	1	8

* Exclusive of 21 patients in "Feneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13095). Wt. 210 3. 380. 9. 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 37. VOL. LVI.] WEEK ENDING SATURDAY, 13TH SEPTEMBER, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 17th September, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 14·9 and 15·9; Dublin Registration Area, 17·3 and 17·8; Dublin City, 18·8 and 17·5; Belfast, 13·0 and 15·4; Cork, 12·9 and 13·8; Londonderry, 17·8 and 13·0; Limerick, 19·0 and 14·9; and Waterford, 15·2 and 20·4.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·1 per 1,000. Among the 100 deaths from all causes for Belfast are 2 from enteric fever, 2 from scarlet fever, and 18 from diarrhœal dsseases. Of the 19 deaths from all causes for Cork one is from whooping-cough and 2 are from diarrhœa and enteritis of children under 2 years. Of the 14 deaths recorded for Londonderry one is from scarlet fever and one from diarrhœa; and of the 8 deaths from all causes for Waterford 2 are from diarrhœa and enteritis of children under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 194—102 boys and 92 girls—and the deaths to 141—66 males and 75 females.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·3 per 1,000 of the population. During the thirty-seven weeks ending with Saturday last, the death-rate averaged 23·1 and was 2·1 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the thirty-seven weeks was 25·0 and for the corresponding period of the preceding ten years 22·4.

Of the 134 deaths appertaining to the Area one was from enteric fever, one from diphtheria, 3 were from dysentery, 9 from diarrhœal diseases, and one from influenza.

In the 3 preceding weeks deaths from enteric fever numbered 0, 0, and one, deaths from diphtheria 0, one, and 0, deaths from dysentery 0, 0, and 2, deaths from diarrhœal diseases 29, 40, and 25, and deaths from influenza one, one, and 0 respectively.

Deaths attributed to pneumonia were 7 (comprising 5 from broncho-pneumonia, and 2 from pneumonia, type not distinguished), as against 6, 5, and 10 in the 3 weeks preceding.

Tuberculous disease caused 17 deaths (comprising 9 from pulmonary tuberculosis, one from tuberculous meningitis, and 7 from other forms of tuberculous disease), as against 18, 16, and 23, in the three weeks preceding.

Thirteen deaths were caused by cancer, 11 by organic diseases of the heart, and 10 by bronchitis.

Among deaths of infants under one year old, 4 were due to convulsions, one to simple meningitis, 3 to bronchitis, one to broncho-pneumonia, 6 to diarrhœa and enteritis, 2 to congenital malformations, 6 to premature birth, and 2 to congenital debility.

There were 3 accidental deaths, one case of homicidal and one of suicide.

Thirty-six of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 29 being infants under one year, of whom 10 were under one month old, and 41 deaths were those of persons aged 65 and upwards, of whom 30 were 70 years of age or over.

Of the 134 deaths recorded, 40 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 13th September, in 96 large English towns (including London, in which the rate was 10·9) was equal to an average annual death rate of 10·4 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 10·2 per 1,000 persons living, the rate for Glasgow being 10·3 and for Edinburgh 10·5.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 13th September. From this Report it appears that of 60 cases notified, 26 were scarlet fever, 16 diphtheria, 6 pulmonary tuberculosis, 8 other forms of tuberculosis, and 4 erysipelas. Among the 406 cases of infectious diseases in hospital at the close of the week were 141 of pulmonary tuberculosis, 134 of scarlet fever, 59 of diphtheria, 26 of measles, 14 of whooping-cough, 8 of erysipelas, one of enteric fever, and one of cerebro spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 13th September, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Aug. 23	2	2	·	·	·	—	9	—	2	·	—	·	—	·	·	·	·	·	·	7	22
	Aug. 30	5	1	·	·	·	—	13	—	7	3	—	·	—	·	·	·	·	·	·	2	31
	Sept. 6	4	·	·	·	·	—	10	—	1	3	—	1	—	26	1	·	2	·	·	9	57
	Sept. 13	4	·	·	·	·	—	15	—	5	3	—	·	—	31	5	·	1	·	·	19	83
Rathmines & Rathgar Urban District	Aug. 23	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Aug. 30	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Sept. 6	·	·	·	·	·	—	·	—	·	1	—	·	—	·	·	·	1	·	·	—	2
	Sept. 13	1	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	2
Pembroke Urban District	Aug. 23	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
	Aug. 30	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
	Sept. 6	·	·	·	·	·	1	·	·	·	·	·	·	—	·	·	·	·	·	·	3	4
	Sept. 13	1	·	·	·	·	·	·	·	·	·	·	·	—	1	1	·	·	·	·	·	3
Blackrock Urban District	Aug. 23	·	·	·	·	·	·	1	—	1	·	—	·	—	·	·	·	·	·	·	·	2
	Aug. 30	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Sept. 6	·	·	·	·	·	·	1	—	·	·	—	·	—	·	·	·	·	·	·	·	1
	Sept. 13	·	·	·	·	·	·	1	—	·	·	—	·	—	·	·	·	·	·	·	·	1
Kingstown Urban District	Aug. 23	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Aug. 30	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Sept. 6	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	·	—	·	·	2
	Sept. 13	·	·	·	·	·	—	3	—	·	·	—	·	—	·	·	·	·	—	·	·	3
City of Belfast	Aug. 16	7	·	2	·	·	—	31	—	5	1	—	2	—	·	·	·	·	·	·	·	48
	Aug. 30	4	·	·	·	·	—	44	—	7	1	—	1	—	·	·	·	·	·	·	·	57
	Sept. 6	8	·	·	·	·	—	52	—	9	1	—	2	—	·	·	·	·	·	·	·	72
	Sept. 13	3	·	·	·	·	—	87	—	6	3	—	1	—	·	·	·	·	·	·	·	100
City of Cork	Aug. 23	·	·	·	·	·	·	·	—	·	·	—	·	19	1	·	·	·	—	·	—	20
	Aug. 30	·	·	·	·	·	1	·	—	3	·	—	·	15	·	1	·	·	—	·	—	20
	Sept. 6	·	·	·	·	·	·	·	—	3	·	—	·	10	·	·	·	·	—	·	—	13
	Sept. 13	·	3	·	·	·	·	·	—	4	·	—	·	5	·	·	·	·	—	·	—	12
City of Londonderry	Aug. 23	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	—	—	·
	Aug. 30	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	—	—	·
	Sept. 6	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	—	—	·
	Sept. 13	·	·	·	·	·	—	3	—	·	·	—	·	—	·	·	·	·	·	—	—	3
City of Limerick	Aug. 23	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	Aug. 30	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Sept. 6	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Sept. 13	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
City of Waterford	Aug. 23	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Aug. 30	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	—	—	1	2
	Sept. 6	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	2	2
	Sept. 13	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th September, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 3 and 12; typhus nil and 5; measles nil and 3; scarlet fever 38 and 81*; and diphtheria 4 and 18. Three cases of pneumonia were admitted during the week and 11 remained under treatment at its close. Of the deaths in hospital during the week one was from diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 13th September, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 13th September 1919. Births. Total Number.	Deaths. Total Number	Under 1 year of Age	At 65 years and upwards	Caused by: Enteric Fever	Typhus	Small-pox	Measles	Scarlet Fever	Whooping-cough	Diphtheria	Dysentery	Tuberculosis: Pulmonary	Tuberculosis: Other Forms	Cancer	Diseases of the Respiratory System: Pneumonia	Diseases of the Respiratory System: Other	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards	Violence	Inquest Cases	No. of Deaths in Public Institutions	Number of Uncertified Deaths	Meteorology. (c) Week ending 13th September, 1919. Air Temperature. Absolute Highest	Absolute Lowest	Mean Maximum (A)	Mean Minimum (B)	Mean of (A) and (B)	Rainfall in Inches
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	24·7	14·9	2·1	540	326	67	84	3	·	·	·	3	1	1	3	25	19	25	15	22	23	11	12	14	110	10	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	25·0	17·3	1·8	194	134	29	41	1	·	·	·	·	·	1	3	9	8	13	7	11	7	2	5	6	40	2	(d) 76·6	40·4	72·4	51·6	62·0	0·15
Urban Districts. CITY OF DUBLIN,	310,500	38·0	27·4	18·8	2·4	163	112	29	30	1	·	·	·	·	·	1	3	7	8	12	6	11	7	2	3	4	35	2	(e) 71·9 (f) 78·0	49·3 44·2	65·5 67·6	53·6 51·2	59·6 59·4	0·20 0·17
RATHMINES and RATHGAR	39,400	23·0	11·9	10·6	·	9	8	·	4	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	1	4	·	·	·	·	·	·	·
PEMBROKE, ..	29,500	18·8	24·7	14·1	·	14	8	·	4	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·
BLACKROCK, ..	9,000	8·3	11·6	11·6	·	2	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ..	16,600	11·4	18·8	12·6	·	6	4	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	1	·	·	75	47	67·1	53·6	60·3	0·10
Urban Districts. BELFAST, ..	401,000	26·8	23·8	13·0	2·9	183	100	26	11	2	·	·	·	2	·	·	·	9	5	6	4	5	10	8	5	6	31	·	74·5	43·5	66·0	52·5	59·2	0·78
CORK, ..	76,673	28·6	29·9	12·9	2·0	44	19	3	8	·	·	·	·	·	1	·	·	2	1	1	·	1	2	·	·	·	10	1	68	50	63·1	54·3	58·7	0·04
LONDONDERRY, ..	41,000	15·9	20·3	17·8	2·5	23	14	·	4	·	·	·	·	1	·	·	·	·	2	·	1	3	·	1	1	1	3	1	·	·	·	·	·	·
LIMERICK, ..	38,518	16·1	33·8	19·0	·	25	14	2	3	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	6	1	·	·	·	·	·	·
WATERFORD, ..	27,464	19·1	19·0	15·2	3·8	10	8	2	5	·	·	·	·	·	·	·	·	·	1	2	·	·	2	·	·	·	4	1	·	·	·	·	·	·
GALWAY, ..	13,255	2·5				3	3	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	3	·	74	42	67·0	48·4	57·7	0·86
DUNDALK, ..	13,128	9·5				9	3	·	2	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	·	1	1	·	·	·	·	·	·
LURGAN, ..	12,553	14·7				7	2	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	73·4	46·3	64·3	50·1	57·2	1·41
DROGHEDA, ..	12,501	8·4				6	3	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LISBURN, ..	12,388	10·9				6	4	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	75	44	66·7	46·9	56·8	0·93
NEWRY, ..	11,963	17·0				3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	73·4	46·3	64·3	50·1	57·2	1·41
PORTADOWN, ..	11,727	15·3				6	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	73·4	46·3	64·3	50·1	57·2	1·41
WEXFORD, ..	11,531	22·8				7	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·
BALLYMENA, ..	11,381	9·3				2	4	1	1	·	·	·	·	·	·	·	·	1	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·
SLIGO, ..	11,163	3·8				1	3	·	1	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	1	·	75	42	66	49	57·5	0·15
KILKENNY, ..	10,514	11·4				8	5	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	3	1	71	44	65·1	50·1	57·6	0·00
TRALEE, ...	10,300	17·4				1	5	·	4	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	5	·	·	·	·	·	·	·
CLONMEL, ..	10,209	7·8				2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·
LONDON	4,206,901	—	—	10·9	—	1,598	840	157	250	2	—	·	1	2	7	9	—	89	10	109	32	5	75	14	32	74	407	·	87	50	78·7	53·7	66·2	0·00
EDINBURGH ...	336,500	—	—	10·5	—	96	68	12	23	·	·	·	1	·	·	1	—	—	—	—	—	—	·	—	1	—	—	—	70·0	46·0	62·4	51·6	57·0	1·55
GLASGOW	1,118,700	—	—	10·3	—	488	222	50	53	·	·	·	2	1	3	4	—	—	—	—	—	—	20	—	9	—	—	—	66·6	45·9	60·3	51·5	55·9	0·14

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Roche's Point have been adopted for Cork, those at Armagh for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Cahir for Clonmel. The readings for Limerick are supplied by Mungret College, and those for Waterford by De La Salle College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 37th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 13th September, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
ALL CAUSES.	145·0	141	10	21	6	1	2	5	3	4	7	8	17	15	22	20	134
Enteric Fever ..	1·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·4	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Dysentery	.	3	.	.	1	.	.	.	.	.	.	.	.	.	2	.	3
Erysipelas	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	19·8	9	.	1	.	.	.	.	2	1	1	1	3	.	.	.	9
Tuberculous Meningitis	2·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Abdominal Tuberculosis	·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	2	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2
Tuberculosis of other Organs.	·8	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	2
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·2	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2
Venereal Diseases ..	·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	8·2	13	.	.	.	.	.	.	.	.	1	1	4	3	3	1	13
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·4	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	3·4	4	.	.	.	.	.	.	.	.	.	.	.	3	1	.	4
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·0	7	.	.	.	.	.	.	.	.	.	.	.	1	2	4	7
Epilepsy, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	2·8	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	4
Other Diseases of Nervous System.	2·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	9·6	11	.	.	.	.	.	.	.	1	.	1	1	1	5	2	11
Embolism and Thrombosis (including Cerebral).	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Other Diseases of Circulatory System.	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	8·6	10	.	3	.	.	.	.	.	.	.	.	2	2	2	1	10
Broncho-pneumonia ..	1·6	5	.	1	2	.	.	.	.	.	1	.	.	1	.	.	5
Lobar pneumonia ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	3·2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	1·0	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Other Diseases of Respiratory System.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

in the THIRTY-SEVENTH WEEK, ending Saturday, 13th September, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 37th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 13th September, 1919.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.														
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
Diseases of the Pharynx Tonsillitis.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	2·8	3	·	·	·	·	·	·	·	·	1	·	1	·	1	·	3
Diarrhœa and Enteritis of Children under 2 years.	23·2	8	1	6	1	·	·	·	·	·	·	·	·	·	·	·	7
Diarrhœa 2 years and upwards.	·8	2	·	·	·	·	·	1	·	·	·	·	·	·	·	1	2
Enteritis 2 years and upwards.	1·2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Appendicitis and Typhlitis.	·6	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cirrhosis of Liver ..	·2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Other Diseases of Liver	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Peritonitis (cause unknown).	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	1·2	4	·	·	·	·	·	·	·	·	·	1	1	1	·	1	4
Acute Nephritis ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Bright's Disease	2·6	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	1·4	3	·	·	·	·	·	·	·	·	·	1	·	·	2	·	2
Puerperal Septicæmia, &c.	·4	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Other causes incident to Pregnancy and Childbirth.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Locomotor System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	·2	3	2	1	·	·	·	·	·	·	·	·	·	·	·	·	2
Premature Birth ..	4·2	6	6	·	·	·	·	·	·	·	·	·	·	·	·	·	6
Congenital Debility ..	5·0	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	2
Old Age	5·6	8	·	·	·	·	·	·	·	·	·	·	·	·	·	8	8
Other Specified Diseases	1·0	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
VIOLENCE.																	
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	·8	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1
Suffocation in Bed, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·	2	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	} 3·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		2	·	·	·	·	·	·	·	·	·	1	·	1	·	·	2
Not included in above—																	
Homicide, ..	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Suicide, ..	·2	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	1·2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1

TABLE IV.—Showing for the WEEK ENDED 13TH SEPTEMBER, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 13TH SEPTEMBER, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	20·9	1·7	12	1	2	.	1	1	1	1	5	.	.	.	.	.	.	.	.	1	1	.	3	1	.	1	1	.	1	2	2	.
" 1, W., ...	41,100	24·1	5·1	19	6	2	.	1	.	1	4	5	.	.	.	.	.	.	1	.	.	1	1	.	.	3	.	1	.	1	5	1	1
" 2, ...	27,500	20·9	.	11	2	.	.	.	1	2	2	4	.	.	.	.	.	.	.	.	3	.	.	2	2	.	.	.	1	.	1	3	.
" 3, ...	34,100	18·3	1·5	12	3	.	1	.	.	1	4	3	.	.	.	.	.	.	.	.	1	2	2	1	.	1	.	.	.	.	1	3	1
CLONTARF AND HOWTH, No. 1, part of	5,500	9·5	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
COOLOCK AND DRUMCONDRA, part of ..	13,600	19·2	.	5	.	.	.	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.
FINGLAS AND GLASNEVIN, part of ..	11,100	14·1	.	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	1	.	.
South City.																																	
SOUTH CITY, No. 1, ..	43,000	18·2	2·4	15	7	.	.	.	.	1	5	2	1	.	.	.	.	.	.	.	.	1	3	.	4	1	.	.	.	.	.	3	.
" 2, ...	18,200	11·5	2·9	4	1	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	1	.	.
" 3, ...	43,300	12·0	.	10	4	.	.	1	.	2	1	2	.	.	.	.	.	.	.	.	1	1	2	.	3	.	.	.	.	.	3	2	.
" 4, ...	32,800	30·2	7·9	19	3	1	.	1	1	2	3	8	.	.	.	.	.	.	.	3	1	.	2	.	.	1	1	.	.	.	2	2	.
NEW KILMAINHAM, ...	10,300	5·1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	10·6	.	8	.	1	.	1	.	.	2	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	3	1	.
PEMBROKE	29,500	14·1	.	8	.	.	.	.	1	1	2	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	1	.	.
BLACKROCK, ...	9,000	11·6	.	2	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, ...	16,600	12·6	.	4	.	.	.	.	1	.	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	1	.	.	.
TOTAL CITY. North, ...	162,900	20·2	1·9	63	13	4	1	4	3	6	14	18	.	.	.	.	.	.	1	.	5	6	3	6	4	4	1	3	1	4	13	9	2
TOTAL CITY. South, ...	147,600	17·3	2·8	49	16	1	.	2	1	5	12	12	1	.	.	.	.	.	.	3	2	2	9	.	7	3	1	.	.	.	6	7	.
TOTAL CITY. North and South, ..	310,500	18·8	2·4	112	29	5	1	6	4	11	26	30	1	.	.	.	.	.	1	3	7	8	12	6	11	7	2	3	1	4	19	16	2
Total Urban Districts, ...	94,500	12·1	.	22	.	1	.	1	2	1	6	11	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	2	.	2	4	1	.
Total Registration Area, ..	405,000	17·3	1·8	134	29	6	1	7	6	12	32	41	1	.	.	.	.	.	1	3	9	8	13	7	11	7	2	5	1	6	23	17	2
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				7	2	.	.	.	1	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	2	7	.	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 13th Sept., 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 13TH SEPT., 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and up wards.	Violence.	Other Causes	Number of Uncertified Deaths
	COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	141	38	7	7	15	32	22	20	1	.	.	.	.	.	1	3	9	8	13	4	7	11	8	2	7	67	2
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	21·3	6	.	.	.	1	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	5	.
II.	MIDDLE CLASS	101,798	14·9	29	5	3	2	3	7	3	6	.	.	.	.	.	.	.	.	.	1	2	.	1	2	.	2	2	19	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	13·0	27	8	.	1	5	6	5	2	.	.	.	.	.	.	.	1	2	.	3	3	3	.	1	.	1	13	.
IV.	GENERAL SERVICE CLASS	167,479	19·3	62	23	4	3	4	12	11	5	.	.	.	.	.	.	1	2	5	5	7	1	3	7	7	.	3	21	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	17	2	.	1	2	7	2	3	1	.	.	.	.	.	.	.	2	2	1	.	.	2	.	.	.	9	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	10	.	1	.	1	4	1	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	7	.
	6. Clerks and Commercial Assistants,	33,249	—	9	2	2	1	1	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	2	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	7	2	.	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	5	3	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	1	.
	9. Building and Furnishing Trades, ..	28,823	—	6	1	.	1	1	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	3	.
	10. Clothing Trades, ...	20,026	—	4	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
	11. Food Supply Trades, ...	8,952	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	11	1	.	.	3	2	3	2	.	.	.	.	.	.	.	1	1	.	1	.	1	.	.	.	1	6	.
	13. Petty Shopkeepers, ...	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	11	3	1	.	.	3	4	.	.	.	.	.	.	.	.	1	.	1	3	.	.	1	.	.	.	5	.
	15. Domestic Servants, ...	36,041	—	6	2	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	2	.	1	1	2	.	.	.	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	5	3	.	1	.	.	.	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	40	15	3	2	4	7	6	3	.	.	.	.	.	.	1	.	5	3	2	1	2	5	5	.	3	13	2
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	17	2	.	1	2	7	2	3	1	.	.	.	.	.	.	.	2	2	1	.	.	2	.	.	.	9	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years; (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

Week ending	Dublin Registration Area.													Belfast City.												
	June 21.	June 28	July 5.	July 12.	July 19.	July 26	Aug. 2.	Aug. 9.	Aug 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13	June 21.	June 28.	July 5	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.
No. of weeks in Annual Series ..	25	26	27	28	29	30	31	32	33	34	35	36	37	25	26	27	28	29	30	31	32	33	34	35	36	37
Births registered	198	196	192	198	178	207	233	190	160	226	171	190	194	199	257	189	178	220	238	204	182	173	211	241	219	183
Average Births in corresponding week of previous 10 years, ...	235	249	203	206	216	212	200	198	215	209	208	216	195	198	207	198	185	214	208	195	193	201	183	194	192	191
Number of Deaths, ...	119	107	99	102	70	89	92	99	111	124	142	153	134	91	98	87	90	84	92	79	73	82	127	129	112	109
Annual Death-rate per 1,000 ..	15·3	13·8	12·7	13·1	9·0	11·5	11·8	12 7	14·3	16·0	18·3	19·7	17·3	11·8	12·7	11·3	11·7	10·9	12·0	10·3	9·5	10·7	16·5	16·8	14·6	13·0
Average Deaths in corresponding week of previous 10 years, ...	129	126	129	142	132	131	127	129	139	138	143	143	145	120	136	128	123	114	111	106	105	114	119	122	118	113
Ages, .. Under one year, ..	18	17	20	9	11	9	16	19	29	38	48	46	29	14	18	12	11	12	19	12	12	14	32	41	26	26
1— 5 years, ..	8	8	7	3	3	6	5	5	20	9	10	7	7	3	2	1	6	5	3	5	6	5	11	9	5	8
5—25 ,, ..	14	15	13	14	10	11	5	7	5	10	14	11	13	11	15	14	17	10	7	11	11	13	17	16	12	19
25—45 ,, ..	26	19	15	17	9	14	13	17	12	19	9	15	12	18	14	17	13	14	22	17	9	14	23	15	22	6
45—65 ,, ..	23	22	22	29	22	24	27	27	27	24	25	30	32	25	22	18	21	31	23	19	12	18	25	26	28	30
65 and upwards, ..	30	26	22	30	15	25	26	24	18	24	36	44	41	20	27	25	22	12	18	15	23	18	19	22	19	11
Deaths from:—																										
Enteric Fever, ...	1	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	1	.	.	.	.	.	.	1	2	
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles, ...	.	3	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	
Scarlet Fever, ...	.	1	.	.	.	.	.	.	.	.	2	.	.	.	3	2	3	1	2	.	1	1	1	3	2	2
Whooping-cough, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
Diphtheria, ...	.	.	1	.	.	2	.	.	.	.	1	.	1	.	1	.	.	1	.	1	.	.	1	.	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	1	.	.
Tuberculosis { Pulmonary, ..	19	21	20	10	11	13	6	12	8	12	14	14	9	13	19	10	12	13	18	18	8	11	12	18	11	9
Tuberculosis { Other Forms, ..	6	9	.	3	5	7	5	5	7	6	2	9	8	4	5	5	3	8	6	2	7	7	4	1	1	5
Cancer, ...	5	8	4	12	6	4	8	10	8	5	8	9	13	6	10	8	5	7	2	5	1	6	5	3	8	6
Diseases of Respiratory System, { Pneumonia ..	12	9	13	8	5	4	2	5	2	6	5	10	7	3	7	4	8	5	3	4	3	3	4	4	6	4
Diseases of Respiratory System, { Others, ..	12	5	11	10	3	12	7	11	9	7	9	4	11	6	4	7	7	5	8	9	6	8	7	9	5	5
Diarrhœa and Enteritis, under 2 years, ...	3	.	2	3	6	2	4	12	28	26	37	24	7	.	1	1	.	1	1	2	2	6	16	30	12	10
Diarrhœa, 2 years and upwards..	.	.	.	.	1	1	.	1	2	3	3	1	2	1	.	1	.	1	.	1	.	.	8	7	5	8
Violent Deaths, ...	1	.	2	1	1	3	4	2	1	.	4	1	5	1	1	3	2	1	3	.	1	2	3	.	1	5
Number of Uncertified Deaths, ..	2	2	2	2	1	1	3	1	1	4	6	4	2	1	2	1	1	3	1	1	.	1	1	.	.	.
A Mean Maximum Temperature in degs	66·3	61·6	61·1	65·6	64·3	67·1	66·5	69·9	73·1	68·4	60·1	65·3	72·4	63·4	60·0	61·3	63·7	62·6	65·1	65·6	68·1	72·2	68·0	58·6	65·4	66·6
B Mean Minimum ,, ,,	48·3	46·3	41·0	43·8	51·2	47·0	45·5	52·2	53·2	51·8	45·2	45·6	51·6	47·4	47·4	49·9	50·7	52·2	51·3	47·1	53·5	54·5	53·0	48·3	48·7	52·5
Mean of A and B ,, ,,	55·8	54·0	52·5	54·7	57·7	57·1	56·0	61·1	63·2	60·1	52·7	55·4	62·0	55·4	53·7	55·6	57·2	57·4	58·2	56·4	60·8	63·3	60·5	53·4	57·0	59·2
Rainfall in inches	0·21	0·63	0·33	0·18	0·04	0·46	0·13	0·10	0 08	0·59	1·15	0·98	0·15	0·39	0·36	0·21	0·02	0·23	0·01	0·13	0·29	0·43	0·48	1·78	1·52	0·78

TABLE VII.—Showing by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 13th September, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms	Cancer	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa, and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No 1 DISTRICT,	15,879	10	15·1	·	4	·	·	1	·	2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	1	2	·
Do 2 do.	49,500	30	9·5	2·1	9	4	1	1	·	3	·	·	·	·	·	·	·	·	·	·	·	·	1	1	2	·	2	2	3	·
Do. 3 do.	50,032	24	15·6	2·1	15	5	1	3	1	4	1	·	·	·	·	1	·	·	·	1	·	1	1	·	1	·	·	·	5	·
Do 4 do.	32,637	14	9·6	1·6	6	2	1	·	·	3	·	·	·	·	·	·	·	·	·	1	1	·	·	·	1	·	·	·	4	·
Do 5 do.	16,112	8	19·4	3·2	6	1	·	2	·	2	1	·	·	·	·	·	·	·	·	·	2	·	·	1	·	1	·	1	4	·
Do. 6 do.	37,293	13	7·0	1·4	5	1	·	·	1	1	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·
Do. 7 do.	2,681	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	·	26·2	·	3	1	·	·	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·
Do. 9 do	24,427	8	10·7	·	5	·	·	2	1	1	1	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	1	·
Do. 10 do	28,958	10	14·4	5·4	8	·	2	3	1	2	·	1	·	·	·	·	·	·	·	1	·	·	·	·	1	1	·	·	2	·
Do. 11 do.	39,311	19	17·2	8.0	13	3	·	3	·	6	1	1	·	·	·	·	·	·	·	·	1	·	·	·	1	4	·	·	5	·
Do. 12 do	38,076	20	15·1	2·7	11	3	2	1	·	4	1	·	·	·	·	·	·	·	·	2	·	2	1	·	1	1	1	1	3	·
Do 13 do.	23,233	5	20·2	6·7	9	3	·	1	1	1	3	·	·	·	·	1	·	·	·	·	·	2	·	·	1	1	·	·	1	·
Do. 14 do	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	13	13·8	2·3	6	3	1	2	·	·	·	·	·	·	·	·	·	·	·	2	·	·	1	·	1	·	1	1	1	·
Total,	386,947	183	13·0	2·9	100	26	8	19	6	30	11	2	·	·	·	2	·	·	·	9	5	6	4	5	10	8	5	6	31	·
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	5	27·1	·	7	1	·	·	1	·	5	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	5	·
Do 2 do.	10,399	7	10·0	·	2	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do 3 do.	9,793	9	10·6	5·3	2	·	1	·	·	1	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	·	1	·
Do. 4 do.	9,139	4	11·4	·	2	·	·	·	·	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
Do. 5 do.	6,250	7	8·3	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do 6 do.	11,581	7	9·0	·	2	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·
Do. 7 do	16,056	5	9·7	6 5	3	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	1
Total.	76,673	44	12·9	2·0	19	3	1	1	2	4	8	·	·	·	·	·	1	·	·	2	1	1	·	1	2	·	·	·	10	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 13th September, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	2	.	.	2	.	1	.	.	.	.	.	4	9
" " 1, West ..	2	.	.	.	.	2	2	.	.	.	.	2	.	.	.	.	7	15
" " 2, ...	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	1	4
" " 3, ...	.	.	.	.	.	2	.	.	.	.	1	.		.	.	.	3	6
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of)	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of)	.	.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	1
South City No. 1	.	.	.	.	.	2	2	.	.	.	1	1	.	.	.	.	1	7
" " " 2, ...	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	1	4
" " " 3, ...	1	.	.	.	.	1	.	.	.	.	2	.	.	1	.	.	1	6
" " " 4, ...	.	.	.	.	.	1	.	.	.	.	26	.	.	.	.	.	1	28
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	4	.	.	.	.	15	5	.	3	.	31	5	.	1	.	.	19	83

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 13th September, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 13th September.			
	Aug. 23.	Aug. 30.	Sept. 6.	No. admitted	Dis charged	Died.	No under treatment at close of week.
Enteric Fever, ...	6	5	9	3	.	.	12
Typhus, ...	5	5	5	.	.	.	5
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	8	3	5	.	2	.	3
Scarlet Fever, ...	79	72	68	38	25	.	81*
Diphtheria, ...	16	16	15	4	.	1	18
Pneumonia, ...	13	11	8	3	.	.	11

* Exclusive of 22 patients in "Peneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(131 7). Wt. 4739. 3. 380. 9. 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 38. VOL. LVI.] WEEK ENDING SATURDAY, 20TH SEPTEMBER, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 22nd September, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 14·2 and 15·5; Dublin Registration Area, 12·5 and 16·9; Dublin City, 12·6 and 16·4; Belfast, 14·4 and 14·8; Cork, 17·7 and 13·2; Londonderry, 15·3 and 15·0; Limerick, 17·6 and 15·3; and Waterford, 11·4 and 16·1.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·3 per 1,000. Among the 111 deaths from all causes for Belfast are 6 from scarlet fever, one from diphtheria, and 18 from diarrhœal diseases. Of the 26 deaths from all causes for Cork 4 are from diarrhœa and enteritis of children under 2 years. The 6 deaths from all causes for Waterford include 2 from diarrhœal diseases, and one of the 7 deaths from all causes for Sligo is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 215—121 boys and 94 girls—and the deaths to 106—51 males and 55 females.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 12·5 per 1,000 of the population. During the thirty-eight weeks ending with Saturday last, the death-rate averaged 22·8 and was 1·8 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the thirty-eight weeks was 24·7 and for the corresponding period of the preceding ten years 22·3.

Of the 97 deaths appertaining to the Area, one was from each of enteric fever, scarlet fever and diphtheria, 4 were from dysentery, 10 from diarrhœal diseases, and one from influenza.

In the 3 preceding weeks deaths from enteric fever numbered 0, one, and one, deaths from scarlet fever 2, 0, and 0, deaths from diphtheria one, 0, and one, deaths from dysentery 0, 2, and 3, deaths from diarrhœal diseases 40, 25, and 9, and deaths from influenza one, 0, and one respectively.

Deaths attributed to pneumonia were 5 (comprising one from broncho-pneumonia, one from lobar pneumonia, and 3 from pneumonia, type not distinguished), as against 5, 10, and 7 in the 3 weeks preceding.

Tuberculous disease caused 12 deaths (comprising 10 from pulmonary tuberculosis, one from tuberculous meningitis, and one from disseminated tuberculosis), as against 16, 23, and 17, in the three weeks preceding.

Nine deaths were caused by cancer, 6 by organic diseases of the heart, and 2 by bronchitis.

Among deaths of infants under one year old, one was due to convulsions, 9 to diarrhœa and enteritis, 2 to congenital malformations, 4 to premature birth, and 3 to congenital debility.

There were 2 accidental deaths, and one case of homicide.

Twenty-seven of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 21 being infants under one year, of whom 7 were under one month old, and 22 deaths were those of persons aged 65 and upwards, of whom 10 were 70 years of age or over.

Of the 97 deaths recorded, 54 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 20th September, in 96 large English towns (including London, in which the rate was 11·4) was equal to an average annual death rate of 10·9 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 10·5 per 1,000 persons living, the rate for Glasgow being 10·4 and for Edinburgh 10·2.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 20th September. From this Report it appears that of 70 cases notified, 33 were scarlet fever, 17 diphtheria, 11 pulmonary tuberculosis, 5 other forms of tuberculosis, 3 erysipelas, and one enteric fever. Among the 411 cases of infectious diseases in hospital at the close of the week were 149 of scarlet fever, 139 of pulmonary tuberculosis, 62 of diphtheria, 23 of measles, 9 of whooping-cough, 9 of erysipelas, 2 of enteric fever, and one of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 20th September, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Aug. 30	5	1	·	·	·	—	13	—	7	3	—	·	—	·	·	·	·	·	·	2	31
	Sept. 6	4	·	·	·	·	—	10	—	1	3	—	1	—	26	1	·	2	·	·	9	57
	Sept. 13	4	·	·	·	·	—	15	—	5	3	—	·	—	31	5	·	1	·	·	19	83
	Sept. 20	3	·	·	·	·	—	25	—	1	2	—	·	—	23	10	·	3	·	·	13	80
Rathmines & Rathgar Urban District	Aug. 30	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Sept. 6	·	·	·	·	·	—	·	—	·	1	—	·	—	·	·	·	1	·	·	—	2
	Sept. 13	1	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	2
	Sept. 20	3	·	·	·	·	—	1	—	1	·	—	·	—	·	8	·	·	·	·	—	13
Pembroke Urban District	Aug. 30	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
	Sept. 6	·	·	·	·	·	1	·	·	·	·	·	·	—	·	·	·	·	·	·	3	4
	Sept. 13	1	·	·	·	·	·	·	·	·	·	·	·	—	1	1	·	·	·	·	·	3
	Sept. 20	·	·	·	·	·	·	·	·	·	·	1	·	—	1	1	·	·	·	·	·	3
Blackrock Urban District	Aug. 30	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Sept. 6	·	·	·	·	·	·	1	—	·	·	—	·	—	·	·	·	·	·	·	·	1
	Sept. 13	·	·	·	·	·	·	1	—	·	·	—	·	—	·	·	·	·	·	·	·	1
	Sept. 20	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	Aug. 30	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Sept. 6	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	·	—	·	·	2
	Sept. 13	·	·	·	·	·	—	3	—	·	·	—	·	—	·	·	·	·	—	·	·	3
	Sept. 20	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	—	·	·	1
City of Belfast	Aug. 30	4	·	·	·	·	—	44	—	7	1	—	1	—	·	·	·	·	·	·	·	57
	Sept. 6	8	·	·	·	·	—	52	—	9	1	—	2	—	·	·	·	·	·	·	·	72
	Sept. 13	3	·	·	·	·	—	87	—	6	3	—	1	—	·	·	·	·	·	·	·	100
	Sept. 20	3	·	·	·	·	—	113	—	6	1	—	1	—	·	·	·	·	·	·	·	124
City of Cork	Aug. 30	·	·	·	·	·	1	·	—	3	·	—	·	15	·	1	·	·	—	·	—	20
	Sept. 6	·	·	·	·	·	·	·	—	3	·	—	·	10	·	·	·	·	—	·	—	13
	Sept. 13	·	3	·	·	·	·	·	—	4	·	—	·	5	·	·	·	·	—	·	—	12
	Sept. 20	·	3	·	·	·	·	·	—	3	·	—	1	9	·	·	·	·	—	·	—	16
City of Londonderry	Aug. 30	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	—	—	·
	Sept. 6	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	—	—	·
	Sept. 13	·	·	·	·	·	—	3	—	·	·	—	·	—	·	·	·	·	·	—	—	3
	Sept. 20	1	·	·	·	·	—	3	—	·	·	—	·	—	·	·	·	·	·	—	—	4
City of Limerick	Aug. 30	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Sept. 6	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Sept. 13	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Sept. 20	1	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	1
City of Waterford	Aug. 30	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	—	—	1	2
	Sept. 6	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	2	2
	Sept. 13	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Sept. 20	4	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	—	—	·	5

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th September, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 7 and 18; typhus nil and 3; measles one and 2; scarlet fever 30 and 95*; and diphtheria 2 and 16. Five cases of pneumonia were admitted during the week and 10 remained under treatment at its close. Of the deaths in hospital during the week one was from each of diphtheria and pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 20th September 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 20th September, 1919. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age	Deaths. At 65 years and upwards.	Caused by: Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Meteorology. (c) Week ending 20th September, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	25·0	14·2	2·3	547	310	53	82	1	·	·	·	7	1	2	4	32	11	23	10	23	24	12	7	4	103	13	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	27·7	12·5	2·2	215	97	21	22	1	·	·	·	1	·	1	4	10	2	9	5	5	9	1	3	1	54	2	(d) 72·2	35·4	66·3	40·2	53·2	0·07
Urban Districts. CITY OF DUBLIN,	310,500	38·0	30·2	12·6	2·4	180	75	17	13	1	·	·	·	1	·	1	4	9	2	7	4	4	6	1	3	1	45	1	(e) 64·2 (f) 65·0	38·0 36·2	59·1 60·0	46·9 43·4	53·0 51·7	0·08 0·11
Urban Districts. RATHMINES and RATHGAR	39,400	23·0	19·9	5·3	·	15	4	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,500	18·8	23·0	14·1	3·5	13	8	3	2	·	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,000	8·3	11·6	11·6	·	2	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,600	11·4	15·7	25·1	3·1	5	8	1	3	·	·	·	·	·	·	·	·	1	·	·	1	1	1	·	·	·	3	1	68	37	59·8	47·1	53·5	0·06
Urban Districts. BELFAST, ..	401,000	26·8	24·2	14·4	3·3	186	1 1	17	26	·	·	·	·	6	·	1	·	11	5	9	4	9	8	10	1	2	32	1	66·0	37·0	59·7	46·7	53·2	0 19
Urban Districts. CORK, ...	76,673	28·6	24·5	17·7	2·7	36	26	4	11	·	·	·	·	·	·	·	·	3	3	·	·	1	4	·	1	1	7	2	64	40	60·3	48·3	54·3	0·28
Urban Districts. LONDONDERRY, ..	41,000	15·9	30·5	15·3	·	24	12	1	1	·	·	·	·	·	·	·	·	3	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	12·2	17·6	·	9	13	1	2	·	·	·	·	·	·	·	·	2	·	1	·	4	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	17·1	11·4	3·8	9	6	3	·	·	·	·	·	·	·	·	·	1	·	·	·	1	1	1	·	·	·	1	·	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5				7	6	·	4	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	68	38	64	46	55	0·26
Urban Districts. DUNDALK, ..	13,128	9·5				12	2	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				9	4	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·	66 4	35·0	60·1	41·1	50·6	0·31
Urban Districts. DROGHEDA, ..	12,501	8·4	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			7	4	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				6	4	1	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. NEWRY, ...	11,963	17·0				1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	66·4	35·0	60·1	41·1	50·6	0·31
Urban Districts. PORTADOWN, ..	11,727	15·3				6	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	66·4	35·0	60·1	41·1	50·6	0·31
Urban Districts. WEXFORD, ..	11,531	22·8				8	7	1	4	·	·	·	·	·	·	·	·	1	·	1	·	·	1	·	·	·	·	2	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				1	3	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				·	7	·	2	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	1	·	2	3	68	30	61	38	49·5	0·58
Urban Districts. KILKENNY, ..	10,514	11·4				4	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	67	36	61·5	46·7	54·1	0·13
Urban Districts. TRALEE, ...	10,300	17·4				3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				4	4	·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·
LONDON	4,206,901	—	—	11·4	—	1,662	881	17	241	1	—	·	7	4	6	10	—	81	13	111	30	11	103	20	42	81	424	·	·	·	·	·	·	·
EDINBURGH ...	336,500	—	—	10·2	—	104	36	8	21	·	·	·	·	1	1	·	—	—	—	—	—	—	2	—	4	—	—	—	64·0	33·0	60·0	42·1	51·1	0·03
GLASGOW	1,118,700	—	—	10·4	—	532	224g	56	46	1	·	·	1	1	2	3	—	—	—	—	—	—	15	—	9	—	—	—	62·0	36·3	58·0	41·2	49·6	0·16

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1917, and that for Glasgow and Edinburgh is the estimate in the middle of 1918. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those of Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 38th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 20th September, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
ALL CAUSES.	146·4	106	7	14	3	3	1	3	3	7	9	8	14	12	15	7	97
Enteric Fever ..	1·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Dysentery	·2	4	.	.	1	.	.	1	.	1	.	.	1	.	.	.	4
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	16·6	10	.	.	.	.	.	.	1	2	2	1	2	2	.	.	10
Tuberculous Meningitis	2·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Abdominal Tuberculosis	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·0	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Venereal Diseases ..	1·0	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Cancer	10·4	12	.	.	.	.	.	.	.	.	1	2	6	.	3	.	9
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	2·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	2·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.	3·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·0	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2
Epilepsy, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	2·8	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	1·8	4	.	.	.	.	.	.	.	.	.	1	1	1	1	.	3
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	12·2	6	.	.	.	.	.	.	.	.	.	.	1	1	3	1	6
Embolism and Thrombosis (including Cerebral).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Bronchitis	7·8	3	.	.	.	.	.	.	.	1	.	.	1	.	.	1	2
Broncho-pneumonia ..	1·8	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Lobar pneumonia ..	1·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Pneumonia (type not distinguished).	3·4	3	.	.	.	.	.	.	.	.	1	.	1	1	.	.	3
Pleurisy	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	·8	2	.	.	.	.	1	.	.	.	.	.	1	.	.	.	2

in the THIRTY-EIGHTH WEEK, ending Saturday, 20th September, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 38th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 20th September, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx, Tonsillitis.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Stomach ..	3·4	2	·	·	·	·	·	·	·	·	1	1	·	·	·	·		2
Diarrhœa and Enteritis of Children under 2 years.	19·2	9	·	9	·	·	·	·	·	·	·	·	·	·	·	·		9
Diarrhœa 2 years and upwards.	·2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·		1
Enteritis 2 years and upwards.	1·4	3	·	·	·	·	·	·	·	1	·	·	·	2	·	·		2
Appendicitis and Typhlitis.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Hernia and Intestinal Obstructions.	1·6	4	·	·	·	·	·	·	·	·	·	1	·	1	1	1		3
Cirrhosis of Liver ..	·8	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		1
Other Diseases of Liver	·2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·		1
Peritonitis (cause unknown).	·4	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·		·
Other Diseases of Digestive System.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Acute Nephritis ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Chronic Bright's Disease	3·4	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·		1
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Genito-urinary System.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other causes incident to Pregnancy and Childbirth.	·8	2	·	·	·	·	·	·	1	·	1	·	·	·	·	·		2
Diseases of Skin and Cellular Tissues.	1·4	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		1
Diseases of Locomotor System.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Congenital Malformations.	·2	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·		2
Premature Birth ..	3·2	4	4	·	·	·	·	·	·	·	·	·	·	·	·	·		4
Congenital Debility ..	4·4	3	·	3	·	·	·	·	·	·	·	·	·	·	·	·		3
Old Age	6·0	6	·	·	·	·	·	·	·	·	·	·	·	·	3	3		6
Other Specified Diseases	1·0	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·		1
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Burns and Scalds ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Drowning	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suffocation in Bed, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Vehicles and Horses ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Gunshot Wounds, &c.	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Violent Deaths		2	·	·	·	·	·	·	·	·	·	·	·	·	2	·		2
Not included in above—																		
Homicide, ..	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·		1
Suicide, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ill-defined, &c., Causes,	2·6	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·		·

TABLE IV.—Showing for the WEEK ENDED 20TH SEPTEMBER, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No 1, E., ...	30,000	12·2	1·7	7	5	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	1	·	·	·	·	4	·	·
" 1, W., ...	41,100	17·8	2·5	14	·	·	2	·	3	2	5	2	·	·	·	·	1	·	1	·	3	·	1	·	·	·	·	·	·	·	6	3	·
" 2, ...	27,500	15·2	·	8	·	1	·	·	·	3	1	3	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	1	·	·	2	3	·
" 3, ...	34,100	12·2	1·5	8	3	·	·	1	·	·	1	3	·	·	·	·	·	·	·	·	·	1	2	·	1	1	·	·	·	·	1	3	·
CLONTARF AND HOWTH, No. 1, part of	5,500	9·5	9·5	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	7·7	3·8	2	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	1	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	9·4	4·7	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
South City																																	
SOUTH CITY, No. 1, ..	43,000	14·6	3·6	12	3	·	·	2	1	2	3	1	1	·	·	·	·	·	·	·	1	·	2	·	1	2	·	·	·	·	3	6	·
" 2, ...	18,200	5·7	·	2	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
" 3, ...	43,300	7·2	1·2	6	1	·	1	·	1	·	3	·	·	·	·	·	·	·	·	·	·	·	1	1	2	·	1	·	·	·	3	·	·
" 4, ...	32,800	17·5	4·8	11	1	2	·	1	1	4	1	1	·	·	·	·	·	·	·	3	2	·	·	2	·	·	·	1	·	1	5	3	·
NEW KILMAINHAM, ...	10,300	10·1	·	2	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	5·3	·	4	·	·	·	·	1	·	1	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	2	·	·
PEMBROKE	29,500	14·1	3·5	8	3	·	·	·	·	·	3	2	·	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	·	1	2	·
BLACKROCK, ...	9,000	11·6	·	2	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·
KINGSTOWN, ...	16,600	25·1	3·1	8	1	·	·	·	·	1	3	3	·	·	·	·	·	·	·	·	1	·	·	1	1	1	·	·	·	·	3	·	1
TOTAL CITY. North, ...	162,900	13·4	2·2	42	11	1	2	1	5	6	8	8	·	·	·	·	1	·	1	1	6	2	4	1	1	4	·	1	·	·	14	9	·
TOTAL CITY. South, ...	147,600	11·7	2·5	33	6	2	1	3	3	6	7	5	1	·	·	·	·	·	·	3	3	·	3	3	3	2	1	2	·	1	13	9	1
TOTAL CITY. North and South, ..	310,500	12·6	2·4	75	17	3	3	4	8	12	15	13	1	·	·	·	1	·	1	4	9	2	7	4	4	6	1	3	·	1	27	18	1
Total Urban Districts, ...	94,500	12·1	1·7	22	4	·	·	·	1	1	7	9	·	·	·	·	·	·	·	·	1	·	2	1	1	3	·	·	1	·	7	2	1
Total Registration Area, ..	405,000	12·5	2·2	97	21	3	3	4	9	13	22	22	1	·	·	·	1	·	1	4	10	2	9	5	5	9	1	3	1	1	34	20	2
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				9	·	·	·	·	1	4	4	·	·	·	·	·	·	·	·	·	·	·	3	·	1	·	·	·	·	·	9	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 20th September, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 20TH SEPTEMBER, 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	106	27	4	10	17	26	15	7	1	.	.	.	1	.	1	4	10	2	12	2	5	6	9	1	3	49	2
	CLASSES.																													
	DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	10·7	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS	101,798	10·8	21	4	.	1	2	6	6	2	.	.	.	.	.	.	.	.	2	.	6	.	1	1	1	.	1	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	8·7	18	4	.	3	2	4	4	1	.	.	.	.	.	.	.	.	3	.	1	1	1	2	2	.	1	7	1
IV.	GENERAL SERVICE CLASS	167,479	13·7	44	16	3	5	8	8	3	1	1	.	.	.	1	.	1	4	2	2	3	1	2	1	6	1	1	18	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	20	3	1	1	3	7	2	3	.	.	.	.	.	.	.	.	3	.	2	.	1	2	.	.	.	12	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4 General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	5	4	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	5	.	.	.	.	3	2	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	1	.
	6. Clerks and Commercial Assistants,	33,249	—	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	9	.	.	1	1	2	3	2	.	.	.	.	.	.	.	.	2	.	2	.	.	1	.	.	1	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ..	28,823	—	5	1	.	.	.	2	1	1	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	1	1	.
	10 Clothing Trades, ...	20,026	—	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades, ...	8,952	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	11	3	.	2	2	2	2	.	.	.	.	.	.	.	.	.	2	.	.	.	1	1	2	.	.	5	1
	13. Petty Shopkeepers, ...	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	12	4	.	1	5	2	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	1	2	.	1	4	.
	15. Domestic Servants, ...	36,041	—	6	2	1	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	1	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	24	10	2	3	2	4	2	1	1	.	.	.	1	.	1	2	.	2	1	.	1	.	3	1	.	11	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	20	3	1	1	3	7	2	3	.	.	.	.	.	.	.	.	3	.	2	.	1	2	.	.	.	12	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	June 28	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.
No. of weeks in Annual Series ..	26	27	28	29	30	31	32	33	34	35	36	37	38	26	27	28	29	30	31	32	33	34	35	36	37	38
BIRTHS registered	196	192	198	178	207	233	190	160	226	171	190	194	215	257	180	178	220	238	204	182	173	211	241	219	183	186
Average Births in corresponding week of previous 10 years, ...	249	203	206	216	212	200	198	215	209	208	216	195	214	207	198	185	214	208	195	193	201	183	194	192	191	176
Number of Deaths, ...	107	90	102	70	80	92	99	111	124	142	153	134	97	98	87	90	84	92	79	73	82	127	129	112	100	111
Annual Death-rate per 1,000 ..	13·8	12·7	13·1	9·0	11·5	11·8	12·7	14·3	16·0	18·3	19·7	17·3	12·5	12·7	11·3	11·7	10·9	12·0	10·3	9·5	10·7	16·5	16·8	14·6	13·0	14·4
Average Deaths in corresponding week of previous 10 years, ...	126	129	142	132	131	127	129	139	138	143	143	145	145	136	128	123	114	111	106	105	114	119	122	118	113	121
Ages, .. Under one year, ..	17	20	9	11	9	16	19	29	38	48	46	29	21	18	12	11	12	19	12	12	14	32	41	26	26	17
1— 5 years, ..	8	7	3	3	6	5	5	20	9	10	7	7	6	2	1	6	5	3	5	6	5	11	9	5	8	15
5—25 ,, ..	15	13	14	10	11	5	7	5	10	14	11	13	13	15	14	17	10	7	11	11	13	17	16	12	19	20
25—45 ,, ..	19	15	17	9	14	13	17	12	19	9	15	12	13	14	17	13	14	22	17	9	14	23	15	22	6	12
45—65 ,, ..	22	22	29	22	24	27	27	27	24	25	30	32	22	22	18	21	31	23	19	12	18	25	26	28	30	21
65 and upwards, ..	26	22	30	15	25	26	24	18	24	36	44	41	22	27	25	22	12	18	15	23	18	19	22	19	11	26
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	1	.	.	.	1	1	1	.	.	1	.	.	.	.	.	.	.	1	2	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	.	.	.	.	.	.	.	2	.	.	1	3	2	3	1	2	.	1	1	1	3	2	2	6
Whooping-cough, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	.	1	.	.	2	.	.	.	.	1	.	1	1	1	.	.	1	.	1	.	.	1	.	1	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	2	3	4	.	.	.	.	.	.	.	.	.	1	.	.	.
Tuberculosis { Pulmonary, ..	21	20	10	11	13	6	12	8	12	14	14	9	10	19	10	12	13	18	18	8	11	12	18	11	9	11
Tuberculosis { Other Forms, ..	9	.	3	5	7	5	5	7	6	2	9	8	2	5	5	3	8	6	2	7	7	4	1	1	5	5
Cancer, ...	8	4	12	6	4	8	10	8	5	8	9	13	9	10	8	5	7	2	5	1	6	5	3	8	6	9
Diseases of Respiratory System, { Pneumonia ..	9	13	8	5	4	2	5	2	6	5	10	7	5	7	4	8	5	3	4	3	3	4	4	6	4	4
Diseases of Respiratory System, { Others, ..	5	11	10	3	12	7	11	9	7	9	4	11	5	4	7	7	5	8	9	6	8	7	9	5	5	9
Diarrhœa and Enteritis, under 2 years, ...	.	2	3	6	2	4	12	28	26	37	24	7	9	1	1	.	1	1	2	2	6	16	30	12	10	8
Diarrhœa, 2 years and upwards..	.	.	.	1	1	.	1	2	3	3	1	2	1	.	1	.	1	.	1	.	.	8	7	5	8	10
Violent Deaths, ...	.	2	1	1	3	4	2	1	.	4	1	5	3	1	3	2	1	3	.	1	2	3	.	1	5	1
Number of Uncertified Deaths, ..	2	2	2	1	1	3	1	1	4	6	4	2	2	2	1	1	3	1	1	.	1	1	.	.	.	1
A Mean Maximum Temperature in degs.	61·6	61·1	65·6	64·3	67·1	66·5	69·9	73·1	68·4	60·1	65·3	72·4	66·3	60·0	61·3	63·7	62·6	65·1	65·6	68·1	72·2	68·0	58·6	65·4	66·0	59·7
B Mean Minimum ,, ,,	46·3	44·0	43·8	51·2	47·0	45·5	52·2	53·2	51·8	45·2	45·6	51·6	40·2	47·4	49·9	50·7	52·2	51·3	47·1	53·5	54·5	53·0	48·3	48·7	52·5	46·7
Mean of A and B ,, ,,	54·0	52·5	54·7	57·1	57·1	56·0	61·1	68·2	60·1	52·7	55·4	62·0	53·2	53·7	55·6	57·2	57·4	58·2	56·4	60·8	63·3	60·5	53·4	57·0	59·2	53·2
Rainfall in inches	0·63	0·38	0·18	0·04	0·46	0·13	0·10	0·08	0·59	1·15	0·98	0·15	0·07	0·36	0·21	0·02	0·23	0·01	0·13	0·29	0·43	0·48	1·78	1·52	0·78	0·19

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 20th September, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	9	26·3	6·6	8	3	1	1	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	1	1	.
Do. 2 do.	49,500	30	11·6	.	11	.	1	1	1	2	6	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	1	1	4	1
Do. 3 do.	50,032	15	10·4	3·1	10	2	1	.	1	3	3	.	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.	.	5	.
Do. 4 do.	32,637	11	16·0	3·2	10	3	3	1	1	2	.	.	.	.	.	1	.	1	.	.	.	.	1	2	.	.	.	.	6	.
Do. 5 do.	16,112	5	19·4	6·5	6	1	1	1	2	1	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.	.	.	.	2	.
Do. 6 do.	37,293	14	9·8	.	7	.	.	2	.	2	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	3	.
Do. 7 do.	2,681	2	19·4	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 8 do.	5,964	5	8·7	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 9 do.	24,427	9	12·8	.	6	2	.	.	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 10 do.	28,958	17	10·8	3·6	6	1	1	1	1	1	1	.	.	.	.	1	.	.	.	.	1	1	.	.	1	.	.	.	.	.
Do. 11 do.	39,311	16	21·2	8·0	16	2	1	5	4	1	3	.	.	.	.	.	.	.	.	2	2	1	.	3	.	6	.	.	4	.
Do. 12 do.	38,076	30	21·9	8·2	16	2	5	5	1	.	3	.	.	.	.	1	.	.	.	3	.	.	.	1	1	4	.	.	3	.
Do. 13 do.	23,233	7	9·0	.	4	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	16	20·7	4·6	9	1	1	3	.	2	2	.	.	.	.	.	.	.	.	2	1	1	.	1	2	.	.	.	1	.
Total,	386,947	186	14·4	3·3	111	17	15	20	12	21	26	.	.	.	.	6	.	1	.	11	5	9	4	9	8	10	1	2	32	1
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	3	15·5	.	4	.	.	1	.	3	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.
Do. 2 do.	10,399	8	30·1	5·0	6	1	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1
Do. 3 do.	9,793	5	10·6	.	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 4 do.	9,139	6	28·5	5·7	5	1	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.
Do. 5 do.	6,250	4	25·0	.	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
Do. 6 do.	11,581	7	9·0	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 7 do.	16,056	3	13·0	6·5	4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.	.	.	2	1
Total.	76,673	36	17·7	2·7	26	4	.	3	1	7	11	.	.	.	.	.	.	.	.	3	3	.	.	1	4	.	1	1	7	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 20th September, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	1	3
" " 1, West ..	.	.	.	.	.	5	.	.	1	.	2	1	.	.	.	.	4	13
" " 2, ...	1	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	1	5
" " 3, ...	.	.	.	.	.	4	.	.	.	.	5	2	.	.	.	.	3	14
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	1	.	.	.	.	3	.	.	.	.	.	.	4
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	.	.	.	.	2	1	.	.	.	.	3	.	.	.	.	1	7
" " " 2, ...	.	.	.	.	.	3	.	.	.	.	.	.	.	2	.	.	2	7
" " " 3, ...	1	.	.	.	.	5	.	.	1	.	.	3	.	.	.	.	1	11
" " " 4, ...	1	.	.	.	.	1	.	.	.	.	13	1	.	.	.	.	.	16
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	3	.	.	.	.	25	1	.	2	.	23	10	.	3	.	.	13	80

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 20th September, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 20th September.			
	Aug. 30.	Sept. 6.	Sept. 13.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	5	9	12	7	1	.	18
Typhus, ...	5	5	5	.	2	.	3
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	3	5	3	1	2	.	2
Scarlet Fever, ...	72	68	81	30	16	.	95*
Diphtheria, ...	16	15	18	2	3	1	16
Pneumonia, ...	11	8	11	5	5	1	10

* Exclusive of 23 patients in "Peneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13150). Wt. 4739. 3. 380. 9. 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 39. VOL. LVI.] WEEK ENDING SATURDAY, 27TH SEPTEMBER, 1919. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 29th September, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 14·3 and 15·1; Dublin Registration Area, 15·1 and 16·1; Dublin City, 16·1 and 16·0; Belfast, 14·6 and 14·2; Cork, 16·3 and 16·0; Londonderry, 6·4 and 13·1; Limerick, 10·8 and 14·9; and Waterford, 17·1 and 17·1.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·2 per 1,000. Among the 112 deaths from all causes for Belfast are one from enteric fever, 5 from scarlet fever, one from diphtheria, and 20 from diarrhœal diseases. Of the 24 deaths from all causes for Cork, 2 are from diphtheria and 3 from diarrhœal diseases. The 6 deaths from all causes for Newry include one from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 192—99 boys and 93 girls—and the deaths to 127—60 males and 67 females.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·1 per 1,000 of the population. During the thirty-nine weeks ending with Saturday last, the death-rate averaged 22·6 and was 1·7 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the thirty-nine weeks was 24·5 and for the corresponding period of the preceding ten years 22·3.

Of the 117 deaths appertaining to the Area, one was from each of enteric fever and scarlet fever, 3 were from dysentery, 9 from diarrhœa and enteritis of children under 2 years, and one from malaria.

In the 3 preceding weeks deaths from enteric fever numbered one, one, and one, deaths from scarlet fever 0, 0, and one; deaths from dysentery 2, 3, and 4, and deaths from diarrhœa and enteritis of children under 2 years 24, 7, and 9.

Deaths attributed to pneumonia were 5 (comprising 2 from broncho-pneumonia, one from lobar pneumonia, and 2 from pneumonia, type not distinguished), as against 10, 7, and 5 in the 3 weeks preceding.

Tuberculous disease caused 12 deaths (comprising 6 from pulmonary tuberculosis, and 6 from other forms of tuberculous disease), as against 23, 17, and 12, in the three weeks preceding.

Sixteen deaths were caused by cancer, 5 by organic diseases of the heart, and 7 by bronchitis.

Among deaths of infants under one year old, 4 were due to convulsions, one to simple meningitis, 8 to diarrhœa and enteritis, 3 to premature birth and 2 to congenital debility.

There were 4 accidental deaths, 2 of which were by drowning.

Thirty-five of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 27 being infants under one year, of whom 10 were under one month old, and 28 deaths were those of persons aged 65 and upwards, of whom 25 were 70 years of age or over.

Of the 117 deaths recorded, 42 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 27th September, in London, was 12·0 per 1,000 of the estimated civil population.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 27th September. From this Report it appears that of 72 cases notified, 44 were scarlet fever, 10 pulmonary tuberculosis, 5 other forms of tuberculosis, 9 diphtheria, and 4 erysipelas. Among the 422 cases of infectious diseases in hospital at the close of the week were 176 of scarlet fever, 141 of pulmonary tuberculosis, 58 of diphtheria, 13 of measles, 9 of erysipelas, 8 of whooping-cough, 2 of enteric fever, and one of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford during the week ended 27th September, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Sept. 6	4	.	.	.	.	—	10	—	1	3	—	1	—	26	1	.	2	.	.	9	57
	Sept. 13	4	.	.	.	.	—	15	—	5	3	—	.	—	31	5	.	1	.	.	19	83
	Sept. 20	3	.	.	.	.	—	25	—	1	2	—	.	—	23	10	.	3	.	.	13	80
	Sept. 27	2	.	.	.	.	—	18	—	6	3	—	.	—	30	12	1	3	.	.	17	92
Rathmines & Rathgar Urban District	Sept. 6	.	.	.	.	.	—	.	—	.	1	—	.	—	.	.	.	1	.	.	—	2
	Sept. 13	1	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	2
	Sept. 20	3	.	.	.	.	—	1	—	1	.	—	.	—	.	8	.	.	.	.	—	13
	Sept. 27	.	.	.	.	.	—	.	—	3	.	—	.	—	.	4	.	.	.	.	—	7
Pembroke Urban District	Sept. 6	.	.	.	.	.	1	.	.	.	.	.	.	—	.	.	.	.	.	.	3	4
	Sept. 13	1	.	.	.	.	.	.	.	.	.	.	.	—	1	1	.	.	.	.	.	3
	Sept. 20	.	.	.	.	.	.	.	.	.	.	1	.	—	1	1	.	.	.	.	.	3
	Sept. 27	.	.	.	.	.	.	.	2	.	.	.	.	—	2	.	.	.	.	.	.	4
Blackrock Urban District	Sept. 6	.	.	.	.	.	.	1	—	.	.	—	.	—	.	.	.	.	.	.	.	1
	Sept. 13	.	.	.	.	.	.	1	—	.	.	—	.	—	.	.	.	.	.	.	.	1
	Sept. 20	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Sept. 27	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	Sept. 6	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	—	.	.	2
	Sept. 13	.	.	.	.	.	—	3	—	.	.	—	.	—	.	.	.	.	—	.	.	3
	Sept. 20	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	—	.	.	1
	Sept. 27	.	.	.	.	.	—	3	—	.	.	—	.	—	.	.	.	1	—	.	.	4
City of Belfast	Sept. 6	8	.	.	.	.	—	52	—	9	1	—	2	—	.	.	.	.	.	.	.	72
	Sept. 13	3	.	.	.	.	—	87	—	6	3	—	1	—	.	.	.	.	.	.	.	100
	Sept. 20	3	.	.	.	.	—	113	—	6	1	—	1	—	.	.	.	.	.	.	.	124
	Sept. 27	9	.	.	.	.	—	126	—	5	2	—	.	—	.	.	.	.	.	.	1	143
City of Cork	Sept. 6	.	.	.	.	.	.	.	—	3	.	—	.	10	.	.	.	.	—	.	—	13
	Sept. 13	.	3	.	.	.	.	.	—	4	.	—	.	5	.	.	.	.	—	.	—	12
	Sept. 20	.	3	.	.	.	.	.	—	3	.	—	1	9	.	.	.	.	—	.	—	16
	Sept. 27	.	.	.	.	.	.	1	—	12	1	—	.	3	.	.	.	.	—	.	—	17
City of Londonderry	Sept. 6	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	—	—	.
	Sept. 13	.	.	.	.	.	—	3	—	.	.	—	.	—	.	.	.	.	.	—	—	3
	Sept. 20	1	.	.	.	.	—	3	—	.	.	—	.	—	.	.	.	.	.	—	—	4
	Sept. 27	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	—	—	1
City of Limerick	Sept. 6	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	Sept. 13	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Sept. 20	1	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	Sept. 27	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	Sept. 6	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	2	2
	Sept. 13	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Sept. 20	4	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	—	.	5
	Sept. 27	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th September, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 6 and 24; measles nil and 2; scarlet fever 29 and 110*; and diphtheria 9 and 24. Eight cases of pneumonia were admitted during the week and 12 remained under treatment at its close. Of the deaths in hospital during the week 3 were from scarlet fever and 3 from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 27th September 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 27TH SEPTEMBER, 1919. Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age	At 65 years and upwards.	Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 27TH SEPTEMBER, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
																													°	°	°	°	°	
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	23·4	14·3	2·2	513	314	67	73	2	·	·	·	6	·	4	3	32	18	29	11	20	26	8	7	10	87	6	·	·	·	·	·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	24·7	15·1	1·8	192	117	27	28	1	·	·	·	1	·	·	3	6	6	16	5	8	9	·	4	5	42	3	(d) 67·2	33·8	59·2	37·4	48·3	0·79
Urban Districts. CITY OF DUBLIN,	310,500	38·0	27·7	16·1	2·0	165	96	21	23	1	·	·	·	1	·	·	2	6	6	13	4	7	8	·	4	5	37	2	(e) 65·1	39·2	58·3	45·0	51·7	0·76
																													(f) 68·0	35·2	59·1	42·8	50·9	0·77
Urban Districts. RATHMINES and RATHGAR	39,400	23·0	10·6	5·3	·	8	4	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,500	18·8	15·9	15·9	3·5	9	9	4	1	·	·	·	·	·	·	·	1	·	·	·	·	1	1	·	·	·	2	1	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,000	8·3	·	11·6	·	·	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,600	11·4	31·4	18·8	·	10	6	1	1	·	·	·	·	·	·	·	·	·	·	3	1	·	·	·	·	·	3	·	69	41	59·0	45·8	52·4	0·42
Urban Districts. BELFAST, ..	401,000	26·8	24·7	14·6	3·5	190	112	25	23	1	·	·	·	5	·	1	·	13	7	6	2	5	13	7	2	4	28	·	62·0	36·8	55·4	44·4	49·9	0·39
Urban Districts. CORK, ...	76,673	28·6	19·7	16·3	3·4	29	24	5	5	·	·	·	·	·	·	2	·	4	·	3	·	2	2	1	·	·	5	1	·	·	·	·	·	·
Urban Districts. LONDONDERRY, ..	41,000	15·9	20·3	6·4	·	16	5	1	·	·	·	·	·	·	·	·	·	1	·	1	·	2	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	10·8	10·8	·	8	8	2	3	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	·	·	2	1	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	15·2	17·1	1·9	8	9	2	3	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2	1	·	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5				4	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. DUNDALK, ..	13,128	9·5				7	3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				4	5	·	·	·	·	·	·	·	·	·	·	3	·	1	·	·	·	·	1	1	1	·	61·6	37·9	57·3	41·7	49·5	0·55
Urban Districts. DROGHEDA, ..	12,501	8·4				9	3	·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				10	6	·	2	·	·	·	·	·	·	·	·	3	·	1	·	1	·	·	·	·	1	·	62	34	57·1	39	48	0·61
Urban Districts. NEWRY, ...	11,963	17·0				4	6	2	3	·	·	·	·	·	·	1	·	·	2	·	·	·	·	·	·	·	2	·	61·6	37·9	57·3	41·7	49·5	0·55
Urban Districts. PORTADOWN, ..	11,727	15·3				5	3	2	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	61·6	37·9	57·3	41·7	49·5	0·55
Urban Districts. WEXFORD, ..	11,531	22·8				6	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	2·8				5	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	2	·	62	36	53	42	49	1·51
Urban Districts. KILKENNY, ..	10,514	11·4				4	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	1	·	68	35	58·7	43·2	50·9	0·55
Urban Districts. TRALEE, ...	10,300	17·4				8	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				2	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
			The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.																															
LONDON	4,206,901	—	—	12·0	—	1,721	930	233	258	·	—	·	5	4	8	20	—	69	17	114	31	37	138	12	44	79	473	·	70·0	37·0	62·3	45·0	53·7	0·43
EDINBURGH ...	336,000	—	—	·	—	·	·	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·	—	·	—	—	—	·	·	·	·	·	·
GLASGOW	1,118,700	—	—	·	—	·	·	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·	—	·	—	—	—	·	·	·	·	·	·

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1917, and that for Glasgow and Edinburgh is the estimate in the middle of 1918. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those of Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 39th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 27th September, 1919.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death.														
			0—5.														
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
ALL CAUSES.	147·6	127	10	17	4	5	4	2	3	5	4	7	17	19	15	15	117
Enteric Fever ..	1·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough ..	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	.	3	.	.	.	.	1	.	.	.	.	.	1	.	.	1	3
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Pyæmia and Septicæmia (non-puerperal).	·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	18·0	9	.	.	.	1	.	.	2	2	.	2	2	.	.	.	6
Tuberculous Meningitis	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·2	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1
Tuberculosis of Joints	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Tuberculosis of other Organs.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·2	4	.	1	1	.	1	.	.	1	.	.	.	.	.	.	4
Venereal Diseases ..	1·0	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	8·8	17	.	.	.	.	.	.	.	.	.	2	5	6	4	.	16
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
Alcoholism ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	4·0	7	.	.	.	.	.	.	.	.	.	2	1	1	1	2	6
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	1·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Epilepsy, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	4·2	5	1	3	1	.	.	.	.	.	.	.	.	.	.	.	5
Other Diseases of Nervous System.	1·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Pericarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Organic Diseases of the Heart.	12·2	5	.	.	.	.	.	.	.	.	.	.	1	1	2	1	5
Embolism and Thrombosis (including Cerebral).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	2·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	8·2	7	.	2	.	.	.	.	.	.	.	.	.	2	.	3	7
Broncho-pneumonia ..	4·0	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2
Lobar pneumonia ..	·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Pneumonia (type not distinguished).	5·4	3	.	.	.	.	.	.	.	1	.	.	1	1	.	.	2
Pleurisy	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	1·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1

in the THIRTY-NINTH WEEK, ending Saturday, 27th September, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 39th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 27th September, 1919.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.											
Diseases of the Pharynx. Tonsillitis.	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Diseases of Stomach ..	1·6	3	·	1	1	·	·	·	·	·	·	·	·	·	1	·	3
Diarrhœa and Enteritis of Children under 2 years.	16·6	9	1	7	1	·	·	·	·	·	·	·	·	·	·	·	9
Diarrhœa 2 years and upwards.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	2·2	3	·	·	·	1	1	·	·	·	·	·	·	·	1	·	3
Appendicitis and Typhlitis.	·4	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1
Hernia and Intestinal Obstructions.	1·4	2	·	·	·	·	·	·	·	·	·	·	1	·	·	1	2
Cirrhosis of Liver ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Peritonitis (cause unknown).	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Nephritis ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Bright's Disease	3·8	5	·	·	·	·	·	·	·	1	·	·	1	·	2	1	5
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·
Other Diseases of Genito-urinary System.	1·2	2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	2
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	1·2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Diseases of Locomotor System.	·2	2	·	·	·	·	1	·	·	·	·	·	·	·	1	·	2
Congenital Malformations.	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Premature Birth ..	2·0	3	3	·	·	·	·	·	·	·	·	·	·	·	·	·	3
Congenital Debility ..	4·6	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	2
Old Age	6·2	6	·	·	·	·	·	·	·	·	·	·	·	·	2	4	5
Other Specified Diseases	2·6	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
VIOLENCE.																	
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	·2	2	·	·	·	·	·	1	·	·	·	·	1	·	·	·	2
Suffocation in Bed, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	2·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		2	·	·	·	·	·	·	·	·	1	·	1	·	·	·	2
Not included in above—																	
Homicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	2·2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1

TABLE IV.—Showing for the WEEK ENDED 27TH SEPTEMBER, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
North City, No 1, E.	30,000	20·9	7·0	12	6	1	·	2	2	·	1	·	·	·	·	·	·	·	·	·	1	1	1	1	·	4	·	1	·	1	2	·	1
" 1, W., ...	41,100	11·4	2·5	9	2	1	·	·	1	·	2	3	·	·	·	·	·	·	·	·	1	·	·	1	2	2	·	·	·	·	1	1	·
" 2, ...	27,500	22·8	1·9	12	3	·	·	·	1	3	4	1	1	·	·	·	·	·	·	·	2	·	2	·	2	·	·	·	·	1	2	3	·
" 3, ...	34,100	15·3	·	10	1	·	1	·	·	2	1	5	·	·	·	·	·	·	·	·	1	·	3	·	·	·	·	·	·	·	1	1	·
Clontarf and Howth, No. 1, part of	5,500	9·5	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Coolock and Drumcondra, part of ..	13,600	11·5	·	3	·	1	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	1	1	·
Finglas and Glasnevin, part of ..	11,100	14·1	·	3	2	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·
South City.																																	
South City, No. 1, ..	43,000	19·4	·	16	·	·	·	1	1	2	5	7	·	·	·	·	·	·	·	·	·	1	2	1	3	·	·	2	·	2	4	4	·
" 2, ...	18,200	14·3	2·9	5	2	·	1	·	1	·	1	·	·	·	·	·	1	·	·	·	·	1	1	·	·	·	·	·	·	·	2	1	·
" 3, ...	43,300	13·2	1·2	11	3	·	·	1	·	·	5	2	·	·	·	·	·	·	·	·	·	·	2	·	·	1	·	1	·	1	2	1	1
" 4, ...	32,800	17·5	4·8	11	2	·	·	1	·	1	6	1	·	·	·	·	·	·	·	2	·	1	·	1	·	1	·	·	·	·	4	2	·
New Kilmainham, ...	10,300	15·2	·	3	·	·	·	·	·	1	1	1	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	2	1	·
Urban Districts.																																	
Rathmines and Rathgar, ..	39,400	5·3	·	4	1	1	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pembroke	29,500	15·9	3·5	9	4	·	2	1	·	1	·	1	·	·	·	·	·	·	·	1	·	·	·	·	1	1	·	·	·	·	2	·	1
Blackrock, ...	9,000	11·6	·	2	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Kingstown, ...	16,600	18·8	·	6	1	·	·	·	·	1	3	1	·	·	·	·	·	·	·	·	·	·	3	1	·	·	·	·	·	·	3	·	·
TOTAL CITY. North, ...	162,900	16·0	2·2	50	14	3	1	2	5	5	8	12	1	·	·	·	·	·	·	·	5	3	7	2	4	6	·	1	·	2	8	6	1
TOTAL CITY. South, ...	147,600	16·3	1·8	46	7	·	1	3	2	4	18	11	·	·	·	·	1	·	·	2	1	3	6	2	3	2	·	3	·	3	14	9	1
TOTAL CITY. North and South, ..	310,500	16·1	2·0	96	21	3	2	5	7	9	26	23	1	·	·	·	1	·	·	2	6	6	13	4	7	8	·	4	·	5	22	15	2
Total Urban Districts, ...	94,500	11·6	1·1	21	6	1	2	1	·	2	4	5	·	·	·	·	·	·	·	1	·	·	3	1	1	1	·	·	·	·	5	·	1
Total Registration Area, ..	405,000	15·1	1·8	117	27	4	4	6	7	11	30	28	1	·	·	·	1	·	·	3	6	6	16	5	8	9	·	4	·	5	27	15	3
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				10	·	·	1	·	1	·	6	2	·	·	·	·	·	·	·	·	3	1	1	1	·	·	·	·	·	·	10	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 27th September, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 27TH SEPTEMBER, 1919.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	28)	(29)
	ALL PERSONS.	397,957	—	127	36	6	8	11	36	15	15	1	.	.	.	1	.	.	3	9	7	17	5	6	8	9	.	4	57	3
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	24·9	7	1	.	.	1	1	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	6	.
II.	MIDDLE CLASS	101,798	11·8	23	4	.	1	3	8	4	3	1	.	.	.	.	.	.	1	4	.	3	.	1	.	1	.	.	12	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	10·6	22	2	3	4	1	5	6	1	.	.	.	.	.	.	.	.	3	1	6	.	.	1	1	.	1	9	.
IV.	GENERAL SERVICE CLASS	167,479	18·7	60	28	2	3	5	13	4	5	.	.	.	.	1	.	.	2	2	3	4	5	5	5	7	.	3	23	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	15	1	1	.	1	9	1	2	.	.	.	.	.	.	.	.	.	3	3	.	.	2	.	.	.	7	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	7	1	.	.	1	1	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	6	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	6. Clerks and Commercial Assistants,	33,249	—	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	14	1	.	1	2	4	3	3	1	.	.	.	.	.	.	1	3	.	3	.	.	.	1	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ..	28,823	—	11	2	2	1	.	3	3	.	.	.	.	.	.	.	.	.	1	.	5	.	.	.	1	.	.	4	.
	10 Clothing Trades, ...	20,026	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades, ...	8,952	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	9	.	1	3	1	2	1	1	.	.	.	.	.	.	.	.	2	1	1	.	.	1	.	.	1	3	.
	13. Petty Shopkeepers, ...	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	8	3	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	1	4	.
	15. Domestic Servants, ...	36,041	—	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	5	1	.	1	1	1	.	1	.	.	.	.	.	.	.	1	.	1	.	.	.	1	1	.	1	.	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	45	24	2	2	2	8	3	4	.	.	.	.	1	.	.	1	2	1	3	5	4	4	6	.	1	17	3
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	15	1	1	.	1	9	1	2	.	.	.	.	.	.	.	.	.	3	3	.	.	2	.	.	.	7	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
WEEK ENDING	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.
No. of weeks in Annual Series ..	27	28	29	30	31	32	33	34	35	36	37	38	39	27	28	29	30	31	32	33	34	35	36	37	38	39
BIRTHS registered	192	198	178	207	233	190	160	226	171	190	194	215	192	180	178	220	238	204	182	173	211	241	219	183	186	190
Average Births in corresponding week of previous 10 years, ...	203	206	216	212	200	198	215	209	208	216	195	214	211	198	185	214	208	195	193	201	183	194	192	191	176	192
Number of Deaths, ...	99	102	70	80	92	99	111	124	142	153	134	97	117	87	90	84	92	79	73	82	127	129	112	100	111	112
Annual Death-rate per 1,000 ..	12·7	13·1	9·0	11·5	11·8	12·7	14·3	16·0	18·3	19·7	17·3	12·5	15·1	11·3	11·7	10·9	12·0	10·3	9·5	10·7	16·5	16·8	14·6	13·0	14·4	14·6
Average Deaths in corresponding week of previous 10 years, ...	129	142	132	131	127	129	139	138	143	143	145	145	147	128	123	114	111	106	105	114	119	122	118	113	121	113
Ages, .. Under one year, ..	20	9	11	9	16	19	29	38	48	46	29	21	27	12	11	12	19	12	12	14	32	41	26	26	17	25
1— 5 years, ..	7	3	3	6	5	5	20	9	10	7	7	6	8	1	6	5	3	5	6	5	11	9	5	8	15	11
5—25 ,, ..	13	14	10	11	5	7	5	10	14	11	13	13	13	14	17	10	7	11	11	13	17	16	12	19	20	22
25—45 ,, ..	15	17	9	14	13	17	12	19	9	15	12	13	11	17	13	14	22	17	9	14	23	15	22	6	12	9
45—65 ,, ..	22	29	22	24	27	27	27	24	25	30	32	22	30	18	21	31	23	19	12	18	25	26	28	30	21	22
65 and upwards, ..	22	30	15	25	26	24	18	24	36	44	41	22	28	25	22	12	18	15	23	18	19	22	19	11	26	23
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	1	.	.	.	1	1	1	1	.	1	.	.	.	.	.	.	.	1	2	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	.	.	.	.	.	2	.	.	1	1	2	3	1	2	.	1	1	1	3	2	2	6	5
Whooping-cough, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	1	.	.	2	.	.	.	.	1	.	1	1	.	.	.	1	.	1	.	.	1	.	1	.	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	2	3	4	3	.	.	.	.	.	.	.	.	1	.	.	.	.
Tuberculosis { Pulmonary, ..	20	10	11	13	6	12	8	12	14	14	9	10	6	10	12	13	18	18	8	11	12	18	11	9	11	13
Tuberculosis { Other Forms, ..	.	3	5	7	5	5	7	6	2	9	8	2	6	5	3	8	6	2	7	7	4	1	1	5	5	7
Cancer, ...	4	12	6	4	8	10	8	5	8	9	13	9	16	8	5	7	2	5	1	6	5	3	8	6	9	6
Diseases of Respiratory System, { Pneumonia ..	13	8	5	4	2	5	2	6	5	10	7	5	5	4	8	5	3	4	3	3	4	4	6	4	4	2
Diseases of Respiratory System, { Others, ..	11	10	3	12	7	11	9	7	9	4	11	5	8	7	7	5	8	9	6	8	7	9	5	5	9	5
Diarrhœa and Enteritis, under 2 years, ...	2	3	6	2	4	12	28	26	37	24	7	9	9	1	.	1	1	2	2	6	16	30	12	10	8	13
Diarrhœa, 2 years and upwards..	.	.	1	1	.	1	2	3	3	1	2	1	.	1	.	1	.	1	.	.	8	7	5	8	10	7
Violent Deaths, ...	2	1	1	3	4	2	1	.	4	1	5	3	4	3	2	1	3	.	1	2	3	.	1	5	1	2
Number of Uncertified Deaths, ..	2	2	1	1	3	1	1	4	6	4	2	2	3	1	1	3	1	1	.	1	1	.	.	.	1	.
A Mean Maximum Temperature in degs.	61·1	65·6	64·3	67·1	66·5	69·9	73·1	68·4	60·1	65·3	72·4	66·3	59·2	61·3	63·7	62·6	65·1	65·6	68·1	72·2	68·0	58·6	65·4	66·0	59·7	55·4
B Mean Minimum ,, ,,	44·0	43·8	51·2	47·0	45·5	52·2	53·2	51·8	45·2	45·6	51·6	40·2	37·4	49·9	50·7	52·2	51·3	47·1	53·5	54·5	53·0	48·3	48·7	52·5	46·7	44·4
Mean of A and B ,, ,,	52·5	54·7	57·1	57·1	56·0	61·1	68·2	60·1	52·7	55·4	62·0	53·2	48·3	55·6	57·2	57·4	58·2	56·4	60·8	63·3	60·5	53·4	57·0	59·2	53·2	49·9
Rainfall in inches	0·38	0·18	0·04	0·46	0·13	0·10	0·08	0·59	1·15	0·98	0·15	0·07	0·79	0·21	0·02	0·23	0·01	0·13	0·29	0·43	0·48	1·78	1·52	0·78	0·19	0·39

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 27th September, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No 1 DISTRICT,	15,879	8	19·7	3·3	6	·	1	3	1	·	1	·	·	·	·	1	·	·	·	2	·	1	·	·	·	·	·	·	1	·
Do 2 do.	49,590	20	16·9	1·1	16	2	3	3	2	4	2	·	·	·	·	·	·	·	·	3	2	2	·	1	1	·	1	1	3	·
Do. 3 do.	50,032	29	11·5	4·2	11	6	3	·	·	1	1	·	·	·	·	2	·	·	·	·	2	·	·	·	2	·	·	·	3	·
Do. 4 do.	32,637	12	22·4	6·4	14	1	1	4	2	3	3	·	·	·	·	1	·	·	·	2	·	·	·	2	2	1	·	1	4	·
Do. 5 do.	16,112	7	3·2	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 6 do.	37,293	11	7·0	·	5	1	·	1	·	1	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·
Do. 7 do.	2,681	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 9 do.	24,427	8	8·5	·	4	1	·	1	1	1	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·	·	·	·
Do. 10 do.	28,958	12	21·6	9·0	12	4	·	3	1	3	1	·	·	·	·	·	·	·	·	·	1	1	·	·	4	1	·	·	3	·
Do. 11 do.	39,311	25	13·3	6·6	10	1	·	2	·	4	3	1	·	·	·	·	·	·	·	·	·	·	1	·	1	3	·	·	1	·
Do. 12 do.	38,076	27	24·6	5·5	18	4	2	3	1	1	7	·	·	·	·	·	·	1	·	2	1	1	1	1	2	1	·	1	6	·
Do 13 do.	23,233	14	13·5	2·2	6	3	·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·		1	·	·	2	·
Do. 14 do	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	16	20·7	4·6	9	2	1	2	·	2	2	·	·	·	·	1	·	·	·	1	·	1	·	1	1	·	1	1	4	·
Total,	386,947	190	14·6	3·5	112	25	11	22	9	22	23	1	·	·	·	5	·	1	·	13	7	6	2	5	13	7	2	4	28	·
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	4	19·4	·	5	1	·	1	1	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
Do 2 do.	10,399	7	20·1	5·0	4	·	1	·	·	2	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	1
Do. 3 do.	9,793	5	16·0	5·3	3	·	·	1	1	1	·	·	·	·	·	·	·	1	·	2	·	·	·	·	·	·	·	·	2	·
Do. 4 do.	9,139	1	28·5	11·4	5	2	1	·	·	2	·	·	·	·	·	·	·	1	·	·	·	1	·	1	1	·	·	·	1	·
Do. 5 do.	6,250	1	16·7	·	2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Do 6 do.	11,581	4	9·0	·	2	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 7 do	16,056	7	9·7	3·2	3	1	·	·	·	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	2	·
Total.	76,673	29	16·3	3·4	24	5	2	3	2	7	5	·	·	·	·	·	·	2	·	4	·	3	·	2	2	1	·	·	5	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 27th September, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	3
„ „ 1, West ..	1	.	.	.	.	1	.	.	1	.	1	.	.	.	.	.	4	8
„ „ 2, ...	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2	4
„ „ 3, ...	.	.	.	.	.	3	.	.	.	.	1	.	.	1	.	.	2	7
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	2	.	.	.	.	2	.	.	.	.	.	.	4
Finglas and Glasnevin (part of)	.	.	.	.	.	3	.	.	.	.	.	.	.	1	.	.	1	5
South City No. 1	.	.	.	.	.	2	3	.	.	.	.	12	.	.	.	.	1	18
„ „ „ 2, ...	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	2	5
„ „ „ 3, ...	1	.	.	.	.	2	1	.	2	.	1	.	1	.	.	.	1	9
„ „ „ 4, ...	.	.	.	.	.	.	1	.	.	.	25	.	.	1	.	.	2	29
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	2	.	.	.	.	18	6	.	3	.	30	12	1	3	.	.	17	92

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 27th September, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 27th September.			
	Sept. 6.	Sept. 13.	Sept. 20.	No. admitted	Dis-charged.	Died.	No under treatment at close of week.
Enteric Fever, ...	9	12	18	6	.	.	24
Typhus, ...	5	5	3	.	3	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	5	3	2	.	.	.	2
Scarlet Fever, ...	68	81	95	29	11	3	110*
Diphtheria, ...	15	18	16	9	1	.	24
Pneumonia, ...	8	11	10	8	3	3	12

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), Crow-street, Dublin.

(13166). Wt. 4739. 3. 380. 9. 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN EIGHTEEN OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LIMITED, 116, GRAFTON STREET, DUBLIN; or from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1:
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

1919.

Price 1½*d. Net.*

VOL. LVI.] QUARTER ENDING SATURDAY, 27TH SEPTEMBER, 1919. [No. 39A.

DUBLIN REGISTRATION AREA.—BIRTHS.—In the Dublin Registration Area, which consists of the city of Dublin, and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, there were registered during the thirteen weeks ended on Saturday, 27th September, 1919, 2,546 births—1,344 boys and 1,202 girls—being equal to an annual rate of 25·1 in every 1,000 of the population.

The number of births recorded for the city was 2,140, equivalent to an annual rate of 27·6 in every 1,000 of the population; and for the urban districts named above, 406, equal to an annual rate of 17·2 in every 1,000 of the population.

During the same period the births in London were equivalent to an annual rate of 18·7 per 1,000 of the population; in Glasgow the birth-rate was 22·4 per 1,000, and in Edinburgh 17·0 per 1,000.

DEATHS.—Omitting the deaths (129) referred to localities outside the Dublin Registration Area, the deaths for the Area, numbering 1,429, were equivalent to an annual rate of 14·1 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 17·8. The total number of deaths registered in the Dublin Registration Area during the quarter was 1,558—778 males and 780 females—affording an annual ratio of 15·4 in every 1,000 of the estimated population, as compared with 18·8 per 1,000 for the third quarter of the ten years, 1909-1918.

The number of deaths of inhabitants* of the North City districts registered last quarter was 555, representing an annual mortality of 13·6 in every 1,000 of the population; and the number in the South City districts was 581 equivalent to a rate of 15·7 per 1,000. For the urban districts the number of deaths registered was 293, being equal to an annual death-rate of 12·4 in every 1,000.

The deaths among civilians in London during the same period were equivalent to an annual rate of mortality of 10·3 in every 1,000 of the civil population; in Glasgow the death-rate was 10·6 per 1,000 of the total population, and in Edinburgh the annual rate was 10·8 per 1,000.

* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

CAUSES OF DEATH IN DUBLIN REGISTRATION AREA.

The number of deaths from the principal epidemic diseases* registered in the Dublin Registration Area during last quarter was 218, being equal to an annual rate of 2·15 per 1,000 of the population.

Enteric Fever.—During the period the deaths of 8 persons were registered, the average for the third quarter of the 5 years, 1914-18, being 10.

The hospital statistics show that 31 cases of enteric fever were admitted, 8 were discharged, and two deaths occurred in hospital.

Typhus.—There was no record of mortality from typhus.

Small-pox.—No case of small-pox was notified to the Public Health authorities.

Measles.—The deaths from measles were 3 in number, the average being 11.

Sixty-five cases were admitted to hospital, 75 were discharged, one death was reported, and only 2 cases remained under treatment at the end of the period.

Scarlet Fever.—Four deaths were registered, the average being 6. From Table I. it appears that 234 cases of scarlet fever were admitted to hospital, 165 were discharged, 5 deaths took place in hospital, and 110† cases remained under treatment.

Whooping-cough.—Not one death from this disease was registered.

Diphtheria.—The number of deaths from diphtheria was 6, and the average 11. During the period 49 cases were admitted to hospital, 35 were discharged, 4 died in hospital, and 24 remained under treatment on the 27th September.

Dysentery.—The deaths of 12 persons were attributed to dysentery.

Diarrhœal Diseases (other than Dysentery.)—Altogether the deaths of 185 persons were caused by diarrhœal diseases; of this figure 170 were deaths of infants under 2 years of age, as compared with the average, 179. In the three preceding quarters, deaths of infants from these conditions numbered 55, 40, and 33 respectively.

Influenza.—The mortality from influenza declined from 155 in the June quarterly period to 13 deaths in the period under notice. In the March quarter of the present year there were 731 deaths from this disease and 1,210 in the December quarter of 1918.

Cerebro-spinal Fever.—Three deaths from this cause were registered..

Tuberculosis.—Altogether the deaths of 234 persons were caused by tuberculosis; this figure includes the deaths of 24 persons, who did not belong to the Dublin Registration Area. The total is represented by a rate of 2·31 per 1,000 of the population of the Area estimated to the middle of the year. The average number of deaths from tuberculosis in the corresponding period of the 5 preceding years is 324, so that even allowing for an increasing population, the mortality for the quarter is on the favourable side.

Of the total (234), there were 158 deaths from pulmonary tuberculosis, 17 from tuberculous meningitis, 17 from abdominal tuberculosis, 4 from tuberculosis of the spinal column, 8 from tuberculosis of joints, 8 from tuberculosis of other organs and 22 deaths from disseminated tuberculosis.

The death rate in the Area from tuberculosis, exclusive of non-residents, was 2·07 per 1,000; in North Dublin City it was 2.11 per 1,000, in South Dublin City it was 2·28 per 1,000, and in the urban districts it was 1·69 per 1,000.

Cancer.—The total deaths from cancer (135) include the deaths of 23 persons non-resident in the Area. The total is equal to a rate of 1·33 per 1,000, the rates in each of the 3 preceding quarterly periods being 1.30, 1.39 and 1.16 per 1,000 respectively. The average number of deaths from cancer in the September quarter of the 5 years, 1914-1918, was 121.

Pneumonia.—Deaths from pneumonia in the 3 preceding quarterly periods were 604, 552, and 195; in the period under notice deaths under this heading declined to 83 (including 27 from broncho-

* See note (*) page 390*d*. † See note (*) at foot of Table I.

pneumonia, 9 from lobar pneumonia, and 47 from pneumonia (type not distinguished). The total is under the average for the corresponding quarterly period, namely, 102, and is equal to an annual rate of 0·80 per 1,000 of the estimated population of the Area.

It appears from Table I. that 64 cases were admitted to hospital, 60 were discharged, there were 13 deaths and 12 cases remained under treatment at the close of the period.

Diseases of Brain and Nervous System.—Under this general heading the deaths of 159 persons were classified, equal to an annual rate of 1·57 per 1,000 and below the average (171) by 12.
The total includes the deaths of 34 children under 5 years of age from convulsions.

Diseases of the Circulatory System.—The deaths numbered 137, and are represented by the rate of 1·35 per 1,000, being 40 below the average (177) for the corresponding period of the 5 years, 1914-1918.

Bronchitis.—There were 86 deaths from bronchitis as compared with the average (114) and the deaths in the 3 preceding quarters 283, 598 and 228 respectively.

Congenital Conditions.—Fifteen deaths were from congenital malformations, 47 from prematurity, and 31 were ascribed to congenital debility.

Violence.—Among the deaths from violence were two from homicide, one from suicide, and 35 attributed to accident or negligence, including 13 caused by drowning, 7 by vehicles or horses, 2 by burns and scalds, one by poison and one on a railway.

Table I.—Showing the Number of Cases of the undermentioned Diseases treated in Dublin Hospitals during the Quarter (13 weeks) ended Saturday, 27th September, 1919.

Diseases.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Enteric Fever, ...	3	31	8	2	24
Typhus, ...	4	7	11	.	.
Small-pox, ...	.	.	.	.	.
Measles, ...	13	65	75	1	2
Scarlet Fever, ...	46	234	165	5	110*
Diphtheria, ...	14	49	35	4	24
Pneumonia, ...	21	64	60	13	12

* Exclusive of 20 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 32 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 32 cases, 18 (or 56·3 per cent.) were deaths of children under 5 years of age. Of the deaths of 122 infants under one month old registered, there were 11 (or 9·0 per cent.) regarding which the cause was uncertified.

From Table III., page 390*f*, it will be seen that the annual rate represented by the mortality from the principal epidemic diseases† in the Dublin Registration Area was 2·1 per 1,000, that in the City it was 2·5, and in the urban districts 0·9, the rates for the several districts varying from 0·6 in Rathmines and Rathgar, to 5·4 in South City, No. 4, the 169 deaths from all causes for that district including one from diphtheria, 10 from dysentery and 33 from diarrhœal diseases.

Occupations.—In Table IV., page 390*g*, it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 13·4 per 1,000 of the persons in that class according to the Census of 1911; the rate for the "Middle Class" was 13·2 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 11·3; and in the "General Service Class" it was 15·2.

Ages.—Of the 1,558 persons whose deaths were registered in the Dublin Registration Area during the quarter, 435 were under 5 years of age, including 335 infants under one year of age, the latter representing a rate of 132 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 42·5 in every 1,000 children at that age (according to the Census of 1911), the deaths of persons between the ages of 5 and 15 representing an annual rate of 3·6 per 1,000 persons at that age-period; those between the ages of 15 and 25 were equivalent to an annual rate of 4·8 per 1,000, the total number under 25 years being equal to an annual mortality of 12·4 per 1,000 of the population at that age-period (according to the Census of 1911); for those between 25 and 45 the rate was 6·8; for those between 45 and 65 it was 25·9; among persons between 65 and 75 the rate was 46·4; and among those aged 75 and upwards the average annual death rate was 123·7 per 1,000. The deaths of 8 persons aged 90 years and upwards were registered.

† See note (*) on page 390*d*.

Public Institutions.—Of the 1,558 deaths recorded during the quarter, 675, or 43·3 per cent., occurred in public institutions, viz., 443 in the various hospitals, prisons, and lunatic asylums; 227 in the Dublin Union Workhouse; and 5 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for thirteen weeks, deducted from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 56·1°. At Greenwich it was 61·2°; at Glasgow, 55·8°; and at Edinburgh, 55·5°.

The rainfall at Dublin during the thirteen weeks measured 5·20 inches; at Greenwich it was 5·67 inches; at Glasgow, 5·94 inches; and at Edinburgh, 4·48 inches.

NINETEEN PRINCIPAL TOWN DISTRICTS OF IRELAND.

As shown in Table II., the annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and eighteen of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 13·3 per 1,000 of the population, the respective rates for the several districts being as follows, ranging in order from the lowest to the highest:—Newry, 9·7; Wexford, 10·1; Portadown, 10·2; Tralee, 10·9; Kilkenny, 11·0; Sligo, 11·8; Lisburn, 11·9; Drogheda, 12·2; Limerick, 12·5; Belfast, 12·7; Cork, 12·9; Lurgan, 13·1; Dundalk, 13·1; Ballymena, 13·7; Londonderry, 13·8; Dublin Registration Area, 14·1; Clonmel, 14·9; Waterford, 15·4; and Galway, 17·2.

The annual rate represented by the deaths from the principal epidemic diseases* in the 19 districts is 1·7 per 1,000 of the population, the rates varying from 0·0 in three of the districts to 2,3 in Waterford, the 106 deaths from all causes in that district, including one from enteric fever and 15 from diarrhœal diseases.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *eighteen provincial urban districts*, already named, and Tables II. and V. give in detail the results of the registration for the quarter:—

Enteric Fever.—Of 9 deaths from this disease, 6 appertained to Belfast, one to Waterford and 2 to Dundalk.

Typhus.—No deaths from this cause were returned.

Small-pox.—No case of this disease was reported.

Measles.—Four deaths were returned for Lisburn and one for each of Belfast, Londonderry, Ballymena, and Sligo.

Scarlet Fever.—Of 30 deaths, 29 belonged to Belfast and one to Londonderry.

Whooping-cough.—There were 2 deaths for Clonmel and one for each of Belfast, Cork, Londonderry, Newry, Ballymena and Sligo.

Diphtheria.—Of 15 deaths from this disease, 7 were residents of Cork, 6 of Belfast, and one of each of Limerick and Newry.

Diarrhœal Diseases.—Included under this heading are 102 deaths from diarrhœa and enteritis of children under 2 years belonging to Belfast, 16 to Cork, and 11 to Waterford.

Pulmonary Tuberculosis.—The annual death-rate from pulmonary tuberculosis for the 19 towns in the aggregate was 1·5 per 1,000 of the estimated population; for the Dublin Registration Area it was 1·4 per 1,000; for Belfast county borough 1·6 per 1,000, and for the urban districts collectively (not including Dublin Registration Area and Belfast) it was 1·6.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

TABLE II.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ended Saturday, 27th September, 1919,** in the Dublin Registration Area, and in each of the undermentioned Eighteen Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

TOWNS AND DISTRICTS	Population: Total *	Population: Persons to an Acre	Annual Rate per 1,000 persons Represented by: Births	Deaths: From all Causes	Deaths: From zymotic Epidemic† Diseases	Registration—Quarter (13 Weeks ended Saturday, 27th September, 1919.) Numbers Registered: Births: Total Number	Deaths: Total Number	Under 1 year of Age	At 60 Years and upwards	Enteric Fever	Typhus	Scarlet Fever	Measles	Scarlet Fever	Whooping-cough	Diphtheria	Dysentery	Tuberculosis: Pulmonary	Tuberculosis: Other Forms	Cancer *	Diseases of the Respiratory System: Pneumonia	Diseases of the Respiratory System: Other	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa & 2 years of age and upwards	Violence	Suicide	No. of Deaths in Public Institutions	Uncertified Deaths, p. 30.
TOTAL OF 19 TOWN DISTRICTS	1,112,268	20·0	24·3	13·3	1·7	6,948	3,793	728	927	14	·	·	11	34	8	21	13	442	181	956	176	968	317	72	34	100	1,181	115
DUBLIN REGISTRATION AREA:—																												
Urban Districts. Total	405,600	28·9	25·1	14·1	2·1	2,546	1,429	332	355	5	·	·	3	4	·	6	12	145	65	112	77	107	160	15	32	36	546	37
City of Dublin	310,300	26·0	22·6	14·6	2·3	2,140	1,156	291	238	3	·	·	2	4	·	6	11	120	50	87	62	93	150	11	23	27	458	35
Rathmines and Rathgar	39,100	73·0	15·1	11·7	0·0	110	110	10	1	·	·	·	·	·	·	·	·	·	10	12	5	6	6	·	6	6	31	·
Pembroke	29,500	18·3	13·4	12·3	1·4	136	91	13	20	·	·	·	1	·	·	·	1	10	1	8	6	6	3	·	2	2	31	4
Blackrock	9,000	8·3	11·6	12·0	0·0	26	29	1	16	·	·	·	·	·	·	·	·	3	2	2	1	·	1	1	·	·	6	·
Kingstown	16,600	11·4	22·0	15·2	1·0	95	63	7	25	·	·	·	·	·	·	·	·	5	2	8	3	2	4	·	1	1	17	·
Belfast	401,000	26·5	25·3	12·7	1·9	2,587	1,276	360	253	6	·	·	1	20	1	6	1	151	61	71	54	90	102	13	24	35	356	10
Cork	76,673	22·0	23·2	17·9	1·3	441	248	33	61	·	·	·	·	·	1	1	·	25	13	16	8	11	16	1	·	8	52	13
Londonderry	41,000	15·9	25·5	15·8	0·9	258	141	20	31	·	·	·	1	1	1	·	·	19	3	10	5	16	3	3	5	3	16	6
Limerick	38,518	16·1	21·2	12·5	0·3	204	120	21	32	·	·	·	·	·	·	1	·	17	1	7	0	14	2	·	2	2	42	12
Waterford	27,464	10·1	18·6	15·4	2·3	128	106	18	38	1	·	·	·	·	·	·	·	16	5	0	2	8	11	4	·	1	34	10
Galway	18,255	2·5	21·4	17·2	0·3	71	57	7	22	·	·	·	·	·	·	·	·	6	1	3	6	3	1	·	6	4	19	6
Dundalk	13,128	9·5	22·0	18·1	1·2	75	43	4	10	2	·	·	·	·	·	·	·	5	1	4	·	1	2	·	2	2	5	·
Lurgan	12,553	14·7	22·8	13·1	0·6	70	41	2	16	·	·	·	·	·	·	·	·	6	4	1	2	1	1	1	1	1	11	·
Drogheda	12,501	8·4	20·5	12·2	0·6	64	38	5	21	·	·	·	·	·	·	·	·	2	·	3	3	2	2	·	·	·	14	·
Lisburn	12,388	10·9	27·1	11·0	1·3	84	37	4	9	·	·	·	4	·	·	·	·	4	·	5	·	4	·	·	1	2	9	·
Newry	11,063	17·0	14·0	9·7	0·7	42	29	5	9	·	·	·	·	·	1	1	·	2	5	·	·	1	·	·	·	·	5	·
Portadown	11,727	15·8	20·8	10·2	·	61	30	6	10	·	·	·	·	·	·	·	·	5	4	1	·	·	·	·	·	·	·	·
Wexford	11,531	22·8	24·6	10·1	1·4	71	29	5	9	·	·	·	·	·	·	·	·	1	2	3	2	1	4	·	·	·	·	·
Ballymena	11,381	9·3	26·4	13·7	1·4	75	39	8	11	·	·	·	1	·	1	·	·	6	1	4	3	·	2	·	·	·	11	·
Sligo	11,168	8·8	12·9	11·8	1·1	36	33	3	9	·	·	·	1	·	1	·	·	4	·	1	2	5	1	·	1	·	16	·
Kilkenny	10,514	11·4	10·7	11·0	·	44	29	2	12	·	·	·	·	·	·	·	·	5	·	3	·	3	·	·	1	·	9	·
Tralee	10,300	17·4	18·6	10·9	·	48	28	2	10	·	·	·	·	·	·	·	·	3	3	3	1	·	·	·	·	·	18	·
Clonmel	10,209	7·8	15·7	14·9	1·2	40	38	2	9	·	·	·	·	·	2	·	·	3	2	·	2	1	1	·	2	3	·	·

*According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1919.

† See note (*) on page 390f.

(a) Including one death from cerebro spinal fever.

TABLE III.—Showing for the **Quarter** (13 weeks) **ended 27th September, 1919,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases* ; with the Mortality from some of the principal causes ; also the Deaths at certain age-periods, and the number of Uncertified Deaths ; the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.

REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 27TH SEPTEMBER, 1919.

REGISTRARS' DISTRICTS, &c	Estimated Population to middle of 1919.	Annual Rate of Mortality per 1000 Living represented by Deaths: From All Causes.	Annual Rate of Mortality per 1000 Living represented by Deaths: From certain Epidemic Diseases.*	Total Deaths.	Ages at Death: Under 1 year.	1 and under 2	2 and under 5.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other	Diarrhœa and Enteritis of Children under 2 years	Diarrhœa, 2 years of age and upwards.	Violence.	Influenza.	Inquest Cases.	In Institutions: Hospitals, Prisons and Lunatic Asylums.	In Institutions: Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1 E. ..	30,000	15·7	3·2	118	38	8	5	7	13	10	17	20	.	.	.	1	.	.	.	.	12	10	4	10	12	22	1	4	1	4	19	12	4
" 1 W. ..	41,100	14·7	2·7	151	36	8	7	11	9	20	30	30	.	.	.	.	1	.	2	.	16	3	7	11	11	24	1	2	1	1	36	25	1
" 2	27,500	15·7	2·3	108	27	5	1	4	6	16	28	21	1	.	.	.	.	.	2	.	17	4	9	8	11	11	2	2	1	3	18	23	1
" 3 ..	34,100	12·0	2·2	102	22	6	6	3	2	14	21	28	.	.	.	.	1	.	1	.	10	5	12	3	6	15	2	2	.	2	23	20	1
CLONTARF AND HOWTH, No. 1, part of.	5,500	15·3	0·7	21	4	.	.	2	1	3	4	7	.	.	.	.	.	.	.	.	1	2	2	1	5	1	.	.	1	.	2	1	.
COOLOCK AND DRUMCONDRA, part of.	13,600	9·7	0·9	33	3	1	.	.	3	6	11	9	.	.	.	.	.	.	.	1	2	3	1	2	2	2	.	1	1	1	10	1	.
FINGLAS AND GLASNEVIN, part of	11,100	7·9	0·7	22	9	.	.	2	2	1	2	6	.	.	.	.	.	.	.	.	.	1	2	1	1	2	.	.	.	1	6	1	.
South City.																																	
SOUTH CITY, No. 1	43,000	13·8	2·5	148	45	5	3	4	7	18	37	29	4	.	.	1	1	.	.	.	17	4	12	4	15	20	1	2	.	4	25	48	4
" 2	18,200	14·5	2·2	66	17	3	3	1	4	5	26	7	.	.	.	.	1	.	.	.	4	6	7	6	4	8	1	.	.	1	15	15	3
" 3	43,300	16·2	1·4	175	39	4	8	4	6	25	52	37	.	.	.	.	.	.	.	.	17	9	18	10	16	14	1	6	1	6	51	31	4
" 4	32,800	20·7	5·4	169	44	8	3	9	8	26	32	39	.	.	.	.	.	.	1	10	20	3	7	5	8	28	5	3	.	4	45	25	6
NEW KILMAINHAM	10,300	8·9	1·2	23	7	1	1	1	1	5	2	5	.	.	.	.	.	.	.	.	4	.	1	1	2	3	.	1	1	.	5	1	1
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	11·2	0·6	110	10	4	1	8	6	11	23	47	.	.	.	.	.	.	.	.	7	10	12	5	6	6	.	6	3	6	27	7	.
PEMBROKE	29,500	12·3	1·4	91	13	2	2	2	5	9	29	29	.	.	.	1	.	.	.	1	10	1	8	6	6	8	.	2	1	2	23	8	4
BLACKROCK	9,000	12·9	0·9	29	1	.	.	.	4	1	7	16	.	.	.	.	.	.	.	.	3	2	2	1	.	1	1	.	.	.	5	1	1
KINGSTOWN	16,600	15·2	1·0	63	7	1	.	1	3	6	20	25	.	.	.	.	.	.	.	.	5	2	8	3	2	4	.	1	1	1	13	4	2
Total City. North, ...	162,900	13·6	2·3	555	139	28	19	29	36	70	113	121	1	.	.	1	2	.	5	1	58	28	37	36	48	77	6	11	5	12	114	83	7
Total City. South, ...	147,600	15·7	2·7	581	152	21	18	19	26	79	149	117	4	.	.	1	2	.	1	10	62	22	45	26	45	73	8	12	2	15	141	120	18
Total City. North and South,	310,500	14·6	2·5	1,136	291	49	37	48	62	149	262	238	5	.	.	2	4	.	6	11	120	50	82	62	93	150	14	23	7	27	255	203	25
Total Urban Districts, ..	94,500	12·4	0·9	293	31	7	3	11	18	27	79	117	.	.	.	1	.	.	.	1	25	15	30	15	14	19	1	9	5	9	68	20	7
Total Registration Area, ..	405,000	14·1	2·1	1,429	322	56	40	59	80	176	341	355	5	.	.	3	4	.	6	12	145	65	112	77	107	169	15	32	12	36	323	223	32
Deaths in institutions of Persons admitted from without the Registration Area (not included in above).				129	13	2	2	4	16	37	41	14	3	.	.	.	.	.	.	.	13	11	23	6	4	1	.	6	1	7	120	9	.

* See note (*) on page 390*d*.

TABLE IV.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATION or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ended Saturday, 27th September, 1919**; the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1911.	REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 27TH SEPTEMBER, 1919. Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths	AGES. Under 5 Years	5 and under 15.	15 and under 25	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence	Other Causes.	Number of Uncertified Deaths.
	ALL PERSONS, ...	397,957	.	1,558	435	63	96	213	382	196	173	8	.	.	3	4	.	6	12	158	76	135	34	83	111	170	15	38	705	32
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,..	14,658	13·4	49	2	.	1	5	8	11	22	.	.	.	.	.	.	.	.	1	3	3	1	1	3	.	.	1	36	.
II.	MIDDLE CLASS	101,798	13·2	337	50	11	33	43	92	62	46	1	.	.	1	.	.	2	1	34	15	40	1	13	17	17	3	9	183	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS..	108,420	11·3	305	66	14	19	55	79	48	24	1	.	.	1	.	.	1	1	53	9	28	7	17	21	27	2	6	131	9
IV.	GENERAL SERVICE CLASS	167,479	15·2	635	275	36	39	81	126	38	40	4	.	.	1	4	.	3	10	45	35	47	24	40	43	114	10	21	234	21
V.	INMATES OF WORKHOUSES	5,602	.	232	42	2	4	29	77	37	41	2	.	.	.	.	.	.	.	25	14	17	1	12	27	12	.	1	121	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal and other Professions; Naval and Military Officers, and Heads of Public Departments ..	7,868	.	43	2	.	1	5	8	8	19	.	.	.	.	.	.	.	.	1	3	3	1	.	3	.	.	1	31	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described	5,443	.	5	.	.	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	.	32	11	.	4	3	5	6	3	.	.	.	.	.	.	1	.	2	.	.	.	.	3	2	.	.	24	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	.	78	9	4	.	9	27	19	10	.	.	.	.	.	.	.	.	3	2	12	.	5	4	3	1	1	47	.
	6. Clerks and Commercial Assistants ..	33,249	.	95	23	2	16	17	21	10	6	.	.	.	1	.	.	.	.	16	5	8	1	5	5	10	1	2	41	1
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above	33,827	.	132	7	5	13	14	39	27	27	1	.	.	.	.	.	1	1	13	8	20	.	3	5	2	1	6	71	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers ..	11,777	.	25	9	1	.	3	6	4	2	.	.	.	1	.	.	.	.	2	.	2	1	1	1	6	1	.	10	.
	9. Building and Furnishing Trades ..	28,823	.	69	20	5	4	14	20	4	2	.	.	.	.	.	.	.	.	16	1	8	3	2	5	6	.	2	26	3
	10. Clothing Trades	20,026	.	38	6	1	4	7	8	9	3	.	.	.	.	.	.	.	.	9	1	3	1	1	1	2	.	1	19	.
	11. Food Supply Trades	8,952	.	23	6	1	.	2	7	5	2	.	.	.	.	.	.	.	.	1	.	1	1	3	1	3	1	.	12	1
	12. Other Trades and Callings ranking with Trades	32,070	.	142	25	5	10	28	35	25	14	1	.	.	.	.	.	1	1	22	6	12	1	10	13	10	.	3	62	4
	13. Petty Shopkeepers	6,772	.	8	.	1	1	1	3	1	1	.	.	.	.	.	.	.	.	3	1	2	.	.	.	.	.	.	2	1
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c.	12,977	.	104	44	2	6	22	19	6	5	2	.	.	.	.	.	1	2	5	7	9	3	6	7	17	.	4	41	.
	15. Domestic Servants	36,041	.	69	27	3	4	8	15	7	5	.	.	.	1	1	.	.	1	2	2	10	2	4	4	13	1	2	26	4
	16. Coach and Car Drivers, Vanmen, &c. ..	15,380	.	57	25	1	5	5	9	5	7	.	.	.	.	.	.	.	2	1	3	5	4	4	1	11	1	3	22	1
	17. Hawkers, Porters, Labourers, &c. ..	103,081	.	405	179	30	24	46	83	20	23	2	.	.	.	3	.	2	5	37	23	23	15	26	31	73	8	12	145	16
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates	5,602	.	232	42	2	4	29	77	37	41	2	.	.	.	.	.	.	.	25	14	17	1	12	27	12	.	1	121	.

TABLE V.—Showing by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK Registered during the Quarter (13 weeks) ended 27th September, 1919, Deaths in Public Institutions of persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of MORTALITY per 1,000 of the Population according to the Census of 1911, represented by the Deaths from all Causes and from certain Epidemic Diseases; the Number of Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 years and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	116	16·6	2·5	66	14	6	10	7	16	13	1	·	·	·	1	·	·	·	6	5	2	1	2	7	1	4	6	25	·
Do. 2 do.	49,500	336	12·8	1·4	159	33	16	15	22	36	37	·	·	·	·	3	1	1	·	20	8	9	5	18	12	·	6	6	44	4
Do. 3 do.	50,032	338	13·0	2·1	163	40	13	23	28	37	22	1	·	·	·	8	·	1	·	16	8	7	9	9	15	1	1	3	48	·
Do. 4 do.	32,637	186	14·2	1·6	116	33	7	16	16	25	19	·	·	·	·	2	·	2	·	14	5	4	3	9	7	2	·	2	45	1
Do. 5 do.	16,112	113	15·6	3·7	63	20	4	7	10	13	9	·	·	·	·	4	·	·	·	8	3	3	2	4	10	1	1	4	20	1
Do. 6 do.	37,293	228	9·7	0·9	90	13	3	15	11	21	27	·	·	·	·	3	·	·	·	9	5	7	4	4	5	·	1	1	24	1
Do. 7 do.	2,681	20	6·0	1·5	4	1	1	·	·	2	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 8 do.	5,964	34	10·1	0·7	15	4	·	2	1	5	3	·	·	·	·	·	·	·	·	1	1	1	·	2	1	·	1	1	2	·
Do. 9 do.	24,427	172	10·6	0·8	65	14	1	11	10	18	11	·	·	·	·	·	·	·	·	14	1	2	3	6	4	1	·	·	18	2
Do. 10 do.	28,958	197	11·7	1·8	85	12	5	14	12	28	14	1	·	·	·	2	·	·	·	12	5	8	3	9	8	2	1	2	23	·
Do. 11 do.	39,311	242	15·4	4·6	151	22	9	28	28	33	31	3	·	·	·	1	·	·	1	19	7	8	7	12	12	28	1	1	35	·
Do. 12 do.	38,076	302	14·0	2·1	133	23	16	22	15	30	27	·	·	·	·	3	·	1	·	19	5	7	8	4	9	7	4	4	31	·
Do. 13 do.	23,233	148	12·9	1·2	75	14	4	12	15	8	22	·	·	·	·	1	·	·	·	8	5	8	6	2	3	4	1	1	14	1
Do. 14 do.	175	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	154	6·4	2·1	93	16	5	14	18	22	18	·	·	·	·	1	·	1	·	18	3	5	3	9	9	1	3	4	26	·
Total, ...	386,947	2,587	12·7	1·9	1,278	259	90	189	193	294	253	6	·	·	1	29	1	6	1	164	61	71	54	90	102	48	24	35	356	10
City of Cork.																														
CORK URBAN No. 1 DISTRICT, ..	13,455	47	13·1	·	44	2	·	4	10	7	21	·	·	·	·	·	·	·	·	3	3	3	2	1	·	·	1	1	16	1
Do. 2 do. ..	10,399	75	15·8	3·1	41	3	5	6	4	10	13	·	·	·	·	·	·	4	·	2	3	4	·	4	3	1	·	·	11	3
Do. 3 do. ..	9,793	69	11·8	2·0	29	4	3	3	7	7	5	·	·	·	·	·	1	2	·	8	4	1	·	1	2	·	·	·	9	·
Do. 4 do. ..	9,139	56	10·9	1·3	25	3	2	5	2	6	7	·	·	·	·	·	·	1	·	2	1	2	1	2	2	·	1	2	8	·
Do. 5 do. ..	6,250	50	17·3	1·3	27	6	1	6	5	5	4	·	·	·	·	·	·	·	·	7	·	1	1	·	2	·	3	3	8	3
Do. 6 do. ..	11,581	62	11·7	·	34	3	2	4	6	7	12	·	·	·	·	·	·	·	·	3	4	1	1	1	·	·	·	·	7	2
Do. 7 do. ..	16,056	85	12·0	1·7	48	12	3	3	6	15	9	·	·	·	·	·	·	·	·	4	3	4	3	2	7	·	2	2	16	3
Total, ...	76,673	444	12·9	1·3	248	33	16	31	40	57	71	·	·	·	·	·	1	7	·	29	18	16	8	11	16	1	7	8	75	12

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919. † See note (*) on page 390*d*.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
13*th November*, 1919.

WILLIAM J. THOMPSON,
Registrar-General.

Printed under the Authority of His Majesty's Stationery Office,
By A. THOM & Co., Ltd., Crow Street, Dublin.
(13216). Wt. 4739. 3, 380. 10/1919.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1;
37, Peter Street, Manchester; 1, St Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 40. Vol. LVI.] Week ending Saturday, 4th October, 1919. [Price 1½*d.*

General Register Office, Charlemont House,
Dublin, 6th October, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 14·9 and 14·6; Dublin Registration Area, 15·7 and 15·1; Dublin City, 16·1 and 15·5; Belfast, 13·9 and 14·0; Cork, 18·4 and 16·3; Londonderry, 17·8 and 14·3; Limerick, 13·5 and 15·2; and Waterford, 17·1 and 15·2.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·1 per 1,000. Among the 107 deaths from all causes for Belfast are 4 from scarlet fever, one from dysentery, and 15 from diarrhœal diseases. Of the 27 deaths from all causes for Cork, one is from whooping cough, 2 are from diphtheria and 2 from diarrhœa and enteritis of children under 2 years. The 9 deaths from all causes for Waterford include 2 from diarrhœa and enteritis of children under 2 years. Two of the 5 deaths from all causes for Lurgan are from diarrhœa and enteritis of children under 2 years, and the 5 deaths from all causes for Wexford include one from whooping-cough and one from diarrhœa and enteritis of a child under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Areathe births registered during the week amounted to 199—99 boys, and 100 girls—and the deaths to 134 —57 males and 77 females.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·7 per 1,000 of the population. During the forty weeks ending with Saturday last, the death-rate averaged 22·5 and was 1·6 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the forty weeks was 24·3 and for the corresponding period of the preceding ten years 22·2.

Of the 122 deaths appertaining to the Area, 2 were from scarlet fever, one from diphtheria, 8 from diarrhœa and enteritis of children under 2 years, and 2 from influenza

In the 3 preceding weeks deaths from scarlet fever numbered 0, one, and one; deaths from diphtheria one, one, and 0; deaths from diarrhœa and enteritis of children under 2 years 7, 9, and 9, and deaths from influenza 0, one, and 0.

Deaths attributed to pneumonia were 6 (comprising 4 from broncho-pneumonia, and 2 from pneumonia, type not distinguished), as against 7, 5, and 5 in the 3 weeks preceding.

Tuberculous disease caused 21 deaths (comprising 14 from pulmonary tuberculosis, and 7 from other forms of tuberculous disease), as against 17, 12, and 12, in the three weeks preceding.

Ten deaths were caused by cancer, 10 by organic diseases of the heart, and 8 by bronchitis.

Among deaths of infants under one year old, one was due to convulsions, 6 to diarrhœa and enteritis, 3 to premature birth and 4 to congenital debility.

There were 2 accidental deaths, one of which was by drowning.

Thirty-one of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 20 being infants under one year, of whom 7 were under one month old, and 34 deaths were those of persons aged 65 and upwards, of whom 21 were 70 years of age or over.

Of the 122 deaths recorded, 42 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 4th October, in London was 12·3 per 1,000 of the estimated civil population.

The average rate for 16 principal towns of Scotland was 10·8 per 1,000 persons living, the rate for Glasgow being 10·1 and for Edinburgh 10·1.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 4th October. From this Report it appears that of the cases notified, 38 were scarlet fever, 19 diphtheria, 11 pulmonary tuberculosis, 3 other forms of tuberculosis, 3 puerperal fever, and 3 erysipelas. Among the 467 cases of infectious diseases in hospital at the close of the week were 197 of scarlet fever, 142 of pulmonary tuberculosis, 69 of diphtheria, 17 of measles, 10 of erysipelas, 8 of whooping-cough, 2 of enteric fever, 2 of puerperal fever, and one of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 4th October, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Sept. 13	4	·	·	·	·	—	15	—	5	3	—	·	—	31	5	·	1	·	·	19	83
	Sept. 20	3	·	·	·	·	—	25	—	1	2	—	·	—	23	10	·	3	·	·	13	80
	Sept. 27	2	·	·	·	·	—	18	—	6	3	—	·	—	30	12	1	3	·	·	17	92
	Oct. 4	4	·	·	·	·	—	28	—	9	2	—	·	—	18	8	·	5	·	·	15	89
Rathmines & Rathgar Urban District	Sept. 13	1	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	2
	Sept. 20	3	·	·	·	·	—	1	—	1	·	—	·	—	·	8	·	·	·	·	—	13
	Sept. 27	·	·	·	·	·	—	·	—	3	·	—	·	—	·	4	·	·	·	·	—	7
	Oct. 4	·	·	·	·	·	—	1	—	1	1	—	·	—	·	·	·	·	·	·	—	3
Pembroke Urban District	Sept. 13	1	·	·	·	·	·	·	·	·	·	·	·	—	1	1	·	·	·	·	·	3
	Sept. 20	·	·	·	·	·	·	·	·	·	·	1	·	—	1	1	·	·	·	·	·	3
	Sept. 27	·	·	·	·	·	·	·	2	·	·	·	·	—	2	·	·	·	·	·	·	4
	Oct. 4	·	·	·	·	·	·	1	·	·	1	·	·	—	·	1	·	·	·	·	·	3
Blackrock Urban District	Sept. 13	·	·	·	·	·	·	1	—	·	·	—	·	—	·	·	·	·	·	·	·	1
	Sept. 20	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Sept. 27	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Oct. 4	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	Sept. 13	·	·	·	·	·	—	3	—	·	·	—	·	—	·	·	·	·	—	·	·	3
	Sept. 20	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	—	·	·	1
	Sept. 27	·	·	·	·	·	—	3	—	·	·	—	·	—	·	·	·	1	—	·	·	4
	Oct. 4	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
City of Belfast	Sept. 13	3	·	·	·	·	—	87	—	6	3	—	1	—	·	·	·	·	·	·	·	109
	Sept. 20	3	·	·	·	·	—	113	—	6	1	—	1	—	·	·	·	·	·	·	·	124
	Sept. 27	9	·	·	·	·	—	126	—	5	2	—	·	—	·	·	·	·	·	·	1	143
	Oct. 4	12	·	1	·	·	—	148	—	8	3	—	·	—	·	·	·	·	·	·	·	172
City of Cork	Sept. 13	·	3	·	·	·	·	·	—	4	·	—	·	5	·	·	·	·	—	·	—	12
	Sept. 20	·	3	·	·	·	·	·	—	3	·	—	1	9	·	·	·	·	—	·	—	16
	Sept. 27	·	·	·	·	·	·	1	—	12	1	—	·	3	·	·	·	·	—	·	—	17
	Oct. 4	·	1	·	·	·	·	1	—	11	1	—	·	1	·	·	·	·	—	·	—	15*a*
City of Londonderry	Sept. 13	·	·	·	·	·	—	3	—	·	·	—	·	—	·	·	·	·	·	—	—	3
	Sept. 20	1	·	·	·	·	—	3	—	·	·	—	·	—	·	·	·	·	·	—	—	4
	Sept. 27	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	—	—	1
	Oct. 4	·	·	·	·	·	—	7	—	1	·	—	·	—	·	·	·	·	·	—	—	8
City of Limerick	Sept. 13	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Sept. 20	1	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Sept. 27	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Oct. 4	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
City of Waterford	Sept. 13	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Sept. 20	4	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	—	—	·	5
	Sept. 27	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Oct. 4	·	·	·	·	·	—	·	—	1	1	—	·	—	·	·	·	·	—	—	2	4

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 4th October, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 6 and 24; scarlet fever 40 and 132*; and diphtheria 12 and 26. Five cases of pneumonia were admitted during the week and 13 remained under treatment at its close. Of the deaths in hospital during the week 2 were from scarlet fever and 2 from diphtheria.

* See note (*) at foot of Table IX.

Table II.—BIRTHS and DEATHS registered during the week ending Saturday, 4th October, 1919, in the Dublin Registration Area and in each of the under-mentioned 18 Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the Principal Causes, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 4th October 1919. Annual Rate per 1,000 Persons Represented by Births	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Enteritis under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Meteorology. (c) Week ending 4th October, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
Total of 19 Town Districts, ...	1,142,268	20·0	26·6	14·9	2·1	582	326	62	75	·	·	·	·	6	2	3	1	29	15	26	20	19	32	2	5	7	101	12	° ·	° ·	° ·	° ·	° ·	·
Dublin Registration Area, ...	405,000	28·9	25·6	15·7	1·4	199	122	20	34	·	·	·	·	2	·	1	·	14	7	10	6	9	8	·	2	3	42	6	(d) 63·4	31·6	59·0	40·4	49·7	0·39
Urban Districts. City of Dublin,	310,500	38·0	28·5	16·1	1·3	170	93	18	22	·	·	·	·	2	·	1	·	12	6	8	4	7	5	·	·	1	41	6	(e) 65·0	37·1	58·0	45·6	51·8	0·48
Urban Districts. Rathmines and Rathgar	39,400	23·0	15·9	14·6	·	12	11	·	5	·	·	·	·	·	·	·	·	1	·	1	2	1	·	·	2	2	·	·	(f) 71·0	33·0	60·9	43·4	52·1	0·54
Urban Districts. Pembroke, ..	29,500	18·8	24·7	12·4	·	14	7	·	3	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Blackrock, ..	9,000	8·3	11·6	23·2	11·6	2	4	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Kingstown, ..	16,600	11·4	3·1	12·6	3·1	1	4	1	3	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	1	·	61	40	57·8	46·0	51·9	0·49
Urban Districts. Belfast, ..	401,000	26·8	29·1	13·9	2·6	224	107	20	19	·	·	·	·	4	·	·	1	9	3	6	9	5	13	2	1	1	34	2	62·0	35·0	58·9	43·1	51·0	0·92
Urban Districts. Cork, ...	76,673	28·6	33·3	18·4	3·4	49	27	7	5	·	·	·	·	·	1	2	·	1	1	5	3	·	2	·	·	1	14	1	62	42	58·4	48·3	53·4	0·63
Urban Districts. Londonderry, ..	41,000	15·9	25·4	17·8	1·3	20	14	3	4	·	·	·	·	·	·	·	·	1	1	2	1	·	1	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. Limerick, ..	38,518	16·1	14·9	13·5	1·4	11	10	3	2	·	·	·	·	·	·	·	·	1	·	1	·	1	1	·	1	1	·	1	64	33	59·7	44·0	51·8	0·47
Urban Districts. Waterford, ..	27,464	19·1	19·0	17·1	3·8	10	9	2	3	·	·	·	·	·	·	·	·	·	1	·	1	1	2	·	·	·	3	1	·	·	·	·	·	·
Urban Districts. Galway, ...	13,255	2·5				15	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	63	35	59	45	52	1·32
Urban Districts. Dundalk, ..	13,128	9·5				3	3	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Lurgan, ..	12,553	14·7				5	5	2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	1	·	60·9	33·7	57·7	42·8	50·2	0·73
Urban Districts. Drogheda, ..	12,501	8·4				2	5	·	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. Lisburn, ..	12,388	10·9				8	4	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	61	30	57·0	40·9	48·9	1·33
Urban Districts. Newry, ...	11,963	17·0				4	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	60·9	33·7	57·7	42·8	50·2	0·73
Urban Districts. Portadown, ..	11,727	15·3				5	5	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	1	·	·	·	60·9	33·7	57·7	42·8	50·2	0·73
Urban Districts. Wexford, ..	11,531	22·8				10	5	·	3	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Ballymena, ..	11,381	9·3				·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. Sligo, ...	11,163	3·8				7	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	62·0	33·0	58·0	44·0	51·0	1·10
Urban Districts. Kilkenny, ..	10,514	11·4				5	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	66	31	59·8	40·1	50·0	0·35
Urban Districts. Tralee, ...	10,300	17·4				1	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. Clonmel, ..	10,209	7·8				4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
London	4,206,901	—	—	12·3	—	2,313	946	215	261	3	—	·	7	2	6	14	—	90	11	102	48	14	114	11	29	68	449	·	65	31	59·9	36·7	48·2	0·16
Edinburgh ...	336,500	—	—	10·1	—	164	65	10	28	·	·	·	1	·	·	·	—	—	—	—	—	—	3	—	2	—	—	—	64·0	35·0	56·1	44·1	50·1	0·06
Glasgow	1,118,700	—	—	10·1	—	550	216	36	57	·	·	·	·	·	3	4	—	—	—	—	—	—	7	—	9	—	—	—	59·0	34·2	54·7	44·9	49·8	0·49

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 40th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 4th October, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
ALL CAUSES.	147·2	134	7	15	7	5	1	·	4	7	12	12	11	16	26	11	122
Enteric Fever ..	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Typhus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Scarlet Fever ..	·2	2	·	·	1	·	1	·	·	·	·	·	·	·	·	·	2
Whooping-cough ..	1·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diphtheria	1·6	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Croup	·2	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1
Influenza	2·4	2	·	·	·	·	·	·	·	·	·	1	1	·	·	·	2
Dysentery	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Erysipelas	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Epidemic Diseases	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pyæmia and Septicæmia (non-puerperal).	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tetanus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
TUBERCULOSIS.																	
Pulmonary Tuberculosis	17·8	14	·	·	·	·	·	·	1	3	7	1	2	·	·	·	14
Tuberculous Meningitis	2·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Abdominal Tuberculosis	1·4	2	·	·	1	·	·	·	·	·	1	·	·	·	·	·	2
Tuberculosis of the Spinal Column.	·2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Tuberculosis of Joints	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of other Organs.	·2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Scrofula	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Disseminated Tuberculosis.	2·0	5	·	2	·	·	·	·	·	·	·	·	·	2	1	·	3
Venereal Diseases ..	·4	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Cancer	10·4	13	·	·	1	·	·	·	·	·	·	2	3	3	4	·	10
Tumour, situation undefined.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Rheumatic Fever ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diabetes	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Anæmia, Leucocythæmia.	1·0	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Other General Diseases	1·4	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Alcoholism ..	·2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Chronic Poisonings ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cerebro-spinal Fever..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Simple Meningitis ..	1·4	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Cerebral Hæmorrhage, Apoplexy.	4·0	6	·	·	·	·	·	·	·	·	1	·	·	2	3	·	5
Softening of Brain ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Paralysis, without specified cause.	1·0	2	·	·	·	·	·	·	·	·	·	·	·	1	1	·	2
Epilepsy, ...	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Convulsions (non-puerperal).	2·2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Other Diseases of Nervous System.	2·2	4	·	·	·	·	·	·	·	·	1	1	·	1	·	1	4
Pericarditis ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Endocarditis ..	·2	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1
Organic Diseases of the Heart.	12·6	11	·	·	·	·	·	·	·	1	·	2	·	2	4	2	10
Embolism and Thrombosis (including Cerebral).	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Circulatory System.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of the Larynx	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Bronchitis	9·0	8	·	·	·	·	·	·	·	·	1	·	·	2	2	3	8
Broncho-pneumonia ..	3·0	5	·	·	·	1	·	·	·	·	·	1	·	1	2	·	4
Lobar pneumonia ..	2·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pneumonia (type not distinguished).	6·4	2	·	·	·	·	·	·	·	·	·	·	1	·	·	1	2
Pleurisy	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pulmonary Congestion, Pulmonary Apoplexy.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Respiratory System	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·

in the FORTIETH WEEK, ending Saturday, 4th October, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 40th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 4th October, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Stomach ..	2·4	5	·	2	1	·	·	·		1	1	·	·	·	·	·		5
Diarrhœa and Enteritis of Children under 2 years.	14·0	8	·	6	2	·	·	·	·	·	·	·	·	·	·	·		8
Diarrhœa 2 years and upwards.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Enteritis 2 years and upwards.	1·0	3	·	·	·	1	·	·	·	·	·	·	·	·	2	·		2
Appendicitis and Typhlitis.	·2	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·		1
Hernia and Intestinal Obstructions.	·6	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·		1
Cirrhosis of Liver ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Liver	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Peritonitis (cause unknown).	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Digestive System.	·4	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·		1
Acute Nephritis ..	·6	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·		1
Chronic Bright's Disease	5·0	5	·	·	·	·	·	·	·	·	·	1	2	1	1	·		4
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ovarian Tumour (non-cancerous).	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		·
Other Diseases of Genito-urinary System.	·4	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1		2
Puerperal Septicæmia, &c.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other causes incident to Pregnancy and Childbirth.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Skin and Cellular Tissues.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Locomotor System.	·8	2	·	1	·	·	·	·	1	·	·	·	·	·	·	·		1
Congenital Malformations.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Premature Birth ..	3·6	3	3	·	·	·	·	·	·	·	·	·	·	·	·	·		3
Congenital Debility ..	4·0	4	3	1	·	·	·	·	·	·	·	·	·	·	·	·		4
Old Age	3·4	5	·	·	·	·	·	·	·	·	·	·	·	·	2	3		5
Other Specified Diseases	3·0	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·		1
VIOLENCE.																		
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Burns and Scalds ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Drowning	·2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		1
Suffocation in Bed, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Railways, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Vehicles and Horses ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Gunshot Wounds, &c.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Violent Deaths		1	·	·	·	·	·	·	·	1	·	·	·	·	·	·		1
Not included in above—																		
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suicide, ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ill-defined, &c., Causes,	3·4	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·		1

TABLE IV.—Showing for the WEEK ENDED 4TH OCTOBER, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
					DEATHS.								CAUSED BY																				
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	12·2	1·7	7	2	.	.	.	.	.	3	2	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	3	.	.	3	2
" 1, W., ...	41,100	25·4	1·3	20	5	1	.	.	3	4	2	5	.	.	.	.	1	.	.	.	1	.	3	.	1	.	.	.	14	.	3	5	.
" 2, ...	27,500	17·1	1·9	9	3	1	.	1	.	1	1	2	.	.	.	.	1	.	.	.	.	2	.	1	.	.	.	.	5	.	1	3	.
" 3, ...	34,100	19·9	1·5	13	.	.	2	.	1	3	3	4	.	.	.	.	.	.	1	.	1	1	.	1	.	.	.	.	9	.	2	4	1
CLONTARF AND HOWTH, No. 1, part of	5,500	9·5	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
COOLOCK AND DRUMCONDRA, part of ..	13,600	3·8	3·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
FINGLAS AND GLASNEVIN, part of ..	11,100	14·1	4·7	3	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.
South City.																																	
SOUTH CITY, No. 1, ..	43,000	25·5	2·4	21	3	3	1	.	.	5	5	4	.	.	.	.	.	.	.	.	3	2	1	1	3	2	.	.	9	.	.	9	.
" 2, ...	18,200	14·3	.	5	.	.	.	.	.	3	1	1	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	1	.	4	.	.
" 3, ...	43,300	13·2	.	11	1	.	1	.	2	3	1	3	.	.	.	.	.	.	.	.	3	.	1	1	2	.	.	.	4	.	2	.	2
" 4, ...	32,800	4·8	.	3	.	.	1	.	1	..	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	2	.	.
NEW KILMAINHAM, ...	10,300	10·1	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	14·6	.	11	.	.	.	.	2	1	3	5	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	2	4	2	.	.	.
PEMBROKE	29,500	12·4	.	7	.	.	.	.	.	1	3	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	5	.	.	.	.
BLACKROCK, ...	9,000	23·2	11·6	4	1	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	.	.	.	.
KINGSTOWN, ...	16,600	12·6	3·1	4	1	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	1	.	.
TOTAL CITY. North, ...	162,900	17·3	1·9	54	13	2	2	1	4	8	11	13	.	.	.	.	2	.	1	.	2	4	5	2	2	3	.	.	33	1	7	15	4
TOTAL CITY. South, ...	147,600	14·8	0·7	42	5	3	3	.	3	12	7	9	.	.	.	.	.	.	.	.	10	2	3	2	5	2	.	.	18	.	9	10	2
TOTAL CITY. North and South, ..	310,500	16·1	1·3	96	18	5	5	1	7	20	18	22	.	.	.	.	2	.	1	.	12	6	8	4	7	5	.	.	51	1	16	25	6
Total Urban Districts, ...	94,500	14·3	1·7	26	2	1	.	.	2	2	7	12	.	.	.	.	.	.	.	.	2	1	2	2	2	3	.	2	12	2	1	.	.
Total Registration Area, ..	405,000	15·7	1·4	122	20	6	5	1	9	22	25	34	.	.	.	.	2	.	1	.	14	7	10	6	9	8	.	2	63	3	17	25	6
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				12	2	1	.	.	2	2	2	3	.	.	.	.	.	.	.	.	.	2	3	1	.	.	.	.	6	.	9	3	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 4th October, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 4TH OCTOBER, 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	134	34	1	11	24	27	26	11	.	.	.	.	2	.	1	.	14	9	13	1	7	9	3	.	2	68	6
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	7·1	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS	101,798	15·4	30	3	.	1	3	9	10	4	.	.	.	.	.	.	.	.	2	1	6	.	3	2	1	.	.	15	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	10·6	22	5	.	3	5	3	5	1	.	.	.	.	.	.	.	.	4	1	1	.	1	1	2	.	.	12	2
IV.	GENERAL SERVICE CLASS	167,479	16·2	52	22	1	7	6	8	4	4	.	.	.	.	2	.	1	.	4	1	3	1	3	3	5	.	2	27	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	28	4	.	.	9	6	7	2	.	.	.	.	.	.	.	.	4	6	.	.	.	3	.	.	.	12	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	6 Clerks and Commercial Assistants,	33,249	—	12	3	.	1	.	6	1	1	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.	.	7	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	15	.	.	.	2	2	8	3	.	.	.	.	.	.	.	.	1	.	3	.	2	1	.	.	.	8	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	3	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.
	9. Building and Furnishing Trades, ..	28,823	—	8	2	.	2	2	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	5	1
	10 Clothing Trades, ...	20,026	—	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	11. Food Supply Trades, ...	8,952	—	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	6	.	.	.	2	2	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	4	1
	13. Petty Shopkeepers, ...	6,772	—	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	11	5	.	2	2	1	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	1	.	1	6	1
	15. Domestic Servants, ...	36,041	—	4	1	.	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	5	1	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	32	15	1	3	4	5	2	2	.	.	.	.	2	.	1	.	2	1	2	.	3	1	4	.	1	15	1
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	28	4	.	.	9	6	7	2	.	.	.	.	.	.	.	.	4	6	3	.	.	3	.	.	.	12	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.
No. of weeks in Annual Series ..	28	29	30	31	32	33	34	35	36	37	38	39	40	28	29	30	31	32	33	34	35	36	37	38	39	40
BIRTHS registered	198	178	207	233	190	160	226	171	190	194	215	192	199	178	220	238	204	182	173	211	241	219	183	186	190	224
Average Births in corresponding week of previous 10 years, ...	206	216	212	200	198	215	209	208	216	195	214	211	200	185	214	208	195	193	201	183	194	192	191	176	192	192
Number of Deaths, ...	102	70	89	92	99	111	124	142	153	134	97	117	122	90	84	92	79	73	82	127	129	112	100	111	112	107
Annual Death-rate per 1,000 ..	13·1	9·0	11·5	11·8	12·7	14·3	16·0	18·3	19·7	17·3	12·5	15·1	15·7	11·7	10·9	12·0	10·3	9·5	10·7	16·5	16·8	14·6	13·0	14·4	14·6	13·9
Average Deaths in corresponding week of previous 10 years, ...	142	132	131	127	129	139	138	143	143	145	145	147	149	123	114	111	106	105	114	119	122	118	113	121	113	104
Ages, .. Under one year, ..	9	11	9	16	19	29	38	48	46	29	21	27	29	11	12	19	12	12	14	32	41	26	26	17	25	20
1— 5 years, ..	3	3	6	5	5	20	9	10	7	7	6	8	11	6	5	3	5	6	5	11	9	5	8	15	11	11
5—25 ,, ..	14	10	11	5	7	5	10	14	11	13	13	13	10	17	10	7	11	11	13	17	16	12	19	20	22	13
25—45 ,, ..	17	9	14	13	17	12	19	9	15	12	13	11	22	13	14	22	17	9	14	23	15	22	6	12	9	13
45—65 ,, ..	29	22	24	27	27	27	24	25	30	32	22	30	25	21	31	23	19	12	18	25	26	28	30	21	22	31
65 and upwards, ..	30	15	25	26	24	18	24	36	44	41	22	28	34	22	12	18	15	23	18	19	22	19	11	26	23	19
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	1	.	.	.	1	1	1	1	.	1	.	.	.	.	.	.	.	1	2	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	1	1	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	.	.	.	.	2	.	.	1	1	2	3	1	2	.	1	1	1	3	2	2	6	5	4
Whooping-cough, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	.	.	2	.	.	.	.	1	.	1	1	.	1	.	1	.	1	.	.	1	.	1	.	1	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	2	3	4	3	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Tuberculosis { Pulmonary, ..	10	11	13	6	12	8	12	14	14	9	10	6	14	12	13	18	18	8	11	12	18	11	9	11	13	9
Tuberculosis { Other Forms, ..	3	5	7	5	5	7	6	2	9	8	2	6	7	3	8	6	2	7	7	4	1	1	5	5	7	3
Cancer, ...	12	6	4	8	10	8	5	8	9	13	9	16	10	5	7	2	5	1	6	5	3	8	6	9	6	6
Diseases of Respiratory System, { Pneumonia ..	8	5	4	2	5	2	6	5	10	7	5	5	6	8	5	3	5	3	3	4	4	6	4	4	2	9
Diseases of Respiratory System, { Others, ..	10	3	12	7	11	9	7	9	4	11	5	8	9	7	5	8	9	6	8	7	9	5	5	9	5	5
Diarrhœa and Enteritis, under 2 years, ...	3	6	2	4	12	28	26	37	24	7	9	9	8	.	1	1	2	2	6	16	30	12	10	8	13	13
Diarrhœa, 2 years and upwards..	.	1	1	.	1	2	3	3	1	2	1	.	.	.	1	.	1	.	.	8	7	5	8	10	7	2
Violent Deaths, ...	1	1	3	4	2	1	.	4	1	5	3	4	2	2	1	3	.	1	2	3	.	1	5	1	2	1
Number of Uncertified Deaths, ..	2	1	1	3	1	1	4	6	4	2	2	3	6	1	3	1	1	.	1	1	.	.	.	1	.	2
A Mean Maximum Temperature in degs.	65 6	64·3	67·1	66·5	69·9	73·1	68·4	60·1	65·3	72·4	66·3	59·2	59·0	63·7	62·6	65·1	65·6	68 1	72·2	68·0	58·6	65·4	66·0	59·7	55·4	58·9
B Mean Minimum ,, ,,	43·8	51·2	47·0	45·5	52·2	53·2	51·8	45·2	45·6	51·6	40·2	37·4	40·4	50·7	52·2	51·3	47 1	53·5	54·5	53·0	48·3	48·7	52·5	46·7	44·4	43·1
Mean of A and B ,, ,,	54·7	57·1	57·1	56·0	61·1	68·2	60·1	52·7	55·4	62·0	53·2	48·3	49·7	57·2	57·4	58·2	56·4	60·8	63·3	60·5	53·4	57·0	59·2	53·2	49·9	51·0
Rainfall in inches	0·18	0·04	0·46	0·13	0·10	0·08	0·59	1·15	0·98	0·15	0·07	0·79	0·39	0·02	0·23	0·01	0·13	0·29	0·43	0·48	1·78	1·52	1·60	0·19	0·39	0·92

TABLE VII.—Showing by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 4th October, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	14	6·6	·	2	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 2 do.	49,500	25	12·6	4·2	12	2	4	1	2	2	1	·	·	·	·	1	·	·	·	·	·	·	1	·	3	·	1	1	4	1
Do. 3 do.	50,032	38	9·4	2·1	9	3	·	1	·	1	4	·	·	·	·	·	·	·	·	1	·	·	1	·	2	·	·	·	·	·
Do. 4 do.	32,637	20	17·6	4·8	11	2		1	1	3	4	·	·	·	·	·	·	·	·	1	·	·	·	·	2	1	·	·	4	·
Do. 5 do.	16,112	12	29·1	6·5	9	1	2	2	1	2	1	·	·	·	·	2	·	·	·	·	1	1	1	1	·	·	·	·	5	·
Do. 6 do.	37,293	17	14·0	1·4	10	4	·	1	·	4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	4	·
Do. 7 do.	2,681	2	19·4	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	2	8·7	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Do. 9 do.	24,427	9	6·4	·	3	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
Do. 10 do.	28,958	16	12·6	·	7	2	·	·	1	3	1	·	·	·	·	·	·	·	·	1	1	2	·	1	·	·	·	·	2	·
Do. 11 do.	39,311	23	15·9	5·3	12	3	·	·	1	5	3	·	·	·	·	·	·	·	1	2	·	·	·	2	2	1	·	·	4	1
Do. 12 do.	38,076	24	24·6	2·7	18	3	2	5	3	2	3	·	·	·	·	·	·	·	·	3	1	1	2	1	2	·	·	·	5	·
Do. 13 do.	23,233	8	4·5	2·2	2	·	1	·	·	1	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	2	·
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	14	23·0	2·3	10	·	2	2	3	2	1	·	·	·	·	·	·	·	·	1	·	·	3	·	1	·	·	·	4	·
Total,	386,947	224	13·9	2·6	107	20	11	13	13	31	19	·	·	·	·	4	·	·	1	9	3	6	9	5	13	2	1	1	34	2
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	4	15·5	3·9	4	·	1	·	2	·	1	·	·	·	·	·	1	·	·	1	·	1	1	·	·	·	·	·	2	·
Do 2 do.	10,399	5	30·1	10·0	6	2	1	1	·	·	2	·	·	·	·	·	·	1	·	·	·	·	1	·	1	·	·	·	3	1
Do. 3 do.	9,793	10	21·3	5·3	4	2	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	1	·
Do. 4 do.	9,139	3	11·4	5·7	2	·	·	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	1	·
Do. 5 do.	6,250	5	8·3	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 6 do.	11,581	12	31·5	·	7	3	2	·	1	1	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	4	·
Do. 7 do	16,056	10	9·7	·	3	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	2	·
Total.	76,673	49	18·4	3·4	27	7	4	3	4	4	5	·	·	·	·	·	1	2	·	1	1	5	3	·	2	·	·	1	14	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 4th October, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	1	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.	3	7
" " 1, West ..	.	.	.	.	.	5	1	.	.	.	1	1	.	.	.	.	3	11
" " 2, ...	.	.	.	.	.	1	2	.	.	.	.	1	.	1	.	.	2	7
" " 3, ...	1	.	.	.	.	6	1	.	.	.	1	1	.	.	.	.	2	12
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	.	.	.	.	3	.	.	.	.	.	.	.	1	.	.	.	4
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	.	.	.	.	3	2	.	.	.	1	4	.	1	.	.	1	12
" " " 2, ...	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.	.	1	4
" " " 3, ...	.	.	.	.	.	4	2	.	.	.	.	1	.	.	.	.	2	9
" " " 4, ...	1	.	.	.	.	2	1	.	1	.	15	.	.	.	.	.	1	21
New Kilmainham, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Total, ...	4	.	.	.	.	28	9	.	2	.	18	8	.	5	.	.	15	89

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 4th October, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 4th October.			
	Sept. 13.	Sept. 20.	Sept. 27.	No. admitted	Dis charged.	Died.	No under treatment at close of week.
Enteric Fever, ...	12	18	24	6	6		24
Typhus, ...	5	3	.	.	.		.
Small-pox, ...	.	.	.	.	.	.	
Measles, ...	3	2	2	.	2	.	.
Scarlet Fever, ...	81	95	110	40	16	2	132*
Diphtheria, ...	18	16	24	12	8	2	26
Pneumonia, ...	11	10	12	5	4	.	13

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13181). Wt. 4739. 3. 380. 10. 1919. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd. 116, Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1;
37, Peter Street, Manchester; 1, St Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 41. Vol. LVI.] Week ending Saturday, 11th October, 1919. [Price 1½*d.*

General Register Office, Charlemont House
Dublin, 13th October, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 13·4 and 14·2; Dublin Registration Area, 14·4 and 14·4; Dublin City, 14·9 and 14·9; Belfast, 13·5 and 14·1; Cork, 16·3 and 17·2; Londonderry, 14·0 and 13·4; Limerick, 12·2 and 13·5; and Waterford, 7·6 and 13·3.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·2 per 1,000. Among the 104 deaths from all causes for Belfast are one from enteric fever, one from measles, one from scarlet fever, one from whooping cough, one from dysentery, and 4 from diarrhœal diseases. Of the 24 deaths from all causes for Cork, 2 are from diphtheria and one from diarrhœa and enteritis of a child under 2 years, and of the 9 deaths from all causes for Limerick, 2 are from diarrhœa and enteritis of children under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 251—132 boys and 119 girls—and the deaths to 119—56 males and 63 females.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 14·4 per 1,000 of the population. During the forty-one weeks ending with Saturday last, the death-rate averaged 22·3 and was 1·4 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the forty-one weeks was 24·1 and for the corresponding period of the preceding ten years 22·1.

Of the 112 deaths appertaining to the Area, one was from scarlet fever, one from diphtheria, 2 from dysentery, 8 from diarrhœal diseases, and 2 from influenza.

In the 3 preceding weeks deaths from scarlet fever numbered one, one, and 2; deaths from diphtheria one, 0, and one; deaths from dysentery 4, 3, and 0; deaths from diarrhœal diseases 10, 9, and 8, and deaths from influenza one, 0, and 2.

Deaths attributed to pneumonia were 6 (comprising one from broncho-pneumonia, 3 from lobar pneumonia, and 2 from pneumonia, type not distinguished), as against 5, 5, and 6 in the 3 weeks preceding.

Tuberculous disease caused 20 deaths (comprising 10 from pulmonary tuberculosis, 3 from tuberculous meningitis, and 7 from other forms of tuberculous disease), as against 12, 12, and 21, in the three weeks preceding.

Seven deaths were caused by cancer, 2 by meningitis, 6 by organic diseases of the heart, and 13 by bronchitis.

Among deaths of infants under one year old, 2 were due to convulsions, 5 to diarrhœa and enteritis, one to congenital malformation, 4 to premature birth and one to congenital debility.

Nineteen of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 16 being infants under one year, of whom 7 were under one month old, and 37 deaths were those of persons aged 65 and upwards, of whom 28 were 70 years of age or over.

Of the 112 deaths recorded, 49 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 11th October, in 96 large English towns (including London, in which the rate was 13·0) was equal to an average annual death rate of 12·2 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 10·2 per 1,000 persons living, the rate for Glasgow being 10·1 and for Edinburgh 11·0.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 11th October. From this Report it appears that of 96 cases notified, 55 were scarlet fever, 18 diphtheria, 14 pulmonary tuberculosis, 5 other forms of tuberculosis, and 4 erysipelas. Among the 501 cases of infectious diseases in hospital at the close of the week were 236 of scarlet fever, 139 of pulmonary tuberculosis, 70 of diphtheria, 17 of measles, 8 of erysipelas, 8 of whooping-cough, 2 of enteric fever, 2 of puerperal fever, and one of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 11th October, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Sept. 20	3	·	·	·	·	—	25	—	1	2	—	·	—	23	10	·	3	·	·	13	80
	Sept. 27	2	·	·	·	·	—	18	—	6	3	—	·	—	30	12	1	3	·	·	17	92
	Oct. 4	4	·	·	·	·	—	28	—	9	2	—	·	—	18	8	·	5	·	·	15	89
	Oct. 11	3	·	1	·	·	—	45	—	3	2	—	·	—	16	4	·	7	·	·	17	98
Rathmines & Rathgar Urban District	Sept. 20	3	·	·	·	·	—	1	—	1	·	—	·	—	·	8	·	·	·	·	—	13
	Sept. 27	·	·	·	·	·	—	·	—	3	·	—	·	—	·	4	·	·	·	·	—	7
	Oct. 4	·	·	·	·	·	—	1	—	1	1	—	·	—	·	·	·	·	·	·	—	3
	Oct. 11	2	·	·	·	·	—	3	—	·	·	—	·	—	·	2	·	·	·	·	—	7
Pembroke Urban District	Sept. 20	·	·	·	·	·	·	·	·	·	·	1	·	—	1	1	·	·	·	·	·	3
	Sept. 27	·	·	·	·	·	·	·	2	·	·	·	·	—	2	·	·	·	·	·	·	4
	Oct. 4	·	·	·	·	·	·	1	·	·	1	·	·	—	·	1	·	·	·	·	·	3
	Oct. 11	1	·	·	·	·	·	10	·	·	·	·	·	—	3	·	·	·	·	·	·	14
Blackrock Urban District	Sept. 20	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Sept. 27	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Oct. 4	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Oct. 11	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	Sept. 20	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	—	·	·	1
	Sept. 27	·	·	·	·	·	—	3	—	·	·	—	·	—	·	·	·	1	—	·	·	4
	Oct. 4	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Oct. 11	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
City of Belfast	Sept. 20	3	·	·	·	·	—	113	—	6	1	—	1	—	·	·	·	·	·	·	·	124
	Sept. 27	9	·	·	·	·	—	126	—	5	2	—	·	—	·	·	·	·	·	·	1	143
	Oct. 4	12	·	1	·	·	—	148	—	8	3	—	·	—	·	·	·	·	·	·	·	172
	Oct. 11	10	·	·	·	·	—	176	—	6	1	—	2	—	·	·	·	·	·	·	·	195
City of Cork	Sept. 20	·	3	·	·	·	·	·	—	3	·	—	1	9	·	·	·	·	—	·	—	16
	Sept. 27	·	·	·	·	·	·	1	—	12	1	—	·	3	·	·	·	·	—	·	—	17
	Oct. 4	·	1	·	·	·	·	1	—	11	1	—	·	1	·	·	·	·	—	·	—	15*a*
	Oct. 11	2	·	·	·	·	·	·	—	25	·	—	·	·	·	·	·	1	—	·	—	28*b*
City of Londonderry	Sept. 20	1	·	·	·	·	—	3	—	·	·	—	·	—	·	·	·	·	·	—	—	4
	Sept. 27	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	—	—	1
	Oct. 4	·	·	·	·	·	—	7	—	1	·	—	·	—	·	·	·	·	·	—	—	8
	Oct. 11	·	·	·	·	·	—	6	—	·	·	—	·	—	·	·	·	·	·	—	—	6
City of Limerick	Sept. 20	1	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Sept. 27	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Oct. 4	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Oct. 11	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
City of Waterford	Sept. 20	4	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	—	—	·	5
	Sept. 27	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Oct. 4	·	·	·	·	·	—	·	—	1	1	—	·	—	·	·	·	·	—	—	2	4
	Oct. 11	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

(*a*) Not including one case of varicella.
(*b*) Not including 2 cases of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 11th October, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 3 and 21; scarlet fever 45 and 161*; and diphtheria 4 and 24. Nine cases of pneumonia were admitted during the week and 16 remained under treatment at its close. Of the deaths in hospital during the week one was from diphtheria and 2 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 11th October, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 11th October 1919. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Meteorology. (c) Week ending 11th October, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	28·7	13·4	1·2	629	294	37	82	1	·	·	1	2	1	3	3	32	20	18	13	29	13	3	1	1	94	11	·	·	·	·	·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	32·3	14·4	1·5	251	112	16	37	·	·	·	·	1	·	1	2	10	10	7	6	14	6	2	·	·	49	2	(d) 69·2	38·6	63·9	45·4	54·6	0·41
Urban Districts. CITY OF DUBLIN,	310,500	38·0	38·0	14·9	1·7	226	89	13	24	·	·	·	·	1	·	1	1	9	8	5	5	12	5	2	·	·	43	1	(e) 66·4 (f) 70·0	43·0 41·0	58·8 59·6	49·7 47·6	54·3 53·6	0·31 0·35
Urban Districts. RATHMINES and RATHGAR	39,400	23·0	6·6	6·6	·	5	5	·	3	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,500	18·8	28·3	17·7	1·8	16	10	·	7	·	·	·	·	·	·	·	1	·	1	·	1	1	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,000	8·3	11·6	11·6	5·8	2	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,600	11·4	6·3	18·8	·	2	6	2	2	·	·	·	·	·	·	·	·	·	1	2	·	1	·	·	·	·	1	1	69	42	61·6	50·0	55·8	0·28
Urban Districts. BELFAST, ..	401,000	26·8	29·0	13·5	1·2	223	104	13	24	1	·	·	1	1	1	·	1	14	5	7	3	11	3	1	·	·	28	2	62·0	44·0	58·3	50·1	54·2	0·06
Urban Districts. CORK, ...	76,673	28·6	25·2	16·3	2·0	37	24	3	3	·	·	·	·	·	·	2	·	2	2	·	2	1	1	·	·	·	7	2	65	41	59·7	49·4	54·6	0·20
Urban Districts. LONDONDERRY, ..	41,000	15·9	34·3	14·0	1·3	27	11	1	3	·	·	·	·	·	·	·	·	2	·	·	1	·	1	·	1	1	1	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	24·4	12·2	2·7	18	9	1	2	·	·	·	·	·	·	·	·	·	1	1	·	·	2	·	·	·	1	1	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	15·2	7·6	·	8	4	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5				4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	64	40	60	48·4	54·2	0·02
Urban Districts. DUNDALK, ..	13,128	9·5				8	2	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				4	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	63·3	40·1	57·1	46·3	51·7	0·47
Urban Districts. DROGHEDA, ..	12,501	8·4				2	3	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				6	4	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	62	38	56·1	45·7	50·9	0·26
Urban Districts. NEWRY, ...	11,963	17·0				8	2	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	63·3	40·1	57·1	46·3	51·7	0·47
Urban Districts. PORTADOWN, ..	11,727	15·3				3	4	·	1	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	1	·	63·3	40·1	57·1	46·3	51·7	0·47
Urban Districts. WEXFORD, ..	11,531	22·8				7	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				5	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	67	42	60	49	54·5	0·41
Urban Districts. KILKENNY, ..	10,514	11·4				4	4	·	2	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	2	·	69	41	59·5	49·7	54·6	0·13
Urban Districts. TRALEE, ...	10,300	17·4				8	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				3	2	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	·	·	·	·	·	·	·
LONDON	4,206,901	—	—	13·0	—	1,886	1,002	197	318	2	—	·	8	2	12	20	—	89	17	104	53	18	84	14	38	75	680	·	64	33	56·9	42·7	49·8	·
EDINBURGH ...	336,500	—	—	11·0	—	132	71	8	31	·	·	·	1	·	1	3	—	—	—	—	—	—	—	—	5	—	—	—	65·0	37·0	55·3	43·4	49·4	0·13
GLASGOW	1,118,700	—	—	10·1	—	612	216g	34	48	1	·	·	2	·	1	5	—	—	—	—	—	—	7	—	12	—	—	—	62·0	37·7	55·4	45·0	50·2	0·08

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 41st Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 11th October, 1919.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.														
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
ALL CAUSES.	156·6	119	7	9	2	1	9	3	2	4	7	9	13	16	19	18	112
Enteric Fever ..	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·4	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Whooping-cough ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·0	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	5·8	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	2
Dysentery	·4	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	16·2	10	.	.	.	.	.	1	.	1	2	2	1	1	2	.	10
Tuberculous Meningitis	2·6	3	.	.	.	.	2	.	1	.	.	.	.	.	.	.	3
Abdominal Tuberculosis	1·8	3	.	1	.	.	.	.	.	.	.	1	1	.	.	.	3
Tuberculosis of the Spinal Column.	·4	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Tuberculosis of Joints	·4	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Tuberculosis of other Organs.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·4	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	2
Venereal Diseases ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	10·8	8	.	.	.	.	.	.	.	.	.	1	2	2	1	2	7
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Other General Diseases	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	2·0	2	.	.	.	.	1	.	.	.	.	.	1	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	4·4	7	.	.	.	.	.	.	.	.	.	.	.	3	3	1	7
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·4	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Epilepsy, ...	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Convulsions (non-puerperal).	2·8	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	3·0	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	14·4	6	.	.	.	.	.	.	.	.	.	.	1	1	1	3	6
Embolism and Thrombosis (including Cerebral).	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·4	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	11·4	13	.	.	.	.	.	.	.	.	.	.	1	2	5	5	13
Broncho-pneumonia ..	3·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Lobar pneumonia ..	3·0	3	.	.	.	.	1	.	.	.	.	.	.	1	.	1	3
Pneumonia (type not distinguished).	6·0	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	·8	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1

in the FORTY-FIRST WEEK, ending Saturday, 11th October, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 41st Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 11th October, 1919.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.														
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
Diseases of the Pharynx Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	2·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diarrhœa and Enteritis of Children under 2 years.	11·4	6	·	5	1	·	·	·	·	·	·	·	·	·	·	·	6
Diarrhœa 2 years and upwards.	1·0	2	·	·	·	1	·	·	·	·	·	·	·	1	·	·	2
Enteritis 2 years and upwards.	2·2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Appendicitis and Typhlitis.	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	1·6	3	·	·	·	·	·	·	·	·	·	1	·	1	1	·	2
Cirrhosis of Liver ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Peritonitis (cause unknown).	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Other Diseases of Digestive System.	1·4	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1
Acute Nephritis ..	1·2	3	·	·	·	·	·	·	·	1	·	·	2	·	·	·	2
Chronic Bright's Disease	3·2	5	·	·	·	·	·	·	·	·	·	·	·	1	2	2	5
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Puerperal Septicæmia, &c.	·6	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·	2	·	·	·	·	·	·	·	·	2	·	·	·	·	·	1
Diseases of Skin and Cellular Tissues.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Locomotor System.	·4	4	·	1	·	·	2	·	·	1	·	·	·	·	·	·	4
Congenital Malformations.	1·0	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Premature Birth ..	2·4	4	4	·	·	·	·	·	·	·	·	·	·	·	·	·	4
Congenital Debility ..	3·0	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Old Age	5·8	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	2
Other Specified Diseases	2·4	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
VIOLENCE.																	
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	3·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Not included in above—																	
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·

TABLE IV.—Showing for the WEEK ENDED 11TH OCTOBER, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 11TH OCTOBER, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes	From certain Epidemic Diseases*	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	22·6	3·5	13	1	1	1	2	1	2	4	1	.	.	.	.	.	.	.	.	1	3	.	.	1	1	1	.	6	.	2	2	.
" 1, W., ...	41,100	20·3	2·5	16	2	1	.	3	1	3	1	5	.	.	.	.	.	.	.	.	1	.	1	1	3	2	.	.	8	.	2	6	.
" 2, ...	27,500	11·4	.	6	.	.	.	.	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	2	.	.	1	.
" 3, ...	34,100	15·3	1·5	10	3	.	.	.	1	.	2	4	.	.	.	.	1	.	.	.	2	1	.	1	1	.	.	.	4	.	.	3	.
CLONTARF AND HOWTH, No. 1, part of	5,500	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
COOLOCK AND DRUMCONDRA, part of ..	13,600	15·3	.	4	.	.	.	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	1	.	.
FINGLAS AND GLASNEVIN, part of ..	11,100	14·1	4·7	3	1	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	1	.	.
South City.																																	
SOUTH CITY, No. 1, ..	43,000	9·7	1·2	8	3	.	.	.	1	.	2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	5	.	2	2	.
" 2, ...	18,200	11·5	.	4	.	.	.	.	1	.	1	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2	.	2	2	.
" 3, ...	43,300	18·1	2·4	15	3	.	.	2	.	1	3	6	.	.	.	.	.	.	1	.	2	.	1	.	5	.	1	.	5	.	8	1	1
" 4, ...	32,800	12·7	1·6	8	.	.	.	3	.	1	4	.	.	.	.	.	.	.	.	1	.	3	1	1	.	.	.	.	2	.	5	1	.
NEW KILMAINHAM, ...	10,300	10·1	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	2	.	.
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	6·6	.	5	.	.	.	.	.	.	2	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	4	.	1	1	.
PEMBROKE	29,500	17·7	1·8	10	.	.	.	.	1	.	2	7	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.	6	.	3	.	.
BLACKROCK, ...	9,000	11·6	5·8	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
KINGSTOWN, ...	16,600	18·8	.	6	2	.	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	2	.	.	1	1
TOTAL CITY. North, ...	162,900	16·6	1·9	52	7	2	1	6	3	8	11	14	.	.	.	.	1	.	.	.	4	5	1	4	7	4	1	.	25	.	6	12	.
TOTAL CITY. South, ...	147,600	13·1	1·4	37	6	.	.	5	2	4	10	10	.	.	.	.	.	.	1	1	5	3	4	1	5	1	1	.	15	.	19	6	1
TOTAL CITY. North and South, ..	310,500	14·9	1·7	89	13	2	1	11	5	12	21	24	.	.	.	.	1	.	1	1	9	8	5	5	12	5	2	.	40	.	25	18	1
Total Urban Districts, ...	94,500	12·7	1·1	23	3	.	.	.	1	1	5	13	.	.	.	.	.	.	.	1	1	2	2	1	2	1	.	.	13	.	4	2	1
Total Registration Area, ..	405,000	14·4	1·5	112	16	2	1	11	6	13	26	37	.	.	.	.	1	.	1	2	10	10	7	6	14	6	2	.	53	.	29	20	2
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				7	.	.	.	1	.	3	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	4	.	7	.	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 11th October, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 11TH OCTOBER, 1919.

CLASS	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	119	19	12	6	16	29	19	18	.	.	.	.	1	.	2	2	10	10	8	2	6	15	6	2	.	55	2
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	14·2	4	.	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
II.	MIDDLE CLASS	101,798	13·3	26	2	2	2	5	6	4	5	.	.	.	.	1	.	.	1	.	1	4	.	2	3	.	.	.	14	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	11·1	23	4	1	1	4	6	3	4	.	.	.	.	.	.	1	.	3	2	.	1	.	3	3	1	.	9	1
IV.	GENERAL SERVICE CLASS	167,479	14·3	46	12	9	2	6	9	5	3	.	.	.	.	.	.	1	1	5	7	2	1	3	3	2	1	.	20	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	20	1	.	1	1	6	6	5	.	.	.	.	.	.	.	.	2	.	1	.	1	5	1	.	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	6	.	.	1	1	.	2	2	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	9	1	.	.	1	4	1	2	.	.	.	.	.	.	.	.	.	.	2	.	2	1	.	.	.	4	.
	6. Clerks and Commercial Assistants,	33,249	—	7	1	2	1	1	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	4	.	.	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	3	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	9. Building and Furnishing Trades, ..	28,823	—	5	1	.	.	1	1	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1	.	.	1	.
	10 Clothing Trades, ...	20,026	—	5	1	.	1	1	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	1	.	1	.
	11. Food Supply Trades, ...	8,952	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	7	1	1	.	2	2	.	1	.	.	.	.	.	.	1	.	.	1	.	.	.	2	1	.	.	2	.
	13. Petty Shopkeepers, ...	6,772	—	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1
IV.	GENERAL SERVICE CLASS.																													
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	8	3	2	.	1	.	2	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	1	.	3	1
	15. Domestic Servants, ...	36,041	—	5	.	.	.	1	2	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	5	2	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	28	7	6	1	4	6	3	1	.	.	.	.	.	.	.	.	4	4	2	.	2	3	2	.	.	11	.
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	20	1	.	1	1	6	6	5	.	.	.	.	.	.	.	.	2	.	1	.	1	5	1	.	.	10	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

———	Dublin Registration Area.													Belfast City.												
WEEK ENDING	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.
No. of weeks in Annual Series ..	29	30	31	32	33	34	35	36	37	38	39	40	41	29	30	31	32	33	34	35	36	37	38	39	40	41
BIRTHS registered	178	207	233	190	160	226	171	190	194	215	192	199	251	220	238	204	182	173	211	241	219	183	186	190	224	223
Average Births in corresponding week of previous 10 years, ...	216	212	200	198	215	209	208	216	195	214	211	200	190	214	208	195	193	201	183	194	192	191	176	192	192	203
Number of Deaths, ...	79	89	92	99	111	124	142	153	134	97	117	122	112	84	92	79	73	82	127	129	112	100	111	112	107	104
Annual Death-rate per 1,000 ..	9·0	11·5	11·8	12·7	14·3	16·0	18·3	19·7	17·3	12·5	15·1	15·7	14·4	10·9	12·0	10·3	9·5	10·7	16·5	16·8	14·6	13·0	14·4	14·6	13·9	13·5
Average Deaths in corresponding week of previous 10 years, ...	132	131	127	129	139	138	143	143	145	145	147	149	149	114	111	106	105	114	119	122	118	113	121	113	104	111
Ages, .. Under one year, ..	11	9	16	19	29	38	48	46	29	21	27	29	16	12	19	12	12	14	32	41	26	26	17	25	20	13
1— 5 years, ..	3	6	5	5	20	9	10	7	7	6	8	11	3	5	3	5	6	5	11	9	5	8	15	11	11	5
5—25 „ ..	10	11	5	7	5	10	14	11	13	13	13	10	17	10	7	11	11	13	17	16	12	19	20	22	13	17
25—45 „ ..	9	14	13	17	12	19	9	15	12	13	11	22	13	14	22	17	9	14	23	15	22	6	12	9	13	17
45—65 „ ..	22	24	27	27	27	24	25	30	32	22	30	25	26	31	23	19	12	18	25	26	28	30	21	22	31	28
65 and upwards, ..	15	25	26	24	18	24	36	44	41	22	28	34	37	12	18	15	23	18	19	22	19	11	26	23	19	24
Deaths from :—																										
Enteric Fever, ...	·	·	·	1	·	·	·	1	1	1	1	·	·	·	·	·	·	·	·	·	1	2	·	1	·	1
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	·	·	·	1	1	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1
Scarlet Fever, ...	·	·	·	·	·	·	2	·	·	1	1	2	1	1	2	·	1	1	1	3	2	2	6	5	4	1
Whooping-cough, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Diphtheria, ...	·	2	·	·	·	·	1	·	1	1	·	1	1	1	·	1	·	·	1	·	1	·	1	1	·	·
Dysentery, ...	·	·	·	·	·	·	·	2	3	4	3	·	2	·	·	·	·	·	·	1	·	·	·	·	1	1
Tuberculosis { Pulmonary, ..	11	13	6	12	8	12	14	14	9	10	6	14	10	13	18	18	8	11	12	18	11	9	11	13	9	14
Tuberculosis { Other Forms, ..	5	7	5	5	7	6	2	9	8	2	6	7	10	8	6	2	7	7	4	1	1	5	5	7	3	5
Cancer, ...	6	4	8	10	8	5	8	9	13	9	16	10	7	7	2	5	1	6	5	3	8	6	9	6	6	7
Diseases of Respiratory System, { Pneumonia ..	5	4	2	5	2	6	5	10	7	5	5	6	6	5	3	5	3	3	4	4	6	4	4	2	9	3
Diseases of Respiratory System, { Others, ..	3	12	7	11	9	7	9	4	11	5	8	9	14	5	8	9	6	8	7	9	5	5	9	5	5	11
Diarrhœa and Enteritis, under 2 years, ...	6	2	4	12	28	26	37	24	7	9	9	8	6	1	1	2	2	6	16	30	12	10	8	13	13	3
Diarrhœa, 2 years and upwards..	1	1	·	1	2	3	3	1	2	1	·	·	2	1	·	1	·	·	8	7	5	8	10	7	2	1
Violent Deaths, ...	1	3	4	2	1	·	4	1	5	3	4	2	·	1	3	·	1	2	3	·	1	5	1	2	1	·
Number of Uncertified Deaths, ..	1	1	3	1	1	4	6	4	2	2	3	6	2	3	1	1	·	1	1	·	·	·	1	·	2	2
A Mean Maximum Temperature in degs.	64·3	67·1	66·5	69·9	73·1	68·4	60·1	65·3	72·4	66·3	59·2	59·0	63·9	62·6	65·1	65·6	68·1	72·2	68·0	58·6	65·4	66·0	59·7	55·4	58·9	58·3
B Mean Minimum „ „	51·2	47·0	45·5	52·2	53·2	51·8	45·2	45·6	51·6	40·2	37·4	40·4	45·4	52·2	51·3	47·1	53·5	54·5	53·0	48·3	48·7	52·5	46·7	44·4	43·1	50·1
Mean of A and B „ „	57·1	57·1	56·0	61·1	68·2	60·1	52·7	55·4	62·0	53·2	48·3	49·7	54·6	57·4	58·2	56·4	60·8	63·3	60·5	53·4	57·0	59·2	53·2	49·9	51·0	54·2
Rainfall in inches	0·04	0·46	0·13	0·10	0·08	0·59	1·15	0·98	0·15	0·07	0·79	0·39	0·41	0·23	0·01	0·13	0·29	0·43	0·48	1·78	1·52	1·60	0·19	0·39	0·92	0·06

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 11th October, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	10	6·6	·	2	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Do. 2 do.	49,500	23	12·6	1·1	12	3	·	3	1	4	1	·	·	·	·	·	1	·	·	1	1	2	·	·	·	·	·	·	1	1
Do. 3 do.	50,032	23	13·5	·	13	·	1	4	4	3	1	·	·	·	·	·	·	·	·	3	1	1	·	1	·	·	·	·	3	1
Do. 4 do.	32,637	16	11·2	·	7	1	·	1	3	1	1	·	·	·	·	·	·	·	·	1	1	·	·	2	·	·	·	·	2	·
Do. 5 do.	16,112	15	25·9	·2	8	1	1	·	3	3	·	·	·	·	1	·	·	·	·	3	·	1	·	2	·	·	·	·	3	·
Do. 6 do.	37,293	15	18·2	1·4	13	·	·	·	·	5	8	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	4	·
Do. 7 do.	2,681	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	·	8·7	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 9 do.	24,427	14	2·1	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 10 do.	28,958	27	21·6	·	12	1	·	5	2	2	2	·	·	·	·	·	·	·	·	4	·	1	·	1	·	·	·	·	4	·
Do. 11 do.	39,311	27	9·3	2·7	7	2	·	·	1	3	1	·	·	·	·	·	·	·	·	·	1	·	·	·	1	1	·	·	2	·
Do. 12 do.	38,076	25	15·1	2·7	11	3	·	1	·	3	4	·	·	·	·	·	·	·	1	·	·	·	·	1	1	·	·	·	1	·
Do. 13 do.	23,233	9	15·7	·	7	·	·	2	2	2	1	·	·	·	·	·	·	·	·	2	·	·	1	·	·	·	·	·	·	·
Do. 14 do.	175	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	17	23·0	4·6	10	2	3	1	1	·	3	·	·	·	·	1	·	·	·	·	1	1	1	2	1	·	·	·	4	·
Total,	386,947	223	13·5	1·2	104	13	5	17	17	28	24	1	·	·	1	1	1	·	1	14	5	7	3	11	3	1	·	·	28	2
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	5	27·1	7·8	7	·	2	4	·	1	·	·	·	·	·	·	·	2	·	·	·	·	1	·	·	·	·	·	3	·
Do. 2 do.	10,399	4	10·0	·	2	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Do. 3 do.	9,793	10	42·6	·	8	1	2	·	1	2	2	·	·	·	·	·	·	·	·	2	·	·	1	·	·	·	·	·	3	1
Do. 4 do.	9,139	5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 5 do.	6,250	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 6 do.	11,581	6	9·0	4·5	2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·
Do. 7 do.	16,056	5	16·2	·	5	·	·	2	2	1	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·
Total.	76,673	37	16·3	2·0	24	3	4	6	3	5	3	·	·	·	·	·	·	2	·	2	2	·	2	1	1	·	·	·	7	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 11th October, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	7	.	.	1	.	.	.	.	1	.	.	1	10
" " 1, West ..	.	.	.	.	.	4	.	.	.	.	.	.	.	3	.	.	3	10
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	1	1
" " 3, ...	2	.	.	.	.	7	1	.	.	.	.	.	.	1	.	.	2	13
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.	.	1	5
" " " 2, ...	.	.	.	.	.	3	.	.	.	.	.	.	.	1	.	.	.	4
" " " 3, ...	.	.	1	.	.	8	1	.	1	.	.	1	.	1	.	.	6	19
" " " 4, ...	1	.	.	.	.	10	.	.	.	.	15	1	.	.	.	.	1	28
New Kilmainham, ...	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	2	6
Total, ...	3	.	1	.	.	45	3	.	2	.	16	4	.	7	.	.	17	98

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 11th October, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 11th October.			
	Sept. 20.	Sept. 27.	Oct. 4.	No. admitted	Dis-charged	Died.	No. under treatment at close of week.
Enteric Fever, ...	18	24	24	3	6	.	21
Typhus, ...	3	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	2	2	.	.	.	.	.
Scarlet Fever, ...	95	110	132	45	16	.	161*
Diphtheria, ...	16	24	26	4	5	1	24
Pneumonia, ...	10	12	13	9	4	2	16

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13194). Wt. 4739. 3 380. 10. 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD. 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 42. VOL. LVI.] WEEK ENDING SATURDAY, 18TH OCTOBER, 1919. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 20th October, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 14·8 and 14·3; Dublin Registration Area, 15·6 and 15·2; Dublin City, 17·0 and 16·0; Belfast, 13·5 and 13·9; Cork, 19·7 and 17·7; Londonderry, 20·3 and 14·6; Limerick, 14·9 and 12·9; and Waterford, 13·3 and 13·8.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·0 per 1,000. Among the 104 deaths from all causes for Belfast are one from enteric fever, 9 from scarlet fever, and 11 from diarrhœal diseases. Of the 29 deaths from all causes for Cork, 5 are from diphtheria and one from diarrhœa and enteritis of a child under 2 years. The 11 deaths from all causes for Limerick include 2 from diarrhœa and enteritis of children under 2 years, and one of the 2 deaths recorded for Newry is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 203—104 boys and 99 girls—and the deaths to 128—69 males and 59 females.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·6 per 1,000 of the population. During the forty-two weeks ending with Saturday last, the death-rate averaged 22·1 and was 1·2 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the forty-two weeks was 23·9 and for the corresponding period of the preceding ten years 22·2.

Of the 121 deaths appertaining to the Area, one was from dysentery, and 9 were from diarrhœal diseases.

In the 3 preceding weeks, deaths from dysentery numbered 3, 0, and 2, and deaths from diarrhœal diseases 9, 8, and 8.

Deaths attributed to pneumonia were 8 (comprising 3 from broncho-pneumonia one from lobar pneumonia, and 4 from pneumonia, type not distinguished), as against 5, 6, and 6 in the 3 weeks preceding.

Tuberculous disease caused 15 deaths (comprising 11 from pulmonary tuberculosis, one from tuberculous meningitis, and 3 from other forms of tuberculous disease), as against 12, 21, and 20, in the three weeks preceding.

Seven deaths were caused by cancer, 10 by organic diseases of the heart, and 7 by bronchitis.

Among deaths of infants under one year old, 3 were due to convulsions, 8 to diarrhœa and enteritis, 5 to premature birth, and 2 to congenital debility.

There were 2 accidental deaths, and one case of suicide.

Thirty-four of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 27 being infants under one year, of whom 15 were under one month old, and 35 deaths were those of persons aged 65 and upwards, of whom 27 were 70 years of age or over.

Of the 121 deaths recorded, 52 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 18th October, in 96 large English towns (including London, in which the rate was 14·7) was equal to an average annual death rate of 12·5 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 12·3 per 1,000 persons living, the rate for Glasgow being 11·4 and for Edinburgh 15·0.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 18th October. From this Report it appears that of 151 cases notified, 98 were scarlet fever, 19 pulmonary tuberculosis, 11 other forms of tuberculosis, 14 diphtheria, 8 erysipelas, and one puerperal fever. Among the 573 cases of infectious diseases in hospital at the close of the week were 310 of scarlet fever, 141 of pulmonary tuberculosis, 69 of diphtheria, 12 of measles, 9 of erysipelas, 5 of whooping-cough, and 2 of enteric fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 18th October, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Sept. 27	2	·	·	·	·	—	18	—	6	3	—	·	—	30	12	1	3	·	·	17	92
	Oct. 4	4	·	·	·	·	—	28	—	9	2	—	·	—	18	8	·	5	·	·	15	89
	Oct. 11	3	·	1	·	·	—	45	—	3	2	—	·	—	16	4	·	7	·	·	17	98
	Oct. 18	·	·	1	·	·	—	23	—	6	3	—	·	—	9	21	·	2	1	·	23	89
Rathmines & Rathgar Urban District	Sept. 27	·	·	·	·	·	—	·	—	3	·	—	·	—	·	4	·	·	·	·	—	7
	Oct. 4	·	·	·	·	·	—	1	—	1	1	—	·	—	·	·	·	·	·	·	—	3
	Oct. 11	2	·	·	·	·	—	3	—	·	·	—	·	—	·	2	·	·	·	·	—	7
	Oct. 18	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
Pembroke Urban District	Sept. 27	·	·	·	·	·	·	·	2	·	·	·	·	—	2	·	·	·	·	·	·	4
	Oct. 4	·	·	·	·	·	·	1	·	·	1	·	·	—	·	1	·	·	·	·	·	3
	Oct. 11	1	·	·	·	·	·	10	·	·	·	·	·	—	3	·	·	·	·	·	·	14
	Oct. 18	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
Blackrock Urban District	Sept. 27	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Oct. 4	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Oct. 11	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Oct. 18	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	Sept. 27	·	·	·	·	·	—	3	—	·	·	—	·	—	·	·	·	1	—	·	·	4
	Oct. 4	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Oct. 11	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Oct. 18	·	·	·	·	·	—	1	—	1	·	—	·	—	·	1	·	·	—	·	·	3
City of Belfast	Sept. 27	9	·	·	·	·	—	126	—	5	2	—	·	—	·	·	·	·	·	·	1	143
	Oct. 4	12	·	1	·	·	—	148	—	8	3	—	·	—	·	·	·	·	·	·	·	172
	Oct. 11	10	·	·	·	·	—	176	—	6	1	—	2	—	·	·	·	·	·	·	·	195
	Oct. 18	1	·	·	·	·	—	185	—	4	4	—	2	—	·	·	·	·	·	·	·	196
City of Cork	Sept. 27	·	·	·	·	·	·	1	—	12	1	—	·	3	·	·	·	·	—	·	—	17
	Oct. 4	·	1	·	·	·	·	1	—	11	1	—	·	1	·	·	·	·	—	·	—	15*a*
	Oct. 11	2	·	·	·	·	·	·	—	25	·	—	·	·	·	·	·	1	—	·	—	28*b*
	Oct. 18	1	·	·	·	·	·	·	—	20	·	—	·	1	·	·	·	·	—	·	—	22*c*
City of Londonderry	Sept. 27	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	—	—	1
	Oct. 4	·	·	·	·	·	—	7	—	1	·	—	·	—	·	·	·	·	·	—	—	8
	Oct. 11	·	·	·	·	·	—	6	—	·	·	—	·	—	·	·	·	·	·	—	—	6
	Oct. 18	1	·	·	·	·	—	4	—	·	2	—	·	—	·	·	·	·	·	—	—	7
City of Limerick	Sept. 27	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Oct. 4	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Oct. 11	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Oct. 18	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
City of Waterford	Sept. 27	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Oct. 4	·	·	·	·	·	—	·	—	1	1	—	·	—	·	·	·	·	—	—	2	4
	Oct. 11	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Oct. 18	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

(*a*) Not including one case of varicella.
(*b*) Not including 2 cases of varicella.
(*c*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th October, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever one and 17; measles one and one; scarlet fever 27 and 174*; and diphtheria 5 and 25. Two cases of pneumonia were admitted during the week and 13 remained under treatment at its close. Of the deaths in hospital during the week one was from enteric fever and 2 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 18th October, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by DEATHS. BIRTHS	From all Causes.	From certain Epidemic Diseases (b)	REGISTRATION—WEEK ENDING SATURDAY, 18TH OCTOBER, 1919. NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age	At 65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Caused by Tuberculosis. Pulmonary.	Other Forms.	Cancer	Diseases of the Respiratory System. Pneumonia.	Other.	Enteritis and Diarrhœa of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 18TH OCTOBER, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
																													°	°	°	°	°	
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	28·5	14·8	2·0	624	325	62	84	1	·	·	·	9	1	5	1	39	13	18	21	30	21	5	5	10	110	13	·	·	·	·	·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	26·1	15·6	1·3	203	121	27	35	·	·	·	·	·	·	·	1	11	4	7	8	12	8	1	3	4	52	3	(d) 57·8	29·2	52·9	34·9	43·9	0·01
Urban Districts. CITY OF DUBLIN,	310,500	38·0	27·2	17·0	1·7	162	101	24	24	·	·	·	·	·	·	·	1	11	4	5	8	10	8	1	·	2	48	3	(e) 56·0	35·3	51·9	39·1	45·5	0·01
																													(f) 58·8	32·0	53·2	36·2	44·7	0·02
RATHMINES and RATHGAR	39,400	23·0	26·5	13·2	·	20	10	1	7	·	·	·	·	·	·	·	·	·	·	2	·	1	·	·	1	1	1	·	·	·	·	·	·	·
PEMBROKE, ..	29,500	18·8	21·2	7·1	·	12	4	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·
BLACKROCK, ..	9,000	8·3	·	17·4	·	·	3	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·	·	·	·
KINGSTOWN, ..	16,600	11·4	28·3	9·4	·	9	3	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	53	37	51·3	39·2	45·3	0·00
BELFAST, ..	401,000	26·8	33·8	13·5	2·7	260	104	16	27	1	·	·	·	9	·	·	·	11	6	4	5	11	7	4	2	5	30	1	53·0	35·8	50·1	39·5	44·8	0·58
CORK, ...	76,673	28·6	23·8	19·7	4·1	35	29	4	8	·	·	·	·	·	·	5	·	3	1	2	2	4	1	·	·	1	13	1	57	39	54·6	43·6	49·1	0·08
LONDONDERRY, ..	41,000	15·9	26·7	20·3	1·3	21	16	7	4	·	·	·	·	·	·	·	·	1	·	1	3	3	1	·	·	·	·	3	·	·	·	·	·	·
LIMERICK, ..	38,518	16·1	46·0	14·9	2·7	34	11	2	1	·	·	·	·	·	·	·	·	3	1	·	1	·	2	·	·	·	4	2	·	·	·	·	·	·
WATERFORD, ..	27,464	19·1	20·9	13·3	1·9	11	7	3	2	·	·	·	·	·	·	·	·	2	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	·
GALWAY, ...	13,255	2·5				8	5	·	3	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	·	·	2	·	59	34	54	39	46·5	0·00
DUNDALK, ..	13,128	9·5				4	6	1	1	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	4	1	·	·	·	·	·	·
LURGAN, ..	12,553	14·7				4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	56·3	32·4	52·0	37·3	44·6	0·12
DROGHEDA, ..	12,501	8·4				3	3	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
LISBURN, ..	12,388	10·9				8	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	57	30	51·6	35·7	43·6	0·96
NEWRY, ...	11,963	17·0				5	2	1	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	56·3	32·4	52·0	37·3	44·6	0·12
PORTADOWN, ..	11,727	15·3				3	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	56·3	32·4	52·0	37·3	44·6	0·12
WEXFORD, ..	11,531	22·8				6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
BALLYMENA, ..	11,381	9·3				3	6	·	2	·	·	·	·	·	·	·	·	2	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·
SLIGO, ...	11,163	3·8				6	4	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	59	30	53	38	45·5	0·70
KILKENNY, ..	10,514	11·4				4	4	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	1	·	·	·	2	·	58	30	52·5	36·1	44·3	0·05
TRALEE, ...	10,300	17·4				4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
CLONMEL, ..	10,209	7·8				2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LONDON	4,206,901	–	—	14·7	—	1,900	1,137	194	373	4	—	·	·	3	3	15	—	111	6	135	76	30	69	2	45	97	527	3	57	30	52·4	33·7	43·1	0·20
EDINBURGH ...	336,500	—	—	15·0	—	140	97	13	33	·	·	·	1	3	1	2	—	—	—	—	—	—	1	—	3	—	—	—	56·0	34·0	47·9	37·7	42·8	0·18
GLASGOW	1,118,700	—	—	11·4	—	589	245g	45	61	1	·	·	1	1	·	2	—	—	—	—	—	—	7	—	9	—	—	—	55·5	34·1	49·8	38·7	44·3	0·03

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 42nd Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 18th October, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.		
ALL CAUSES.	188·4	128	15	12	4	3	2	2	3	4	7	14	10	13	26	13	121
Enteric Fever ..	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	21·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Erysipelas	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	17·0	11	.	.	.	.	.	1	.	2	2	3	2	1	.	.	11
Tuberculous Meningitis	1·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Abdominal Tuberculosis	1·8	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	·6	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
Tuberculosis of Joints	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·6	1	.	.	.		.	.	.	.	.	.	.	1	.	.	1
Venereal Diseases ..	·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	11·0	7	.	.	.	.	.	.	.	.	1	1	1	2	2	.	7
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	1·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Anæmia, Leucocythæmia.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·2	3	.	1	.	.	.	.	.	.	.	1	.	.	1	.	2
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.	2·6	5	.	.	.	.	.	.	.	.	.	1	.	1	2	1	5
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	·8	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
Epilepsy, ...	·8	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Convulsions (non-puerperal).	3·6	4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	4
Other Diseases of Nervous System.	3·6	4	.	.	.	.	.	.	.	.	1	2	.	.	1	.	4
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	12·6	11	.	.	.	.	.	.	.	.	.	2	.	4	4	1	10
Embolism and Thrombosis (including Cerebral).	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Other Diseases of Circulatory System.	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Diseases of the Larynx	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Bronchitis	17·2	8	.	1	.	.	.	.	.	.	.	1	.	.	3	3	7
Broncho-pneumonia ..	3·6	4	.	.	1	.	1	.	.	1	.	.	.	.	1	.	3
Lobar pneumonia ..	3·0	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Pneumonia (type not distinguished).	12·8	4	.	.	.	.	1	.	.	.	.	1	1	.	.	1	4
Pleurisy	·4	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2
Pulmonary Congestion, Pulmonary Apoplexy.	·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Other Diseases of Respiratory System	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1

in the FORTY-SECOND WEEK, ending Saturday, 18th October, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 42nd Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 18th October, 1919.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.											
Diseases of the Pharynx. Tonsillitis.	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Diseases of Stomach ..	2·0	2	·	·	·	·	·	1	·	·	·	·	·	·	1	·	2
Diarrhœa and Enteritis of Children under 2 years.	12·0	8	3	5	·	·	·	·	·	·	·	·	·	·	·	·	8
Diarrhœa 2 years and upwards.	·6	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Enteritis 2 years and upwards.	·6	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Appendicitis and Typhlitis.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	1·8	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Cirrhosis of Liver ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Peritonitis (cause unknown).	1·0	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
Other Diseases of Digestive System.	1·2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Acute Nephritis ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Bright's Disease	4·2	6	·	·	·	·	·	·	·	·	·	·	2	1	2	1	6
Urinary Calculi ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	·6	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·
Puerperal Septicæmia, &c.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	1·4	2	·	·	·	·	·	·	·	·	·	·	·	·	2	·	2
Diseases of Locomotor System.	·2	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1
Congenital Malformations.	1·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Premature Birth ..	5·4	5	5	·	·	·	·	·	·	·	·	·	·	·	·	·	5
Congenital Debility ..	3·8	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	2
Old Age	5·4	5	·	·	·	·	·	·	·	·	·	·	·	·	2	3	5
Other Specified Diseases	1·4	4	4	·	·	·	·	·	·	·	·	·	·	·	·	·	4
VIOLENCE.																	
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	4·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·4	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	3·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Not included in above—																	
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	2·2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1

TABLE IV.—Showing for the WEEK ENDED 18TH OCTOBER, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 18TH OCTOBER, 1919

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	24·3	1·7	14	4	2	.	1	.	2	1	4	.	.	.	.	.	.	.	.	.	2	1	2	.	1	.	.	8	1	2	2	1
" 1, W., ...	41,100	12·7	1·3	10	4	.	.	1	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	3	1	.	.	5	.	3	1	.
" 2, ...	27,500	13·3	.	7	1	.	.	.	2	2	2	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	2	.	2	2	.
" 3, ...	34,100	21·4	3·1	14	3	.	1	1	.	1	2	6	.	.	.	.	.	.	.	.	2	.	1	1	2	1	1	.	6	.	6	3	.
CLONTARF AND HOWTH, No. 1, part of	5,500	9·5	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
COOLOCK AND DRUMCONDRA, part of ..	13,600	19·2	.	5	.	.	.	.	.	1	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	3	.	3	.	.
FINGLAS AND GLASNEVIN, part of ..	11,100	4·7	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
South City.																																	
SOUTH CITY, No. 1, ..	43,000	10·9	2·4	9	2	.	.	.	.	3	1	3	.	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	4	.	1	3	.
" 2, ...	18,200	2·9	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 3, ...	43,300	22·9	3·6	19	4	1	1	1	1	3	4	4	.	.	.	.	.	.	.	.	3	.	1	.	2	3	.	.	10	1	5	4	.
" 4, ...	32,800	31·8	1·6	20	6	1	.	.	1	6	4	2	.	.	.	.	.	.	.	1	4	.	.	2	1	.	.	.	12	.	7	3	2
NEW KILMAINHAM, ...	10,300	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	13·2	.	10	1	.	.	.	.	1	1	7	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	1	6	1	.	1	.
PEMBROKE	29,500	7·1	.	4	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	1	.	.
BLACKROCK, ...	9,000	17·4	.	3	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	1	.
KINGSTOWN, ...	16,600	9·4	.	3	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1	.	.
TOTAL CITY. North, ...	162,900	16·6	1·3	52	12	2	1	3	3	7	10	14	.	.	.	.	.	.	.	.	4	4	4	5	5	3	1	.	26	1	17	8	1
TOTAL CITY. South, ...	147,600	17·3	2·1	49	12	2	1	1	2	12	9	10	.	.	.	.	.	.	.	1	7	.	1	3	5	5	.	.	27	1	13	10	2
TOTAL CITY. North and South, ..	310,500	17·0	1·7	101	24	4	2	4	5	19	19	24	.	.	.	.	.	.	.	1	11	4	5	8	10	8	1	.	53	2	30	18	3
Total Urban Districts, ...	94,500	11·0	.	20	3	.	1	.	.	2	3	11	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.	3	13	2	2	2	.
Total Registration Area, ..	405,000	15·6	1·3	121	27	4	3	4	5	21	22	35	.	.	.	.	.	.	.	1	11	4	7	8	12	8	1	3	66	4	32	20	3
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				7	.	.	.	.	2	.	1	4	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	4	.	5	2	.

* See note (†) at foot of first page

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 18th October, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 18TH OCTOBER, 1919.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	128	34	4	7	21	23	26	13	.	.	.	.	.	.	.	1	11	5	7	4	9	13	8	1	3	66	3
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	10·7	3	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
II.	MIDDLE CLASS	101,798	12·8	25	3	.	1	5	7	3	6	.	.	.	.	.	.	.	.	1	2	3	.	1	3	2	.	1	12	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	12·0	25	9	.	.	2	7	6	1	.	.	.	.	.	.	.	1	.	1	1	1	3	2	1	.	1	14	.
IV.	GENERAL SERVICE CLASS	167,479	16·5	53	20	3	5	9	7	8	1	.	.	.	.	.	.	.	.	5	1	2	3	5	4	3	1	.	29	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	22	2	1	1	4	2	9	3	.	.	.	.	.	.	.	.	5	1	1	.	.	3	2	.	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	4	.	.	1	.	1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	4	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
	6. Clerks and Commercial Assistants,	33,249	—	10	2	.	.	3	4	1	.	.	.	.	.	.	.	.	.	.	.	2	.	1	1	2	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	7	1	.	.	1	1	1	3	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ..	28,823	—	8	3	.	.	1	.	3	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	.	4	.
	10. Clothing Trades, ...	20,026	—	4	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.
	11. Food Supply Trades, ...	8,952	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	8	5	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	5	.
	13. Petty Shopkeepers, ...	6,772	—	4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	12	2	1	2	4	3	.	.	.	.	.	.	.	.	.	.	3	1	.	.	2	.	.	.	.	6	.
	15. Domestic Servants, ...	36,041	—	10	2	.	2	1	2	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.	6	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	28	15	2	1	4	1	4	1	.	.	.	.	.	.	.	.	1	.	1	3	2	1	2	1	.	17	3
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	22	2	1	1	4	2	9	3	.	.	.	.	.	.	.	.	5	1	1	.	.	3	2	.	.	10	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

Week ending	Dublin Registration Area.													Belfast City.												
	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18	July 26	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.
No. of weeks in Annual Series ..	30	31	32	33	34	35	36	37	38	39	40	41	42	30	31	32	33	34	35	36	37	38	39	40	41	42
Births registered	207	233	190	160	226	171	190	194	215	192	199	251	203	238	204	182	173	211	241	219	183	183	190	224	223	260
Average Births in corresponding week of previous 10 years, ...	212	200	198	215	209	208	216	195	214	211	200	190	196	208	195	193	201	183	194	192	191	176	192	192	203	195
Number of Deaths, ...	89	92	99	111	124	142	153	134	97	117	122	112	121	92	79	73	82	127	129	112	100	111	112	107	104	104
Annual Death-rate per 1,000 ..	11·5	11·8	12·7	14·3	16·0	18·3	19·7	17·3	12·5	15·1	15·7	14·4	15·6	12·0	10·3	9·5	10·7	16·5	16·8	14·6	13·0	14·4	14·6	13·9	13·5	13·5
Average Deaths in corresponding week of previous 10 years, ...	131	127	129	139	138	143	143	145	145	147	149	149	159	111	106	105	114	119	122	118	113	121	113	104	111	108
Ages, .. Under one year, ..	9	16	19	29	38	48	45	29	21	27	20	16	27	19	12	12	14	32	41	26	26	17	25	20	13	16
1— 5 years, ..	6	5	5	20	9	10	7	7	6	8	11	3	7	3	5	6	5	11	9	5	8	15	11	11	5	8
5—25 „ ..	11	5	7	5	10	14	11	13	13	13	10	17	9	7	11	11	13	17	16	12	19	20	22	13	17	21
25—45 „ ..	14	13	17	12	19	9	15	12	13	11	22	13	21	22	17	9	14	23	15	22	6	12	9	13	17	17
45—65 „ ..	24	27	27	27	24	25	30	32	22	30	25	26	22	23	19	12	18	25	26	28	30	21	22	31	28	15
65 and upwards, ..	25	26	24	18	24	36	44	41	22	28	34	37	35	18	15	23	18	19	22	19	11	26	23	19	24	27
Deaths from :—																										
Enteric Fever, ...	.	.	1	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	1	2	.	1	.	1	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever, ...	.	.	.	.	.	2	.	.	1	1	2	1	.	2	.	1	1	1	3	2	2	6	5	4	1	9
Whooping-cough, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria, ...	2	.	.	.	.	1	.	1	1	.	1	1	.	.	1	.	.	1	.	1	.	1	1	.	.	.
Dysentery, ...	.	.	.	.	.	.	2	3	4	3	.	2	1	.	.	.	.	.	1	.	.	.	.	1	1	.
Tuberculosis { Pulmonary, ..	13	6	12	8	12	14	14	9	10	6	14	10	11	18	18	8	11	12	18	11	9	11	13	9	14	11
Tuberculosis { Other Forms, ..	7	5	5	7	6	2	9	8	2	6	7	10	4	6	2	7	7	4	1	1	5	5	7	3	5	6
Cancer, ...	4	8	10	8	5	8	9	13	9	16	10	7	7	2	5	1	6	5	3	8	6	9	6	6	7	4
Diseases of Respiratory System, { Pneumonia ..	4	2	5	2	6	5	10	7	5	5	6	6	8	3	5	3	3	4	4	6	4	4	2	9	3	5
Diseases of Respiratory System, { Others, ..	12	7	11	9	7	9	4	11	5	8	9	14	12	8	9	6	8	7	9	5	5	9	5	5	11	11
Diarrhœa and Enteritis, under 2 years, ...	2	4	12	28	26	37	24	7	9	9	8	6	8	1	2	2	6	16	30	12	10	8	13	13	3	7
Diarrhœa, 2 years and upwards..	1	.	1	2	3	3	1	2	1	.	.	2	1	.	1	.	.	8	7	5	8	10	7	2	1	4
Violent Deaths, ...	3	4	2	1	.	4	1	5	3	4	2	.	3	3	.	1	2	3	.	1	5	1	2	1	.	2
Number of Uncertified Deaths, ..	1	3	1	1	4	6	4	2	2	3	6	2	3	1	1	.	1	1	.	.	.	1	.	2	2	1
A Mean Maximum Temperature in degs	67·1	66·5	69·9	73·1	68·4	60·1	65·3	72·4	66·3	59·2	59·0	63·9	52·9	65·1	65·6	68·1	72·2	68·0	58·6	65·4	66·0	59·7	54·4	58·9	58·3	50·1
B Mean Minimum „ „	47·0	45·5	52·2	53·2	51·8	45·2	45·6	51·6	40·2	37·4	40·4	45·4	34·9	51·3	47·1	53·5	54·5	53·0	48·3	48·7	52·5	46·7	44·4	43·1	50·1	39·5
Mean of A and B „ „	57·1	56·0	61·1	68·2	60·1	52·7	55·4	62·0	53·2	48·3	49·7	54·6	43·9	58·2	56·4	60·8	63·3	60·5	53·4	57·0	59·2	53·2	49·9	51·0	54·2	44·8
Rainfall in inches	0·46	0·13	0·.0	0·03	0·59	1·15	0·98	0·15	0·07	0·79	0·39	0·41	0·01	0·01	0·13	0·29	0·43	0·48	1·78	1·52	1·60	0·19	0·39	0·92	0·06	0·58

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 18th October, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No 1 DISTRICT,	15,879	16	23·0	·	7	1	1	·	·	4	1	·	·	·	·	·	·	·	·	·	1	·	1	2	·	·	·	1	1	·
Do 2 do.	49,500	31	7·4	1·1	7	1	·	2	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	4	·
Do. 3 do.	50,032	46	22·9	6·3	22	7	3	1	2	2	7	·	·	·	·	3	·	·	·	·	·	2	1	·	3	·	·	1	6	1
Do. 4 do.	32,637	29	14·4	3·2	9	·	1	3	3	1	1	·	·	·	·	·	·	·	·	2	1	1	·	1	·	2	·	·	2	·
Do 5 do.	16,112	15	9·7	·	3	1	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Do. 6 do.	37,293	16	11·2	1·4	8	1	1	1	2	1	2	·	·	·	·	1	·	·	·	·	1	1	1	·	·	·	·	·	2	·
Do. 7 do.	2,681	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	5	8·7	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
Do. 9 do.	24,427	12	8·5	2·1	4	·	·	1	·	1	2	·	·	·	·	·	·	·	·	1	·		·	2	·	1	·	·	1	·
Do. 10 do.	28,958	22	16·2	5·4	9	·	1	5	·	1	2	·	·	·	·	3	·	·	·	1	·	·	·	·	·	·	2	3	5	·
Do. 11 do.	39,311	21	11·9	6·6	9	2	·	2	3	1	1	1	·	·	·	1	·	·	·	1	1	·	·	1	2	1	·	·	4	·
Do. 12 do	38,076	22	11·0	·	8	1	·	1	1	·	5	·	·	·	·	·	·	·	·	·	1	·	1	2	·	·	·	·	1	·
Do 13 do.	23,233	14	15·7	2·2	7	·	·	1	4	·	2	·	·	·	·	1	·	·	·	2	·	·	·	1	·	·	·	·	1	·
Do. 14 do	175	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	10	20·7	2·3	9	2	·	4	·	2	1	·	·	·		·	·	·	·	3	1	·	·	1	1	·	·	·	2	·
Total,	386,947	260	13·5	2·7	104	16	8	21	17	15	27	1	·	·	·	9		·		11	6	4	5	11	7	4	2	5	30	1
***CITY OF CORK.**																														
CORK URBAN No. 1 DISTRICT,	13,455	8	27·1	·	7	1	·	·	1	4	1	·	·	·	·	·		·	·	1	·	1	·	·	·	·	·	1	4	·
Do 2 do.	10,399	6	20·1	15·0	4	2	2	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·	·	·	·	3	·
Do 3 do.	9,793	3	26·6	5·3	5	·	1	1	·	1	2	·	·	·	·	·	·	1	·	1	·	·	1	2	·	·	·	·	2	·
Do. 4 do	9,139	8	17·1	5·7	3	·	2	·	·	1	·	·	·	·	·	·	·	1	·	·	·	1	·	1	·	·	·	·	3	·
Do. 5 do.	6,250	2	8·3	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do 6 do.	11,581	2	9·0	·	2	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 7 do	16,056	6	22·7	3·2	7	1	·	·	4	·	2	·	·	·	·	·	·	·	·	1	1	·	1	1	1	·	·	·	1	1
Total.	76,673	35	19·7	4·1	29	4	5	1	5	6	8	·	·	·	·	·	·	5	·	3	1	2	2	4	1	·	·	1	13	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 18th October, 1919.

DISTRICTS	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.	.	.	3
" " 1, West ..	.	.	.	.	.	4	2	.	2	.	2	.	.	.	.	.	10	20
" " 2, ...	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	3
" " 3, ...	.	.	.	.	.	3	1	.	.	.	2	.	.	.	.	.	2	8
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
South City No. 1	.	.	.	.	.	2	.	.	.	.	.	20	.	1	.	.	2	25
" " " 2, ...	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	2	4
" " " 3, ...	.	.	1	.	.	4	1	.	.	.	.	1	.	.	.	.	7	14
" " " 4, ...	.	.	.	.	.	3	.	.	.	.	5	.	.	.	.	.	.	8
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	.	1		.	23	6	.	3	.	9	21	.	2	1	.	23	89

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 18th October, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 18th October.			
	Sept. 27.	Oct. 4.	Oct. 11.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	24	24	21	1	4	1	17
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	2	.	.	1	.	.	1
Scarlet Fever, ...	110	132	161	27	14	.	174*
Diphtheria, ...	24	26	24	5	4	.	25
Pneumonia, ...	12	13	16	2	3	2	13

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13209). Wt. 5568. 3. 380. 10. 1919. G, III. Sch. c. 7

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd. 116, Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1;
37, Peter Street, Manchester; 1, St Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 43. Vol. LVI.] Week ending Saturday, 25th October, 1919. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 27th October, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 14·6 and 14·4; Dublin Registration Area, 15·2 and 15·2; Dublin City, 16·3 and 16·1; Belfast, 15·1 and 14·0; Cork, 17·7 and 18·0; Londonderry, 14·0 and 16·5; Limerick, 12·2 and 13·2; and Waterford, 17·1 and 13·8.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·2 per 1,000. Among the 116 deaths from all causes for Belfast are 12 from scarlet fever, and 3 from diarrhœal diseases. Of the 26 deaths from all causes for Cork, 2 are from diarrhœa and enteritis of children under 2 years, and one of the 8 deaths recorded for Dundalk is from diphtheria. The 2 deaths recorded for Tralee were caused by typhus.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 163—77 boys and 86 girls—and the deaths to 130—72 males and 58 females.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·2 per 1,000 of the population. During the forty-three weeks ending with Saturday last, the death-rate averaged 21·9 and was 1·0 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the forty-three weeks was 23·7 and for the corresponding period of the preceding ten years 22·1.

Of the 118 deaths appertaining to the Area, one was from each of enteric fever, whooping-cough and diphtheria, 3 were from diarrhœa and enteritis of children under 2 years, and 2 from influenza.

In the 3 preceding weeks, deaths from diphtheria numbered one, one, and 0; deaths from diarrhœa and enteritis of children under 2 years 8, 6 and 8, and deaths from influenza, 2, 2, and 0, respectively. There were no deaths from enteric fever or whooping-cough in the three preceding weeks.

Deaths attributed to pneumonia were 4 (comprising 3 from broncho-pneumonia and one from lobar pneumonia), as against 6, 6 and 8 in the three weeks preceding.

Tuberculous disease caused 22 deaths (comprising 17 from pulmonary tuberculosis, 3 from tuberculous meningitis, and 2 from other forms of tuberculous disease), as against 21, 20, and 15, in the three weeks preceding.

Ten deaths were caused by cancer, 12 by organic diseases of the heart, and 10 by bronchitis.

Among deaths of infants under one year old, one was due to convulsions, 2 were due to diarrhœa and enteritis, 2 to premature birth, and six to congenital debility.

There were 5 accidental deaths, and one case of homicide.

Twenty-six of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 18 being infants under one year, of whom 6 were under one month old, and 30 deaths were those of persons aged 65 and upwards, of whom 21 were 70 years of age or over.

Of the 118 deaths recorded, 50 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 25th October, in 96 large English towns (including London, in which the rate was 16·3 was equal to an average annual death rate of 13·7 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 11·1 per 1,000 persons living, the rate for Glasgow being 11·0 and for Edinburgh 14·4.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 25th October. From this Report it appears that of 134 cases notified, 95 were scarlet fever, 22 diphtheria, 12 pulmonary tuberculosis, one other form of tuberculosis, and 4 erysipelas. Among the 622 cases of infectious diseases in hospital at the close of the week were 356 of scarlet fever, 143 of pulmonary tuberculosis, 79 of diphtheria, 16 of measles, 6 of erysipelas, 5 of whooping-cough, and 2 of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 25th October, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Oct. 4	4	·	·	·	·	—	28	—	9	2	—	·	—	18	8	·	5	·	·	15	89
	Oct. 11	3	·	1	·	·	—	45	—	3	2	—	·	—	16	4	·	7	·	·	17	98
	Oct. 18	·	·	1	·	·	—	23	—	6	3	—	·	—	9	21	·	2	1	·	23	89
	Oct. 25	2	·	·	·	·	—	44	—	6	5	—	·	—	12	15	·	4	·	·	8	96
Rathmines & Rathgar Urban District	Oct. 4	·	·	·	·	·	—	1	—	1	1	—	·	—	·	·	·	·	·	·	—	3
	Oct. 11	2	·	·	·	·	—	3	—	·	·	—	·	—	·	2	·	·	·	·	—	7
	Oct. 18	·	·	·	·	·	—	·	—	·	·	—	·	—	·	1	·	·	·	·	—	1
	Oct. 25	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
Pembroke Urban District	Oct. 4	·	·	·	·	·	·	1	·	·	1	·	·	—	·	1	·	·	·	·	·	3
	Oct. 11	1	·	·	·	·	·	10	·	·	·	·	·	—	3	·	·	·	·	·	·	14
	Oct. 18	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
	Oct. 25	·	·	·	·	·	·	2	·	2	·	1	·	—	·	·	·	·	·	·	·	5
Blackrock Urban District	Oct. 4	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Oct. 11	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Oct. 18	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Oct. 25	·	·	·	·	·	·	2	—	·	·	—	·	—	·	·	·	·	·	·	·	2
Kingstown Urban District	Oct. 4	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Oct. 11	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Oct. 18	·	·	·	·	·	—	1	—	1	·	—	·	—	·	1	·	·	—	·	·	3
	Oct. 25	·	·	·	·	·	—	1	—	·	·	—	·	—	·	1	·	2	—	·	1	5
City of Belfast	Oct. 4	12	·	1	·	·	—	148	—	8	3	—	·	—	·	·	·	·	·	·	·	172
	Oct. 11	10	·	·	·	·	—	176	—	6	1	—	2	—	·	·	·	·	·	·	·	195
	Oct. 18	1	·	·	·	·	—	185	—	4	4	—	2	—	·	·	·	·	·	·	·	196
	Oct. 25	1	·	·	·	·	—	194	—	4	2	—	1	—	·	·	·	·	·	·	·	202
City of Cork	Oct. 4	·	1	·	·	·	·	1	—	11	1	—	·	1	·	·	·	·	—	·	—	15*a*
	Oct. 11	2	·	·	·	·	·	·	—	25	·	—	·	·	·	·	·	1	—	·	—	28*b*
	Oct. 18	1	·	·	·	·	·	·	—	20	·	—	·	1	·	·	·	·	—	·	—	22*c*
	Oct. 25	·	·	·	·	·	·	1	—	5	·	—	·	·	·	·	·	·	—	·	—	6*d*
City of Londonderry	Oct. 4	·	·	·	·	·	—	7	—	1	·	—	·	—	·	·	·	·	·	—	—	8
	Oct. 11	·	·	·	·	·	—	6	—	·	·	—	·	—	·	·	·	·	·	—	—	6
	Oct. 18	1	·	·	·	·	—	4	—	·	2	—	·	—	·	·	·	·	·	—	—	7
	Oct. 25	·	·	·	·	·	—	5	—	2	·	—	·	—	·	·	·	·	·	—	—	7
City of Limerick	Oct. 4	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Oct. 11	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Oct. 18	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	Oct. 25	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
City of Waterford	Oct. 4	·	·	·	·	·	—	·	—	1	1	—	·	—	·	·	·	·	—	—	2	4
	Oct. 11	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Oct. 18	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Oct. 25	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1

(*a*) Not including one case of varicella. (*b*) Not including 2 cases of varicella.
(*c*) Not including one case of varicella. (*d*) Not including 4 cases of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th October, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever nil and 15; measles one and 2; scarlet fever 66 and 212;* and diphtheria 8 and 22. Six cases of pneumonia were admitted during the week and 17 remained under treatment at its close. Of the deaths in hospital during the week 2 were from diphtheria, and one was from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 25th October, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases (b)	Registration—Week ending Saturday, 25th October, 1919. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Meteorology. (c) Week ending 25th October, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	22·7	14·6	1·2	497	320	47	86	1	2	·	·	12	1	2	·	34	12	25	21	30	6	2	3	9	116	13	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	21·0	15·2	0·8	163	118	18	30	1	·	·	·	·	1	1	·	17	5	10	4	11	3	·	6	4	50	2	(d) 63·6	35·0	57·8	41·3	49·5	1·30
Urban Districts. CITY OF DUBLIN,	310,500	38·0	23·5	16·3	0·5	140	97	17	18	·	·	·	·	·	1	1	·	17	5	7	4	10	1	·	5	4	42	1	(e) 60·8	42·3	56·1	46·7	51·4	1·68
																													(f) 63·6	38·0	57·3	44·3	50.8	1·48
RATHMINES and RATHGAR	39,400	23·0	17·2	13·2	2·6	13	10	·	7	1	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	4	·	·	·	·	·	·	·
PEMBROKE, ..	29,500	18·8	3·5	15·9	1·8	2	9	1	4	·	·	·	·	·	·	·	·	·	·	2	·	·	1	·	1	·	4	1	·	·	·	·	·	·
BLACKROCK, ..	9,000	8·3	11·6	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ..	16,600	11·4	18·8	6·3	·	6	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	64	44	59·6	49·6	54·6	1·50
Urban Districts. BELFAST, ..	401,000	26·8	26·8	15·1	2·0	206	116	18	25	·	·	·	·	12	·	·	·	12	3	10	8	12	1	2	1	1	42	1	63·0	43·0	57·6	47·6	52·6	0·95
CORK, ...	76,673	28·6	16·3	17·7	1·4	24	26	5	7	·	·	·	·	·	·	·	·	4	1	2	2	·	2	·	1	2	7	3	58	39	55·4	50·6	53·0	0·35
LONDONDERRY, ..	41,000	15·9	33·1	14·0	·	26	11	2	6	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·
LIMERICK, ..	38,518	16·1	14·9	12·2	·	11	9	1	1	·	·	·	·	·	·	·	·	·	·	·	4	2	·	·	·	1	·	2	·	·	·	·	·	·
WATERFORD, ..	27,464	19·1	9·5	17·1	·	5	9	·	4	·	·	·	·	·	·	·	·	1	·	·	2	1	·	·	·	·	5	1	·	·	·	·	·	·
GALWAY, ...	13,255	2·5				7	3	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	60	39	57	41	49	0·77
DUNDALK, ..	13,128	9·5				10	8	1	3	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	1	1	3	1	·	·	·	·	·	·
LURGAN, ..	12,553	14·7				4	3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	62·7	33·0	56·9	44·4	50·6	0·67
DROGHEDA, ..	12,501	8·4				·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LISBURN, ..	12,388	10·9				5	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	65	36	55·1	42·3	48·7	1·43
NEWRY, ...	11,963	17·0				7	2	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	2	·	62·7	33·0	56·9	44·4	50·6	0·67
PORTADOWN, ..	11,727	15·3				8	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	62·7	33·0	56·9	44·4	50·6	0·67
WEXFORD, ..	11,531	22·8				6	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·
BALLYMENA, ..	11,381	9·3				2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
SLIGO, ...	11,163	3·8				·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	62	41	57	47	52	0·43
KILKENNY ..	10,514	11·4				5	4	·	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	2	·	60	37	55·5	46·1	50·8	0·28
TRALEE, ...	10,300	17·4				7	2	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·
CLONMEL, ..	10,209	7·8				1	3	·	2	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	1	1	·	·	·	·	·	·
LONDON	4,206,901	–	—	16·3	—	1,894	1,258	167	444	2	·	·	9	5	5	24	—	113	26	99	98	27	56	3	41	101	554	2	63	30	58·4	36·7	47·6	0·12
EDINBURGH ...	336,700	—	—	14·4	—	152	93	11	31	·	·	·	1	4	1	3	—	—	—	—	—	—	·	—	6	—	—	—	63·0	38·0	51·0	45·1	49·6	1·22
GLASGOW	1,118,700	—	—	11·0	—	614	237	33	53	·	·	·	1	3	·	7	—	—	—	—	—	—	5	—	12	—	—	—	56·8	34·9	53·2	44·2	48·7	0·73

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 43rd Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 25th October, 1919.																Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death.															
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
ALL CAUSES.	189·8	130	6	13	5	4	2	1	4	5	9	14	19	16	19	13		118
Enteric Fever ..	·8	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Measles	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scarlet Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Whooping-cough ..	1·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.		1
Diphtheria	1·6	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.		1
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Influenza	34·6	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1		2
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Erysipelas	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pyæmia and Septicæmia (non-puerperal).	.	2	.	.	.	.	.	.	.	1	.	.	1	.	.	.		1
Tetanus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
TUBERCULOSIS.																		
Pulmonary Tuberculosis	16·6	18	.	.	.	.	.	1	3	2	6	5	.	1	.	.		17
Tuberculous Meningitis	·8	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.		3
Abdominal Tuberculosis	1·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of Joints	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of other Organs.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Disseminated Tuberculosis.	1·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Venereal Diseases ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cancer	9·6	13	.	.	.	.	.	.	.	.	.	1	4	6	1	1		10
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diabetes	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Anæmia, Leucocythæmia.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other General Diseases	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Alcoholism ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Poisonings ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cerebro-spinal Fever..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Simple Meningitis ..	·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Cerebral Hæmorrhage, Apoplexy.	4·8	6	.	.	.	.	.	.	.	.	.	.	1	1	3	1		6
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Paralysis, without specified cause.	2·8	6	.	.	.	.	.	.	.	.	.	1	1	1	2	1		6
Epilepsy, ...	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Convulsions (non-puerperal).	3·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Other Diseases of Nervous System.	3·0	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Endocarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Organic Diseases of the Heart.	10·0	13	.	.	.	.	.	.	.	.	1	2	1	3	4	2		12
Embolism and Thrombosis (including Cerebral).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Circulatory System.	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		.
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Bronchitis	13·8	10	.	2	.	2	.	.	.	.	.	1	1	3	.	1		10
Broncho-pneumonia ..	5·6	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1		3
Lobar pneumonia ..	1·6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1
Pneumonia (type not distinguished).	15·0	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.		.
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pulmonary Congestion, Pulmonary Apoplexy.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Respiratory System	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1

in the FORTY-THIRD WEEK, ending Saturday, 25th October, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 43rd Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 25th October, 1919.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.											
Diseases of the Pharynx Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	1·2	3	·	1	·	·	·	·	·	·	·	1	1	·	·	·	3
Diarrhœa and Enteritis of Children under 2 years.	8·4	3	·	2	1	·	·	·	·	·	·	·	·	·	·	·	3
Diarrhœa 2 years and upwards.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Appendicitis and Typhlitis.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	·6	2	·	1	·	·	·	·	·	·	·	·	·	·	1	·	1
Cirrhosis of Liver ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·8	2	·	·	·	·	·	·	·	·	·	·	1	·	·	1	2
Peritonitis (cause unknown).	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Nephritis ..	1·2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Chronic Bright's Disease	5·0	2	·	·	·	·	·	·	·	·	1	·	·	·	·	1	1
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	1·4	3	·	·	·	·	·	·	·	·	·	·	1	·	1	1	3
Puerperal Septicæmia, &c.	·4	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Other causes incident to Pregnancy and Childbirth.	6	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Diseases of Skin and Cellular Tissues.	·6	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Diseases of Locomotor System.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Premature Birth ..	2·4	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2
Congenital Debility ..	4·2	6	4	2	·	·	·	·	·	·	·	·	·	·	·	·	6
Old Age	6·6	4	·	·	·	·	·	·	·	·	·	·	·	·	2	2	4
Other Specified Diseases	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
VIOLENCE.																	
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	1·0	2	·	·	·	1	1	·	·	·	·	·	·	·	·	·	2
Drowning	3·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	4·4	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Other Violent Deaths		1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Not included in above—																	
Homicide, ..	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1
Suicide, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	2·8	2	·	·	·	·	·	·	·	1	·	·	·	·	1	·	2

TABLE IV.—Showing for the WEEK ENDED 25TH OCTOBER, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
					WEEK ENDED SATURDAY, 25TH OCTOBER, 1919. DEATHS. CAUSED BY																												
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	22·6	·	13	3	1	·	1	·	3	3	2	·	·	·	·	·	·	·	·	2	2	·	1	1	·	·	1	6	1	1	3	·
" 1, W., ...	41,100	15·2	·	12	1	1	·	1	2	1	4	2	·	·	·	·	·	·	·	·	3	1	·	·	1	·	·	1	6	1	5	1	·
" 2, ...	27,500	13·3	·	7	1	·	·	·	·	·	3	3	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	4	·	·	2	·
" 3, ...	34,100	10·7	1·5	7	2	·	·	·	·	1	2	2	·	·	·	·	·	·	·	·	·	·	2	·	·	1	·	·	4	1	2	1	·
CLONTARF AND HOWTH, No. 1, part of	5,500	19·0	·	2	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	23·0	·	6	·	·	·	·	1	2	3	·	·	·	·	·	·	·	·	·	2	·	·	1	1	·	·	·	2	·	4	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	9·4	·	2	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	18·2	1·2	15	2	2	·	1	1	3	3	3	·	·	·	·	·	1	·	·	2	1	·	·	·	·	·	1	10	·	5	2	·
" 2, ...	18,200	20·1	·	7	2	·	1	·	1	1	1	1	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	2	3	1	2	1	1
" 3, ...	43,300	18·1	1·2	15	2	·	2	·	2	4	2	3	·	·	·	·	·	·	1	·	3	·	3	·	3	·	·	·	5	·	5	2	·
" 4, ...	32,800	17·5	·	11	4	·	·	·	1	2	4	·	·	·	·	·	·	·	·	·	4	1	1	·	2	·	·	·	3	·	5	1	·
NEW KILMAINHAM, ...	10,300	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	13·2	2·6	10	·	1	·	·	1	1	·	7	1	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	6	·	4	·	·
PEMBROKE	29,500	15·9	1·8	9	1	·	·	·	·	2	2	4	·	·	·	·	·	·	·	·	·	·	2	·	·	1	·	1	5	·	4	·	1
BLACKROCK, ...	9,000	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ...	16,600	6·3	·	2	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·
TOTAL CITY. North, ...	162,900	15·7	0·3	49	7	2	·	2	3	7	17	11	·	·	·	·	·	·	·	·	7	3	3	4	4	1	·	2	25	3	12	7	·
TOTAL CITY. South, ...	147,600	17·0	0·7	48	10	2	3	1	5	10	10	7	·	·	·	·	·	1	1	·	10	2	4	·	6	·	·	3	21	1	17	6	1
TOTAL CITY. North and South, ..	310,500	16·3	0·5	97	17	4	3	3	8	17	27	18	·	·	·	·	·	1	1	·	17	5	7	4	10	1	·	5	46	4	29	13	1
Total Urban Districts, ...	94,500	11·6	1·7	21	1	1	·	·	1	3	3	12	1	·	·	·	·	·	·	·	·	·	3	·	1	2	·	1	13	·	8	·	1
Total Registration Area, ..	405,000	15·2	0·8	118	18	5	3	3	9	20	30	30	1	·	·	·	·	1	1	·	17	5	10	4	11	3	·	6	59	4	37	13	2
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				12	1	·	1	·	·	3	5	2	·	·	·	·	·	·	1	·	1	·	3	2	·	·	·	·	5	·	12	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 25th October, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 25TH OCTOBER 1919.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	130	28	3	9	23	35	19	13	1	.	.	.	.	1	2	.	18	5	13	1	6	11	3	.	6	63	2
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	21·3	6	.	.	.	1	2	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	4	.
II.	MIDDLE CLASS	101,798	14·9	29	2	1	2	4	9	5	6	1	.	.	.	.	.	.	.	3	1	4	.	3	1	.	.	2	14	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	13·9	29	4	1	3	5	10	1	5	.	.	.	.	.	.	.	.	4	.	3	.	2	6	.	.	1	13	.
IV.	GENERAL SERVICE CLASS	167,479	16·5	53	21	1	4	10	10	7	.	.	.	.	.	.	1	2	.	8	4	3	1	1	2	3	.	3	25	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	13	1	.	.	3	4	3	2	.	.	.	.	.	.	.	.	3	.	1	.	.	2	.	.	.	7	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	5	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	6	.	.	.	1	2	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	4	.
	6. Clerks and Commercial Assistants,	33,249	—	12	1	.	2	1	3	2	3	1	.	.	.	.	.	.	.	2	1	1	.	2	1	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	10	1	1	.	2	4	.	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	2	5	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ..	28,823	—	4	1	.	1	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2	.
	10 Clothing Trades, ...	20,026	—	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.
	11. Food Supply Trades, ...	8,952	—	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	18	3	.	1	4	5	1	4	.	.	.	.	.	.	.	.	2	.	2	.	1	6	.	.	.	7	.
	13. Petty Shopkeepers, ...	6,772	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.
	15. Domestic Servants, ...	36,041	—	10	1	.	1	3	3	2	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.	6	.
	16 Coach and Car Drivers, Vanmen, &c.,	15,380	—	6	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	4	1
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	33	16	1	2	5	6	3	.	.	.	.	.	.	1	2	.	5	3	2	1	1	1	2	.	2	13	.
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	13	1	.	.	3	4	3	2	.	.	.	.	.	.	.	.	3	.	1	.	.	2	.	.	.	7	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

Week ending	Dublin Registration Area.													Belfast City.												
	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Aug. 2	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.
No. of weeks in Annual Series ..	31	32	33	34	35	36	37	38	39	40	41	42	43	31	32	33	34	35	36	37	38	39	40	41	42	43
Births registered	233	190	160	226	171	190	194	215	192	199	251	203	163	204	182	173	211	241	219	183	186	190	224	223	260	206
Average Births in corresponding week of previous 10 years, ...	200	198	215	209	208	216	195	214	211	200	190	196	189	195	193	201	183	194	192	191	176	192	192	203	195	178
Number of Deaths, ...	92	99	111	124	142	153	134	97	117	122	112	121	118	79	73	82	127	129	112	100	111	112	107	104	104	1:6
Annual Death-rate per 1,000 ..	11·8	12·7	14·3	16·0	18·3	19·7	17·3	12·5	15·1	15·7	14·4	15·6	15·2	10·3	9·5	10·7	16·5	16·8	14·6	13·0	14·4	14·6	13·9	13·5	13·5	15·1
Average Deaths in corresponding week of previous 10 years, ...	127	129	139	138	143	143	145	145	147	149	149	159	160	106	105	114	119	122	118	113	121	113	104	111	108	118
Ages, .. Under one year, ..	16	19	29	38	48	46	29	21	27	20	16	27	18	12	12	14	32	41	26	26	17	25	20	13	16	18
1— 5 years, ..	5	5	20	9	10	7	7	6	8	11	3	7	8	5	6	5	11	9	5	8	15	11	11	5	8	8
5—25 „ ..	5	7	5	10	14	11	13	13	13	10	17	9	12	11	11	13	17	16	12	19	20	22	13	17	21	27
25—45 „ ..	13	17	12	19	9	15	12	13	11	22	13	21	20	17	9	14	23	15	22	6	12	9	13	17	17	18
45—65 „ ..	27	27	27	24	25	30	32	22	30	25	26	22	30	19	12	18	25	26	28	30	21	22	31	28	15	20
65 and upwards, ..	26	24	18	24	36	44	41	22	28	34	37	35	30	15	23	18	19	22	19	11	26	23	19	24	27	25
Deaths from :—																										
Enteric Fever, ...	.	1	.	.	.	1	1	1	1	.	.	.	1	.	.	.	.	.	1	2	.	1	.	1	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Scarlet Fever, ...	.	.	.	.	2	.	.	1	1	2	1	.	.	.	1	1	1	3	2	2	6	5	4	1	9	12
Whooping-cough, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.
Diphtheria, ...	.	.	.	.	1	.	1	1	.	1	1	.	1	1	.	.	1	.	1	.	1	1	.	.	.	.
Dysentery, ...	.	.	.	.	.	2	3	4	3	.	2	1	.	.	.	.	.	1	.	.	.	.	1	1	.	.
Tuberculosis { Pulmonary, ..	6	12	8	12	14	14	9	10	6	14	10	11	17	18	8	11	12	18	11	9	11	13	9	14	11	12
Tuberculosis { Other Forms, ..	5	5	7	6	2	9	8	2	6	7	10	4	5	2	7	7	4	1	1	5	5	7	3	5	6	3
Cancer, ...	8	10	8	5	8	9	13	9	16	10	7	7	10	5	1	6	5	3	8	6	9	6	6	7	4	10
Diseases of Respiratory System, { Pneumonia ..	2	5	2	6	5	10	7	5	5	6	6	8	4	5	3	3	4	4	6	4	4	2	9	3	5	8
Diseases of Respiratory System, { Others, ..	7	11	9	7	9	4	11	5	8	9	14	12	11	9	6	8	7	9	5	5	9	5	5	11	11	12
Diarrhœa and Enteritis, under 2 years, ...	4	12	28	26	37	24	7	9	9	8	8	6	3	2	2	6	16	30	12	10	8	13	13	3	7	1
Diarrhœa, 2 years and upwards..	.	1	2	3	3	1	2	1	.	.	1	1	.	1	.	.	8	7	5	8	10	7	2	1	4	2
Violent Deaths, ...	4	2	1	.	4	1	5	3	4	2	3	1	6	.	1	2	3	.	1	5	1	2	1	.	2	1
Number of Uncertified Deaths, ..	3	1	1	4	6	4	2	2	3	6	3	1	2	1	.	1	1	.	.	.	1	.	2	2	1	1
A Mean Maximum Temperature in degs	66·5	69·9	73·1	68·4	60·1	65·3	72·4	66·3	59·2	59·0	52·9	64·3	57·8	65·6	68·1	72·2	58·0	58·6	65·4	66·0	59·7	54·4	58·9	58·3	50·1	57·6
B Mean Minimum „ „	45 5	52·2	53·2	51·8	45·2	45·6	51·6	40·2	37·4	40·4	34 9	51·2	41·3	47·1	53·5	54 5	53·0	48·3	48·7	52·5	46·7	44·4	43·1	50·1	39·5	47·6
Mean of A and B „ „	56·0	61·1	68·2	60·1	52·7	55 4	62·0	53·2	48·3	49·7	43·9	57·7	49·5	56·4	60 8	63·3	60·5	53·4	57·0	59·2	53·2	51·0	55·6	54·2	44·8	52·6
Rainfall in inches	0·13	0· 0	0·08	0·59	1·15	0·98	0·15	0·07	0·79	0·39	0 01	0·04	1·30	0·13	0·29	0·43	0·48	1·78	1·52	1·60	0·19	0·92	0·21	0·06	0·58	0·95

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 25th October, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No 1 DISTRICT,	15,879	6	13·1	3·3	4	.	.	1	1	1	1	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	4	.
Do. 2 do.	49,500	28	10·5	1·1	10	1	.	4	1	.	4	.	.	.	.	1	.	.	.	3	1	.	.	2	.	.	.	.	4	.
Do. 3 do.	50,032	19	14·6	.	14	3	1	3	1	3	3	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	3	.
Do. 4 do.	32,637	22	24·0	3·2	15	6	1	2	1	4	1	.	.	.	.	2	.	.	.	.	.	3	.	1	.	.	.	.	9	.
Do. 5 do.	16,112	11	22·7	.	7	1	.	1	1	2	2	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	3	.
Do. 6 do.	37,293	12	23·8	1·4	17	2	.	4	3	3	5	.	.	.	.	1	.	.	.	3	1	3	.	1	.	.	.	.	4	.
Do. 7 do.	2,681	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	26·2	8·7	3	.	1	.	2	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	18	12·8	.	6	.	1	2	.	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	1
Do. 10 do.	28,958	15	14·4	3·6	8	.	2	1	3	.	2	.	.	.	.	2	.	.	.	.	.	1	1	1	.	.	.	.	1	.
Do. 11 do.	39,311	19	22·5	4·0	17	3	.	4	2	3	5	.	.	.	.	.	.	.	.	1	1	1	1	2	1	2	1	1	6	.
Do. 12 do.	38,076	37	8·2	2·7	6	1	.	3	1	1	.	.	.	.	.	2	.	.	.	1	.	.	.	1	.	.	.	.	2	.
Do 13 do.	23,233	9	11·2	2·2	5	.	.	2	2	.	1	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.	2	.
Do. 14 do	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	7	9·2	2·3	4	1	2	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	3	.
Total,	386,947	206	15·1	2·0	116	18	8	27	18	20	25	.	.	.	.	12	.	.		12	3	10	8	12	1	2	1	1	42	1
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	4	7·8	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 2 do.	10,399	7	20·1	.	4	.	.	1	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Do. 3 do.	9,793	1	26·6	.	5	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	4	.
Do. 4 do.	9,139	2	11·4	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Do. 5 do.	6,250	2	16·7	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 6 do.	11,581	3	18·0	.	4	.	.	.	2	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.
Do. 7 do	16,056	5	22·7	6·5	7	2	.	1	2	2	.	.	.	.	.	.	.	.	.	2	.	.	1	.	2	.	1	1	1	1
Total.	76,673	24	17·7	1·4	26	5	.	2	7	5	7	.	.	.	.	.	.	.	.	4	1	2	2	.	2	.	1	2	7	3

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 25th October, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	4
" " 1, West ..	.	.	.	.	.	2	1	.	1	.	.	.	.	.	.	.	4	8
" " 2, ...	.	.	.	.	.	5	1	.	1	.	.	.	.	.	.	.	.	7
" " 3, ...	.	.	.	.	.	11	1	.	.	.	4	1		.	.	.	.	17
Clontarf and Howth No. 1 (part of)	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	3
Finglas and Glasnevin (part of)	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	4
South City No. 1	1	.	.	.	.	1	1	.	.	.	.	12	.	1	.	.	1	17
" " " 2, ...	.	.	.	.	.	3	.	.	.	.	1	.	.	1	.	.	2	7
" " " 3, ...	.	.	.	.	.	5	2	.	.	.	1	2	.	2	.	.	.	12
" " " 4, ...	.	.	.	.	.	6	.	.	1	.	6	.	.	.	.	.	1	14
New Kilmainham, ...	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Total, ...	2	.	.	.	.	44	6	.	5	.	12	15	.	4	.	.	8	96

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 25th October, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 25th October.			
	Oct. 4.	Oct. 11.	Oct. 18.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	24	21	17	.	2	.	15
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	.	.	1	1	.	.	2
Scarlet Fever, ...	132	161	174	66	28	.	212*
Diphtheria, ...	26	24	25	8	9	2	22
Pneumonia, ...	13	16	13	6	1	1	17

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13217). Wt. 5568. 3. 380. 10. 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD. 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 44. VOL. LVI.] WEEK ENDING SATURDAY, 1ST NOVEMBER, 1919. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 3rd November, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 15·2 and 14·5; Dublin Registration Area, 17·8 and 15·7; Dublin City, 18·5 and 16·7; Belfast, 15·0 and 14·3; Cork, 16·3 and 17·5; Londonderry, 16·5 and 16·2; Limerick, 10·8 and 12·5; and Waterford, 17·1 and 13·8.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·4 per 1,000. Among the 115 deaths from all causes for Belfast are one from enteric fever, one from measles, 11 from scarlet fever, one from whooping-cough, one from diphtheria, and 2 from diarrhœal diseases. Of the 24 deaths from all causes for Cork, 2 are from diphtheria, and one of the 13 deaths recorded for Londonderry is from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 233—120 boys and 113 girls—and the deaths to 149—73 males and 76 females.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·8 per 1,000 of the population. During the forty-four weeks ending with Saturday last, the death-rate averaged 21·9 and was 1·0 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the forty-four weeks was 23·6 and for the corresponding period of the preceding ten years 22·2.

Of the 138 deaths appertaining to the Area, one was from each of measles and scarlet fever, 2 were from diphtheria, 2 from dysentery, 5 were from diarrhœal diseases, and one was from influenza.

In the 3 preceding weeks, deaths from scarlet fever were one, 0 and 0; from diphtheria one, 0 and one; deaths from dysentery, 2, one and 0; deaths from diarrhœal diseases 9, 7 and 3, and deaths from influenza, 2, 0 and 2, respectively. There were no deaths from measles in the three preceding weeks.

Deaths attributed to pneumonia were 5 (comprising 2 from broncho-pneumonia and 3 from pneumonia, type not distinguished), as against 6, 8 and 4 in the three weeks preceding.

Tuberculous disease caused 19 deaths (comprising 15 from pulmonary tuberculosis, and 4 from other forms of tuberculous disease), as against 20, 15, and 22, in the three weeks preceding.

Twelve deaths were caused by cancer, 21 by organic diseases of the heart, and 14 by bronchitis.

Among deaths of infants under one year old, 3 were due to convulsions, one to broncho-pneumonia, 3 were due to diarrhœa and enteritis, 5 to premature birth, and 3 to congenital debility.

There were 4 accidental deaths, and one case of suicide.

Twenty-six of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 18 being infants under one year, of whom 10 were under one month old, and 33 deaths were those of persons aged 65 and upwards, of whom 27 were 70 years of age or over.

Of the 138 deaths recorded, 57 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 1st November in 96 large English towns (including London, in which the rate was 14·3 was equal to an average annual death rate of 12·9 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 12·4 per 1,000 persons living, the rate for Glasgow being 11·7 and for Edinburgh 14·1.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 1st November. From this Report it appears that of 147 cases notified, 102 were scarlet fever, 27 diphtheria, 8 pulmonary tuberculosis, 5 other forms of tuberculosis, and 5 erysipelas. Among the 689 cases of infectious diseases in hospital at the close of the week were 418 of scarlet fever, 140 of pulmonary tuberculosis, 87 of diphtheria. 17 of measles, 5 of whooping-cough, 3 of erysipelas, and 2 of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 1st November, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Oct. 11	3	·	1	·	·	—	45	—	3	2	—	·	—	16	4	·	7	·	·	17	98
	Oct. 18	·	·	1	·	·	—	23	—	6	3	—	·	—	9	21	·	2	1	·	23	89
	Oct. 25	2	·	·	·	·	—	44	—	6	5	—	·	—	12	15	·	4	·	·	8	96
	Nov. 1	·	·	·	·	·	—	24	—	3	3	—	·	—	3	7	·	2	·	·	18	60
Rathmines & Rathgar Urban District	Oct. 11	2	·	·	·	·	—	3	—	·	·	—	·	—	·	2	·	·	·	·	—	7
	Oct. 18	·	·	·	·	·	—	1	—	·	·	—	·	—	·	1	·	·	·	·	—	2
	Oct. 25	·	·	·	·	·	—	3	—	2	·	—	·	—	·	1	·	·	·	·	—	6
	Nov. 1	·	·	·	·	·	—	7	—	3	·	—	·	—	·	1	·	·	·	·	—	11
Pembroke Urban District	Oct. 11	1	·	·	·	·	·	10	·	·	·	·	·	—	3	·	·	·	·	·	·	14
	Oct. 18	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
	Oct. 25	·	·	·	·	·	·	2	·	2	·	1	·	—	·	·	·	·	·	·	·	5
	Nov. 1	·	·	·	·	·	·	14	·	·	·	·	·	—	1	·	·	·	·	·	1	16
Blackrock Urban District	Oct. 11	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Oct. 18	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Oct. 25	·	·	·	·	·	·	2	—	·	·	—	·	—	·	·	·	·	·	·	·	2
	Nov. 1	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	Oct. 11	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Oct. 18	·	·	·	·	·	—	1	—	1	·	—	·	—	·	1	·	·	—	·	·	3
	Oct. 25	·	·	·	·	·	—	1	—	·	·	—	·	—	·	1	·	2	—	·	1	5
	Nov. 1	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	2	—	·	·	2
City of Belfast	Oct. 11	10	·	·	·	·	—	176	—	6	1	—	2	—	·	·	·	·	·	·	·	195
	Oct. 18	1	·	·	·	·	—	185	—	4	4	—	2	—	·	·	·	·	·	·	·	196
	Oct. 25	1	·	·	·	·	—	194	—	4	2	—	1	—	·	·	·	·	·	·	·	202
	Nov. 1	·	·	·	·	·	—	222	—	4	10	—	·	—	·	·	·	·	·	·	·	236
City of Cork	Oct. 11	2	·	·	·	·	·	·	—	25	·	—	·	·	·	·	·	1	—	·	—	28*a*
	Oct. 18	1	·	·	·	·	·	·	—	20	·	—	·	1	·	·	·	·	—	·	—	22*b*
	Oct. 25	·	·	·	·	·	·	1	—	15	·	—	·	·	·	·	·	·	—	·	—	16*c*
	Nov. 1	1	·	·	·	·	·	·	—	14	2	—	·	·	·	·	·	·	—	·	—	17*d*
City of Londonderry	Oct. 11	·	·	·	·	·	—	6	—	·	·	—	·	—	·	·	·	·	·	—	—	6
	Oct. 18	1	·	·	·	·	—	4	—	·	2	—	·	—	·	·	·	·	·	—	—	7
	Oct. 25	·	·	·	·	·	—	5	—	2	·	—	·	—	·	·	·	·	·	—	—	7
	Nov. 1	·	·	·	·	·	—	8	—	·	·	—	·	—	·	·	·	·	·	—	—	8
City of Limerick	Oct. 11	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Oct. 18	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	Oct. 25	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Nov. 1	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
City of Waterford	Oct. 11	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Oct. 18	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Oct. 25	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	Nov. 1	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

(*a*) Not including 2 cases of varicella. (*b*) Not including one case of varicella.
(*c*) Not including 4 cases of varicella. (*d*) Not including 3 cases of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st November, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever one and 13; measles 2 and 3; scarlet fever 38 and 228;* and diphtheria 8 and 21. Seven cases of pneumonia were admitted during the week and 16 remained under treatment at its close. Of the deaths in hospital during the week one was from scarlet fever, and 3 were from diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 1st November, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 70 URBAN DISTRICTS (including 7 of Towns in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases (b)	Registration—Week ending Saturday, 1st November, 1919. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age	Deaths. At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Meteorology. (c) Week ending 1st November, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
Total of 19 Town Districts, ...	1,142,268	20·0	27·2	15·2	1·4	595	333	47	78	1	·	·	2	12	1	6	2	33	10	21	21	36	5	2	17	22	112	14	° ·	° ·	° ·	° ·	° ·	·
Dublin Registration Area, ...	405,000	28·9	30·0	17·8	1·4	233	138	18	33	·	·	·	1	1	·	2	2	15	4	12	5	16	4	1	5	6	57	6	(d) 51·1	27·6	48·0	34·0	41·0	0·23
Urban Districts. City of Dublin,	310,500	38·0	32·9	18·5	1·3	196	110	16	25	·	·	·	·	1	·	1	2	13	3	10	5	14	3	1	4	5	50	3	(e) 50·9	32·0	47·8	38·2	43·0	0·22
																													(f) 51·6	30·0	48·5	36·1	42.3	0·24
Urban Districts. Rathmines and Rathgar.	39,400	23·0	22·5	17·2	2·6	17	13	·	4	·	·	·	·	·	·	1	·	1	·	2	·	1	1	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. Pembroke, ..	29,500	18·8	15·9	15·9	·	9	9	1	1	·	·	·	·	·	·	·	·	1	1	·	·	1	·	·	1	1	3	1	·	·	·	·	·	·
Urban Districts. Blackrock, ..	9,000	8·3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Kingstown, ..	16,600	11·4	24·6	18·8	3·1	11	6	1	3	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	2	49	33	44·8	38·8	41·8	0·26
Urban Districts. Belfast, ..	401 000	26·8	28·6	15·0	2·2	220	115	19	17	1	·	·	1	11	1	1	·	12	5	6	9	11	1	1	7	10	33	3	50·0	33·0	48·2	39·0	43·6	0·02
Urban Districts. Cork, ...	76,673	28·6	23·8	16·3	1·4	35	24	2	9	·	·	·	·	·	·	2	·	2	1	2	2	3	·	·	·	1	9	·	52	37	49·6	38·3	44·0	0·04
Urban Districts. Londonderry, ..	41,000	15·9	24·2	16·5	1·3	19	13	·	2	·	·	·	·	·	·	1	·	1	·	·	·	3	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. Limerick, ..	38,518	16·1	20·3	10·8	·	15	8	1	2	·	·	·	·	·	·	·	·	1	·	·	2	1	·	·	·	·	5	1	·	·	·	·	·	·
Urban Districts. Waterford, ..	27,464	19·1	19·0	17·1	·	10	9	2	2	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	2	2	4	·	·	·	·	·	·	·
Urban Districts. Galway,.. ..	13,255	2·5				4	3	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	56	28	50	35	42·5	0·00
Urban Districts. Dundalk, ..	13,128	9·5				13	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Lurgan, ..	12,553	14·7				5	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	49·4	27·0	47·3	33·4	40·3	0·04
Urban Districts. Drogheda, ..	12,501	8·4				2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Lisburn, ..	12,388	10·9				6	3	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	49	30	47·6	34·2	40·9	0·06
Urban Districts. Newry, ...	11,963	17·0				4	3	1	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	49·4	27·0	47·3	33·4	40·3	0·04
Urban Districts. Portadown, ..	11,727	15·3				11	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	49·4	27·0	47·3	33·4	40·3	0·04
Urban Districts. Wexford, ..	11,531	22·8				4	2	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. Ballymena, ..	11,381	9·3				3	3	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. Sligo, ...	11,163	3·8				2	4	1	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	2	2	1	52	23	49	32	40·5	0·00
Urban Districts. Kilkenny, ..	10,514	11·4				6	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	50	29	48·0	32·5	40·2	0·01
Urban Districts. Tralee, ...	10,300	17·4				·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. Clonmel, ..	10,209	7·8				3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
			The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.																															
London	4,266,901	—	—	14·3	—	1,850	1,103	129	406	6	—	·	10	·	1	18	—	85	11	100	91	24	25	5	52	103	497	4	50	34	46·3	37·6	42·0	0·43
Edinburgh ...	336,500	—	—	14·1	—	154	91	10	28	·	·	·	1	1	·	1	—	—	—	—	—	—	1	—	6	—	—	—	46·0	33·0	43·7	37·1	40·4	0·92
Glasgow	1,118,700	—	—	11·7	—	589	251	51	66	·	·	·	2	·	·	3	—	—	—	—	—	—	5	—	14	—	—	—	47·0	34·1	46·0	37·6	41·8	0·02

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population provisional estimate for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings or Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 44th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 1st November, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15	15—20.	20—25	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.		
ALL CAUSES.	213·8	149	10	8	4	6	6	2	5	2	8	17	18	28	22	13	138
Enteric Fever ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	1·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever ..	·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Whooping-cough ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	·4	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	2
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	58·0	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Dysentery	·2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Erysipelas	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	15·2	16	.	.	1	.	.	2	1	2	5	.	4	1	.	.	15
Tuberculous Meningitis	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	1·4	2	.		.	1	.	.	1	.	.	.	.	.	.	.	2
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·0	2	.	.	.	1	.	.	.	.	.	1	.	.	.	.	2
Venereal Diseases ..	·4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	10·2	12	.	.	.	.	.	.	.	.	.	2	1	7	1	1	12
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·4	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Diabetes	·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Anæmia, Leucocythæmia.	1·0	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Other General Diseases	1·2	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	3
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·0	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	3·2	5	.	.	.	.	.	.	.	.	.	.	.	3	1	1	5
Softening of Brain ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	1·2	5	.	.	.	.	.	.	.	.	.	1	1	1	2	.	5
Epilepsy, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	4·6	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Other Diseases of Nervous System.	1·6	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Organic Diseases of the Heart.	12·6	24	.	.	.	.	.	.	2	.	.	5	1	6	5	5	21
Embolism and Thrombosis (including Cerebral)	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	19·2	14	.	.	.	.	.	.	.	.	.	.	3	4	5	2	14
Broncho-pneumonia ..	8·2	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2
Lobar pneumonia ..	4·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	14·4	3	.	.	.	.	.	.	.	.	.	.	1	2	.	.	3
Pleurisy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	1·0	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Other Diseases of Respiratory System.	·8	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1

in the FORTY-FOURTH WEEK, ending Saturday, 1st November, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 44th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 1st November, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx Tonsillitis.	.	1	.	.	.	.	.	.		.	.	.	1	.	.	.		1
Diseases of Stomach ..	3·2	2	.	1	.	.	.	.	.	.	.	1	.	.	.	.		1
Diarrhœa and Enteritis of Children under 2 years.	4·6	4	.	3	1	.	.	.	.	.	.	.	.	.	.	.		4
Diarrhœa 2 years and upwards.	·2	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.		1
Enteritis 2 years and upwards.	1·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.		1
Appendicitis and Typhlitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Hernia and Intestinal Obstructions.	1·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.		1
Cirrhosis of Liver ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.
Other Diseases of Liver	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Peritonitis (cause unknown).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Digestive System.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Nephritis ..	1·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Chronic Bright's Disease	2·8	5	.	.	.	.	.	.	.	.	1	1	1	1	1	.		4
Urinary Calculi ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.		.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	1·0	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1
Puerperal Septicæmia, &c.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other causes incident to Pregnancy and Childbirth.	1·0	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Diseases of Skin and Cellular Tissues.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Locomotor System.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.		.
Congenital Malformations.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Premature Birth ..	2·6	5	5	.	.	.	.	.	.	.	.	.	.	.	.	.		5
Congenital Debility ..	4·2	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.		3
Old Age	6·4	4	.	.	.	.	.	.	.	.	.	.	.	.	2	2		4
Other Specified Diseases	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Drowning	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suffocation in Bed ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Railways, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Vehicles and Horses ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations ..	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.		2
Gunshot Wounds, &c.	2·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		.
Other Violent Deaths		2	.	.	.	.	.	.	.	.	.	.	.	1	1	.		2
Not included in above—																		
Homicide. ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suicide, ..	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes,	1·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1

TABLE IV.—Showing for the WEEK ENDED 1ST NOVEMBER, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Deaths. Under 1 year.	1 and under 2	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 3 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
North City, No. 1, E., ...	30,000	19·1	1·7	11	2	·	·	2	1	1	4	1	·	·	·	·	·	·	·	·	2	·	1	1	·	1	·	·	6	·	3	2	·
" 1, W., ...	41,100	26·6	1·3	21	5	·	·	1	2	5	7	1	·	·	·	·	·	·	1	·	2	·	3	1	5	·	·	1	8	1	9	2	·
" 2, ...	27,500	17·1	·	9	3	·	·	·	·	·	5	1	·	·	·	·	·	·	·	·	·	·	·	·	4	·	·	·	5	1	2	2	1
" 3, ...	34,100	18·3	1·5	12	·	·	1	1	1	2	3	4	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	10	1	3	4	1
Clontarf and Howth, No. 1, part of	5,500	19·0	·	2	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	1	·	·
Coolock and Drumcondra, part of ..	13,600	15·3	·	4	·	·	·	·	1	·	1	2	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	2	·	1	3	·
Finglas and Glasnevin, part of ..	11,100	9·4	·	2	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	·	·
South City.																																	
South City, No. 1, ..	43,000	17·0	1·2	14	1	1	·	·	·	5	3	4	·	·	·	·	·	·	·	·	2	·	4	1	·	1	·	·	6	·	2	1	·
" 2, ...	18,200	14·3	·	5	1	1	·	·	1	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	5	·	·	1	·
" 3, ...	43,300	18·1	·	15	2	·	1	·	·	1	5	6	·	·	·	·	·	·	·	·	1	2	2	1	3	·	·	1	5	·	1	6	·
" 4, ...	32,800	14·3	3·2	9	·	·	·	·	·	2	5	2	·	·	·	·	·	·	·	2	1	·	·	1	1	·	·	2	2	2	4	1	·
New Kilmainham, ...	10,300	30·4	10·1	6	2	·	·	1	·	·	1	2	·	·	·	·	1	·	·	·	1	·	·	·	·	1	·	·	3	·	1	1	1
Urban Districts.																																	
Rathmines and Rathgar, ..	39,400	17·2	2·6	13	·	2	·	1	1	1	4	4	·	·	·	·	·	·	1	·	1	·	2	·	1	1	·	·	7	·	2	1	·
Pembroke	29,500	15·9	·	9	1	·	1	·	·	1	5	1	·	·	·	·	·	·	·	·	1	1	·	·	1	·	·	1	5	1	2	1	1
Blackrock, ...	9,000	·	·	·	..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Kingstown, ...	16,600	18·8	3·1	6	1	·	1	·	·	1	·	3	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	5	·	1	·	2
Total City: North, ...	162,900	19·5	1·0	61	10	·	1	5	5	9	21	10	·	·	·	·	·	·	1	·	8	1	4	2	10	1	1	1	32	3	19	13	2
Total City: South, ...	147,600	17·3	1·8	49	6	2	1	1	1	8	15	15	·	·	·	·	1	·	·	2	5	2	6	3	4	2	·	3	21	2	8	10	1
Total City: North and South, ..	310,500	18·5	1·3	110	16	2	2	6	6	17	36	25	·	·	·	·	1	·	1	2	13	3	10	5	14	3	1	4	53	5	27	23	3
Total Urban Districts, ...	94,500	15·4	1·7	28	2	2	2	1	1	3	9	8	·	·	·	1	·	·	1	·	2	1	2	·	2	1	·	1	17	1	5	2	3
Total Registration Area, ..	405,000	17·8	1·4	138	18	4	4	7	7	20	45	33	·	·	·	1	1	·	2	2	15	4	12	5	16	4	1	5	70	6	32	25	6
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				11	·	·	2	1	·	5	1	2	·	·	·	·	·	·	1	·	1	·	·	·	·	·	1	1	7	·	10	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 1st November, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 1ST NOVEMBER, 1919.

CLASS	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	149	28	8	7	25	46	22	13	.	.	.	1	1	.	3	2	16	4	12	3	5	16	4	2	6	74	6
	CLASSES.																													
	DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	10·7	3	.	1	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS	101,798	11·8	23	3	1	.	5	7	3	4	.	.	.	.	.	.	1	.	2	1	2	.	.	1	.	.	.	16	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	13·9	29	3	2	2	4	11	5	2	.	.	.	.	1	.	.	1	4	.	4	.	3	5	.	1	.	10	1
IV.	GENERAL SERVICE CLASS	167,479	21·2	68	22	4	2	11	19	6	4	.	.	.	1	.	.	2	.	8	1	5	3	2	6	4	1	5	30	5
V.	INMATES OF WORKHOUSES, ...	5,602	—	26	.	.	3	5	7	8	3	.	.	.	.	.	.	.	.	2	2	1	.	.	4	.	.	1	16	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	.	1	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	4	.	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	6. Clerks and Commercial Assistants,	33,249	—	9	3	.	.	2	4	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	.	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	7	.	1	.	2	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	6	.
III	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	5	2	1	.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	3	.
	9. Building and Furnishing Trades, ..	28,823	—	4	1	.	1	1	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
	10 Clothing Trades, ...	20,026	—	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	11. Food Supply Trades, ...	8,952	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	16	.	.	1	2	7	5	1	.	.	.	.	.	.	.	1	2	.	4	.	.	4	.	.	.	5	.
	13. Petty Shopkeepers, ...	6,772	—	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	7	2	1	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	5	.
	15. Domestic Servants, ...	36,041	—	5	1	.	.	2	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	3	1	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	1	.	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	53	18	3	2	7	16	4	3	.	.	.	1	.	.	1	.	6	1	5	3	2	4	3	1	2	24	5
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	26	.	.	3	5	7	8	3	.	.	.	.	.	.	.	.	2	2	1	.	.	4	.	.	1	16	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct 18.	Oct. 25.	Nov. 1.	Aug. 9	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.
No. of weeks in Annual Series ..	32	33	34	35	36	37	38	39	40	41	42	43	44	32	33	34	35	36	37	38	39	40	41	42	43	44
BIRTHS registered	190	160	226	171	190	194	215	192	199	251	203	163	233	182	173	211	241	219	183	186	190	224	223	260	206	220
Average Births in corresponding week of previous 10 years, ...	198	215	209	208	216	195	214	211	200	190	196	189	187	193	201	183	194	192	191	176	192	192	203	195	178	182
Number of Deaths, ...	99	111	124	142	153	134	97	117	122	112	121	118	138	73	82	127	129	112	100	111	112	107	104	104	116	115
Annual Death-rate per 1,000 ..	12·7	14·3	16·0	18·3	19·7	17·3	12·5	15·1	15·7	14·4	15·6	15·2	17·8	9·5	10·7	16·5	16·8	14·6	13·0	14·4	14·6	13·9	13·5	13·5	15·1	15·0
Average Deaths in corresponding week of previous 10 years, ...	129	139	138	143	143	145	145	147	149	149	159	160	176	105	114	119	122	118	113	121	113	104	111	108	118	114
Ages, Under one year, ..	19	29	38	48	46	29	21	27	20	16	27	18	18	12	14	32	41	26	26	17	25	20	13	16	18	19
1— 5 years, ..	5	20	9	10	7	7	6	8	11	3	7	8	8	6	5	11	9	5	8	15	11	11	5	8	8	19
5—25 ,, ..	7	5	10	14	11	13	13	13	10	17	9	12	14	11	13	17	16	12	19	20	22	13	17	21	27	23
25—45 ,, ..	17	12	19	9	15	12	13	11	22	13	21	20	20	9	14	23	15	22	6	12	9	13	17	17	18	12
45—65 ,, ..	27	27	24	25	30	32	22	30	25	26	22	30	45	12	18	25	26	28	30	21	22	31	28	15	20	25
65 and upwards, ..	24	18	24	36	44	41	22	28	34	37	35	30	33	23	18	19	22	19	11	26	23	19	24	27	25	17
Deaths from :—																										
Enteric Fever, ...	1	.	.	.	1	1	1	1	.	.	.	1	.	.	.	.	.	1	2	.	1	.	1	1	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1
Scarlet Fever, ...	.	.	.	2	.	.	1	1	2	1	.	.	1	1	1	1	3	2	2	6	5	4	1	9	12	11
Whooping-cough, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Diphtheria, ...	.	.	.	1	.	1	1	.	1	1	.	1	2	.	.	1	.	1	.	1	1	.	.	.	.	1
Dysentery, ...	.	.	.	.	2	3	4	3	.	2	1	.	2	.	.	.	1	.	.	.	.	1	1	.	.	.
Tuberculosis { Pulmonary, ..	12	8	12	14	14	9	10	6	14	10	11	17	15	8	11	12	18	11	9	11	13	9	14	11	12	12
Tuberculosis { Other Forms, ..	5	7	6	2	9	8	2	6	7	10	4	5	4	7	7	4	1	1	5	5	7	3	5	6	3	5
Cancer, ...	10	8	5	8	9	13	9	16	10	7	7	10	12	1	6	5	3	8	6	9	6	6	7	4	10	6
Diseases of Respiratory System, { Pneumonia ..	5	2	6	5	10	7	5	5	6	6	8	4	5	3	3	4	4	6	4	4	2	9	3	5	8	9
Diseases of Respiratory System, { Others, ..	11	9	7	9	4	11	5	8	9	14	12	11	16	6	8	7	9	5	5	9	5	5	11	11	12	11
Diarrhœa and Enteritis, under 2 years, ...	12	28	26	37	24	7	9	9	8	8	6	3	4	2	6	16	30	12	10	8	13	13	3	7	1	1
Diarrhœa, 2 years and upwards..	1	2	3	3	1	2	1	.	.	1	1	.	1	.	.	8	7	5	8	10	7	2	1	4	2	1
Violent Deaths, ...	2	1	.	4	1	5	3	4	2	3	1	6	5	1	2	3	.	1	5	1	2	1	.	2	1	7
Number of Uncertified Deaths, ..	1	1	4	6	4	2	2	3	6	3	1	2	6	.	.	1	.	.	.	1	.	2	2	1	1	3
A Mean Maximum Temperature in degs.	69·9	73·1	68·4	60·1	65·3	72·4	66·3	59·2	59·0	52·9	64·3	57·8	48·0	68·1	72·2	58·0	58·6	65·4	66·0	59·7	54·4	58·9	58·3	50·1	57·6	48·2
B Mean Minimum ,, ,,	52·2	53·2	51·8	45·2	45·6	51·6	40·2	37·4	40·4	34·9	51·2	41·3	34·0	53·5	54·5	53·0	48·3	48·7	52·5	46·7	44·4	43·1	50·1	39·5	47·6	39·0
Mean of A and B ,, ,,	61·1	68·2	60·0	52·7	55·4	62·0	53·2	48·3	49·7	43·9	57·7	49·5	41·0	60·8	63·3	60·5	53·4	57·0	59·2	53·2	51·0	55·6	54·2	44·8	52·6	43·6
Rainfall in inches	0·0	0·08	0·59	1·15	0·98	0·15	0·07	0·79	0·39	0·01	0·04	1·30	0·23	0·29	0·43	0·48	1·78	1·52	1·80	0·19	0·92	0·21	0·06	0·58	0·95	0·02

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 1st November 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted:* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	10	16·4	.	5	.	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	2	.
Do. 2 do.	49,500	29	12·6	4·2	12	3	3	3	.	2	1	1	.	.	1	.	1	1	.	2	1	1	.	.	.	.	.	.	4	.
Do. 3 do.	50,032	35	14·6	3·1	14	5	2	2	.	2	3	.	.	.	.	2	.	.	.	1	.	.	2	2	1	.	.	.	3	.
Do. 4 do.	32,637	17	9·6	3·2	6	1	2	.	1	1	1	.	.	.	.	2	.	.	.	2	.	.	.	1	.	.	.	.	4	.
Do. 5 do.	16,112	10	16·2	.	5	1	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	1	.
Do. 6 do.	37,293	20	18·2	2·8	13	1	1	3	.	3	5	.	.	.	.	2	.	.	.	1	.	3	1	.	.	.	1	2	4	1
Do. 7 do.	2,681	3	38·9	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 8 do.	5,964	1	8·7	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	12	17·1	.	8	1	.	4	3	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	1	.	.
Do. 10 do.	28,958	14	7·2	.	4	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Do. 11 do.	39,311	21	10·6	1·3	8	1	1	3	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	1	1	1	1	.
Do. 12 do.	38,076	35	28·8	4·1	21	6	4	3	1	6	1	.	.	.	.	3	.	.	.	1	2	.	3	1	.	.	3	3	7	1
Do. 13 do.	23,233	4	15·7	2·2	7	.	2	1	.	3	1	.	.	.	.	1	.	.	.	.	.	1	.	2	.	.	1	1	3	.
Do. 14 do	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	9	20·7	2·3	9	.	3	3	.	3	.	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.	1	1
Total,	386,947	220	15·0	2·2	115	19	19	23	12	25	17	1	.	.	1	11	1	1	.	12	5	6	9	11	1	1	7	10	33	3
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	8	19·4	.	5	.	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do 2 do.	10,399	7	35·1	5·0	7	.	1	1	1	2	2	.	.	.	.	.	.	1	.	2	.	.	1	.	.	.	.	.	1	.
Do. 3 do.	9,793	2	10·6	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 4 do.	9,139	4	39·9	.	7	.	.	1	2	1	3	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	4	.
Do. 5 do.	6,250	1	8·3	8·3	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 do	16,056	8	6·5	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.
Total,	76,673	35	16·3	1·4	24	2	2	2	3	6	9	.	.	.	.	.	.	2	.	2	1	2	2	3	.	.	.	1	9	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st November, 1919.

DISTRICTS	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	3
" " 1, West ..	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	3	6
" " 2, ...	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	2	5
" " 3, ...	.	.	.	.	.	8	1	.	.	.	.	.		.	.	.	2	11
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of)	.	.	.	.	.	5	.	.	.	.	.	.	.	.	.	.	1	6
South City No. 1	.	.	.	.	.	1	1	.	.	.	.	7	.	1	.	.	2	12
" " " 2, ...	.	.	..	.	.	1	.	.	1	.	.	.	.	.	.	.	3	5
" " " 3, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	1	3
" " " 4, ...	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	3	6
New Kilmainham, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Total, ...	.	.	.		.	24	3	.	3	.	3	7	.	2	.	.	18	60

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st November, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 1st November.			
	Oct. 11.	Oct. 18.	Oct. 25.	No. admitted	Dis charged	Died.	No under treatment at close of week.
Enteric Fever, ...	21	17	15	1	3	.	13
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	.	1	2	2	1	.	3
Scarlet Fever, ...	161	174	212	38	21	1	228*
Diphtheria, ...	24	25	22	8	6	3	21
Pneumonia, ...	16	13	17	7	8	.	16

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13249). Wt. 5568. 3. 380. 11. 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd. 116, Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1;
37, Peter Street, Manchester; 1, St Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 45. Vol. LVI.] Week ending Saturday, 8th November, 1919. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 10th November, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 16·0 and 15·1; Dublin Registration Area, 12·7 and 15·3; Dublin City, 13·1 and 16·2; Belfast, 20·7 and 16·1; Cork, 15·0 and 17·2; Londonderry, 19·1 and 17·5; Limerick, 20·3 and 14·6; and Waterford, 7·6 and 13·8.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·5 per 1,000. Among the 159 deaths from all causes for Belfast are 4 from measles, 10 from scarlet fever and 7 from diarrhœal diseases. Of the 15 deaths from all causes for Londonderry, one is from scarlet fever, and 2 are from diarrhœa and enteritis of children under 2 years, and one of the 3 deaths recorded for Lisburn is from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 216—115 boys and 101 girls—and the deaths to 109—54 males and 55 females.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 12·7 per 1,000 of the population. During the forty-five weeks ending with Saturday last, the death-rate averaged 21·7 and was 0·7 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the forty-five weeks was 23·4 and for the corresponding period of the preceding ten years 22·3.

Of the 99 deaths appertaining to the Area there were two from measles, one from diphtheria, and 2 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks, deaths from measles were 0, 0 and one; from diphtheria 0, one and 2; and deaths from diarrhœa and enteritis of children under 2 years, 6, 3 and 4, respectively.

Deaths attributed to pneumonia were 10 (comprising 6 from broncho-pneumonia and 4 from pneumonia, type not distinguished), as against 8, 4 and 5 in the three weeks preceding.

Tuberculous disease caused 13 deaths (comprising 7 from pulmonary tuberculosis, one from tuberculous meningitis, and 5 from other forms of tuberculous disease), as against 15, 22, and 19, in the three weeks preceding.

Seven deaths were caused by cancer, 10 by organic diseases of the heart, and 11 by bronchitis.

Among deaths of infants under one year old, 2 were due to bronchitis, 2 to broncho-pneumonia, 2 to diarrhœa and enteritis, one to congenital malformation, 5 to premature birth, and one to congenital debility.

There were 3 accidental deaths.

Twenty-seven of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 19 being infants under one year, of whom 7 were under one month old, and 22 deaths were those of persons aged 65 and upwards, of whom 14 were 70 years of age or over.

Of the 99 deaths recorded, 44 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 8th November, in 96 large English towns (including London, in which the rate was 15·1 was equal to an average annual death rate of 13·4 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 13·1 per 1,000 persons living, the rate for Glasgow being 12·2 and for Edinburgh 13·2.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 8th November. From this Report it appears that of 106 cases notified, 64 were scarlet fever, 21 diphtheria, 6 pulmonary tuberculosis, 7 other forms of tuberculosis, 6 erysipelas, and 2 puerperal fever. Among the 695 cases of infectious diseases in hospital at the close of the week were 429 of scarlet fever, 135 of pulmonary tuberculosis, 87 of diphtheria. 14 of measles, 5 of erysipelas and 4 of whooping-cough.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 8th November, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Oct. 18	·	·	1	·	·	—	23	—	6	3	—	·	—	9	21	·	2	1	·	23	89
	Oct. 25	2	·	·	·	·	—	44	—	6	5	—	·	—	12	15	·	4	·	·	8	96
	Nov. 1	·	·	·	·	·	—	24	—	3	3	—		—	3	7	·	2	·	·	18	60
	Nov. 8	2	·	·	·	·	—	33	—	2	4	—	·	—	3	4	·	7	·	·	17	72
Rathmines & Rathgar Urban District	Oct. 18	·	·	·	·	·	—	1	—	·	·	—	·	—	·	1	·	·	·	·	—	2
	Oct. 25	·	·	·	·	·	—	3	—	2	·	—	·	—	·	1	·	·	·	·	—	6
	Nov. 1	·	·	·	·	·	—	7	—	3	·	—	·	—	·	1	·	·	·	·	—	11
	Nov. 8	·	·	·	·	·	—	4	—	2	·	—	·	—	·	·	·	·	·	·	—	6
Pembroke Urban District	Oct. 18	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
	Oct. 25	·	·	·	·	·	·	2	·	2	·	1	·	—	·	·	·	·	·	·	·	5
	Nov. 1	·	·	·	·	·	·	14	·	·	·	·	·	—	1	·	·	·	·	·	1	16
	Nov. 8	·	·	·	·	·	1	·	·	1	·	·	·	—	4	·	·	1	·	·	·	7
Blackrock Urban District	Oct. 18	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Oct. 25	·	·	·	·	·	·	2	—	·	·	—	·	—	·	·	·	·	·	·	·	2
	Nov. 1	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Nov. 8	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	Oct. 18	·	·	·	·	·	—	1	—	1	·	—	·	—	·	1	·	·	—	·	·	3
	Oct. 25	·	·	·	·	·	—	1	—	·	·	—	·	—	·	1	·	2	—	·	1	5
	Nov. 1	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	2	—	·	·	2
	Nov. 8	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	4	—	·	·	6
City of Belfast	Oct. 18	1	·	·	·	·	—	185	—	4	4	—	2	—	·	·	·	·	·	·	·	196
	Oct. 25	1	·	·	·	·	—	194	—	4	2	—	1	—	·	·	·	·	·	·	·	202
	Nov. 1	·	·	·	·	·	—	222	—	4	10	—	·	—	·	·	·	·	·	·	·	236
	Nov. 8	·	·	·	·	·	—	148	—	8	11	—	1	—	·	·	·	·	·	·	·	168
City of Cork	Oct. 18	1	·	·	·	·	·	·	—	20	·	—	·	1	·	·	·	·	—	·	—	22*a*
	Oct. 25	·	·	·	·	·	·	1	—	15	·	—	·	·	·	·	·	·	—	·	—	16*b*
	Nov. 1	1	·	·	·	·	·	·	—	14	2	—	·	·	·	·	·	·	—	·	—	17*c*
	Nov. 8	·	·	·	·	·	·	1	—	14	·	—	·	·	·	1	·	·	—	·	—	16*d*
City of Londonderry	Oct. 18	1	·	·	·	·	—	4	—	·	2	—	·	—	·	·	·	·	·	—	—	7
	Oct. 25	·	·	·	·	·	—	5	—	2	·	—	·	—	·	·	·	·	·	—	—	7
	Nov. 1	·	·	·	·	·	—	8	—	·	·	—	·	—	·	·	·	·	·	—	—	8
	Nov. 8	·	·	·	·	·	—	7	—	1	1	—	·	—	·	·	·	·	·	—	—	9
City of Limerick	Oct. 18	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	Oct. 25	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Nov. 1	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Nov. 8	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
City of Waterford	Oct. 18	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Oct. 25	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	Nov. 1	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Nov. 8	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1

(*a*) Not including one case of varicella. (*b*) Not including 4 cases of varicella.
(*c*) Not including 3 cases of varicella. (*d*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th November, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever one and 9; measles 12 and 14; scarlet fever 54 and 250*; and diphtheria one and 19. Eight cases of pneumonia were admitted during the week and 19 remained under treatment at its close. Of the deaths in hospital during the week 2 were from scarlet fever, one from diphtheria, and 2 from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 8th November, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	POPULATION. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases (b)	BIRTHS Total Number.	DEATHS. Total Number.	Under 1 year of Age	At 65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	29·4	16·0	1·5	613	350	63	82	·	·	·	6	11	·	2	·	27	21	20	24	37	10	4	6	11	125	18	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	27·8	12·7	0·6	216	99	19	22	·	·	·	2	·	·	1	·	7	6	7	10	14	2	·	3	5	44	2	(d) 46·0	26·6	44·0	32·3	38·2	0·39
Urban Districts. CITY OF DUBLIN,	310,500	38·0	30·6	13·1	0·5	182	78	16	15	·	·	·	·	·	·	1	·	4	6	4	8	11	2	·	2	4	39	1	(e) 46·2 (f) 46·6	30·6 27·2	44·6 44·6	37·7 34·8	41·2 39.2	0·49 0·48
Urban Districts. RATHMINES and RATHGAR.	39,400	23·0	19·9	9·3	·	15	7	1	4	·	·	·	·	·	·	·	·	·	·	1	·	2	·	·	1	1	2	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,500	18·8	21·2	10·6	·	12	6	1	1	·	·	·	·	·	·	·	·	2	·	1	1	·	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,000	8·3	5·8	11·6	·	1	2	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,600	11·4	18·8	18·8	6·3	6	6	·	1	·	·	·	2	·	·	·	·	1	·	·	1	1	·	·	·	·	1	1	48	31	46·0	39·4	42·7	0·99
Urban Districts. BELFAST, ..	401.000	26·8	36·4	10·7	2·7	234	159	28	36	·	·	·	4	10	·	·	·	11	7	6	14	17	3	4	1	4	50	7	47·0	32·8	45·1	38·2	41·6	0·77
Urban Districts. CORK, ...	76,673	28·6	29·2	15·0	0·7	43	22	2	7	·	·	·	·	·	·	·	·	4	2	2	·	1	1	·	·	·	10	·	49	34	46·7	36·0	41·4	0·04
Urban Districts. LONDONDERRY, ..	41,000	15·9	24·2	19·1	3·8	19	15	2	4	·	·	·	·	1	·	·	·	2	·	2	·	2	2	·	1	1	1	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	52·8	20·3	1·4	39	15	6	2	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	7	5	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	26·6	7·6	·	14	4	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5				7	6	2	1	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	5	1	48	30	45·6	31.0	38·3	0·09
Urban Districts. DUNDALK, ..	13,128	9·5				4	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				5	3	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	1	2	·	44·6	28·0	43·1	33·6	38·3	0·04
Urban Districts. DROGHEDA, ..	12,501	8·4	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			8	3	·	3	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				8	3	1	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. NEWRY, ...	11,963	17·0				6	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	44·6	28·0	43·1	33·6	38·3	0·04
Urban Districts. PORTADOWN, ..	11,727	15·3				4	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	44·6	28·0	43·1	33·6	38·3	0·04
Urban Districts. WEXFORD, ..	11,531	22·8				2	5	1	1	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	2	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				26	2	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				·	2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	48	24	46	30	38	0·20
Urban Districts. KILKENNY, ..	10,514	11·4				4	5	·	3	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	1	1	47	23	42·5	32·5	37·5	0·07
Urban Districts. TRALEE, ...	10,300	17·4				2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				2	2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
LONDON	4,206,901	—	—	15·1	—	2,216	1,165	142	434	·	—	·	6	2	7	17	—	105	23	108	83	17	30	—	49	112	538	4	·	·	·	·	·	·
EDINBURGH ...	336,700	—	—	13·2	—	159	85	13	34	·	·	·	2	2	·	2	—	—	—	—	—	—	·	—	4	—	—	—	43·0	30·0	40·3	35·1	37·7	1·09
GLASGOW	1,118,700	—	—	12·2	—	590	261	41	65	·	·	·	5	3	·	3	—	—	—	—	—	—	8	—	17	—	—	—	45·3	30·0	41·9	35·8	38·8	0·21

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 45th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 8th November, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.		
ALL CAUSES.	231·4	109	8	13	5	4	6	3	.	5	9	4	13	17	11	11	99
Enteric Fever ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	·8	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	2
Scarlet Fever ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·4	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	45·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	17·2	8	.	.	.	.	.	.	.	3	2	1	1	1	.	.	7
Tuberculous Meningitis	1·6	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	1
Abdominal Tuberculosis	·4	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	·6	3	.	2	.	.	1	.	.	.	.	.	.	.	.	.	3
Venereal Diseases ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	10·0	8	.	.	.	.	.	.	.	.	.	.	3	4	.	1	7
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·2	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2
Diabetes	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Other General Diseases	1·6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.	5·8	6	.	.	.	.	.	.	.	.	.	.	2	1	2	1	6
Softening of Brain ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Epilepsy, ...	1·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Convulsions (non-puerperal).	4·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	1·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Pericarditis ..	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	1·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Organic Diseases of the Heart.	17·4	10	.	.	.	.	.	.	.	.	.	.	1	5	2	2	10
Embolism and Thrombosis (including Cerebral).	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Other Diseases of Circulatory System.	·8	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	21·8	11	.	2	1	.	.	1	.	1	.	.	.	2	1	3	11
Broncho-pneumonia ..	8 6	6	.	2	1	1	1	.	.	.	.	.	.	.	.	1	6
Lobar pneumonia ..	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	15·4	4	.	.	.	1	.	.	.	.	1	1	1	.	.	.	4
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	1 2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	·8	3	.	.	.	.	.	.	.	.	.	1	.	1	1	.	3

in the FORTY-FIFTH WEEK, ending Saturday, 8th November, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 45th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 8th November, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx, Tonsillitis.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Stomach ..	2·4	2	·	·	1	·	·	·	·	·	·	·	·	·	1	·		2
Diarrhœa and Enteritis of Children under 2 years.	6·8	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·		2
Diarrhœa 2 years and upwards.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Enteritis 2 years and upwards.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Appendicitis and Typhlitis.	·4	2	·	·	·	·	1	·	·	·	1	·	·	·	·	·		2
Hernia and Intestinal Obstructions.	2·2	3	·	·	·	·	·	·	·	·	·	·	1	1	1	·		2
Cirrhosis of Liver ..	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Liver	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Peritonitis (cause unknown).	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Digestive System.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Acute Nephritis ..	·6	3	·	1	·	·	·	·	·	·	1	·	1	·	·	·		3
Chronic Bright's Disease	6·8	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1		1
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ovarian Tumour (non-cancerous).	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Genito-urinary System.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other causes incident to Pregnancy and Childbirth.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Skin and Cellular Tissues.	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Locomotor System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Congenital Malformations.	1·0	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·		1
Premature Birth ..	3·4	6	6	·	·	·	·	·	·	·	·	·	·	·	·	·		5
Congenital Debility ..	4·6	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·		1
Old Age	8·4	3	·	·	·	·	·	·	·	·	·	·	·	·	2	1		3
Other Specified Diseases	1·4	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·		2
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Burns and Scalds ..	1·2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·		1
Drowning	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suffocation in Bed ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Vehicles and Horses ..	·2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·		1
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Gunshot Wounds, &c.	2·2	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·		·
Other Violent Deaths		1	·	·	·	·	·	·	·	·	·	·	1	·	·	·		1
Not included in above—																		
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suicide, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ill-defined, &c., Causes,	2·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·

TABLE IV.—Showing for the WEEK ENDED 8TH NOVEMBER, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 8TH NOVEMBER, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths	Under 1 year.	1 and under 2	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Deaths. Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	7·0	1·7	4	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1		1	1	.	.	1	.	.	3	.
" 1, W., ...	41,100	11·4	.	9	2	1	.	.	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	7	2	3	1	.
" 2, ...	27,500	19·0	.	10	3	.	2	1	.	1	3	.	.	.	.	.	.	.	.	.	1	2	.	2	.	.	.	.	5	.	2	3	1
" 3, ...	34,100	15·3	1·5	10	2	1	.	1	1	1	2	2	.	.	.	.	.	.	.	.	1	.	.	2	2	1	.	.	4	.	3	2	.
CEONTARF AND HOWTH, No. 1, part of	5,500	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
COOLOCK AND DRUMCONDRA, part of ..	13,600	19·2	3·8	5	.	1	.	.	.	1	2	1	.	.	.	.	.	.	1	.	.	.	1	.	2	.	.	.	1	.	2	.	.
FINGLAS AND GLASNEVIN, part of ..	11,100	4·7	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
South City.																																	
SOUTH CITY, No. 1, ..	43,000	20·6	.	17	2	.	1	2	1	1	5	5	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	2	10	2	7	3	.
" 2, ...	18,200	14·3	.	5	2	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	2	.	2	.	.
" 3, ...	43,300	10·8	.	9	1	.	.	1	.	2	3	2	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	6	.	1	3	.
" 4, ...	32,800	12·7	.	8	2	.	.	.	.	1	2	3	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	4	.	1	3	.
NEW KILMAINHAM, ...	10,300	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	9·3	.	7	1	.	.	.	.	.	2	4	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	3	1	2	.	.
PEMBROKE	29,500	10·6	.	6	1	.	.	.	.	1	3	1	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.	2	.	2	.	.
BLACKROCK, ...	9,000	11·6	.	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
KINGSTOWN, ...	16,600	18·8	6·3	6	.	1	.	2	1	1	.	1	.	.	.	2	.	.	.	.	1	.	.	1	1	.	.	.	1	.	1	.	1
TOTAL CITY. North, ...	162,900	12·5	1·0	39	9	3	2	3	1	5	11	5	.	.	.	.	.	.	1	.	2	3	2	5	6	2	.	.	18	2	10	9	1
TOTAL CITY. South, ...	147,600	13·8	.	39	7	1	1	3	1	5	11	10	.	.	.	.	.	.	.	.	2	3	2	3	5	.	.	2	22	2	11	9	.
TOTAL CITY. North and South, ..	310,500	13·1	0·5	78	16	4	3	6	2	10	22	15	.	.	.	.	.	.	1	.	4	6	4	8	11	2	.	2	40	4	21	18	1
Total Urban Districts, ...	94,500	11·6	1·1	21	3	1	.	2	1	2	5	7	.	.	.	2	.	.	.	.	3	.	3	2	3	.	.	1	7	1	5	.	1
Total Registration Area, ..	405,000	12·7	0·6	99	19	5	3	8	3	12	27	22	.	.	.	2	.	.	1	.	7	6	7	10	14	2	.	3	47	5	26	18	2
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				10	2	.	1	1	2	1	3	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	1	5	1	10	.	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 8th November, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 8TH NOVEMBER, 1919.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	109	39	9	5	13	30	11	11	.	.	.	2	.	.	1	.	8	8	8	.	10	14	2	.	4	52	2
	CLASSES.																													
	DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	7·1	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
II.	MIDDLE CLASS	101,798	13·8	27	4	3	1	3	7	4	5	.	.	.	.	.	.	.	.	1	2	3	.	2	5	1	.	.	13	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	9·1	19	3	1	2	3	5	4	1	.	.	.	.	.	.	.	.	2	.	1	.	2	2	.	.	1	11	.
IV.	GENERAL SERVICE CLASS	167,479	13·4	43	18	5	2	5	10	2	1	.	.	.	2	.	.	1	.	3	3	2	.	5	3	1	.	3	20	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	18	5	.	.	2	7	1	3	.	.	.	.	.	.	.	.	1	3	2	.	.	4	.	.	.	8	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3 Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II	MIDDLE CLASS.																													
	4 General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	11	2	2	.	1	.	3	3	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	6	.
	6. Clerks and Commercial Assistants,	33,249	—	5	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	9	1	1	.	.	4	1	2	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	.	.	4	1
III	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ..	28,823	—	6	2	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1	2	.
	10. Clothing Trades, ...	20,026	—	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	11. Food Supply Trades, ...	8,952	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	9	.	.	1	1	3	3	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	6	.
	13. Petty Shopkeepers, ...	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	4	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1	.
	15. Domestic Servants, ...	36,041	—	4	1	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	16 Coach and Car Drivers, Vanmen, &c.,	15,380	—	7	2	2	1	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	1	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	28	14	3	.	3	7	1	.	.	.	.	2	.	.	1	.	2	2	1	.	3	2	1	.	1	13	1
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	18	5	.	.	2	7	1	3	.	.	.	.	.	.	.	.	1	3	2	.	.	4	.	.	.	8	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

Week ending	Dublin Registration Area.													Belfast City.												
	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20	Sept 27	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8
No. of weeks in Annual Series ..	33	34	35	36	37	38	39	40	41	42	43	44	45	33	34	35	36	37	38	39	40	41	42	43	44	45
Births registered	160	226	171	190	194	215	192	199	251	203	163	233	216	173	211	241	219	183	186	190	224	223	260	206	220	234
Average Births in corresponding week of previous 10 years, ...	215	209	208	216	195	214	211	200	190	196	189	187	197	201	183	194	192	191	176	192	192	203	195	178	182	183
Number of Deaths, ...	111	124	142	153	134	97	117	122	112	121	118	138	99	82	127	129	112	100	111	112	107	104	104	116	115	159
Annual Death-rate per 1,000 ..	14·3	16·0	18·3	19·7	17·3	12·5	15·1	15·7	14·4	15·6	15·2	17·8	12·7	10·7	16·5	16·8	14·6	13·0	14·4	14·5	13·9	13·5	13·5	15·1	15·0	20·7
Average Deaths in corresponding week of previous 10 years, ...	139	138	143	143	145	145	147	149	149	159	160	176	185	114	119	122	118	113	121	113	104	111	108	118	114	137
Ages, Under one year, ..	29	38	48	46	29	21	27	20	16	27	18	18	19	14	32	41	26	26	17	25	20	13	16	18	19	28
1— 5 years, ..	20	9	10	7	7	6	8	11	3	7	8	8	8	5	11	9	5	8	15	11	11	5	8	8	19	19
5—25 „ ..	5	10	14	11	13	13	13	10	17	9	12	14	11	13	17	16	12	19	20	22	13	17	21	27	23	22
25—45 „ ..	12	19	9	15	12	13	11	22	13	21	20	20	12	14	23	15	22	6	12	9	13	17	17	18	12	20
45—65 „ ..	27	24	25	30	32	22	30	25	26	22	30	45	27	18	25	26	28	30	21	22	31	28	15	20	25	34
65 and upwards, ..	18	24	36	44	41	22	28	34	37	35	30	33	22	18	19	22	19	11	26	23	19	24	27	25	17	36
Deaths from :—																										
Enteric Fever, ...	.	.	.	1	1	1	1	.	.	.	1	.	.	.	.	.	1	2	.	1	.	1	1	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	1	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	1	.	.	1	4
Scarlet Fever, ...	.	.	2	.	.	1	1	2	1	.	.	1	.	1	1	3	2	2	6	5	4	1	9	12	11	10
Whooping-cough, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Diphtheria, ...	.	.	1	.	1	1	.	1	1	.	1	2	1	.	1	.	1	.	1	1	.	.	.	.	1	.
Dysentery, ...	.	.	.	2	3	4	3	.	2	1	.	2	.	.	.	1	.	.	.	.	1	1	.	.	.	.
Tuberculosis Pulmonary, ..	8	12	14	14	9	10	6	14	10	11	17	15	7	11	12	18	11	9	11	13	9	14	11	12	12	11
Tuberculosis Other Forms, ..	7	6	2	9	8	2	6	7	10	4	5	4	6	7	4	1	1	5	5	7	3	5	6	3	5	7
Cancer, ...	8	5	8	9	13	9	16	10	7	7	10	12	7	6	5	3	8	6	9	6	6	7	4	10	6	6
Diseases of Respiratory System, Pneumonia ..	2	6	5	10	7	5	5	6	6	8	4	5	10	3	4	4	6	4	4	2	9	3	5	8	9	14
Diseases of Respiratory System, Others, ..	9	7	9	4	11	5	8	9	14	12	11	16	14	8	7	9	5	5	9	5	5	11	11	12	11	17
Diarrhœa and Enteritis, under 2 years, ...	28	26	37	24	7	9	0	8	8	6	3	4	2	6	16	30	12	10	8	13	13	3	7	1	1	3
Diarrhœa, 2 years and upwards..	2	3	3	1	2	1	.	.	1	1	.	1	.	.	8	7	1	8	10	7	2	1	4	2	1	4
Violent Deaths, ...	1	.	4	1	5	3	4	2	3	1	6	5	3	2	3	.	5	5	1	2	1	.	2	1	7	1
Number of Uncertified Deaths, ..	1	4	6	4	2	2	3	6	3	1	2	6	2	.	1	.	.	.	1	.	2	2	1	1	3	7
A Mean Maximum Temperature in degs.	73·1	68·4	60·1	65·3	72·4	66·3	59·2	59·0	52·9	64·3	57·8	48·0	44·0	72·2	58·0	58·6	65·4	66·0	59·7	54·4	58·9	58·3	50·1	57·6	48·2	45·1
B Mean Minimum „ „	53·2	51·8	45·2	45·6	51·6	40·2	37·4	40·4	34·9	51·2	41·3	34·0	32·3	54·5	53·0	48·3	48·7	52·0	46·7	44·4	43·1	50·1	39·5	47·6	39·0	38·2
Mean of A and B „ „	68·2	60·0	52·7	55·4	62·0	53·2	48·3	49·7	43·9	57·7	49·5	41·0	38·2	63·3	60·5	53·4	57·0	59·2	53·2	51·0	55·6	54·2	44·8	52·6	43·6	41·6
Rainfall in inches	0·08	0·59	1·15	0·98	0·15	0·07	0·79	0·39	0·01	0·04	1·30	0·23	0·39	0·43	0·48	1·78	1·52	1·60	0·19	0·92	0·21	0·06	0·58	0·95	0·02	0·77

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 8th November, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	8	46·0	·	14	3	1	1	1	4	4	·	·	·	·	·	·	·	·	·	1	1	1	3	·	·	1	1	5	·
Do. 2 do.	49,500	29	21·1	3·2	20	2	3	4	·	6	5	·	·	·	·	2	·	·	·	·	1	1	·	1	·	1	·	1	9	3
Do. 3 do.	50,032	29	20·8	2·1	20	3	2	4	1	3	7	·	·	·	1	1	·	·	·	2	2	1	3	1	·	·	·	·	3	·
Do. 4 do.	32,637	18	17·6	4·8	11	3	2	1	2	2	1	·	·	·	·	2	·	·	·	·	1	·	·	1	·	1	·	1	5	·
Do. 5 do.	16,112	5	38·8	6·5	12	1	2	1	4	2	2	·	·	·	·	2	·	·	·	1	·	2	1	2	·	·	·	·	6	·
Do. 6 do.	37,293	22	16 8	·	12.	1	·	1	4	3	3	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	3	·
Do. 7 do.	2,681	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	4	17·5	·	2	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 9 do.	24,427	13	25·6	2·1	12	1	2	1	2	4	2	·	·	·	·	·	·	·	·	2	·	·	1	1	·	1	·	·	4	·
Do. 10 do.	28,958	28	25·2	3·6	14	4	3	2	1	1	3	·	·	·	·	1	·	·	·	1	·	1	1	3	1	·	·	·	3	1
Do. 11 do.	39,311	17	21·2	5·3	16	5	1	3	3	1	3	·	·	·	2	·	·		·	2	1	·	1	1	1	1	·	1	3	2
Do. 12 do.	38,076	34	17·8	2·7	13	4	2	·	·	5	2	·	·	·	1	1	·	·	·	1	·	·	1	3	·	·	·	·	4	·
Do 13 do.	23,233	10	13·5	2·2	6	1	·	1	1	·	3	·	·	·	·	·	·	·	·	2	·	·	1	·	1	·	·	·	1	·
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	17	16·1	2·3	7	·	1	2	·	3	1	·	·	·	·	1	·	·	·	·	1	·	1	1	·	·	·	·	3	1
Total,	386,947	234	20·7	2·7	159	28	19	22	20	34	36	·	·	·	4	10	·	·	·	11	7	6	14	17	3	4	1	4	50	7
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	8	11·6	·	3	·	1	·	1	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·
Do 2 do.	10,399	8	20·1	5·0	4	2	·	1	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	1	1	·	·	·	·	·
Do. 3 do.	9,793	6	10·6	·	2	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
Do. 4 do.	9,139	4	22·8	·	4	·	·	·	1	1	2	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	1	·
Do. 5 do.	6,250	4	25·0	·	3	·	·	·	·	3	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	2	·
Do. 6 do.	11,581	2	4·5	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·
Do. 7 do	16,056	11	16·2	·	5	·	·	·	1	2	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	4	·
Total.	76,673	43	15·0	0·7	22	2	1	2	4	6	7	·	·	·	·	·	·	·	·	4	2	2	·	1	1	·	·	·	10	·

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th November, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	2	4
" " 1, West ..	.	.	.	.	.	5	.	.	1	.	.	.	.	1	.	.	5	12
" " 2, ...	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	1	4
" " 3, ...	1	.	.	.	.	4	1	.	.	.	.	.	.	1	.	.	1	8
Clontarf and Howth No. 1 (part of)	1	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	..	4
Coolock and Drumcondra (part of)	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of)	.	.	.	.	.	5	.	.	.	.	.	.	.	.	.	.	.	5
South City No. 1	.	.	.	.	.	4	.	.	.	.	1	3	.	2	.	.	.	10
" " " 2, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	3	5
" " " 3, ...	.	.	.	.	.	5	.	.	.	.	.	1	.	.	.	.	5	11
" " " 4, ...	.	.	.	.	.	3	.	.	1	.	2	.	.	1	.	.	.	7
New Kilmainham, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Total, ...	2	.	.	.	.	33	2	.	4	.	3	4	.	7	.	.	17	72

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th November, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 8th November.			
	Oct. 18.	Oct. 25.	Nov. 1.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	1	15	13	1	5	.	9
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	1	2	3	12	1	.	14
Scarlet Fever, ...	174	212	228	54	30	2	250*
Diphtheria, ...	25	22	21	1	2	1	19
Pneumonia, ...	13	17	16	8	3	2	19

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
by ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13274). Wt. 5568 3. 380. 11. 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD. 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER: 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 46. VOL. LVI.] WEEK ENDING SATURDAY, 15TH NOVEMBER, 1919. [PRICE 1½*d* NET.

General Register Office, Charlemont House,
Dublin, 17th November, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 15·8 and 15·4; Dublin Registration Area, 13·5 and 14·8; Dublin City, 13·9 and 15·4; Belfast, 19·1 and 17·5; Cork, 14·3 and 15·8; Londonderry, 20·3 and 17·5; Limerick, 14·9 and 14·6; and Waterford, 17·1 and 14·7.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·0 per 1,000. Among the 147 deaths from all causes for Belfast are 2 from measles, 5 from scarlet fever, and 3 from diarrhœal diseases. Of the 21 deaths from all causes for Cork, one is from diphtheria, and one from diarrhœa and enteritis of a child under 2 years, and one of the 8 deaths recorded for Ballymena is from scarlet fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 216—106 boys and 110 girls—and the deaths to 112—49 males and 63 females.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 13·5 per 1,000 of the population. During the forty-six weeks ending with Saturday last, the death-rate averaged 21·5 and was 0·5 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the forty-six weeks was 23·2 and for the corresponding period of the preceding ten years 22·3.

Of the 105 deaths appertaining to the Area there was one from measles, one from scarlet fever, one from dysentery, 5 from diarrhœa and enteritis of children under 2 years, and one from influenza.

In the 3 preceding weeks, deaths from measles were 0, one and 2; from scarlet fever 0, one and 0, deaths from dysentery 0, 2 and 0, deaths from diarrhœa and enteritis of children under 2 years, 3. 4, and 2, and deaths from influenza 2, one and 0 respectively.

Deaths attributed to pneumonia were 8 (comprising 5 from broncho-pneumonia, one from lobar pneumonia and 2 from pneumonia, type not distinguished), as against 4, 5 and 10 in the three weeks preceding.

Tuberculous disease caused 20 deaths (comprising 13 from pulmonary tuberculosis, 3 from tuberculous meningitis, and 4 from other forms of tuberculous disease), as against 22, 19, and 13, in the three weeks preceding.

Four deaths were caused by cancer, 12 by organic diseases of the heart, and 10 by bronchitis.

Among deaths of infants under one year old, 2 were due to convulsions 2 to bronchitis, 2 to broncho-pneumonia, 3 to diarrhœa and enteritis, one to congenital malformation, 8 to premature birth, and one to congenital debility.

There was one death by suicide.

Twenty-seven of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 23 being infants under one year, of whom 10 were under one month old, and 32 deaths were those of persons aged 65 and upwards, of whom 21 were 70 years of age or over.

Of the 105 deaths recorded, 37 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 15th November, in 96 large English towns (including London, in which the rate was 14·2 was equal to an average annual death rate of 13·9 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 12·6 per 1,000 persons living, the rate for Glasgow being 13·1 and for Edinburgh 11·9.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 15th November. From this Report it appears that of 104 cases notified, 52 were scarlet fever, 30 diphtheria, 13 pulmonary tuberculosis, 2 other forms of tuberculosis, and 7 erysipelas. Among the 730 cases of infectious diseases in hospital at the close of the week were 445 of scarlet fever, 134 of pulmonary tuberculosis, 102 of diphtheria 17 of measles, 8 of erysipelas, and 3 of whooping-cough.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 15th November, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Oct. 25	2	.	.	.	.	—	44	—	6	5	—	.	—	12	15	.	4	.	.	8	96
	Nov. 1	.	.	.	.	.	—	24	—	3	3	—	.	—	3	7	.	2	.	.	18	60
	Nov. 8	2	.	.	.	.	—	33	—	2	4	—		—	3	4	.	7	.	.	17	72
	Nov. 15	.	.	.	.	.	—	17	—	2	3	—	.	—	1	7	.	1	.	.	11	42
Rathmines & Rathgar Urban District	Oct. 25	.	.	.	.	.	—	3	—	2	.	—	.	—	.	1	.	.	.	.	—	6
	Nov. 1	.	.	.	.	.	—	7	—	3	.	—	.	—	.	1	.	.	.	.	—	11
	Nov. 8	.	.	.	.	.	—	4	—	2	.	—	.	—	.	.	.	.	.	.	—	6
	Nov. 15	2	.	.	.	.	—	6	—	.	1	—	.	—	.	.	.	.	.	.	—	9
Pembroke Urban District	Oct. 25	.	.	.	.	.	.	2	.	2	.	1	.	—	.	.		.	.	.	.	5
	Nov. 1	.	.	.	.	.	.	14	.	.	.	.	.	—	1	.	.	.	.	.	1	16
	Nov. 8	.	.	.	.	.	1	.	.	1	.	.	.	—	4	.	.	1	.	.	.	7
	Nov. 15	.	.	.	.	.	.	3	.	.	.	.	.	—	1	.	.	2	.	.	.	6
Blackrock Urban District	Oct. 25	.	.	.	.	.	.	2	—	.	.	—	.	—	.	.	.	.	.	.	.	2
	Nov. 1	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Nov. 8	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Nov. 15	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	Oct. 25	.	.	.	.	.	—	1	—	.	.	—	.	—	.	1	.	2	—	.	1	5
	Nov. 1	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	2	—	.	.	2
	Nov. 8	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	4	—	.	.	6
	Nov. 15	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	2	—	.	1	5
City of Belfast	Oct. 25	1	.	.	.	.	—	194	—	4	2	—	1	—	.	.	.	.	.	.	.	202
	Nov. 1	.	.	.	.	.	—	222	—	4	10	—	.	—	.	.	.	.	.	.	.	236
	Nov. 8	.	.	.	.	.	—	148	—	8	11	—	1	—	.	.	.	.	.	.	.	168
	Nov. 15	.	.	.	.	.	—	136	—	2	9	—	.	—	.	.	.	.	1	.	.	148
City of Cork	Oct. 25	.	.	.	.	.	.	1	—	15	.	—	.	.	.	.	.	.	—	.	—	16*a*
	Nov. 1	.	.	.	.	.	.	.	—	14	2	—	.	.	.	.	.	.	—	.	—	17*b*
	Nov. 8	.	.	.	.	.	.	1	—	14	.	—	.	.	.	1	.	.	—	.	—	16*c*
	Nov. 15	.	.	.	.	.	.	1	—	9	1	—	.	.	.	2	.	.	—	.	—	13*d*
City of Londonderry	Oct. 25	.	.	.	.	.	—	5	—	2	.	—	.	—	.	.	.	.	.	—	—	7
	Nov. 1	.	.	.	.	.	—	8	—	.	.	—	.	—		.	.	.	.	—	—	8
	Nov. 8	.	.	.	.	.	—	7	—	1	1	—	.	—	.	.	.	.	.	—	—	9
	Nov. 15	.	.	.	.	.	—	4	—	.	1	—	.	—	.	.	.	.	.	—	—	5
City of Limerick	Oct. 25	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Nov. 1	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	Nov. 8	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Nov. 15	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1
City of Waterford	Oct. 25	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	1	1
	Nov. 1	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Nov. 8	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	1	1
	Nov. 15	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including 4 cases of varicella. (*b*) Not including 3 cases of varicella.
(*c*) Not including one case of varicella. (*d*) Not including 2 cases of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th November, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 2 and 7; measles 3 and 16; scarlet fever 37 and 254*; and diphtheria 2 and 13. Nine cases of pneumonia were admitted during the week and 20 remained under treatment at its close. Of the deaths in hospital during the week 2 were from scarlet fever and 4 from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 15th November 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases (b)	Registration—Week ending Saturday, 15th November 1919. Numbers Registered. Births. Total Number	Deaths. Total Number.	Under 1 year of Age	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Meteorology. (c) Week ending 15th November, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	26·3	15·8	1·0	576	347	56	93	·	·	·	3	7	·	1	1	48	14	14	24	54	9	1	5	10	105	11	·	·	·	·	·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	27·8	13·5	1·0	216	105	23	32	·	·	·	1	1	·	·	1	13	7	4	8	13	5	·	1	4	37	2	(d) 43·6	15·2	40·6	22·6	31·6	0·22
Urban Districts. CITY OF DUBLIN,	310,500	38·0	30·9	13·9	0·8	184	83	18	25	·	·	·	·	1	·	·	1	8	6	2	7	12	3	·	1	4	33	1	(e) 43·2	25·9	39·8	29·2	34·5	1·00
																													(f) 44·0	21·0	41·0	25·8	33.4	0·85
Urban Districts. RATHMINES and RATHGAR	39,400	23·0	18·5	11·9	·	14	9	1	4	·	·	·	·		·	·	·	3	1	1	·	1	·	·	·	·	4	1	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,500	18·8	17·7	15·9	3·5	10	9	2	2	·	·	·	·	·	·	·	·	1	·	1	1	·	2	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,000	8·3	11·6	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,600	11·4	18·8	12·6	3·1	6	4	2	1	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·		·	44	29	41·7	30·7	36·2	0·98
Urban Districts. BELFAST, ..	401,000	26·8	26·0	19·1	1·3	200	147	25	32	·	·	·	2	5	·	·	·	16	4	7	11	29	2	1	3	4	41	2	45·2	20·2	42·3	29·0	35·6	0·07
Urban Districts. CORK, ...	76,673	28·6	35·4	14·3	1·4	52	21	3	5	·	·	·	·	·	·	1	·	6	1	·	1	·	1	·	·	·	10	1	45	28	42·0	30·3	36·2	0·16
Urban Districts. LONDONDERRY, ..	41,000	15·9	35·6	20·3	·	28	16	1	4	·	·	·	·	·	·	·	·	2	1	·	·	6	·	·	·	·	3	2	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	13·5	14·9	·	10	11	·	3	·	·	·	·	·	·	·	·	4	1	·	1	1	·	·	·	1	3	·	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	17·1	17·1	·	9	9	·	2	·	·	·	·	·	·	·	·	1	·	1	·	2	·	·	·	·	5	·	·	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5				5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	45	20	43	25	34	0·13
Urban Districts. DUNDALK, ..	13,128	9·5				8	5	1	1	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				4	3	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	1	·	42·8	17·0	39·7	24·3	32·0	0·16
Urban Districts. DROGHEDA, ..	12,501	8·4	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			10	4	1	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				6	2	·	1	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	45	10	41.7	21·6	31·7	0·00
Urban Districts. NEWRY, ...	11,963	17·0				9	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	42·8	17·0	39·7	24·3	32·0	0·16
Urban Districts. PORTADOWN, ..	11,727	15·3				4	3	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	42·8	17·0	39·7	24·3	32·0	0·16
Urban Districts. WEXFORD, ..	11,531	22·8				1	2	·	1	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				2	8	1	1	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				4	3	·	2	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	1	46	12	42	18	30	0·32
Urban Districts. KILKENNY, ..	10,514	11·4				1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	42	16	39·7	22·1	30·9	0·07
Urban Districts. TRALEE, ...	10,300	17·4				3	5	·	2	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	3	1	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				4	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
LONDON	4,206,901	—	—	14·2	—	2,242	1,099	132	385	1	—		7	2	7	24	—	87	7	95	83	17	19	9	50	109	488	3	42	28	38·7	32·3	35·5	0·04
EDINBURGH ...	336,500	—	—	11·9	—	143	77	4	32	·		·	·	·		3	—	—	—	—	—	—	·	—	3	—	—	—	39·0	18·0	34·3	26·6	30·4	0·46
GLASGOW	1,118,700	—	—	13·1	—	577	282	62	53	·	·	·	7	3	·	5	—	—	—	—	—	—	14	—	11	—	—	—	39·2	13·0	32·5	25·0	28·8	0·36

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 46th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 15th November, 1919.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.														
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.	
ALL CAUSES.	235·6	112	10	13	4	1	3	1	2	5	8	11	12	9	21	12	105
Enteric Fever ..	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	1·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever ..	·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	30·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Dysentery	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	24·6	13	.	.	1	.	.	1	.	2	3	2	3	.	1	.	13
Tuberculous Meningitis	3·8	3	.	.	.	.	2	.	1	.	.	.	.	.	.	.	3
Abdominal Tuberculosis	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Tuberculosis of Joints	·2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Tuberculosis of other Organs.	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·4	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Venereal Diseases ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	12·0	4	.	.	.	.	.	.	.	.	.	1	.	2	1	.	4
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·0	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	6·2	8	.	.	.	.	.	.	.	.	.	.	1	.	6	1	8
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·8	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Epilepsy.	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	3·2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	3·4	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	17·6	13	.	.	.	.	.	.	.	.	1	2	2	1	5	2	12
Embolism and Thrombosis (including Cerebral).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	22·4	10	.	2	.	.	.	.	.	.	.	.	.	3	3	2	10
Broncho-pneumonia ..	11·2	5	.	2	.	.	.	.	.	.	1	1	.	1	.	.	5
Lobar pneumonia ..	2·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Pneumonia (type not distinguished).	12·4	4	.	.	.	.	.	.	.	1	1	1	.	.	1	.	2
Pleurisy	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Other Diseases of Respiratory System.	2·0	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2

in the FORTY-SIXTH WEEK, ending Saturday, 15th November, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 46th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 15th November, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx Tonsillitis.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	3·6	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Diarrhœa and Enteritis of Children under 2 years.	6·2	6	·	3	3	·	·	·	·	·	·	·	·	·	·	·	·	5
Diarrhœa 2 years and upwards.	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	1·4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Appendicitis and Typhlitis.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	3·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cirrhosis of Liver ..	1·0	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1
Other Diseases of Liver	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Peritonitis (cause unknown).	1·0	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Other Diseases of Digestive System.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Nephritis ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Bright's Disease	7·0	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	1·2	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	2
Diseases of Locomotor System.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	1·0	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Premature Birth ..	4·4	8	7	1	·	·	·	·	·	·	·	·	·	·	·	·	·	8
Congenital Debility ..	6·0	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Old Age	9·0	7	·	·	·	·	·	·	·	·	·	·	·	·	1	6	·	7
Other Specified Diseases	·8	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Burns and Scalds ..	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Drowning	·2	·		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	2·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Not included in above—																		
Homicide. ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	2·8	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1

TABLE IV.—Showing for the WEEK ENDED 15TH NOVEMBER, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
		WEEK ENDED SATURDAY, 15TH NOVEMBER, 1919. DEATHS.											CAUSED BY																				
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	13·9	1·7	8	3	·	·	·	·	·	2	3	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	6	·	2	·	·
" 1, W., ...	41,100	20·3	1·3	16	4	1	·	1	·	5	3	2	·	·	·	·	·	·	·	·	1	1	2	2	2	1	·	·	7	1	7	·	·
" 2, ...	27,500	7·6	1·9	4	1	·	·	·	·	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	2	·	1	1	·
" 3, ...	34,100	7·6	·	5	·	·	·	·	·	·	2	3	·	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	2	·	1	1	·
CLONTARF AND HOWTH, No. 1, part of	5,500	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	11·5	·	3	1	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	·	2	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	9·4	·	2	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	13·3	·	11	2	·	·	·	·	1	4	4	·	·	·	·	·	·	·	·	·	·		1	2	·	·	·	8	1	2	·	1
" 2, ...	18,200	8·6	·	3	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	1	1	·	2	·
" 3, ...	43,300	18·1	1·2	15	4	·	·	·	2	3	4	2	·	·	·	·	·	·	·	·	4	2	·	1	1	1	·	·	6	·	2	4	·
" 4, ...	32,800	17·5	1·6	11	1	1	1	1	1	2	·	4	·	·	·	·	1	·	·	·	3	1	·	1	2	·	·	·	3	·	4	1	·
NEW KILMAINHAM, ...	10,300	25·3	·	5	2	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	4	1	1	2	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	11·9	·	9	1	·	·	1	·	3	·	4	·	·	·	·	·	·	·	·	3	1	1	·	1	·	·	·	3	·	3	1	1
PEMBROKE	29,500	15·9	3·5	9	2	1	·	1	1	1	1	2	·	·	·	·	·	·	·	·	1	·	1	1	·	2	·	·	4	·	·	·	·
BLACKROCK, ...	9,000	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ...	16,600	12·6	3·1	4	2	·	·	·	1	·	·	1	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·	2	·	·	·	·
TOTAL CITY. North, ...	162,900	12·2	1·0	38	9	1	·	1	2	5	7	13	·	·	·	·	·	·	·	1	1	3	2	4	5	2	·	·	20	1	13	2	·
TOTAL CITY. South, ...	147,600	15·9	0·7	45	9	1	1	1	3	8	10	12	·	·	·	·	1	·	·	·	7	3	·	3	7	1	·	1	22	3	9	9	1
TOTAL CITY. North and South, ..	310,500	13·9	0·8	83	18	2	1	2	5	13	17	25	·	·	·	·	1	·	·	1	8	6	2	7	12	3	·	1	42	4	22	11	1
Total Urban Districts, ...	94,500	12·1	1·7	22	5	1	·	2	2	4	1	7	·	·	·	1	·	·	·	·	5	1	2	1	1	2	·	·	9	·	3	1	1
Total Registration Area, ..	405,000	13·5	1·0	105	23	3	1	4	7	17	18	32	·	·	·	1	1	·	·	1	13	7	4	8	13	5	·	1	51	4	25	12	2
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				7	·	1	·	·	·	2	3	1	·	·	·	·	·	·	·	·	·	·	·	2	·	1	·	·	4	·	7	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 15th November, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 15TH NOVEMBER, 1919.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	112	28	4	7	19	21	21	12	.	.	.	1	1	.	.	1	13	7	4	2	10	13	6	.	1	53	2
	CLASSES.																													
	DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	7·1	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS	101,798	9·7	19	5	.	2	3	3	4	2	.	.	.	.	.	.	.	.	1	2	1	.	1	1	2	.	.	11	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	14·9	31	5	2	2	6	8	6	2	.	.	.	.	.	.	.	1	6	1	.	1	4	7	.	.	.	11	1
IV.	GENERAL SERVICE CLASS	167,479	14·9	48	17	2	2	9	7	8	3	.	.	.	1	1	.	.	.	5	3	2	1	5	2	4	.	1	23	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	12	1	.	1	.	3	3	4	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.	.	.	7	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	6. Clerks and Commercial Assistants,	33,249	—	5	3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	11	1	.	1	2	3	3	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	.	7	.
III	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	1	.	.	1	..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ..	28,823	—	5	1	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.
	10. Clothing Trades, ...	20,026	—	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.
	11. Food Supply Trades, ...	8,952	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	17	1	1	1	4	4	5	1	.	.	.	.	.	.	.	1	3	1	.	1	3	2	.	.	.	6	1
	13. Petty Shopkeepers, ...	6,772	—	4	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.	.	.	.	.
IV	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	14	8	1	.	2	1	1	1	.	.	.	1	.	.	.	.	1	1	.	1	2	.	1	.	1	6	1
	15. Domestic Servants, ...	36,041	—	4	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	27	8	1	2	4	5	5	2	.	.	.	.	1	.	.	.	3	1	1	.	3	2	3	.	.	13	.
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	12	1	.	1	.	3	3	4	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.	.	.	7	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

Week ending	Dublin Registration Area.													Belfast City.												
	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20	Sept. 27	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1	Nov. 8.	Nov. 15	Aug. 23	Aug. 30.	Sept. 6	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18	Oct 25.	Nov. 1.	Nov. 8.	Nov. 15.
No. of weeks in Annual Series ..	34	35	36	37	38	39	40	41	42	43	44	45	46	34	35	36	37	38	39	40	41	42	43	44	45	46
BIRTHS registered	226	171	199	194	215	192	199	251	203	163	233	216	216	211	241	219	183	186	190	224	223	260	206	220	234	200
Average Births in corresponding week of previous 10 years, ...	209	208	216	195	214	211	200	190	196	189	187	197	202	183	194	192	191	176	192	192	203	195	178	182	183	169
Number of Deaths, ...	124	142	153	134	97	117	122	112	121	118	138	99	105	127	129	112	100	111	112	107	104	104	116	115	159	147
Annual Death-rate per 1,000 ..	16·0	18·3	19·7	17·3	12·5	15·1	15·7	14·4	15·6	15·2	17·8	12·7	13·5	16·5	16·8	14·6	13·0	14·4	14·6	13·9	13·5	13·5	15·1	15·0	20·7	19·1
Average Deaths in corresponding week of previous 10 years, ...	138	143	143	145	145	147	149	149	159	160	176	185	167	119	122	118	113	121	113	104	111	108	118	114	137	155
Ages, .. Under one year, ..	38	48	46	29	21	27	20	16	27	18	18	19	23	32	41	26	26	17	25	20	13	16	18	19	28	25
1— 5 years, ..	9	10	7	7	6	8	11	3	7	8	8	8	4	11	9	5	8	15	11	11	5	8	8	19	19	16
5—25 ,, ..	10	14	11	13	13	13	10	17	9	12	14	11	11	17	16	12	19	20	22	13	17	21	27	23	22	15
25—45 ,, ..	19	9	15	12	13	11	22	13	21	20	29	12	17	23	15	22	6	12	9	13	17	17	18	12	20	19
45—65 ,, ..	24	25	30	32	22	30	25	26	22	30	45	27	18	25	26	28	30	21	22	31	28	15	20	25	34	40
65 and upwards, ..	24	36	44	41	22	28	34	37	35	30	33	22	32	19	22	19	11	26	23	19	24	27	25	17	36	32
Deaths from :—																										
Enteric Fever, ...	·	·	1	1	1	1	·	·	·	1	·	·	·	·	·	1	2	·	1	·	1	1	·	1	·	·
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	·	·	1	·	·	·	·	·	·		1	2	1	·	·	·	·	·	·	·	1	·	·	1	4	2
Scarlet Fever, ...	·	2	·	·	1	1	2	1	·	·	1	·	1	1	3	2	2	6	5	4	1	9	12	11	10	5
Whooping-cough, ...	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·
Diphtheria, ...	·	1	·	1	1	·	1	1	·	1	2	1	·	1	·	1	·	1	1	·	·	·	·	1	·	·
Dysentery, ...	·	·	2	3	4	3	·	2	1	·	2	·	1	·	1	·	·	·	·	1	1	·	·	·	·	·
Tuberculosis { Pulmonary, ..	12	14	14	9	19	6	14	10	11	17	15	7	13	12	18	11	9	11	13	9	14	11	12	12	11	16
Tuberculosis { Other Forms, ..	6	2	9	8	2	6	7	10	4	5	4	6	7	4	1	1	5	5	7	3	5	6	3	5	7	4
Cancer, ...	5	8	9	13	9	16	10	7	7	10	12	7	4	5	3	8	6	9	6	6	7	4	10	6	6	7
Diseases of Respiratory System, { Pneumonia ..	6	5	10	7	5	5	6	6	8	4	5	10	8	4	4	6	4	4	2	9	3	5	8	9	14	11
Diseases of Respiratory System, { Others, ..	7	9	4	11	5	8	9	14	12	11	16	14	13	7	9	5	5	9	5	5	11	11	12	11	17	29
Diarrhœa and Enteritis, under 2 years, ...	26	37	21	7	9	0	8	8	6	3	4	2	5	16	30	12	10	8	13	13	3	7	1	1	3	2
Diarrhœa, 2 years and upwards..	3	3	1	2	1	·	·	1	1	·	1	·	·	8	7	1	8	10	7	2	·	4	2	1	4	1
Violent Deaths, ...	·	4	1	5	3	4	2	3	1	6	5	3	1	3	·	5	5	1	2	1	1	2	1	7	1	3
Number of Uncertified Deaths, ..	4	6	4	2	2	3	6	3	1	2	6	2	2	1	·	·	·	1	·	2	2	1	1	3	7	2
A Mean Maximum Temperature in degs.	68·4	60·1	65·3	72·4	66·3	59·2	59·0	52·9	64·3	57·8	48·0	44·0	40·6	58·0	58·6	65·4	66·0	59·7	54·4	58·9	58·3	50·1	57·6	48·2	45·1	42·3
B Mean Minimum ,, ,,	51·8	45·2	45·6	51·6	40·2	37·4	40·4	34·9	51·2	41·3	34·0	32·3	22·6	53·0	48·3	48·7	52·0	46·7	44·4	43·1	50·1	39·5	47·6	39·0	38·2	29·0
Mean of A and B ,, ,,	60·0	52·7	55·4	62·0	53·2	48·3	49·7	43·9	57·7	49·5	41·0	38·2	31·6	60·5	53·4	57·0	59·2	53·2	51·0	55·6	54·2	44·8	52·6	43·6	41·6	35·6
Rainfall in inches	0·59	1·15	0·98	0·15	0·07	0·79	0·39	0·01	0·04	1·30	0·23	0·39	0·22	0·48	1·78	1·52	1·60	0·19	0·92	0·21	0·06	0·58	0·95	0·02	0·77	0·07

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 15th November, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No 1 DISTRICT,	15,879	8	19·7	·	6	·	2	1	·	1	2	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	1	4	·
Do. 2 do.	49,500	21	17·9	1·1	17	2	2	2	3	6	2	·	·	·	·	·	·	·	·	·	·	2	1	5	1	·	3	3	7	·
Do. 3 do.	50,032	30	21·9	3·1	21	8	2	3	4	1	3	·	·	·	1	2	·	·	·	3	·	·	4	3	·	·	·	·	3	·
Do. 4 do.	32,637	17	25·6	·	16	3	1	2	3	4	3	·	·	·	·	·	·	·	·	2	2	·	2	1	·	·	·	·	6	·
Do. 5 do.	16,112	6	22·7	·	7	1	1	1	·	2	2	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	·	1	·
Do. 6 do.	37,293	16	8·4	·	6	1	·	·	·	1	4	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	1	·
Do. 7 do.	2,681	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	5	26·2	·	3	1	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	·
Do. 9 do.	24,427	18	14·9	·	7	·	·	·	1	4	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	3	1
Do. 10 do.	28,958	13	19·8	3·6	11	3	1	1	2	3	1	·	·	·	1	·	·	·	·	1	·	·	1	4	1	·	·	·	1	·
Do. 11 do.	39,311	24	19·9	2·7	15	2	4	2	·	4	3	·	·	·	·	1	·	·	·	1	·	·	2	5	·	1	·	·	1	·
Do. 12 do.	38,076	27	20·5	1·4	15	2	2	1	2	6	2	·	·	·	·	1	·	·	·	4	·	1	·	4	·	·	·	·	6	
Do 13 do.	23,233	9	15·7	2·2	7	2	·	·	2	2	1	·	·	·	·	1	·	·	·	1	1	·	·	·	·	·	·	·	1	1
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	5	36·8	·	16	·	·	2	2	5	7	·	·	·	·	·	·	·	·	3	·	·	1	3	·	·	·	·	5	·
Total,	386,947	200	19·1	1·3	147	25	16	15	19	40	32	·	·	·	2	5	·	·	·	16	4	7	11	29	2	1	3	4	41	2
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	9	11·6	·	3	·	·	·	·	1	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Do 2 do.	10,399	11	15·0	5·0	3	·	1	·	·	1	1	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	3	·
Do. 3 do.	9,793	5	47·9	5·3	9	3	·	2	2	·	2	·	·	·	·	·	·	·	·	3	1	·	·	·	1	·	·	·	3	1
Do. 4 do.	9,139	4	11·4	·	2	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2	·
Do. 5 do.	6,250	10	8·3	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
Do. 6 do.	11,581	4	4·5	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 7 do	16,056	9	6·5	·	2	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Total.	76,673	52	14·3	1·4	21	3	1	4	4	4	5	·	·	·	·	·	·	1	·	6	1	·	1	·	1	·	·	·	10	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th November, 1919.

DISTRICTS	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
" " 1, West ..	.	.	.	.	.	1	..	..	.	.	.	.	.	.	.	.	1	2
" " 2, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	3
" " 3, ...	.	.	.	.	.	4	1	.	.	.	.	.		1	.	.	.	6
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1	.	.	.	.	.	1	.	.	.	.	.	5	.	.	.	.	3	9
" " " 2, ...	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	3
" " " 3, ...	.	.	.	.	.	3	.	.	.	.	.	2	.	.	.	.	3	8
" " " 4, ...	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	1	3
New Kilmainham, ...	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	3
Total, ...	.	.	.	.	.	17	2	.	3	.	1	7	.	1	.	.	11	42

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th November, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 15th November.			
	Oct. 25.	Nov. 1.	Nov. 8.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	15	13	9	2	4	.	7
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	2	3	14	3	1	.	16
Scarlet Fever, ...	212	228	250	37	31	2	254*
Diphtheria, ...	22	21	19	2	8	.	13
Pneumonia, ...	17	16	19	9	4	4	20

* Exclusive of 16 patients in "Feneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13300). Wt. 5568. 3. 380. 11. 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd. 116, Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1;
37, Peter Street, Manchester; 1, St Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 47. Vol. LVI.] Week ending Saturday, 22nd November, 1919. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 24th November, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 18·4 and 16·3; Dublin Registration Area, 17·8 and 15·5; Dublin City, 18·8 and 16·1; Belfast, 21·7 and 19·1; Cork, 14·3 and 15·0; Londonderry, 16·5 and 18·1; Limerick, 27·1 and 18·3; and Waterford, 11·4 and 13·3.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·6 per 1,000. Among the 167 deaths from all causes for Belfast are one from enteric fever, 9 from measles, 8 from scarlet fever, 2 from diphtheria, and 2 from diarrhœal diseases. Of the 13 deaths from all causes for Londonderry, one is from scarlet fever, and one from diarrhœa and enteritis of a child under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 184—96 boys and 88 girls—and the deaths to 144—62 males and 82 females.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·8 per 1,000 of the population. During the forty-seven weeks ending with Saturday last, the death-rate averaged 21·4 and was 0·4 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the forty-seven weeks was 23·1 and for the corresponding period of the preceding ten years 22·3.

Of the 138 deaths appertaining to the Area there was one from measles, 2 were from scarlet fever, one from diphtheria, and 5 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks, deaths from measles were one, 2, and one; from scarlet fever one, 0, and one; from diphtheria 2, one, and 0, and from diarrhœa and enteritis of children under 2 years, 4, 2, and 5 respectively.

Deaths attributed to pneumonia were 14 (comprising 8 from broncho-pneumonia, 2 from lobar pneumonia and 4 from pneumonia, type not distinguished), as against 5, 10 and 8 in the three weeks preceding.

Tuberculous disease caused 13 deaths (comprising 11 from pulmonary tuberculosis, one from tuberculous meningitis, and one from abdominal tuberculosis), as against 19, 13, and 20, in the three weeks preceding.

Twelve deaths were caused by cancer, 12 by organic diseases of the heart, and 16 by bronchitis.

Among deaths of infants under one year old, 6 were due to convulsions one to bronchitis, 3 to pneumonia, 5 to diarrhœa and enteritis, 2 to premature birth, and one to congenital debility.

There were 2 accidental deaths both of which were due to burns.

Twenty-nine of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 19 being infants under one year, of whom 4 were under one month old, and 35 deaths were those of persons aged 65 and upwards, of whom 23 were 70 years of age or over.

Of the 138 deaths recorded, 49 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND

The mortality among civilians for the week ended 22nd November, in 96 large English towns (including London, in which the rate was 14·7 was equal to an average annual death rate of 14·8 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 18·6 per 1,000 persons living, the rate for Glasgow being 19·9 and for Edinburgh 18·6.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 22nd November. From this Report it appears that of 103 cases notified, 67 were scarlet fever, 19 diphtheria, 11 pulmonary tuberculosis, 5 other forms of tuberculosis, and one puerperal fever. Among the 733 cases of infectious diseases in hospital at the close of the week were 455 of scarlet fever, 126 of pulmonary tuberculosis, 103 of diphtheria, 14 of measles, 8 of erysipelas, and 3 of whooping-cough.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 22nd November, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Nov. 1	.	.	.	.	.	—	24	—	3	3	—	.	—	3	7	.	2	.	.	18	60
	Nov. 8	2	.	.	.	.	—	33	—	2	4	—	.	—	3	4	.	7	.	.	17	72
	Nov. 15	.	.	.	.	.	—	17	—	2	3	—		—	1	7	.	1	.	.	11	42
	Nov. 22	1	.	.	.	.	—	23	—	5	2	—	1	—	1	2	.	2	.	.	12	49
Rathmines & Rathgar Urban District	Nov. 1	.	.	.	.	.	—	7	—	3	.	—	.	—	.	1	.	.	.	.	—	11
	Nov. 8	.	.	.	.	.	—	4	—	2	.	—	.	—	.	.	.	.	.	.	—	6
	Nov. 15	2	.	.	.	.	—	6	—	.	1	—	.	—	.	.	.	.	.	.	—	9
	Nov. 22	.	.	.	.	.	—	1	—	1	1	—	.	—	.	.	.	1	.	.	—	4
Pembroke Urban District	Nov. 1	.	.	.	.	.	.	14	.	.	.	.	.	—	1	.	.	.	.	.	1	16
	Nov. 8	.	.	.	.	.	1	.	.	1	.	.	.	—	4	.	.	1	.	.	.	7
	Nov. 15	.	.	.	.	.	.	3	.	.	.	.	.	—	1	.	.	2	.	.	.	6
	Nov. 22	.	.	.	.	.	.	2	.	.	.	.	.	—	.	.	.	1	.	.	.	3
Blackrock Urban District	Nov. 1	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Nov. 8	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Nov. 15	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Nov. 22	.	.	.	.	.	1	.	—	.	.	—	.	—	.	.	.	.	.	.	.	1
Kingstown Urban District	Nov. 1	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	2	—	.	.	2
	Nov. 8	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	4	—	.	.	6
	Nov. 15	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	2	—	.	1	5
	Nov. 22	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	2	—	.	.	3
City of Belfast	Nov. 1	.	.	.	.	.	—	222	—	4	10	—	.	—	.	.	.	.	.	.	.	236
	Nov. 8	.	.	.	.	.	—	148	—	8	11	—	1	—	.	.	.	.	.	.	.	168
	Nov. 15	.	.	.	.	.	—	136	—	2	9	—	.	—	.	.	.	.	1	.	.	148
	Nov. 22	3	.	.	.	.	—	120	—	4	9	—	.	—	.	.	.	.	.	.	1	137
City of Cork	Nov. 1	1	.	.	.	.	.	.	—	14	2	—	.	.	.	.	.	.	—	.	—	17*a*
	Nov. 8	.	.	.	.	.	.	1	—	11	.	—	.	.	.	1	.	.	—	.	—	16*b*
	Nov. 15	.	.	.	.	.	.	1	—	9	1	—	.	.	.	2	.	.	—	.	—	13*c*
	Nov. 22	.	.	.	.	.	.	1	—	15	.	—	.	.	.	3	.	.	—	.	—	19
City of Londonderry	Nov. 1	.	.	.	.	.	—	8	—	.	.	—	.	—	.	.	.	.	.	—	—	8
	Nov. 8	.	.	.	.	.	—	7	—	1	1	—	.	—	.	.	.	.	.	—	—	9
	Nov. 15	.	.	.	.	.	—	4	—	.	1	—	.	—	.	.	.	.	.	—	—	5
	Nov. 22	.	.	.	.	.	—	8	—	1	1	—	.	—	.	.	.	.	.	—	—	10
City of Limerick(*d*)	Nov. 1	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	Nov. 8	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Nov. 15	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1
	Nov. 22	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	Nov. 1	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Nov. 8	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	1	1
	Nov. 15	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Nov. 22	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including 3 cases of varicella. (*b*) Not including one case of varicella.
(*c*) Not including 2 cases of varicella. (*d*) One case of measles was reported during week ended 22nd November.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd November, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever nil. and 6; measles 5 and 9; scarlet fever 22 and 230*; and diphtheria 8 and 16. Three cases of pneumonia were admitted during the week and 17 remained under treatment at its close. Of the deaths in hospital during the week one was from each of scarlet fever, diphtheria and pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 22nd November 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases (b)	Registration—Week ending Saturday, 22nd November 1919. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Meteorology. (c) Week ending 22nd November, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
Total of 19 Town Districts, ...	1,142,268	20·0	24·1	18·4	1·6	529	402	53	104	1	·	·	10	11	·	3	·	36	11	25	37	58	8	1	6	6	117	10	·	·	·	·	·	·
Dublin Registration Area, ...	405,000	28·9	23·7	17·8	1·2	184	138	19	35	·	·	·	1	2	·	1	·	11	2	12	14	19	5	·	2	3	49	6	(d) 55·0	20·8	48·6	35·4	42·0	0·69
Urban Districts. City of Dublin,	310,500	38·0	26·4	18·8	1·3	157	112	17	22	·	·	·	·	2	·	1	·	10	2	10	14	17	5	·	1	2	41	5	(e) 55·9	25·5	49·0	37·3	43·2	0·45
																													(f) 55·4	21·0	49·1	36·0	42·6	0·58
Urban Districts. Rathmines and Rathgar.	39,400	23·0	18·5	15·9	·	14	12	1	6	·	·	·	·	·	·	·	·	1	·	2	·	1	·	·	·	·	4	1	·	·	·	·	·	·
Urban Districts. Pembroke, ..	29,500	18·8	12·4	15·9	·	7	9	·	6	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	1	3	·	·	·	·	·	·	·
Urban Districts. Blackrock, ..	9,000	8·3	5·8	11·6	·	1	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Kingstown, ..	16,600	11·4	15·7	9·4	3·1	5	3	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	53	28	45·8	37·7	41·7	0·22
Urban Districts. Belfast, ..	401 000	26·8	27·2	21·7	2·9	209	167	23	39	1	·	·	9	8	·	2	·	16	4	9	17	25	1	1	2	2	36	1	50·5	19·8	46·6	30·5	38·5	1·13
Urban Districts. Cork, ..	76,673	28·6	20·4	14·3	·	30	21	1	9	·	·	·	·	·	·	·	·	3	·	·	·	1	·	·	·	·	10	·	59	30	52·1	39·7	45·9	0·51
Urban Districts. Londonderry, ..	41,000	15·9	33·1	16·5	2·5	26	13	3	4	·	·	·	·	1	·	·	·	1	·	·	·	4	1	·	1	1	3	·	·	·	·	·	·	·
Urban Districts. Limerick, ..	38,518	16·1	13·5	27·1	·	10	20	3	2	·	·	·	·	·	·	·	·	3	2	1	1	3	·	·	·	·	9	1	·	·	·	·	·	·
Urban Districts. Waterford, ..	27,464	19·1	19·0	11·4	·	10	6	·	2	·	·	·	·	·	·	·	·	2	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Galway, ..	13,255	2·5				3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	51	24	47·4	33·3	40·4	0·86
Urban Districts. Dundalk, ..	13,128	9·5				4	4	·	2	·	·	·	·	·	·	·	·	·	·	1	·	3	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. Lurgan, ..	12,553	14·7				9	3	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2	·	54·3	25·0	47·3	36·3	41·8	0·95
Urban Districts. Drogheda, ..	12,501	8·4	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			6	2	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Lisburn, ..	12,388	10·9				1	4	·	1	·	·	·	·	·	·	·	·	·	1	·	2	·	·	·	·	·	·	·	54	17	48·1	29·4	38·7	1·88
Urban Districts. Newry, ..	11,963	17·0				5	3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	54·3	25·0	47·3	36·3	41·8	0·95
Urban Districts. Portadown, ..	11,727	15·3				5	4	·	4	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	54·3	25·0	47·3	36·3	41·8	0·15
Urban Districts. Wexford, ..	11,531	22·8				8	3	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. Ballymena, ..	11,381	9·3				2	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Sligo, ...	11,163	3·8				1	4	·	1	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	3	·	57	27	50	38	44	1·38
Urban Districts. Kilkenny, ..	10,514	11·4				9	4	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	2	1	56	20	50·1	32·7	41·4	0·61
Urban Districts. Tralee, ...	10,300	17·4				1	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Clonmel, ..	10,209	7·8				6	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
London	4,206,901	—	—	14·7	—	2,223	1,132	155	407	·	—	·	11	2	4	21	—	78	15	111	95	118	16	5	43	128	491	3	54	28	47·7	35·4	41·6	0·47
Edinburgh ...	336,300	—	—	18·6	—	171	120	14	51	·	·	·	1	·	·	5	—	—	—	—	—	—	1	—	8	—	—	—	52·0	24·0	43·6	33·3	38·4	1·22
Glasgow	1,118,700	—	—	19·9	—	670	427g	60	122	1	·	·	11	2	2	2	—	—	—	—	—	—	5	—	11	—	—	—	51·7	12·4	44·0	32·2	38·1	2·24

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 47th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 22nd November, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.		
ALL CAUSES.	182·6	144	4	15	5	5	1	2	·	5	13	17	22	18	24	13	138
Enteric Fever ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Typhus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles	1·8	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Scarlet Fever ..	·8	2	·	·	·	2	·	·	·	·	·	·	·	·	·	·	2
Whooping-cough ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diphtheria	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Croup	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	17·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Dysentery	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Erysipelas	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Epidemic Diseases	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pyæmia and Septicæmia (non-puerperal).	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tetanus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
TUBERCULOSIS.																	
Pulmonary Tuberculosis	18·8	12	·	·	·	·	1	·	·	2	3	4	2	·	·	·	11
Tuberculous Meningitis	2·6	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1
Abdominal Tuberculosis	·8	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1
Tuberculosis of the Spinal Column.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of Joints	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of other Organs.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Scrofula	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Disseminated Tuberculosis.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Venereal Diseases ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cancer	9·6	15	·	·	·	·	·	·	·	·	·	3	6	3	1	2	12
Tumour, situation undefined.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Rheumatic Fever ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diabetes	·8	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Anæmia, Leucocythæmia.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other General Diseases	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Alcoholism ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Poisonings ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cerebro-spinal Fever..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Simple Meningitis ..	1·0	2	·	·	·	·	·	·	·	1	·	·	·	1	·	·	2
Cerebral Hæmorrhage, Apoplexy.	5·0	11	·	·	·	·	·	·	·	1	1	1	1	2	4	1	11
Softening of Brain ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Paralysis, without specified cause.	1·0	3	·	·	·	·	·	·	·	·	·	·	3	·	·	·	3
Epilepsy, ...	·2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Convulsions (non-puerperal).	4·0	6	·	6	·	·	·	·	·	·	·	·	·	·	·	·	6
Other Diseases of Nervous System.	2·0	2	·	·	·	·	·	·	·	·	·	1	1	·	·	·	2
Pericarditis ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Endocarditis ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Organic Diseases of the Heart.	14·8	12	·	·	·	·	·	·	·	·	·	2	2	1	5	2	12
Embolism and Thrombosis (including Cerebral).	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Circulatory System.	1·2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Diseases of the Larynx	·2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Bronchitis	23·2	16	1	·	·	·	·	·	·	·	·	·	1	4	8	2	16
Broncho-pneumonia ..	7·6	8	·	1	2	1	·	1	·	·	·	1	2	·	·	·	8
Lobar pneumonia ..	1·8	2	·	1	1	·	·	·	·	·	·	·	·	·	·	·	2
Pneumonia (type not distinguished).	7·4	4	·	1	·	·	·	·	·	·	1	1	·	1	·	·	4
Pleurisy	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pulmonary Congestion, Pulmonary Apoplexy.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Respiratory System.	1·8	2	·	·	1	·	·	·	·	·	·	·	·	1	·	·	2

in the FORTY-SEVENTH WEEK, ending Saturday, 22nd November, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 47th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 22nd November, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	1·6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	
Diarrhœa and Enteritis of Children under 2 years.	6·0	5	.	5	.	.	.	.	.	.	.	.	.	.	.	.	5	
Diarrhœa 2 years and upwards.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Enteritis 2 years and upwards.	·6	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	
Appendicitis and Typhlitis.	·2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	
Hernia and Intestinal Obstructions.	1·6	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	
Cirrhosis of Liver ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Liver	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Peritonitis (cause unknown).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Digestive System.	1·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	
Acute Nephritis ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Chronic Bright's Disease	6·6	4	.	.	.	.	.	.	.	.	.	1	1	.	1	1	3	
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Uterine Tumour (non-cancerous).	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	
Ovarian Tumour (non-cancerous).	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	
Other Diseases of Genito-urinary System.	2·2	3	.	.	.	.	.	.	.	.	.	.	.	2	.	1	3	
Puerperal Septicæmia, &c.	·2	3	.	.	.	.	.	.	.	.	2	1	.	.	.	.	2	
Other causes incident to Pregnancy and Childbirth.	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	
Diseases of Skin and Cellular Tissues.	1·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	
Diseases of Locomotor System.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Congenital Malformations.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Premature Birth ..	4·2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	
Congenital Debility ..	4·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
Old Age	7·2	5	.	.	.	.	.	.	.	.	.	.	.	.	3	2	5	
Other Specified Diseases	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Burns and Scalds ..	·6	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2	
Drowning	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Suffocation in Bed ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Railways, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Vehicles and Horses ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Gunshot Wounds, &c.	3·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Violent Deaths		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Not included in above—																		
Homicide. ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Suicide, ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Ill-defined, &c., Causes,	2·4	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	

TABLE IV.—Showing for the WEEK ENDED 22ND NOVEMBER, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted*

WEEK ENDED SATURDAY, 22ND NOVEMBER, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population Middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	27·8	·	16	2	1	·	·	1	5	5	2	·	·	·	·	·	·	·	·	1	·	1	1	5	·	·	·	8	·	2	3	1
" 1, W., ...	41,100	19·0	1·3	15	·	1	1	·	1	1	7	4	·	·	·	·	·	·	1	·	1	·	1	1	4	·	·	·	7	·	4	3	1
" 2, ...	27,500	17·1	·	9	2	·	·	1	·	5	·	1	·	·	·	·	·	·	·	·	·	1	1	3	·	·	·	·	4	1	·	·	1
" 3, ...	34,100	18·3	1·5	12	3	·	1	1	·	·	6	1	·	·	·	·	1	·	·	·	2	·	2	1	1	·	·	·	5	1	3	3	·
CLONTARF AND HOWTH, No. 1, part of	5,500	9·5	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	19·2	3·8	5	1	·	·	·	1	1	1	1	·	·	·	·	·	·	·	·	·	·	·	1	1	1	·	1	1	·	1	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	4·7	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	20·6	1·2	17	2	3	·	1	·	1	4	6	·	·	·	·	·	·	·	·	2	1	3	3	2	1	·	·	5	·	4	5	·
" 2, ...	18,200	20·1	·	7	·	·	1	·	1	1	2	2	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	5	·	·	1	2
" 3, ...	43,300	15·7	1·2	13	2	·	·	·	·	3	4	4	·	·	·	·	·	·	·	·	1	·	·	2	2	1	·	·	7	·	2	2	·
" 4, ...	32,800	23·8	3·2	15	4	·	1	·	1	5	3	1	·	·	·	·	1	·	·	·	2	·	2	1	1	1	·	·	7	·	7	·	·
NEW KILMAINHAM, ...	10,300	5·1	5·1	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	15·9	·	12	1	·	·	·	·	2	3	6	·	·	·	·	·	·	·	·	1		2	·	1	·	·	·	8	·	4	·	1
PEMBROKE	29,500	15·9	·	9	·	·	·	·	·	1	2	6	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	7	1	2	1	·
BLACKROCK, ...	9,000	11·6	·	2	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·
KINGSTOWN, ...	16,600	9·4	3·1	3	1	·	1	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	2	·	1	·	·
TOTAL CITY. North, ...	162,900	18·9	1·0	59	8	2	2	2	3	14	19	9	·	·	·	·	1	·	1	·	5	1	5	7	11	1	·	1	26	2	11	9	3
TOTAL CITY. South, ...	147,600	18·7	1·8	53	9	3	2	1	2	10	13	13	·	·	·	·	1	·	·	·	5	1	5	7	6	4	·	·	24	·	13	8	2
TOTAL CITY. North and South, ..	310,500	18·8	1·3	112	17	5	4	3	5	24	32	22	·	·	·	·	2	·	1	·	10	2	10	14	17	5	·	1	50	2	24	17	5
Total Urban Districts, ...	94,500	14·3	0·6	26	2	·	1	·	·	4	6	13	·	·	·	1	·	·	·	·	1	·	2	·	2	·	·	1	19	1	7	1	1
Total Registration Area, ..	405,000	17·8	1·2	138	19	5	5	3	5	28	38	35	·	·	·	1	2	·	1	·	11	2	12	14	19	5	·	2	69	3	31	18	6
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				6	·	·	·	·	·	2	2	2	·	·	·	·	·	·	·	·	1	·	3	·	·	·	·	·	2	·	6	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 22nd November, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 22ND NOVEMBER, 1919.

Class	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	28)	(29)
	ALL PERSONS.	397,957	—	144	29	3	5	30	40	24	13	.	.	.	1	2	.	1	.	12	2	15	6	14	19	5	.	2	65	6
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	28·5	8	.	.	.	2	5	.	1	.	.	.	.	.	.	.	.	2	.	3	.	1	.	.	.	.	2	.
II.	MIDDLE CLASS	101,798	13·3	26	2	2	1	4	5	5	7	.	.	.	.	.	.	.	.	2	1	1	.	2	2	1	.	1	16	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	13·0	27	7	.	1	7	6	4	2	.	.	.	.	1	.	1	.	1	.	3	1	5	3	1	.	1	10	2
IV.	GENERAL SERVICE CLASS	167,479	20·2	65	19	1	3	17	14	9	2	.	.	.	1	1	.	.	.	7	1	7	5	6	7	3	.	.	27	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	18	1	.	.	.	10	6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	7	.	.	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	8	.	.	.	2	5	.	1	.	.	.	.	.	.	.	.	2	.	3	.	1	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	4	.	1	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	6. Clerks and Commercial Assistants,	33,249	—	10	2	1	1	3	1	.	2	.	.	.	.	.	.	.	.	1	1	1	.	1	.	1	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	10	.	.	.	.	2	4	4	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	6	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	9. Building and Furnishing Trades, ..	28,823	—	7	2	.	1	2	.	.	2	.	.	.	.	1	.	.	.	.	.	1	.	2	.	.	.	.	3	.
	10. Clothing Trades, ...	20,026	—	5	2	.	.	.	2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	3	1
	11. Food Supply Trades, ...	8,952	—	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	9	2	.	.	3	2	2	.	.	.	.	.	.	.	.	.	1	.	2	1	1	1	1	.	.	2	.
	13. Petty Shopkeepers, ...	6,772	—	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	12	3	.	.	5	2	2	.	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.	7	1
	15. Domestic Servants, ...	36,041	—	4	.	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	5	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	44	15	1	3	9	9	6	1	.	.	.	1	1	.	.	.	4	1	4	5	2	5	3	.	.	18	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	18	1	.	.	.	10	6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	7	.	.	.	10	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

Week ending	Dublin Registration Area.													Belfast City.												
	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1	Nov. 8.	Nov. 15	Nov. 22.	Aug. 30.	Sept. 6	Sept. 13.	Sept. 20.	Sept. 27.	Oct 4.	Oct. 11.	Oct. 18	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.
No. o. weeks in Annual Series ..	35	36	37	38	39	40	41	42	43	44	45	46	47	35	36	37	38	39	40	41	42	43	44	45	46	47
Births registered	171	190	194	215	192	199	251	203	163	233	216	216	184	241	219	183	186	190	224	223	260	206	220	231	200	209
Average Births in corresponding week of previous 10 years, ...	208	216	195	214	211	200	190	196	189	187	197	202	184	194	192	191	176	192	192	203	195	178	182	183	169	175
Number of Deaths, ...	142	153	134	97	117	122	112	121	118	138	99	105	138	129	112	100	111	112	107	104	104	116	115	159	147	167
Annual Death-rate per 1,000 ..	18·3	19·7	17·3	12·5	15·1	15·7	14·4	15·6	15·2	17·8	12·7	13·5	17·8	16·8	14·6	13·0	14·4	14·6	13·9	13·5	13·5	15·1	15·0	20·7	19·1	21·7
Average Deaths in corresponding week of previous 10 years, ...	143	143	145	145	147	149	149	159	160	176	185	167	164	122	118	113	121	113	104	111	108	118	114	137	155	170
Ages. Under one year, ..	48	46	29	21	27	20	16	27	18	18	19	23	19	41	26	26	17	25	20	13	16	18	19	28	25	23
1— 5 years, ..	10	7	7	6	8	11	3	7	8	8	8	4	10	9	5	8	15	11	11	5	8	8	19	19	16	30
5—25 ,, ..	14	11	13	13	13	10	17	9	12	14	11	11	8	16	12	19	20	22	13	17	21	27	23	22	15	22
25—45 ,, ..	9	15	12	13	11	22	13	21	20	20	12	17	28	15	22	6	12	9	13	17	17	18	12	20	19	14
45—65 ,, ..	25	30	32	22	30	25	26	22	30	45	27	18	38	26	28	30	21	22	31	28	15	20	25	34	40	39
65 and upwards, ..	36	44	41	22	28	34	37	35	30	33	22	32	35	22	19	11	26	23	19	24	27	25	17	36	32	39
Deaths from :—																										
Enteric Fever, ...	.	1	1	1	1	.	.	.	1	.	.	.	.	.	1	2	.	1	.	1	1	.	1	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	.	.	.	.	.		1	2	1	1	.	.	.	.	.	.	1	.	.	1	4	2	9
Scarlet Fever, ...	2	.	.	1	1	2	1	.	.	1	.	1	2	3	2	2	6	5	4	1	9	12	11	10	5	8
Whooping-cough, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
Diphtheria, ...	1	.	1	1	.	1	1	.	1	2	1	.	1	.	1	.	1	1	.	.	.	.	1	.	.	2
Dysentery, ...	.	2	3	4	3	.	2	1	.	2	.	1	.	1	.	.	.	.	1	1	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	14	14	9	19	6	14	10	11	17	15	7	13	11	18	11	9	11	13	9	14	11	12	12	11	16	16
Tuberculosis { Other Forms, ..	2	9	8	2	6	7	10	4	5	4	6	7	2	1	1	5	5	7	3	5	6	3	5	7	4	4
Cancer, ...	8	9	13	9	16	10	7	7	10	12	7	4	12	3	8	6	9	6	6	7	4	10	6	6	7	9
Diseases of Respiratory System, { Pneumonia ..	5	10	7	5	5	6	6	8	4	5	10	8	14	4	6	4	4	2	9	3	5	8	9	14	11	17
Diseases of Respiratory System, { Others, ..	9	4	11	5	8	9	14	12	11	16	14	13	19	9	5	5	9	5	5	11	11	12	11	17	29	25
Diarrhœa and Enteritis, under 2 years, ...	37	21	7	9	0	8	8	6	3	4	2	5	5	30	12	10	8	13	13	3	7	1	1	3	2	1
Diarrhœa, 2 years and upwards..	3	1	2	1	.	.	1	1	.	1	.	.	.	7	1	8	10	7	2	.	4	2	1	4	1	1
Violent Deaths, ...	4	1	5	3	4	2	3	1	6	5	3	1	2	.	5	5	1	2	1	1	2	1	7	1	3	2
Number of Uncertified Deaths, ..	6	4	2	2	3	6	3	1	2	6	2	2	6	.	.	.	1	.	2	2	1	1	3	7	2	1
A Mean Maximum Temperature in degs.	60·1	65·3	72·4	66·3	59·2	59·0	52·9	64·3	57·8	48·0	44·0	40·6	48·6	58·6	65·4	66·0	59·7	54·4	58·9	58·3	50·1	57·6	48·2	45·1	42·3	46·6
B Mean Minimum ,, ,,	45·2	45·6	51·6	40·2	37·4	40·4	34·9	51·2	41·3	34·0	32·3	22·6	35·4	48·3	48·7	52·0	46·7	44·4	43·1	50·1	39·5	47·6	39·0	38·2	29·0	30·5
Mean of A and B ,, ,,	52·7	55·4	62·0	53·2	48·3	49·7	43·9	57·7	49·5	41·0	38·2	31·6	42·0	53·4	57·0	59·2	53·2	51·0	55·6	54·2	44·8	52·6	43·6	41·6	35·6	38·5
Rainfall in inches	1·15	0·98	0·15	0·07	0·79	0·39	0·01	0·04	1·30	0·23	0·39	0·22	0·69	1·78	1·52	1·60	0·19	0·92	0·21	0·06	0·58	0·95	0·02	0·77	0·07	1·13

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 22nd November, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No 1 DISTRICT,	15,879	5	13·1	3·3	4	.	2	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	2	.
Do. 2 do.	49,500	22	20·0	3·2	19	1	2	8	1	3	4	.	.	.	.	3	.	.	.	1	1	1	2	2	.	.	2	2	6	.
Do. 3 do.	50,032	27	24·0	4·2	23	5	2	1	2	9	4	.	.	.	2	1	.	.	.	.	1	1	3	2	.	1	.	.	5	.
Do. 4 do.	32,637	23	35·1	3·2	22	4	2	1	1	8	6	.	.	.	1	.	.	.	.	3	.	.	.	4	1	.	.	.	10	.
Do. 5 do.	16,112	6	29·1	.	9	.	3	.	.	4	2	.	.	.	.	.	.	.	.	.	.	.	2	4	.	.	.	.	1	.
Do. 6 do.	37,293	19	23 8	.	17	2	1	1	2	3	8	.	.	.	.	.	.	.	.	1	1	.	3	2	.	.	.	.	.	.
Do. 7 do.	2,681	.	19·4	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	17·5	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 9 do.	24,427	15	25·6	.	12	2	.	3	1	3	3	.	.	.	.	.	.	.	.	3	.	2	.	2	.	.	.	.	1	.
Do. 10 do.	28,958	15	12·6	.	7	1	1	1	.	2	2	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	.	.
Do. 11 do.	39,311	24	29·2	8·0	22	3	9	4	2	.	4	.	.	.	5	1	.	.	.	2	1	1	4	3	.	.	.	.	2	.
Do. 12 do.	38,076	33	23·3	5·5	17	2	6	1	3	3	2	1	.	.	1	2	.	.	.	2	.	1	.	2	.	.	.	.	6	1
Do 13 do.	23,233	10	13·5	.	6	2	.	.	1	1	2	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.	.	.
Do. 14 do	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	8	13·8	4·6	6	1	2	1	.	2	.	.	.	.	.	1	.	1	.	.	.	.	1	1	.	.	.	.	3	.
Total,	386,947	209	21·7	2·9	167	23	30	22	14	39	39	1	.	.	9	8	.	2	.	16	4	9	17	25	1	1	2	2	36	1
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	3	3·9	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 2 do.	10,399	5	10·0	.	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Do. 3 do.	9,793	5	21·3	.	4	.	.	.	.	3	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Do. 4 do.	9,139	6	22·8	.	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Do. 5 do.	6,250	3	8·3	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do.	11,581	4	9·0	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 do	16,056	4	22·7	.	7	.	.	.	.	2	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Total.	76,673	30	14·3	.	21	1	.	1	2	8	9	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.	10	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd November, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	3	5
" " 1, West ..	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	1	3
" " 2, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
" " 3, ...	.	.	.	.	.	5	.	.	.	.	.	.	.	.	.	.	.	5
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	4
Finglas and Glasnevin (part of)	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	1	5
South City No. 1	.	.	.	.	.	3	.	.	.	.	1	1	.	.	.	.	1	6
" " " 2, ...	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	3
" " " 3, ...	.	.	.	.	.	1	1	.	.	1	.	1	.	.	.	.	3	7
" " " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	4
New Kilmainham, ...	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	1	5
Total, ...	1	.	.	.	.	23	5	.	2	1	1	2	.	2	.	.	12	49

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd November, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 22nd November.			
	Nov. 1.	Nov. 8.	Nov. 15.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	13	9	7	.	1	.	6
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	3	14	16	5	12	.	9
Scarlet Fever, ...	228	250	254	22	45	1	230*
Diphtheria, ...	21	19	13	8	4	1	16
Pneumonia, ...	16	19	20	3	5	1	17

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13317). Wt. 5568. 3. 380. 11. 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd. 116, Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1;
37, Peter Street, Manchester; 1, St Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 48. Vol. LVI.] Week ending Saturday, 29th November, 1919. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 1st December, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 16·4 and 16·6; Dublin Registration Area, 15·1 and 14·8; Dublin City, 16·3 and 15·5; Belfast, 17·3 and 19·7; Cork, 17·0 and 15·2; Londonderry, 21·6 and 19·4; Limerick, 20·3 and 20·6; and Waterford, 15·2 and 12·8.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·3 per 1,000. Among the 133 deaths from all causes for Belfast are one from enteric fever, 10 from measles, 8 from scarlet fever, 2 from diphtheria, 3 from diarrhœal diseases, and one from cerebro-spinal fever. Included in the 25 deaths from all causes for Cork is one from scarlet fever, and of the 17 deaths from all causes for Londonderry, one is from diphtheria.

One of the 15 deaths from all causes for Limerick was due to diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 195—106 boys and 89 girls—and the deaths to 127—63 males and 64 females.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·1 per 1,000 of the population. During the forty-eight weeks ending with Saturday last, the death-rate averaged 21·3 and was 0·3 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the forty-eight weeks was 23·0 and for the corresponding period of the preceding ten years 22·3.

Of the 117 deaths appertaining to the Area there was one from scarlet fever, one from diarrhœa and enteritis of a child under 2 years, and 4 were from influenza.

In the 3 preceding weeks, deaths from scarlet fever were 0, one and 2; deaths from diarrhœa and enteritis of children under 2 years, 2, 5, and 5, and deaths from influenza, 0, one and 0 respectively.

Deaths attributed to pneumonia were 3 (comprising 2 from broncho-pneumonia and one from pneumonia, type not distinguished), as against 10, 8, and 14 in the three weeks preceding.

Tuberculous disease caused 19 deaths (comprising 14 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 3 from other forms of tuberculous disease), as against 13, 20, and 13, in the three weeks preceding.

Eight deaths were caused by cancer, 15 by organic diseases of the heart, and 21 by bronchitis.

Among deaths of infants under one year old, one was due to influenza, 2 were due to convulsions, 2 to bronchitis, one to broncho-pneumonia, one to diarrhœa and enteritis, 6 to premature birth, and 4 to congenital debility.

There were 2 accidental deaths.

Twenty-two of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 18 being infants under one year, of whom 11 were under one month old, and 33 deaths were those of persons aged 65 and upwards, of whom 27 were 70 years of age or over.

Of the 117 deaths recorded, 51 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 29th November, in 96 large English towns (including London, in which the rate was 14·3 was equal to an average annual death rate of 13 8 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 15·0 per 1,000 persons living, the rate for Glasgow being 15·7 and for Edinburgh 11·5.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 29th November. From this Report it appears that of 80 cases notified, 36 were scarlet fever, 26 diphtheria, 8 erysipelas, 3 pulmonary tuberculosis, 5 other forms of tuberculosis, and 2 puerperal fever. Among the 694 cases of infectious diseases in hospital at the close of the week were 411 of scarlet fever, 128 of pulmonary tuberculosis, 108 of diphtheria, 16 of measles, 7 of erysipelas, and 3 of whooping-cough.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 29th November, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Nov. 8	2	·	·	·	·	—	33	—	2	4	—	·	—	3	4	·	7	·	·	17	72
	Nov. 15	·	·	·	·	·	—	17	—	2	3	—	·	—	1	7	·	1	·	·	11	42
	Nov. 22	1	·	·	·	·	—	23	—	5	2	—	1	—	1	2	·	2	·	·	12	49
	Nov. 29	·	·	·	·	·	—	27	—	3	4	—		—	·	·	·	1	·	·	7	42
Rathmines & Rathgar Urban District	Nov. 8	·	·	·	·	·	—	4	—	2	·	—	·	—	·	·	·	·	·	·	—	6
	Nov. 15	2	·	·	·	·	—	6	—	·	1	—	·	—	·	·	·	·	·	·	—	9
	Nov. 22	·	·	·	·	·	—	1	—	1	1	—	·	—	·	·	·	1	·	·	—	4
	Nov. 29	·	·	·	·	·	—	2	—	1	·	—	·	—	·	·	·	·	·	·	—	3
Pembroke Urban District	Nov. 8	·	·	·	·	·	1	·	·	1	·	·	·	—	4	·	·	1	·	·	·	7
	Nov. 15	·	·	·	·	·	·	3	·	·	·	·	·	—	1	·	·	2	·	·	·	6
	Nov. 22	·	·	·	·	·	·	2	·	·	·	·	·	—	·	·	·	1	·	·	·	3
	Nov. 29	1	·	·	·	·	1	5	·	·	·	·	·	—	·	·	·	2	·	·	·	9
Blackrock Urban District	Nov. 8	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Nov. 15	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Nov. 22	·	·	·	·	·	1	·	—	·	·	—	·	—	·	·	·	·	·	·	·	1
	Nov. 29	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	Nov. 8	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	4	—	·	·	6
	Nov. 15	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	2	—	·	1	5
	Nov. 22	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	2	—	·	·	3
	Nov. 29	·	·	·	·	·	—	2	—	1	·	—	·	—	·	1	·	·	—	·	1	5
City of Belfast	Nov. 8	·	·	·	·	·	—	148	—	8	11	—	1	—	·	·	·	·	·	·	·	168
	Nov. 15	·	·	·	·	·	—	136	—	2	9	—	·	—	·	·	·	·	1	·	·	148
	Nov. 22	3	·	·	·	·	—	120	—	4	9	—	·	—	·	·	·	·	·	·	1	137
	Nov. 29	1	·	·	·	·	—	120	—	8	13	—	1	—	·	·	·	·	1	·	·	144
City of Cork	Nov. 8	·	·	·	·	·	·	1	—	14	·	—	·	·	·	1	·	·	—	·	—	16*a*
	Nov. 15	·	·	·	·	·	·	1	—	9	1	—	·	·	·	2	·	·	—	·	—	13*b*
	Nov. 22	·	·	·	·	·	·	1	—	15	·	—	·	·	·	3	·	·	—	·	—	19
	Nov. 29	·	·	·	·	·	·	3	—	15	1	—	·	·	·	·	·	·	—	·	—	19
City of Londonderry	Nov. 8	·	·	·	·	·	—	7	—	1	1	—	·	—		·	·		·	—	—	9
	Nov. 15	·	·	·	·	·	—	4	—	·	1	—	·	—					·	—	—	5
	Nov. 22	·	·	·	·	·	—	8	—	1	1	—	·	—	·	·	·	·	·	—	—	10
	Nov. 29	1	·	·	·	·	—	12	—	2	·	—	·	—	·	·	·	·	·	—	—	15
City of Limerick (*c*)	Nov. 8	·	·	·	·	·	—	·	—	·	·	—	·	—			·		·	·	—	·
	Nov. 15	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	Nov. 22	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Nov. 29	·	·	·	·	·	—	·	—	2	·	—	·	—	·	·	·	·	·	·	—	2
City of Waterford	Nov. 8	·	·	·	·	·	—	·	—	·	·	—	·	—			·	·	—	—	1	1
	Nov. 15	·	·	·	·	·	—	·	—	·	·	—	·	—		·	·	·	—	—	·	·
	Nov. 22	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	Nov. 29	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

(*a*) Not including one case of varicella. (*b*) Not including 2 cases of varicella.
(*c*) One case of measles was reported during week ended 22nd November.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 29th November, 1919, and the number under treatment at the close of each of the 3 preceding weeks

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 3 and 6; measles nil and 4; scarlet fever 47 and 247*; and diphtheria 7 and 20. Seven cases of pneumonia were admitted during the week and 18 remained under treatment at its close. Of the deaths in hospital during the week one was from diphtheria.

* See note (*) at foot of Table IX

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 29th November, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	POPULATION. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS	Annual Rate per 1,000 Persons Represented by DEATHS. From all Causes.	Annual Rate per 1,000 Persons Represented by DEATHS. From certain Epidemic Diseases. (b)	REGISTRATION—WEEK ENDING SATURDAY, 29TH NOVEMBER 1919. NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 29TH NOVEMBER, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	25·4	16·4	1·3	557	359	47	115	1	·	·	10	10	·	4	·	28	8	23	35	48	3	1	5	7	116	16	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	25·1	15·1	0·3	195	117	18	33	·	·	·	·	1	·	·	·	14	5	8	3	23	1	·	2	2	51	4	(d) 57·8	21·4	44·5	33·4	38·9	0·96
Urban Districts. CITY OF DUBLIN,	310,500	38·0	27·4	16·3	0·2	163	97	16	26	·	·	·	·	·	·	·	·	11	5	6	3	21	1	·	1	1	45	4	(e) 58·0 (f) 58·2	28·9 25·4	45·4 45·0	36·7 35·2	41·1 40·1	0·95 0·72
Urban Districts. RATHMINES and RATHGAR.	39,400	23·0	19·9	7·9	·	15	6	1	4	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	3	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,500	18·8	14·1	14·1	·	8	8	·	2	·	·	·	·	·	·	·	·	3	·	1	·	1	·	·	1	·	3	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,000	8·3	5·8	11·6	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,600	11·4	25·1	12·6	3·1	8	4	1	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	61	27	49·8	37·7	43·7	0·75
Urban Districts. BELFAST, ..	401 000	26·8	29·3	17·3	3·1	225	133g	20	39	1	·	·	10	8	·	2	·	4	2	6	17	12	2	1	3	3	35	5	56·0	25·2	47·2	36·7	41·9	0·87
Urban Districts. CORK, ...	76,673	28·6	22·4	17·0	0·7	33	25	·	8	·	·	·	·	1	·	·	·	2	·	3	5	3	·	·	·	1	9	·	56	30	45·3	37·9	42·1	0·55
Urban Districts. LONDONDERRY, ..	41,000	15·9	33·1	21·6	1·3	23	17	2	5	·	·	·	·	·	·	1	·	3	·	·	1	3	·	·	·	·	1	1	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	17·6	20·3	1·4	13	15	3	3	·	·	·	·	·	·	1	·	2	1	2	·	2	·	·	·	1	3	2	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	11·4	15·2	·	6	8	·	3	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	·	5	·	·	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5				7	3	·	2	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	2	·	56	25	50·0	32·5	41·3	0·89
Urban Districts. DUNDALK, ..	13,128	9·5				9	9	2	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				5	7	·	4	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	·	·	2	·	56·0	23·6	42·7	31·4	37·0	0·67
Urban Districts. DROGHEDA, ..	12,501	8·4				4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				4	6	·	5	·	·	·	·	·	·	·	·	·	·	1	2	1	·	·	·	·	1	·	55	22	43·6	32·3	37·9	0·93
Urban Districts. NEWRY, ...	11,963	17·0				7	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	56·0	23·6	42·7	31·4	37·0	0·67
Urban Districts. PORTADOWN, ..	11,727	15·3				3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	56·0	23·6	42·7	31·4	37·0	0·67
Urban Districts. WEXFORD, ..	11,531	22·8				4	4	·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				4	3	·	2	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				7	3	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	1	56	20	45	31	38	2·06
Urban Districts. KILKENNY, ..	10,514	11·4				1	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	1	58	24	44·5	34·2	39·3	0·16
Urban Districts. TRALEE, ...	10,300	17·4				3	3	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				1	3	·	2	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	2	·	·	·	·	·	·	·
LONDON	4,206,901	—	—	14·3	—	2,3[illegible]8	1,104	163	391	·	—	·	10	2	4	23	—	86	11	105	80	123	23	6	47	106	515	3	56	27	45·3	35·4	40·4	0·24
EDINBURGH ...	336,500	—	—	11·5	—	182	74	15	27	·	·	·	·	3	·	1	—	—	—	—	—	—	·	—	3	—	—	—	55·0	32·0	42·9	35·9	39·4	2·12
GLASGOW	1,118,700	—	—	15·7	—	672	336g	64	95	·	·	·	4	3	·	3	—	—	—	—	—	—	8	—	12	—	—	—	54·1	28·9	42·3	35·6	39·0	1·07

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal fever for Belfast and one for Glasgow.

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 48th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 29th November, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.		
ALL CAUSES.	172·0	127	11	7	3	2	4	3	3	5	10	10	17	17	15	20	117
Enteric Fever ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	3·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Whooping-cough ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	11·0	4	.	1	1	.	.	.	.	1	.	.	.	1	.	.	4
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·6	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Tetanus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	16·8	15	.	.	.	1	1	2	1	1	2	4	.	1	2	.	14
Tuberculous Meningitis	1·8	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	2
Abdominal Tuberculosis	1·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Tuberculosis of the Spinal Column.	.	2	.	.	.	.	.	.	1	.	.	1	.	.	.	.	2
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Venereal Diseases ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	11·4	8	.	.	.	.	.	.	.	.	1	.	4	1	.	2	8
Tumour, situation undefined	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·6	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
Anæmia, Leucocythæmia.	1 2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.	3·8	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Softening of Brain ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	3·4	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Epilepsy, ...	·8	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Convulsions (non-puerperal).	3·6	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	1·8	3	.	.	.	.	.	.	.	.	1	.	1	1	.	.	2
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·8	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2
Organic Diseases of the Heart.	11·2	18	.	.	.	.	.	.	.	1	.	2	2	5	4	4	15
Embolism and Thrombosis (including Cerebral)	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diseases of the Larynx	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	23·4	21	.	2	1	.	.	1	.	.	.	.	2	7	4	4	21
Broncho pneumonia ..	5·4	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2
Lobar pneumonia ..	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	8·0	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Pleurisy	·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Other Diseases of Respiratory System.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

in the FORTY-EIGHTH WEEK, ending Saturday, 29th November, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 48th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 29th November, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx. Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	3·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diarrhœa 2 years and upwards.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	1·4	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1
Cirrhosis of Liver ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown).	·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Other Diseases of Digestive System.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis ..	·4	3	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	3
Chronic Bright's Disease	4·6	4	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	4
Urinary Calculi ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	1·0	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Puerperal Septicæmia, &c.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	1·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Diseases of Locomotor System.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth ..	3·4	6	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
Congenital Debility ..	5·6	4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	4
Old Age	6·2	7	.	.	.	.	.	.	.	.	.	.	.	.	2	5	.	7
Other Specified Diseases	1·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Violent Deaths		3	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	2
Not included in above—																		
Homicide. ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes,	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

TABLE IV.—Showing for the WEEK ENDED 29TH NOVEMBER, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual RATE per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population Middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E.	30,000	20·9	·	12	4	1	·	·	·	4	2	1	·	·	·	·	·	·	·	·	2	1	·	1	3	·	·	·	5	·	6	·	·
" 1, W., ...	41,100	16·5	·	13	3	·	·	2	1	·	3	4	·	·	·	·	·	·	·	·	1	1	·	1	2	·	·	1	7	·	4	1	·
" 2, ...	27,500	19·0	·	10	·	·	·	·	1	2	·	7	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	7	1	3	1	1
" 3, ...	34,100	13·8	·	9	·	·	·	1	1	2	3	2	·	·	·	·	·	·	·	·	·	2	1	·	1	·	·	·	5	·	2	3	·
CLONTARF AND HOWTH, No. 1, part of	5,500	19·0	·	2	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	7·7	·	2	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	2	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	4·7	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	17·0	1·2	14	5	·	·	·	1	2	6	·	·	·	·	·	·	·	·	·	·	·	1	·	3	1	·	·	9	·	2	7	1
" 2, ...	18,200	22·9	·	8	·	·	2	·	·	1	1	4	·	·	·	·	·	·	·	·	3	1	1	·	1	·	·	·	2	·	·	5	·
" 3, ...	43,300	13·2	·	11	2	·	·	·	·	2	3	4	·	·	·	·	·	·	·	·	2	·	1	·	6	·	·	·	2	·	1	2	1
" 4, ...	32,800	19·1	·	12	2	·	·	·	1	2	5	2	·	·	·	·	·	·	·	·	·	·	2	·	2	·	·	·	8	·	1	3	1
NEW KILMAINHAM, ...	10,300	15·2	·	3	·	·	·	1	·	·	1	1	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·	·	·	2	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	7·9	·	6	1	·	·	1	·	·	·	4	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	5	1	2	1	·
PEMBROKE	29,500	14·1	·	8	·	·	·	1	2	1	2	2	·	·	·	·	·	·	·	·	3	·	1	·	1	·	·	1	2	·	3	·	·
BLACKROCK, ...	9,000	11·6	..	2	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·
KINGSTOWN, ...	16,600	12·6	3·1	4	1	1	·	1	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·
TOTAL CITY. North, ...	162,900	15·7	·	49	7	1	·	3	4	8	11	15	·	·	·	·	·	·	·	·	5	4	1	3	7	·	·	1	28	1	17	5	1
TOTAL CITY. South, ...	147,600	17·0	0·4	48	9	·	2	1	2	7	16	11	·	·	·	·	·	·	·	·	6	1	5	·	14	1	·	·	21	·	4	19	3
TOTAL CITY. North and South, ..	310,500	16·3	0·2	97	16	1	2	4	6	15	27	26	·	·	·	·	·	·	·	·	11	5	6	3	21	1	·	1	49	1	21	24	4
Total Urban Districts, ...	94,500	11·0	0·6	20	2	1	·	3	2	1	4	7	·	·	·	·	1	·	·	·	3	·	2	·	2	·	·	1	11	1	5	1	·
Total Registration Area, ..	405,000	15·1	0·3	117	18	2	2	7	8	16	31	33	·	·	·	·	1	·	·	·	14	5	8	3	23	1	·	2	60	2	26	25	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				10	·	1	·	·	·	4	3	2	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	1	7	1	10	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 29th November, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 29TH NOVEMBER, 1919.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages: Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	127	23	7	8	20	34	15	20	.	.	.	.	1	.	.	.	15	6	8	2	3	23	1	.	3	65	4
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	24·9	7	.	.	1	.	1	1	4	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	4	.
II.	MIDDLE CLASS	101,798	10·8	21	.	1	4	2	5	5	4	.	.	.	.	.	.	.	.	3	1	1	.	1	2	.	.	1	12	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	9·6	20	3	.	1	3	6	4	3	.	.	.	.	.	.	.	.	2	1	1	.	1	4	.	.	2	9	3
IV.	GENERAL SERVICE CLASS	167,479	16·8	54	16	4	2	13	13	3	3	.	.	.	.	1	.	.	.	6	3	2	1	1	9	.	.	.	31	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	25	4	2	.	2	9	2	6	.	.	.	.	.	.	.	.	3	1	3	1	.	7	1	.	.	9	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	6	.	.	1	.	1	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	5	.	.	2	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	4	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
	6. Clerks and Commercial Assistants,	33,249	—	4	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	8	.	.	.	.	3	2	3	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	9. Building and Furnishing Trades, ..	28,823	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	10. Clothing Trades, ...	20,026	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades, ...	8,952	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	11	1	.	1	3	4	2	.	.	.	.	.	.	.	.	.	1	1	1	.	1	1	.	.	2	4	.
	13. Petty Shopkeepers, ...	6,772	—	4	1	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	3
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	11	1	1	1	3	4	.	1	.	.	.	.	.	.	.	.	1	1	2	.	.	1	.	.	.	6	.
	15. Domestic Servants, ...	36,041	—	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	5	1	1	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	34	13	2	1	8	6	2	2	.	.	.	.	1	.	.	.	4	2	.	1	1	5	.	.	.	20	1
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	25	4	2	.	2	9	2	6	.	.	.	.	.	.	.	.	3	1	3	1	.	7	1	.	.	9	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Sept. 6.	Sept. 13.	Sept. 20	Sept. 27	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1	Nov. 8.	Nov. 15	Nov. 22.	Nov. 29.	Sept. 6	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.
No. of weeks in Annual Series ..	36	37	38	39	40	41	42	43	44	45	46	47	48	36	37	38	39	40	41	42	43	44	45	46	47	48
BIRTHS registered	190	194	215	192	199	251	203	163	233	216	216	184	195	219	183	186	190	224	223	260	206	220	234	200	209	225
Average Births in corresponding week of previous 10 years, ...	216	195	214	211	200	190	196	189	187	197	202	184	192	192	191	176	192	192	203	195	178	182	183	169	175	178
Number of Deaths, ...	153	134	97	117	122	112	121	118	138	99	105	138	117	112	100	111	112	107	104	104	116	115	159	147	167	133
Annual Death-rate per 1,000 ..	19·7	17·3	12·5	15·1	15·7	14·4	15·6	15·2	17·8	12·7	13·5	17·8	15·1	14·6	13·0	14·4	14·6	13·9	13·5	13·5	15·1	15·0	20·7	19·1	21·7	17·3
Average Deaths in corresponding week of previous 10 years, ...	143	145	145	147	149	149	159	160	176	185	167	164	165	118	113	121	113	104	111	108	118	114	137	155	170	162
Ages, .. Under one year, ..	46	29	21	27	20	16	27	18	18	19	23	19	18	26	26	17	25	20	13	16	18	19	28	25	23	20
1— 5 years, ..	7	7	6	8	11	3	7	8	8	8	4	10	4	5	8	15	11	11	5	8	8	19	19	16	30	18
5—25 ,, ..	11	13	13	13	10	17	9	12	14	11	11	8	15	12	19	20	22	13	17	21	27	23	22	15	22	22
25—45 ,, ..	15	12	13	11	22	13	21	20	20	12	17	28	16	22	6	12	9	13	17	17	18	12	20	19	14	12
45—65 ,, ..	30	32	22	30	25	26	22	30	45	27	18	38	31	28	30	21	22	31	28	15	20	25	34	40	39	22
65 and upwards, ..	44	41	22	28	34	37	35	30	33	22	32	35	33	19	11	26	23	19	24	27	25	17	36	32	39	39
Deaths from :—																										
Enteric Fever, ...	1	1	1	1	.	.	.	1	.	.	.	.	.	1	2	.	1	.	1	1	.	1	.	.	1	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	.	.	.	.		1	2	1	1	.	.	.	.	.	.	1	.	.	1	4	2	9	10
Scarlet Fever, ...	.	.	1	1	2	1	.	.	1	.	1	2	1	2	2	6	5	4	1	9	12	11	10	5	8	8
Whooping-cough, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
Diphtheria, ...	.	1	1	.	1	1	.	1	2	1	.	1	.	1	.	1	1	.	.	.	.	1	.	.	2	2
Dysentery, ...	2	3	4	3	.	2	1	.	2	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	14	9	19	6	14	10	11	17	15	7	13	11	14	11	9	11	13	9	14	11	12	12	11	16	16	4
Tuberculosis { Other Forms, ..	9	8	2	6	7	10	4	5	4	6	7	2	5	1	5	5	7	3	5	6	3	5	7	4	4	2
Cancer, ...	9	13	9	16	10	7	7	10	12	7	4	12	8	8	6	9	6	6	7	4	10	6	6	7	9	6
Diseases of Respiratory System, { Pneumonia ..	10	7	5	5	6	6	8	4	5	10	8	14	3	6	4	4	2	9	3	5	8	9	14	11	17	17
Diseases of Respiratory System, { Others, ..	4	11	5	8	9	14	12	11	16	14	13	19	23	5	5	9	5	5	11	11	12	11	17	29	25	12
Diarrhœa and Enteritis, under 2 years, ...	21	7	9	0	8	8	6	3	4	2	5	5	1	12	10	8	13	13	3	7	1	1	3	2	1	2
Diarrhœa, 2 years and upwards..	1	2	1	.	.	1	1	.	1	.	.	.	.	1	8	10	7	2	.	4	2	1	4	1	1	1
Violent Deaths, ...	1	5	3	4	2	3	1	6	5	3	1	2	2	5	5	1	2	1	1	2	1	7	1	3	2	3
Number of Uncertified Deaths, ..	4	2	2	3	6	3	1	2	6	2	2	6	4	.	.	1	.	2	2	1	1	3	7	2	1	5
A Mean Maximum Temperature in degs.	65·3	72·4	66·3	59·2	59·0	52·9	64·3	57·8	48·0	44·0	40·6	48·6	44·5	65·4	66·0	59·7	54·4	58·9	58·3	50·1	57·6	48·2	45·1	42·3	46·6	47·2
B Mean Minimum ,, ,,	45·6	51·6	40·2	37·4	40·4	34·9	51·2	41·3	34·0	32·3	22·6	35·4	33·4	48·7	52·0	46·7	44·4	43·1	50·1	39·5	47·6	39·0	38·2	29·0	30·5	36·7
Mean of A and B ,, ,,	55·4	62·0	53·2	48·3	49·7	43·9	57·7	49·5	41·0	38·2	31·6	42·0	38·9	57·0	59·2	53·2	51·0	55·6	54·2	44·8	52·6	43·6	41·6	35·6	38·5	41·9
Rainfall in inches	0·98	0·15	0·07	0·79	0·39	0·01	0·04	1·30	0·23	0·39	0·22	0·69	0·96	1·52	1·60	0·19	0·92	0·21	0·06	0·58	0·95	0·02	0·77	0·07	1·13	0·87

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 29th November, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No 1 DISTRICT,	15,879	10	13·1	·	4	1	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·
Do. 2 do.	49,500	25	14·7	·	14	2	·	·	1	·	11	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	3	·
Do. 3 do.	50,032	26	19·8	7·3	19	4	7	3	1	1	3	·	·	·	3	1	·	1	·	1	1	·	3	3	2	·	1	·	4	·
Do. 4 do.	32,637	11	28·8	1·6	18	2	·	3	4	4	5	·	·	·	·	·	·	·	·	1	·	2	1	4	·	1	·	·	5	·
Do 5 do.	16,112	10	22·7	6·5	7	2	2	2	·	1	·	·	·	·	·	2	·	·	·	1	·	·	1	·	·	·	·	·	4	1
Do. 6 do.	37,293	18	16·8	·	12	·	·	2	1	4	5	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	1	1	2	2
Do. 7 do.	2,681	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	5	17·5	·	2	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 9 do.	24,427	19	12·8	2·1	6	1	·	1	·	3	1	·	·	·	·	1	·	·	·	·	·	1	1	·	·	·	·	1	1	1
Do. 10 do.	28,958	25	18·0	·	10	1	1	2	2	3	1	·	·	·	·	·	·	·	·	·	1	1	2	1	·	·	1	1	5	·
Do. 11 do.	39,311	22	17·2	9·3	13	2	5	3	·	·	3	1	·	·	5	1	·		·	·	·	·	1	1	·	·	·	·	3	·
Do. 12 do	38,076	30	21·9	5·5	16	3	1	4	1	4	3	·	·	·	2	1	·	1	·	·	·	2	1	1	·	·		·	4	1
Do. 13 do.	23,233	10	6·7	·	3	·	1	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Do. 14 do	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	13	20·7	4·6	9	2	1	2	·	1	3	·	·	·	·	2	·	·	·	·	·	·	2	·	·	·	·	·	4	·
Total,	386,947	225	17·3	3·1	133	20	18	22	12	22	39	1	·	·	10	8	·	2	·	4	2	6	17	12	2	1	3	3	35	5
CITY OF CORK																														
CORK URBAN No. 1 DISTRICT,	13,455	3	19·4	3·9	5	·	·	2	·	1	2	·	·	·	·	1	·	·	·	1	·	1	1	·	·	·	·	·	3	·
Do 2 do.	10,399	7	5·0	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 3 do.	9,793	4	16·0	·	3	·	·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 4 do	9,139	5	17·1	·	3	·	·	·	·	3	·	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·	1	·
Do. 5 do.	6,250	1	33·4	·	4	·	·	·	·	3	1	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·	·	·
Do 6 do.	11,581	6	9·0	·	2	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·
Do. 7 do	16,056	7	22·7	·	7	·	·	·	3	2	2	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	·	1	3	·
Total.	76,673	33	17·0	0·7	25	·	·	2	4	11	8	·	·	·	·	1	·	·	·	2	·	3	5	3	·	·	·	1	9	·

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 29th November, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	2
" " 1, West ..	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	3	5
" " 2, ...	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	1	4
" " 3, ...	.	.	.	.	.	4	.	.	1	.	.	.		.	.	.	2	7
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	4	.	.	1	.	.	.	.	.	.	.	.	5
Finglas and Glasnevin (part of)	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	4
South City No. 1	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
" " " 2, ...	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
" " " 3, ...	.	.	.	.	.	6	.	.	.	.	.	.	.	.	.	.	.	6
" " " 4, ...	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	1	4
New Kilmainham, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Total, ...	.	.	.		.	27	3	.	4	.	.	.	.	1	.	.	7	42

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 29th November, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 29th November.			
	Nov. 8.	Nov. 15.	Nov. 22.	No. admitted	Discharged.	Died.	No under treatment at close of week.
Enteric Fever, ...	9	7	6	3	3	.	6
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	14	16	9	.	5	.	4
Scarlet Fever, ...	250	254	230	47	30	.	247*
Diphtheria, ...	19	13	16	7	2	1	20
Pneumonia, ...	19	20	17	7	6	.	18

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), Crow-street, Dublin.

(13341). Wt. 5568. 3. 380. 11. 1919 G, III. Sch. c. 7

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd. 116, Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1;
37, Peter Street, Manchester; 1, St Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 49. Vol. LVI.] Week ending Saturday, 6th December, 1919. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 8th December, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 18·4 and 17·3; Dublin Registration Area, 17·6 and 16·0; Dublin City, 19·8 and 17·2; Belfast, 22·0 and 20·0; Cork, 16·3 and 15·5; Londonderry, 19·1 and 19·4; Limerick, 19·0 and 20·3; and Waterford, 22·8 and 16·6.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·8 per 1,000. Among the 169 deaths from all causes for Belfast are 15 from measles, 9 from scarlet fever, one from diphtheria, and one from diarrhœa and enteritis of a child under 2 years. Included in the 24 deaths from all causes for Cork are two from whooping-cough; and of the 14 deaths from all causes for Limerick, there is one death from each of enteric fever and diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 208—115 boys and 93 girls—and the deaths to 150—69 males and 81 females.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·6 per 1,000 of the population. During the forty-nine weeks ending with Saturday last, the death-rate averaged 21·2 and was 0·2 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the forty-nine weeks was 22·9 and for the corresponding period of the preceding ten years 22·3.

Of the 137 deaths appertaining to the Area there was one from scarlet fever, 2 were from whooping-cough, one from diphtheria, and 5 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks, deaths from scarlet fever were one, 2 and one; deaths from diphtheria were 0, one and 0; and deaths from diarrhœa and enteritis of children under 2 years, 5, 5 and one respectively. There were no deaths from whooping-cough registered in the three preceding weeks.

Deaths attributed to pneumonia were 9 (comprising 6 from broncho-pneumonia, one from lobar pneumonia, and 2 from pneumonia, type not distinguished), as against 8, 14, and 3 in the three weeks preceding.

Tuberculous disease caused 23 deaths (comprising 17 from pulmonary tuberculosis, one from tuberculous meningitis, and 5 from other forms of tuberculous disease), as against 20, 13, and 19, in the three weeks preceding.

Eight deaths were caused by cancer; 20 by organic diseases of the heart, and 15 by bronchitis.

Among deaths of infants under one year old, one was due to convulsions, one to bronchitis, 2 to broncho-pneumonia, 5 to diarrhœa and enteritis, 4 to premature birth, and 10 to congenital debility.

There were 3 accidental deaths and one death by homicide.

Thirty-three of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 26 being infants under one year, of whom 11 were under one month old, and 40 deaths were those of persons aged 65 and upwards, of whom 29 were 70 years of age or over.

Of the 137 deaths recorded, 50 occurred in hospitals and other public institutions.

* *Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.*

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND

The mortality among civilians for the week ended 6th December, in 96 large English towns (including London, in which the rate was 14·5 was equal to an average annual death rate of 14·4 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 15·3 per 1,000 persons living, the rate for Glasgow being 15·6 and for Edinburgh 16·4.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 6th December. From this Report it appears that of 95 cases notified, 48 were scarlet fever, 22 diphtheria, 12 pulmonary tuberculosis, 5 other forms of tuberculosis, and 8 erysipelas. Among the 704 cases of infectious diseases in hospital at the close of the week were 398 of scarlet fever, 134 of pulmonary tuberculosis, 104 of diphtheria, 15 of measles, 13 of erysipelas, and 3 of whooping-cough.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 6th December, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Nov. 15	.	.	.	.	.	—	17	—	2	3	—	.	—	1	7	.	1	.	.	11	42
	Nov. 22	1	.	.	.	.	—	23	—	5	2	—	1	—	1	2	.	2	.	.	12	49
	Nov. 29	.	.	.	.	.	—	27	—	3	4	—		—	.	.	.	1	.	.	7	42
	Dec. 6	.	.	.	.	.	—	9	—	2	3	—	.	—	.	2	.	2	.	.	10	28
Rathmines & Rathgar Urban District	Nov. 15	2	.	.	.	.	—	6	—	.	1	—	.	—	.	.	.	.	.	.	—	9
	Nov. 22	.	.	.	.	.	—	1	—	1	1	—	.	—	.	.	.	1	.	.	—	4
	Nov. 29	.	.	.	.	.	—	2	—	1	.	—	.	—	.	.	.	.	.	.	—	3
	Dec. 6	.	.	.	.	.	—	6	—	2	.	—	.	—	.	.	.	.	.	.	—	8
Pembroke Urban District	Nov. 15	.	.	.	.	.	.	3	.	.	.	.	.	—	1	.	.	2	.	.	.	6
	Nov. 22	.	.	.	.	.	.	2	.	.	.	.	.	—	.	.	.	1	.	.	.	3
	Nov. 29	1	.	.	.	.	1	5	.	.	.	.	.	—	.	.	.	2	.	.	.	9
	Dec. 6	.	.	.	.	.	.	2	.	.	.	.	.	—	.	.	.	2	.	.	.	4
Blackrock Urban District	Nov. 15	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Nov. 22	.	.	.	.	.	1	.	—	.	.	—	.	—	.	.	.	.	.	.	.	1
	Nov. 29	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Dec. 6	.	.	.	.	.	1	.	—	.	.	—	.	—	.	.	.	.	.	.	.	1
Kingstown Urban District	Nov. 15	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	2	—	.	1	5
	Nov. 22	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	2	—	.	.	3
	Nov. 29	.	.	.	.	.	—	2	—	1	.	—	.	—	.	1	.	.	—	.	1	5
	Dec. 6	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	—	.	.	2
City of Belfast	Nov. 15	.	.	.	.	.	—	136	—	2	9	—	.	—	.	.	.	.	1	.	.	148
	Nov. 22	3	.	.	.	.	—	120	—	4	9	—	.	—	.	.	.	.	.	.	1	137
	Nov. 29	1	.	.	.	.	—	120	—	8	13	—	1	—	.	.	.	.	1	.	.	144
	Dec. 6	.	.	1	.	.	—	123	—	3	13	—	.	—	.	.	.	.	.	.	.	140
City of Cork	Nov. 15	.	.	.	.	.	.	1	—	9	1	—	.	.	.	2	.	.	—	.	—	13*a*
	Nov. 22	.	.	.	.	.	.	1	—	15	.	—	.	.	.	3	.	.	—	.	—	19
	Nov. 29	.	.	.	.	.	.	3	—	15	1	—	.	.	.	.	.	.	—	.	—	19
	Dec. 6	.	.	.	.	.	.	.	—	13	.	—	.	.	1	1	.	.	—	.	—	15*b*
City of Londonderry	Nov. 15	.	.	.	.	.	—	4	—	.	1	—	.	—	.	.	.	.	.	—	—	5
	Nov. 22	.	.	.	.	.	—	8	—	1	1	—	.	—		.	.	.	.	—	—	10
	Nov. 29	1	.	.	.	.	—	12	—	2	.	—	.	—	.	.	.	.	.	—	—	15
	Dec. 6	.	.	.	.	.	—	2	—	3	.	—	.	—	.	.	.	.	.	—	—	5
City of Limerick (*c*)	Nov. 15	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1
	Nov. 22	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Nov. 29	.	.	.	.	.	—	.	—	2	.	—	.	—	.	.	.	.	.	.	—	2
	Dec. 6	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1
City of Waterford	Nov. 15	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Nov. 22	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	1	1
	Nov. 29	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Dec. 6	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including 2 cases of varicella. (*b*) Not including 6 cases of varicella.
(*c*) One case of measles was reported during week ended 22nd November.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th December, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever nil and 6; measles 2 and 4; scarlet fever 23 and 206*; and diphtheria 7 and 25. Three cases of pneumonia were admitted during the week and 16 remained under treatment at its close. Of the deaths in hospital during the week one was from scarlet fever and one from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 6th December, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 6TH DECEMBER, 1919. Annual Rate per 1,000 Persons Represented by: BIRTHS	DEATHS: From all Causes.	DEATHS: From certain Epidemic Diseases. (b)	NUMBERS REGISTERED: BIRTHS: Total Number.	DEATHS: Total Number.	Under 1 year of Age	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 6TH DECEMBER, 1919. Air Temperature: Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	28·1	18·4	1·8	615	402	68	118	1	·	·	15	10	4	3	·	38	13	18	32	56	6	·	9	10	122	16	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	26·8	17·6	1·2	208	137	26	40	·	·	·	·	1	2	1	·	17	6	8	9	16	5	·	4	3	50	3	(d) 53·9	17·0	49·0	35·5	42·3	1·07
Urban Districts. CITY OF DUBLIN,	310,500	38·0	29·6	19·8	1·3	176	118	24	35	·	·	·	·	1	2	·	·	17	4	5	9	16	5	·	4	3	45	2	(e) 54·9 (f) 54·2	24·8 20·6	48·9 49·5	37·8 36·6	43·4 43·1	0·95 1·00
Urban Districts. RATHMINES and RATHGAR	39,400	23·0	10·6	7·9	1·3	8	6	1	2	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	3	1	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,500	18·8	31·8	10·6	·	18	6	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,000	8·3	23·2	17·4	·	4	3	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,600	11·4	6·3	12·6	·	2	4	·	1	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	1	·	55	27	45·6	39·1	42·4	0·90
Urban Districts. BELFAST, ..	401,000	26·8	31·3	22·0	3·4	241	169	30	39	·	·	·	15	9	·	1	·	11	4	7	18	23	1	·	4	7	38	6	51·5	26·0	48·1	33·2	40·6	1·35
Urban Districts. CORK, ...	76,673	28·6	25·2	16·3	1·4	37	24	5	11	·	·	·	·	·	2	·	·	3	1	·	2	7	·	·	·	·	13	1	55	32	51·9	39·6	45·8	1·14
Urban Districts. LONDONDERRY, ..	41,000	15·9	30·5	19·1	·	24	15	·	5	·	·	·	·	·	·	·	·	1	·	1	1	3	·	·	1	·	1	2	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	50·1	19·0	2·7	37	14	1	4	1	·	·	·	·	·	1	·	3	·	·	·	1	·	·	·	·	7	2	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	24·7	22·8	·	13	12	4	3	·	·	·	·	·	·	·	·	3	2	·	·	2	·	·	·	·	9	·	·	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5				5	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	54	33	52·0	33·7	42·9	1·10
Urban Districts. DUNDALK, ..	13,128	9·5				6	6	1	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	52·0	22·8	46·3	35·0	40·6	1·30
Urban Districts. DROGHEDA, ..	12,501	8·4				3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				6	5	1	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	51	23	46·9	31·6	39·2	1·98
Urban Districts. NEWRY, ...	11,963	17·0				3	3	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	52·0	22·8	46·3	35·0	40·6	1·30
Urban Districts. PORTADOWN, ..	11,727	15·3				3	3	·	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	52·0	22·8	46·3	35·0	40·6	1·30
Urban Districts. WEXFORD, ..	11,531	22·8				6	4	·	1	·	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				1	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	53	18	48	35	41·5	2·00
Urban Districts. KILKENNY, ..	10,514	11·4				7	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	1	·	54	24	50·5	34·0	42·3	0·85
Urban Districts. TRALEE, ...	10,300	17·4				5	3	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				3	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LONDON	4,206,901	—	—	14·5	—	2,113	1,119	162	397	2	—	·	12	6	8	28	—	81	12	115	75	119	18	5	46	114	513	6	54	26	50·3	47·1	48·7	0·77
EDINBURGH ...	336,500	—	—	16·4	—	176	106	15	40	·	·	·	1	1	·	1	—	—	—	—	—	—	·	—	9	—	—	—	49·0	30·0	43·6	36·0	39·8	0·54
GLASGOW	1,118,700	—	—	15·6	—	638	334	43	89	·	·	·	10	1	1	2	—	—	—	—	—	—	3	—	7	—	—	—	49·3	26·9	44·6	37·1	40·8	1·35

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 49th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 6th December, 1919.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20	20—25	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.	
			Under 1 month	1 month and under 1 year	1—2.	2—5.											
ALL CAUSES	179·8	150	11	15	4	4	4	3	2	7	10	10	19	18	26	17	137
Enteric Fever ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox . ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	3·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Whooping-cough ..	1·2	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
Diphtheria	1·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Croup	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Influenza	11·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	19·4	17	.	.	.	.	.	.	1	2	5	2	5	1	1	.	17
Tuberculous Meningitis	·8	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Abdominal Tuberculosis	1·8	2	.	.	.	.	.	.	.	1	1		.	.	.	.	1
Tuberculosis of the Spinal Column.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Tuberculosis of Joints	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·6	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·0	4	.	.	1	1	1	.	.	.	.	.	1	.	.	.	3
Venereal Diseases ..	·4		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	10·8	10	.	.	.	.	.	.	.	.	.	1	3	5	.	1	8
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	1·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Anæmia, Leucocythæmia.	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.	4·6	2	.	.	.	.	1	.	.	.	.	.	.	.	1	.	2
Softening of Brain ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	1·6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Epilepsy, ...	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	3·2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Other Diseases of Nervous System.	3·0	3	.	.	.	.	.	.	.	1	.	.	.	.	1	1	2
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·6	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	2
Organic Diseases of the Heart.	13·6	22	.	.	.	.	.	.	.	1	1	2	3	6	7	2	20
Embolism and Thrombosis (including Cerebral).	1·0	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Other Diseases of Circulatory System.	2·8	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	20·2	17	.	1	.	.	.	.	.	.	1	.	1	1	11	2	15
Broncho-pneumonia ..	7·6	6	.	2	1	1	.	1	.	.	.	1	.	.	.	.	6
Lobar pneumonia ..	1·0	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Pneumonia (type not distinguished).	7·6	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
Pleurisy	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

in the FORTY-NINTH WEEK, ending Saturday, 6th December, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 49th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 6th December, 1919.																
		All Ages.	Ages at Death															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5												
Diseases of the Pharynx Tonsillitis.	·	·	·	·	·	·	·	·		·	·	·	·	·	·	·		·
Diseases of Stomach ..	1·6	5	·	2	1	·	·	·	·	·	·	·	·	·	2	·		5
Diarrhœa and Enteritis of Children under 2 years.	3·4	5	2	3	·	·	·	·	·	·	·	·	·	·	·	·		5
Diarrhœa 2 years and upwards.	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·		·
Enteritis 2 years and upwards.	1·2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·		1
Appendicitis and Typhlitis.	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Hernia and Intestinal Obstructions.	1·8	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·		1
Cirrhosis of Liver ..	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Liver	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Peritonitis (cause unknown).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Digestive System.	1·0	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·		1
Acute Nephritis ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Chronic Bright's Disease	4·4	3	·	·	·	·	·	1	·	·	·	·	·	2	·	·		3
Urinary Calculi ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Genito-urinary System.	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Puerperal Septicæmia, &c.	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other causes incident to Pregnancy and Childbirth.	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		·
Diseases of Skin and Cellular Tissues.	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Locomotor System.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Congenital Malformations.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Premature Birth ..	3·8	4	3	1	·	·	·	·	·	·	·	·	·	·	·	·		4
Congenital Debility ..	4·2	10	5	5	·	·	·	·	·	·	·	·	·	·	·	·		10
Old Age	10·0	11	·	·	·	·	·	·	·	·	·	·	·	·	2	9		11
Other Specified Diseases	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		
Burns and Scalds ..	1·0	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1		1
Drowning	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suffocation in Bed ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Railways, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Vehicles and Horses ..	·2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		1
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Gunshot Wounds, &c.	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Violent Deaths		1	·	·	·	·	·	·	·	·	·	·	·	1	·	·		1
Not included in above—																		
Homicide, ..	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		1
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ill-defined, &c., Causes,	2·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·

TABLE IV.—Showing for the WEEK ENDED 6TH DECEMBER, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	24·3	1·7	14	3	·	·	1	·	2	3	5	·	·	·	·	·	·	·	·	3	·	1	1	3	1	·	·	5	·	1	4	·
" 1, W., ...	41,100	20·3	1·3	16	4	·	·	1	·	3	3	5	·	·	·	·	·	·	·	·	1	·	2	1	·	1	·	·	11	·	3	5	·
" 2, ...	27,500	22·8	·	12	2	·	·	·	1	1	6	2	·	·	·	·	·	·	·	·	2	1	·	2	3	·	·	·	4	·	2	3	·
" 3, ...	34,100	18·3	·	12	2	·	·	1	1	4	1	3	·	·	·	·	·	·	·	·	4	·	·	·	3	·	·	·	5	1	4	2	·
CLONTARF AND HOWTH, No. 1, part of	5,500	9·5	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	23·0	3·8	6	3	·	·	2	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	5	·	1	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	4·7	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	14·6	2·4	12	2	·	2	·	1	·	3	4	·	·	·	·	·	1	·	·	2	1	·	1	3	1	·	·	3	·	1	3	·
" 2, ...	18,200	22·9	2·9	8	1	·	·	·	·	1	2	4	·	·	·	·	·	·	·	·	1	·	·	·	2	1	·	1	3	1	2	2	2
" 3, ...	43,300	22·9	1·2	19	4	2	·	·	·	4	4	5	·	·	·	·	·	·	·	·	1	1	2	2	1	1	·	1	10	·	2	3	·
" 4, ...	32,800	22·3	·	14	2	·	·	1	1	2	3	5	·	·	·	·	·	·	·	·	3	1	·	·	1	·	·	2	7	1	2	5	·
NEW KILMAINHAM, ...	10,300	15·2	5·1	3	·	1	·	·	·	1	1	·	·	·	·	·	·	1	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	7·9	1·3	6	1	·	1	·	·	·	2	2	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	4	·	3	·	1
PEMBROKE	29,500	10·6	·	6	1	1	·	·	1	·	2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	5	·	·	·	·
BLACKROCK, ...	9,000	17·4	·	3	·	·	·	·	·	1	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	·	·	1	·
KINGSTOWN, ...	16,600	12·6	·	4	·	·	·	1	·	·	2	1	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	2	·	1	·	·
TOTAL CITY. North, ...	162,900	19·8	1·0	62	15	·	·	5	2	10	13	17	·	·	·	·	1	·	·	·	10	1	3	4	9	2	·	·	32	1	11	14	·
TOTAL CITY. South, ...	147,600	19·8	1·8	56	9	3	2	1	2	8	13	18	·	·	·	·	·	2	·	·	7	3	2	5	7	3	·	4	23	2	7	13	2
TOTAL CITY. North and South, ..	310,500	19·8	1·3	118	24	3	2	6	4	18	26	35	·	·	·	·	1	2	·	·	17	4	5	9	16	5	·	4	55	3	18	27	2
Total Urban Districts, ...	94,500	10·5	0·6	19	2	1	1	1	1	1	7	5	·	·	·	·	·	·	1	·	·	2	3	·	·	·	·	·	13	·	4	1	1
Total Registration Area, ..	405,000	17·6	1·2	137	26	4	3	7	5	19	33	40	·	·	·	·	1	2	1	·	17	6	8	9	16	5	·	4	68	3	22	28	3
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				13	·	·	1	·	4	1	4	3	·	·	·	·	·	·	·	·	·	3	2	·	2	·	1	·	5	·	11	2	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th December, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY 6TH DECEMBER, 1919.

Class.	Occupation or Social Postion. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	28)	(29
	ALL PERSONS.	397,957	—	150	34	7	9	20	37	26	17	.	.	.	.	1	2	1	.	17	9	10	1	9	18	5	1	4	72	3
	CLASSES.																													
	DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	24·9	7	.	1	.	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	6	.
II.	MIDDLE CLASS	101,798	14·9	29	3	2	2	3	13	4	2	.	.	.	.	1	.	1	.	3	2	6	.	.	2	.	1	1	12	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	10·6	22	3	1	1	4	8	3	2	.	.	.	.	.	.	.	.	3	.	.	.	1	2	.	.	.	16	.
IV.	GENERAL SERVICE CLASS	167,479	19·3	62	21	3	5	12	10	7	4	.	.	.	.	.	2	.	.	10	3	4	1	7	7	3	.	2	23	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	30	7	.	1	1	5	11	5	.	.	.	.	.	.	.	.	1	4	.	.	1	7	2	.	.	15	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	.	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	4	.	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	8	1	.	.	3	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	5	1
	6. Clerks and Commercial Assistants,	33,249	—	10	1	1	1	.	5	2	.	.	.	.	.	1	.	.	.	3	1	1	.	.	1	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	9	.	.	1	.	6	.	2	.	.	.	.	.	.	.	.	.	1	4	.	.	.	.	1	.	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	4	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
	9. Building and Furnishing Trades, ..	28,823	—	7	2	.	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	6	.
	10. Clothing Trades, ...	20,026	—	3	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	11. Food Supply Trades, ...	8,952	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	6	.	1	1	3	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	3	.
	13. Petty Shopkeepers, ...	6,772	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	11	3	.	1	2	2	1	2	.	.	.	.	.	1	.	.	3	1	.	.	1	1	.	.	1	3	1
	15. Domestic Servants, ...	36,041	—	6	1	1	1	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	1	1	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	42	16	2	3	8	7	4	2	.	.	.	.	.	1	.	.	7	1	4	.	4	5	3	.	.	17	.
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	30	7	.	1	1	5	11	5	.	.	.	.	.	.	.	.	1	4	.	.	1	7	2	.	.	15	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresp nding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Sept. 13.	Sept. 20	Sept. 27	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1	Nov. 8.	Nov. 15	Nov 22.	Nov. 29.	Dec. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18	Oct 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.
No o: weeks in Annual Series ..	37	38	39	40	41	42	43	44	45	46	47	48	49	37	38	39	40	41	42	43	44	45	46	47	48	49
BIRTHS registered	194	215	192	199	251	203	163	233	216	216	184	195	208	183	186	190	224	223	260	206	220	234	200	2·9	225	241
Average Births in corresponding week of previous 10 years, ...	195	214	211	200	190	196	189	187	197	202	184	192	175	191	176	192	192	203	195	178	182	183	169	175	178	173
Number of Deaths, ...	134	97	117	122	112	121	118	138	99	105	138	117	137	100	111	112	107	1·4	104	116	115	159	147	167	133	169
Annual Death-rate per 1,000 ..	17·3	12·5	15·1	15·7	14·4	15·6	15·2	17·8	12·7	13·5	17·8	15·1	17·6	13·0	14·4	14·6	13·9	13·5	13·5	15·1	15·0	20·7	19·1	21·7	17·3	22·0
Average Deaths in corresponding week of previous 10 years, ...	145	145	147	149	149	159	160	176	185	167	164	165	169	113	121	113	104	111	108	118	114	137	155	170	162	164
Ages, .. Under one year, ..	29	21	27	20	16	27	18	18	19	23	19	18	26	26	17	25	20	13	16	18	19	28	25	23	20	30
1— 5 years, ..	7	6	8	11	3	7	8	8	8	4	10	4	7	8	15	11	11	5	8	8	19	19	16	30	18	21
5—25 ,, ..	13	13	13	10	17	9	12	14	11	11	8	15	12	19	20	22	13	17	21	27	23	22	15	22	22	23
25—45 ,, ..	12	13	11	22	13	21	20	20	12	17	28	16	19	6	12	9	13	17	17	18	12	20	19	14	12	19
45—65 ,, ..	32	22	30	25	26	22	30	45	27	18	38	31	33	30	21	22	31	28	15	20	25	34	40	39	22	37
65 and upwards, ..	41	22	28	34	37	35	30	33	22	32	35	33	40	11	26	23	19	24	27	25	17	36	32	39	39	39
Deaths from :—																										
Enteric Fever, ...	1	1	1	.	.	.	1	.	.	.	.	.	.	2	.	1	.	1	1	.	1	.	.	1	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	1	2	1	1	.	.	.	.	.	.	1	.	.	1	4	2	9	10	15
Scarlet Fever, ...	.	1	1	2	1	.	.	1	.	1	2	1	1	2	6	5	4	1	9	12	11	10	5	8	8	9
Whooping-cough, ...	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	1	.	.	1	.	.	.	.	.
Diphtheria, ...	1	1	.	1	1	.	1	2	1	.	1	.	1	.	1	1	.	.	.	.	1	.		2	2	1
Dysentery, ...	3	4	3	.	2	1	.	2	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	9	19	6	14	10	11	17	15	7	13	11	14	17	9	11	13	9	14	11	12	12	11	16	16	4	11
Tuberculosis { Other Forms, ..	8	2	6	7	10	4	5	4	6	7	2	5	6	5	5	7	3	5	6	3	5	7	4	4	2	4
Cancer, ...	13	9	16	10	7	7	10	12	7	4	12	8	8	6	9	6	6	7	4	10	6	6	7	9	6	7
Diseases of Respiratory System, { Pneumonia ..	7	5	5	6	6	8	4	5	10	8	14	3	9	4	4	2	9	3	5	8	9	14	11	17	17	18
Diseases of Respiratory System, { Others, ..	11	5	8	9	14	12	11	16	14	13	19	23	16	5	9	5	5	11	11	12	11	17	29	25	12	23
Diarrhœa and Enteritis, under 2 years, ...	7	9	0	8	8	6	3	4	2	5	5	1	5	10	8	13	13	3	7	1	1	3	2	1	2	1
Diarrhœa, 2 years and upwards..	2	1	.	.	1	1	.	1	.	.	.	.	.	8	10	7	2	.	4	2	1	4	1	1	1	.
Violent Deaths, ...	5	3	4	2	3	1	6	5	3	1	2	2	4	5	1	2	1	1	2	1	7	1	3	2	3	4
Number of Uncertified Deaths, ..	2	2	3	6	3	1	2	6	2	2	6	4	3	.	1	.	2	2	1	1	3	7	2	1	5	6
A Mean Maximum Temperature in degs	72·4	66·3	59·2	59 0	52·9	64·3	57·8	48·0	44·0	40·6	48·6	44 5	49·0	66 0	59·7	54·4	58·9	58·3	50·1	57·6	48·2	45·1	42·3	46·6	47·2	48·1
B Mean Minimum ,, ,,	51·6	40·2	37·4	40·4	34·9	51·2	41·3	34·0	32·3	22·6	35·4	33·4	35·5	52·0	46·7	44·4	43·1	50·1	39·5	47·6	39·0	38·2	29·0	30·5	36 7	33·2
Mean of A and B ,, ,,	62·0	53·2	48·3	49·7	43·9	57·7	49·5	41·0	38·2	31·6	42·0	38·9	42·3	59·2	53·2	51·0	55·6	54·2	44·8	52·6	43·6	41·6	35·6	38·5	41·9	40·6
Rainfall in inches	0·15	0·07	0·79	0·39	0·01	0·04	1·30	0·23	0·39	0·22	0·69	0·96	1·07	1·60	0·19	0·92	0·21	0·06	0·58	0 95	0·02	0·77	0·07	1·13	0·87	1·35

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 6th December, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No 1 DISTRICT,	15,879	7	36·1	·	11	2	1	1	1	3	3	·	·	·	·	·	·	·	·	1	·	·	2	2	·	·	·	2	3	·
Do. 2 do.	49,500	19	2·6	·	12	·	·	2	3	4	3	·	·	·	·	·	·	·	·	2	·	·	1	4	·	·	·	·	3	·
Do. 3 do.	50,032	27	24·0	6·3	23	3	5	3	2	4	6	·	·	·	4	2	·	·	·	3	·	·	2	6	·	·	·	·	3	·
Do. 4 do.	32,637	18	28·8	1·6	18	5	3	·	2	3	5	·	·	·	·	·	·	1	·	·	·	·	4	2	·	·	1	1	5	·
Do. 5 do.	16,112	16	35·6	3·2	11	3	1	·	3	1	3	·	·	·	·	1	·	·	·	·	·	·	·	3	·	·	·	1	4	1
Do. 6 do.	37,293	19	23·8	4·2	17	1	2	4	3	4	3	·	·	·	·	3	·	·	·	·	1		2	2	·	·	·	·	6	·
Do. 7 do.	2,681	2	38·9	·	2	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	1	·
Do. 8 do.	5,964	2	17·5	·	2	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
Do. 9 do.	24,427	13	36·3	4·3	17	7	·	2	2	4	2	·	·	·	1	·	·	·	·	1	·	1	1	1	1	·	1	1	3	4
Do. 10 do.	28,958	18	16·2	·	9	2	1	·	·	3	3	·	·	·	·	·	·	·	·	·	1	3	·	1	·	·	·	·	2	·
Do. 11 do.	39,311	24	15·9	6·6	12	1	3	3	·	2	3	·	·	·	5	·	·		·	1	·	1	1	·	·	·		·	1	
Do. 12 do.	38,076	43	27·4	8·2	20	4	4	4	2	3	3	·	·	·	5	1	·	·	·	3	·	·	3	·	·	·	2	2	5	1
Do. 13 do.	23,233	20	18·0	2·2	8	1	·	2	·	2	3	·	·	·	·	1	·	·	·	·	1	·	2	1	·	·	·	·	1	·
Do. 14 do.	175	1	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	12	13·8	2·3	6	·	1	1		3	1	·	·	·		1	·	·	·	·	·	·	·	1	·	·	·	·	1	·
Total,	386,947	241	22·0	3·4	169	30	21	23	19	37	39	·	·	·	15	9	·	1	·	11	4	7	18	23	1	·	4	7	38	6
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	4	19·4	3·9	5	2	·	·	2	·	1	·	·	·	·	·	1	·	·	·	·	·	1	1	·	·	·	·	1	·
Do. 2 do.	10,399	6	10·0	·	2	·	·	·	·	·	2	·	·	·	·		·	·	·	1	·	·	·	1	·	·	·	·	1	·
Do. 3 do.	9,793	6	10·6	·	2	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	2	·
Do. 4 do.	9,139	6	11·4	·	2	·	·	·	1	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	·
Do. 5 do.	6,250	2	25·0	·	3	1	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·		2	·	·	·	·	1	1
Do. 6 do.	11,581	6	13·5	4·5	3	1	·	·	·	1	1	·	·	·	·	·	1	·	·	·	1	·	1	·	·	·	·	·	1	·
Do. 7 do.	16,056	7	22·7	·	7	1	·	1	2	·	3	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·	5	·
Total,	76,673	37	16·3	1·4	24	5	·	2	5	1	11	·	·	·	·	·	2	·	·	3	1	·	2	7	·	·	·	·	13	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919. † See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES. notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 6th December, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	3
" " 1, West ..	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	5	6
" " 2, ...	.	.	.	.	.	.	1	.	1	.	.	1	.	1	.	.	2	6
" " 3, ...	.	.	.	.	.	2	.	.	.	.	.	1		.	.	.	.	3
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " " 3, ...	.	.	.	.	.	3	.	.	2	.	.	.	.	.	.	.	.	5
" " " 4, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	.	.		.	9	2	.	3	.	.	2	.	2	.	.	10	28

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 6th December, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 6th December.			
	Nov. 15.	Nov. 22.	Nov. 29.	No. admitted	Dis charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	7	6	6	.	.	.	6
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	16	9	4	2	2	.	4
Scarlet Fever, ...	254	230	247	23	63	1	206*
Diphtheria, ...	13	16	20	7	2	.	25
Pneumonia, ...	20	17	18	3	4	1	16

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), Crow-street, Dublin.

13355). Wt. 5568. 3. 380. 12. 1919. G, III. Sch. c. ".

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD. 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 50. VOL. LVI.] WEEK ENDING SATURDAY, 13TH DECEMBER, 1919. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 15th December, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 18·7 and 18·0; Dublin Registration Area, 18·9 and 17·4; Dublin City, 19·5 and 18·6; Belfast, 20·8 and 20·4; Cork, 18·4 and 16·5; Londonderry, 24·2 and 20·3; Limerick, 16·2 and 20·6; and Waterford, 7·6 and 14·3.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·3 per 1,000. Among the 160 deaths from all causes for Belfast are one from enteric fever, 14 from measles, 12 from scarlet fever, one from diphtheria, and 5 from diarrhœal diseases. Included in the 27 deaths from all causes for Cork are one from diphtheria and one from diarrhœa and enteritis of a child under 2 years. Of the 12 deaths from all causes for Limerick one is from diphtheria. One of the 8 deaths from all causes for Wexford is from diphtheria. One of the 4 deaths from all causes for Ballymena is from measles, and whooping-cough caused one of the 3 deaths from all causes for Sligo.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 219—133 boys and 86 girls—and the deaths to 165—79 males and 86 females.

The deaths registered, omitting the deaths (numbering 18) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·9 per 1,000 of the population. During the fifty weeks ending with Saturday last, the death-rate averaged 21·1 and was 0·1 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the fifty weeks was 22·8, and for the corresponding period of the preceding ten years 22·3.

Of the 147 deaths appertaining to the Area one was from measles, one from scarlet fever, 2 were from whooping-cough, one from diphtheria, 2 from dysentery, and 3 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks, deaths from measles were one, 0 and 0; deaths from scarlet fever were 2, one and one; deaths from whooping-cough were 0, 0 and 2; deaths from diphtheria were one, 0 and one; and deaths from diarrhœa and enteritis of children under 2 years, 5, one and 5 respectively. There were no deaths from dysentery registered in the three preceding weeks.

Deaths attributed to pneumonia were 12 (comprising 7 from broncho-pneumonia, 3 from lobar pneumonia, and 2 from pneumonia, type not distinguished).

Tuberculous disease caused 18 deaths (comprising 9 from pulmonary tuberculosis, and 9 from other forms of tuberculous disease), as against 13, 19, and 23, in the three weeks preceding.

Nine deaths were caused by cancer, 21 by organic diseases of the heart, and 20 by bronchitis.

Among deaths of infants under one year old, 2 were due to convulsions, one to bronchitis, one to broncho-pneumonia, 3 to diarrhœa and enteritis, one to congenital malformation, 3 to premature birth, and 2 to congenital debility.

There was one accidental death and one death by homicide.

Twenty-six of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 19 being infants under one year, of whom 8 were under one month old, and 49 deaths were those of persons aged 65 and upwards, of whom 42 were 70 years of age or over.

Of the 147 deaths recorded, 46 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 13th December, in 96 large English towns (including London, in which the rate was 13·4 was equal to an average annual death rate of 13·9 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 13·5 per 1,000 persons living, the rate for Glasgow being 13·2 and for Edinburgh 12·2.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 13th December. From this Report it appears that of 106 cases notified, 41 were scarlet fever, 36 diphtheria, 15 pulmonary tuberculosis, 8 other forms of tuberculosis, 5 erysipelas, and one puerperal fever. Among the 663 cases of infectious diseases in hospital at the close of the week were 342 of scarlet fever, 136 of pulmonary tuberculosis, 131 of diphtheria, 15 of measles, 11 of erysipelas, 3 of whooping-cough, and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 13th December, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Nov. 22	1	.	.	.	.	—	23	—	5	2	—	1	—	1	2	.	2	.	.	12	49
	Nov. 29	.	.	.	.	.	—	27	—	3	4	—	.	—	.	.	.	1	.	.	7	42
	Dec. 6	.	.	.	.	.	—	9	—	2	3	—	.	—	.	2	.	2	.	.	10	28
	Dec. 13	.	.	.	.	.	—	35	—	1	4	—	.	—	.	2	.	8	.	.	10	60
Rathmines & Rathgar Urban District	Nov. 22	.	.	.	.	.	—	1	—	1	1	—	.	—	.	.	.	1	.	.	—	4
	Nov. 29	.	.	.	.	.	—	2	—	1	.	—	.	—	.	.	.	.	.	.	—	3
	Dec. 6	.	.	.	.	.	—	6	—	2	.	—	.	—	.	.	.	.	.	.	—	8
	Dec. 13	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	.	.	—	2
Pembroke Urban District	Nov. 22	.	.	.	.	.	.	2	.	.	.	.	.	—	.	.	.	1	.	.	.	3
	Nov. 29	1	.	.	.	.	1	5	.	.	.	.	.	—	.	.	.	2	.	.	.	9
	Dec. 6	.	.	.	.	.	.	2	.	.	.	.	.	—	.	.	.	2	.	.	.	4
	Dec. 13	.	.	.	.	.	1	.	.	1	.	.	.	—	.	.	.	.	.	.	1	3
Blackrock Urban District	Nov. 22	.	.	.	.	.	1	.	—	.	.	—	.	—	.	.	.	.	.	.	.	1
	Nov. 29	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Dec. 6	.	.	.	.	.	1	.	—	.	.	—	.	—	.	.	.	.	.	.	.	1
	Dec. 13	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	Nov. 22	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	2	—	.	.	3
	Nov. 29	.	.	.	.	.	—	2	—	1	.	—	.	—	.	1	.	.	—	.	1	5
	Dec. 6	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	—	.	.	2
	Dec. 13	.	.	.	.	.	—	4	—	.	.	—	.	—	.	.	.	.	—	.	.	4
City of Belfast	Nov. 22	3	.	.	.	.	—	120	—	4	9	—	.	—	.	.	.	.	.	.	1	137
	Nov. 29	1	.	.	.	.	—	120	—	8	13	—	1	—	.	.	.	.	1	.	.	144
	Dec. 6	.	.	1	.	.	—	123	—	3	13	—	.	—	.	.	.	.	.	.	.	140
	Dec. 13	3	.	.	.	.	—	129	—	8	6	—	3	—	.	.	.	.	.	.	.	149
City of Cork	Nov. 22	.	.	.	.	.	.	1	—	15	.	—	.	.	.	3	.	.	—	.	—	19
	Nov. 29	.	.	.	.	.	.	3	—	15	1	—	.	.	.	.	.	.	—	.	—	19
	Dec. 6	.	.	.	.	.	.	.	—	13	.	—	.	.	1	1	.	.	—	.	—	15*a*
	Dec. 13	1	.	.	.	.	.	.	—	25	1	—	1	.	.	5	.	.	—	.	—	33
City of Londonderry	Nov. 22	.	.	.	.	.	—	8	—	1	1	—	.	—		.	.	.	.	—	—	10
	Nov. 29	1	.	.	.	.	—	12	—	2	.	—	.	—		.	.	.	.	—	—	15
	Dec. 6	.	.	.	.	.	—	2	—	3	.	—	.	—	.	.	.	.	.	—	—	5
	Dec. 13	.	.	.	.	.	—	4	—	.	3	—	.	—	.	.	.	.	.	—	—	7
City of Limerick (*b*)	Nov. 22	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Nov. 29	.	.	.	.	.	—	.	—	2	.	—	.	—	.	.	.	.	.	.	—	2
	Dec. 6	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1
	Dec. 13	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1
City of Waterford	Nov. 22	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	1	1
	Nov. 29	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Dec. 6	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Dec. 13	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including 6 cases of varicella. (*b*) One case of measles was reported during week ended 22nd November.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th December, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 2 and 8; measles nil and 4; scarlet fever 30 and 193*; and diphtheria 4 and 25. Eight cases of pneumonia were admitted during the week and 16 remained under treatment at its close. Of the deaths in hospital during the week one was from scarlet fever and 2 were from pneumonia.

* See note (*) at foot of Table IX

Public Institutions of Persons admitted from other Districts), the number of Deaths from some of the Principal Causes, and the Deaths in Public Institutions; and also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow

Towns and Districts.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Deaths. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases (b)	Births. Total Number.	Deaths. Total Number.	Under 1 year of Age	At 65 years and upwards	Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Meteorology. Week ending 13th December, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
Total of 19 Town Districts, ...	1,142,268	20·0	28·1	18·7	2·3	616	409	55	117	1	·	·	16	13	3	5	2	34	19	28	25	59	8	3	5	7	109	10	·	·	·	·	·	·
Dublin Registration Area, ...	405,000	28·9	28·2	18·9	1·3	219	147	19	49	·	·	·	1	1	2	1	2	9	9	9	12	23	3	·	2	5	46	4	(d) 52·6	34·3	47·1	37·8	42·4	0·78
Urban Districts. City of Dublin,	310,500	38·0	32·1	19·5	1·5	191	115	16	33	·	·	·	·	1	2	1	2	9	8	5	11	17	3	·	2	5	38	3	(e) 52·8 (f) 52·0	32·9 30·0	46·7 47·8	38·2 37·3	42·5 42·6	0·61 0·88
Urban Districts. Rathmines and Rathgar	39,400	23·0	14·6	15·9	·	11	12	1	4	·	·	·	·	·	·	·	·	·	1	1	·	2	·	·	·	·	3	1	·	·	·	·	·	·
Urban Districts. Pembroke, ..	29,500	18·8	24·7	23·0	·	14	13	1	8	·	·	·	·	·	·	·	·	·	·	2	1	3	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. Blackrock, ..	9,000	8·3	11·6	11·6	·	2	2	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. Kingstown,* ..	16,600	11·4	3·1	12·6	3·1	1	4	1	2	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	2	·	56	33	44·4	38·0	41·2	0·96
Urban Districts. Belfast, ..	401,000	26·8	20·4	20·8	4·3	226	160	19	38	1	·	·	14	12	·	1	·	17	4	11	12	23	3	2	2	2	41	1	48·0	32·0	45·6	35·7	40·6	1·74
Urban Districts. Cork, ...	76,673	28·6	38·8	18·4	1·4	57	27	3	9	·	·	·	·	·	·	1	·	2	·	1	·	3	1	·	·	·	6	1	51	37	48·6	41·6	45·1	3·86
Urban Districts. Londonderry, ..	41,000	15·9	33·1	24·2	·	26	19	4	3	·	·	·	·	·	·	·	·	3	2	2	1	3	·	·	·	·	5	·	·	·	·	·	·	·
Urban Districts. Limerick, ..	38,518	16·1	14·9	16·2	1·4	11	12	3	2	·	·	·	·	·	·	1	·	·	1	1	·	2	·	·	·	·	4	1	·	·	·	·	·	·
Urban Districts. Waterford, ..	27,464	19·1	26·6	7·6	·	14	4	2	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. Galway,.. ..	13,255	2·5				8	7	2	·	·	·	·	·	·	·	·	·	·	·	2	·	·	1	1	·	·	1	·	53	34	50·0	36·4	43·2	0·76
Urban Districts. Dundalk, ..	13,128	9·5				9	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Lurgan, ..	12,553	14·7				9	3	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	49·3	31·0	44·7	35·4	40·1	1·04
Urban Districts. Drogheda, ..	12,501	8·4				1	3	·	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	1	1	·	·	·	·	·	·
Urban Districts. Lisburn, ..	12,388	10·9				·	3	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	48	30	45·4	33·1	39·3	1·61
Urban Districts. Newry, ...	11,963	17·0				11	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	49·3	31·0	44·7	35·4	40·1	1·04
Urban Districts. Portadown, ..	11,727	15·3				2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	49·3	31·0	44·7	35·4	40·1	1·04
Urban Districts. Wexford, ..	11,531	22·8				5	8	·	5	·	·	·	·	·	·	1	·	·	1	·	·	1	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. Ballymena, ..	11,381	9·3				3	4	·	1	·	·	·	1	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Sligo, ...	11,163	3·8				3	3	1	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	1	49	30	46	35	40·5	1·54
Urban Districts. Kilkenny, ..	10,514	11·4				·	5	·	1	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	·	2	·	50	30	47·0	34·5	40·7	1·33
Urban Districts. Tralee, ...	10,300	17·4				5	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Clonmel, ..	10,209	7·8				7	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
London	4,206,901	—	—	13·4	—	2,676	1,036	170	323	·	—	·	10	3	10	20	—	87	16	100	71	101	15	8	35	99	455	2	47	22	41·7	33·7	37·7	0·04
Edinburgh ...	336,500	—	—	12·2	—	161	79	12	31	·	·	·	·	·	1	1	—	—	—	—	—	—	1	—	5	—	—	—	46·0	30·0	42·1	35·9	39·0	0·23
Glasgow	1,118,700	—	—	13·2	—	635	284	47	71	·	·	·	2	3	1	5	—	—	—	—	—	—	3	—	14	—	—	—	46·0	30·9	42·8	37·0	39·9	0·65

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. * The return for Kingstown No. 2 (one birth and 4 deaths) is not included, not being received in time for press.

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 50th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 13th December, 1919. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	185·6	165	9	13	6	3	3	4	1	6	10	15	17	24	29	25	147
Enteric Fever ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox . ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	2·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever ..	1·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough ..	1·6	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2
Diphtheria	·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	7·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Erysipelas	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Other Epidemic Disease	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non puerperal)	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	19·6	10	.	.	.	.	.	1	.	1	4	.	.	3	1	.	9
Tuberculous Meningitis	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	1·4	5	.	.	.	1	.	1	.	2	1	.	.	.	.	.	5
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·6	2	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2
Tuberculosis of other Organs.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·6	3	.	1	1	.	.	.	.	1	.	.	.	.	.	.	2
Venereal Diseases ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	11·0	13	.	.	.	.	.	.	.	.	.	2	3	5	3	.	9
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Anæmia, Leucocythæmia.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	3·0	2	.	.	.	.	1	.	.	.	.	.	1	.	.	.	2
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	·8	2	.	.	1	.	.	.	.	.	.	1	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	5·4	7	.	.	.	.	.	.	.	.	.	.	1	2	4	.	7
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
Epilepsy, ...	·8	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Convulsions (non-puerperal).	3·8	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	2·8	2	.	.	1	.	.	.	.	.	.	1	.	.	.	.	2
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	15·0	22	.	.	.	.	.	.	.	.	1	1	2	5	7	6	21
Embolism and Thrombosis (including Cerebral).	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Other Diseases of Circulatory System.	1·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	25·0	21	.	1	.	1	.	.	.	.	.	.	4	4	5	6	20
Broncho-pneumonia ..	10·2	7	.	1	.	.	1	.	.	.	.	2	.	.	1	2	7
Lobar pneumonia ..	1·2	4	.	.	1	.	.	.	.	.	.	2	1	.	.	.	3
Pneumonia (type not distinguished).	4·8	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2
Pleurisy	·2	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2
Pulmonary Congestion, Pulmonary Apoplexy.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Other Diseases of Respiratory System.	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

in the FIFTIETH WEEK, ending Saturday, 13th December, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 50th Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 13th December, 1919.																
		All Ages.	Ages at Death															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx Tonsillitis.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Stomach ..	2·6	3	·	·	·	·	·	·	·	·	·	1	·	1	·	1		2
Diarrhœa and Enteritis of Children under 2 years.	5·0	6	·	5	1	·	·	·	·	·	·	·	·	·	·	·		3
Diarrhœa 2 years and upwards.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Enteritis 2 years and upwards.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Appendicitis and Typhlitis.	·6	2	·	·	·	·	·	1	·	·	·	1	·	·	·	·		1
Hernia and Intestinal Obstructions.	2·2	2	·	1	·	·	·	·	·	·	·	·	·	·	1	·		2
Cirrhosis of Liver ..	·4	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·		1
Other Diseases of Liver	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Peritonitis (cause unknown).	1·0	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·		1
Other Diseases of Digestive System.	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Acute Nephritis ..	1·0	4	·	·	·	·	·	·	·	·	·	2	2	·	·	·		4
Chronic Bright's Disease	5·6	2	·	·	·	·	·	·	·	·	1	·	·	·	1	·		2
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Genito-urinary System.	1·2	2	·	·	·	·	·	·	·	·	1	·	·	·	·	1		2
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other causes incident to Pregnancy and Childbirth.	·4	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·		1
Diseases of Skin and Cellular Tissues.	2·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Locomotor System.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Congenital Malformations.	·2	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·		1
Premature Birth ..	5·0	3	3	·	·	·	·	·	·	·	·	·	·	·	·	·		3
Congenital Debility ..	4·8	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·		2
Old Age	6·0	8	·	·	·	·	·	·	·	·	·	·	·	·	2	6		8
Other Specified Diseases	1·4	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·		1
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		
Burns and Scalds ..	2·2	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·		·
Drowning	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suffocation in Bed ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Vehicles and Horses ..	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1		·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Gunshot Wounds, &c.	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Violent Deaths		1	·	·	·	·	·	·	·	·	·	·	·	·	1	·		1
Not included in above—																		
Homicide, ..	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·		1
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ill-defined, &c., Causes,	3·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·

TABLE IV.—Showing for the WEEK ENDED 13TH DECEMBER, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 13TH DECEMBER, 1919.

REGISTRARS' DISTRICTS, &c.	Estimated Population Middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	24·3	·	14	4	·	1	·	·	2	4	3	·	·	·	·	·	·	·	·	1	1	2	1	1	·	·	1	7	1	2	1	·
" 1, W., ...	41,100	19·0	1·3	15	4	1	·	·	·	1	3	6	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	1	12	2	2	1	1
" 2, ...	27,500	26·5	1·9	14	1	·	1	·	1	3	4	4	·	·	·	·	·	·	·	·	1	1	·	2	3	1	·	·	6	2	2	1	·
" 3, ...	34,100	6·1	·	4	·	·	·	·	1	·	·	3	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	2	·	1	3	·
CLONTARF AND HOWTH, No. 1, part of	5,500	9·5	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	26·8	·	7	·	1	·	·	·	1	2	3	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	·	4	·	1	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	18·8	4·7	4	·	·	·	1	·	1	·	2	·	·	·	·	·	·	1	·	·	·	·	2	·	·	·	·	1	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	21·8	2·4	18	2	2	·	2	·	3	6	3	·	·	·	·	·	1	·	1	1	2	1	2	5	·	·	·	5	·	2	5	·
" 2, ...	18,200	5·7	·	2	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	1	·	1
" 3, ...	43,300	22·9	3·6	19	3	·	1	1	2	5	3	4	·	·	·	·	1	1	·	·	3	1	·	1	2	1	·	·	9	·	3	5	1
" 4, ...	32,800	22·3	1·6	14	1	·	·	1	2	2	6	2	·	·	·	·	·	·	·	1	·	2	1	1	3	·	·	·	6	·	4	2	·
NEW KILMAINHAM, ...	10,300	20·2	·	4	1	·	·	·	·	2	·	1	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	2	·	1	1	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	15·9	·	12	1	·	·	1	·	2	4	4	·	·	·	·	·	·	·	·	·	1	1	·	2	·	·	·	8	·	3	·	1
PEMBROKE	29,500	23·0	·	13	1	·	·	·	·	·	4	8	·	·	·	·	·	·	·	·	·	·	2	1	3	·	·	·	7	·	·	2	·
BLACKROCK, ...	9,000	11·6	·	2	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	1	·	·
KINGSTOWN, ...	16,600	12·6	3·1	4	1	·	·	·	·	·	1	2	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	2	·	2	·	·
TOTAL CITY. North, ...	162,900	18·9	1·0	59	9	2	2	1	2	8	14	21	·	·	·	·	·	·	1	·	5	2	3	7	5	2	·	2	32	5	8	6	1
TOTAL CITY. South, ...	147,600	20·1	2·1	57	7	2	1	4	4	12	15	12	·	·	·	·	1	2	·	2	4	6	2	4	12	1	·	·	23	·	11	13	2
TOTAL CITY. North and South, ..	310,500	19·5	1·5	116	16	4	3	5	6	20	29	33	·	·	·	·	1	2	1	2	9	8	5	11	17	3	·	2	55	5	19	19	3
Total Urban Districts, ...	94,500	17·1	0·6	31	3	·	·	1	·	2	9	16	·	·	·	1	·	·	·	·	·	1	4	1	6	·	·	·	18	·	6	2	1
Total Registration Area, ..	405,000	18·9	1·3	147	19	4	3	6	6	22	38	49	·	·	·	1	1	2	1	2	9	9	9	12	23	3	·	2	73	5	25	21	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				18	3	2	·	1	1	3	3	5	·	·	·	·	·	·	·	·	1	1	4	1	1	3	·	2	5	1	16	2	·

* See note (†) at foot of first page

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 13th December, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY 13TH DECEMBER, 1919.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	165	31	7	7	25	41	29	25	.	.	.	1	1	2	1	2	10	10	13	2	13	24	6	.	4	76	4
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	17·8	5	1	.	.	1	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.
II.	MIDDLE CLASS	101,798	19·0	37	3	1	2	4	8	9	10	.	.	.	.	.	.	.	.	2	2	8	.	4	4	2	.	1	14	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	15·4	32	5	1	2	5	14	3	2	.	.	.	.	.	.	.	1	2	2	3	1	2	4	.	.	1	16	1
IV.	GENERAL SERVICE CLASS	167,479	21·2	68	21	5	1	14	11	8	8	.	.	.	1	1	2	1	1	3	4	1	1	7	9	4	.	2	31	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	23	1	.	2	1	7	8	4	.	.	.	.	.	.	.	.	2	2	1	.	.	7	.	.	.	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	10	1	.	.	1	3	3	2	.	.	.	.	.	.	.	.	1	.	2	.	.	1	1	.	.	5	.
	6. Clerks and Commercial Assistants,	33,249	—	9	1	.	1	2	3	.	2	.	.	.	.	.	.	.	.	.	1	3	.	2	.	.	.	1	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	16	1	1	1	1	2	6	4	.	.	.	.	.	.	.	.	1	1	3	.	1	3	1	.	.	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	5	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.
	9. Building and Furnishing Trades, ..	28,823	—	5	1	.	.	1	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	3	.
	10. Clothing Trades, ...	20,026	—	5	.	.	1	1	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	2	.
	11. Food Supply Trades, ...	8,952	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	15	4	1	1	1	5	1	2	.	.	.	.	.	.	.	.	.	2	2	1	.	2	.	.	1	7	1
	13. Petty Shopkeepers, ...	6,772	—	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	13	5	.	.	5	.	2	1	.	.	.	.	.	.	.	.	1	.	1	1	3	1	1	.	.	5	.
	15. Domestic Servants, ...	36,041	—	5	.	1	1	1	1	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	1	1	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	49	16	3	.	8	10	5	7	.	.	.	1	1	2	.	1	2	2	.	.	4	7	3	.	1	25	3
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	23	1	.	2	1	7	8	4	.	.	.	.	.	.	.	.	2	2	1	.	.	7	.	.	.	11	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City												
WEEK ENDING	Sept. 20	Sept. 27	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1	Nov. 8.	Nov. 15	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.
No. of weeks in Annual Series ..	38	39	40	41	42	43	44	45	46	47	48	49	50	38	39	40	41	42	43	44	45	46	47	48	49	50
BIRTHS registered	215	192	199	251	203	163	233	216	216	184	195	208	219	186	190	224	223	260	206	220	234	200	209	225	241	226
Average Births in corresponding week of previous 10 years, ...	214	211	200	190	196	189	187	197	202	184	192	175	200	176	192	192	203	195	178	182	183	169	175	178	173	175
Number of Deaths, ...	97	117	122	112	121	118	138	99	105	138	117	137	147	111	112	107	104	104	116	115	159	147	167	133	169	160
Annual Death-rate per 1,000 ..	12·5	15·1	15·7	14·4	15·6	15·2	17·8	12·7	13·5	17·8	15·1	17·6	18·9	14·4	14·6	13·9	13·5	13·5	15·1	15·0	20·7	19·1	21·7	17·3	22·0	20·8
Average Deaths in corresponding week of previous 10 years, ...	145	147	149	149	159	160	176	185	167	164	165	169	164	121	113	104	111	108	118	114	137	155	170	162	164	151
Ages, .. Under one year, ..	21	27	20	16	27	18	18	19	23	19	18	26	19	17	25	20	13	16	18	19	28	25	23	20	30	19
1— 5 years, ..	6	8	11	3	7	8	8	8	4	10	4	7	7	15	11	11	5	8	8	19	19	16	30	18	21	24
5—25 ,, ..	13	13	10	17	9	12	14	11	11	8	15	12	12	20	22	13	17	21	27	23	22	15	22	22	23	23
25—45 ,, ..	13	11	22	13	21	20	20	12	17	28	16	19	22	12	9	13	17	17	18	12	20	19	14	12	19	15
45—65 ,, ..	22	30	25	26	22	30	45	27	18	38	31	33	38	21	22	31	28	15	20	25	34	40	39	22	37	41
65 and upwards, ..	22	28	34	37	35	30	33	22	32	35	33	40	49	26	23	19	24	27	25	17	36	32	39	39	39	38
Deaths from :—																										
Enteric Fever, ...	1	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	.	1	1	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	1	2	1	1	.	.	1	.	.	.	1	.	.	1	4	2	9	10	15	14
Scarlet Fever, ...	1	1	2	1	.	.	1	.	1	2	1	1	1	6	5	4	1	9	12	11	10	5	8	8	9	12
Whooping-cough, ...	.	.	.	.	.	1	.	.	.	.	.	2	2	.	.	.	1	.	.	1	.	.	.	.	.	.
Diphtheria, ...	1	.	1	1	.	1	2	1	.	1	.	1	1	1	1	.	.	.	.	1	.		2	2	1	1
Dysentery, ...	4	3	.	2	1	.	2	.	1	.	.	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	19	6	14	10	11	17	15	7	13	11	14	17	9	11	13	9	14	11	12	12	11	16	16	4	11	17
Tuberculosis { Other Forms, ..	2	6	7	10	4	5	4	6	7	2	5	6	9	5	7	3	5	6	3	5	7	4	4	2	4	4
Cancer, ...	9	16	10	7	7	10	12	7	4	12	8	8	9	9	6	6	7	4	10	6	6	7	9	6	7	11
Diseases of Respiratory System, { Pneumonia ..	5	5	6	6	8	4	5	10	8	14	3	9	12	4	2	9	3	5	8	9	14	11	17	17	18	12
Diseases of Respiratory System, { Others, ..	5	8	9	14	12	11	16	14	13	19	23	16	23	9	5	5	11	11	12	11	17	29	25	12	23	23
Diarrhœa and Enteritis, under 2 years, ...	9	0	8	8	6	3	4	2	5	5	1	5	3	8	13	13	3	7	1	1	3	2	1	2	1	3
Diarrhœa, 2 years and upwards..	1	.	.	1	1	.	1	.	.	.	.	.	.	10	7	2	.	4	2	1	4	1	1	1	.	2
Violent Deaths, ...	3	4	2	3	1	6	5	3	1	2	2	4	2	1	2	1	1	2	1	7	1	3	2	3	4	2
Number of Uncertified Deaths, ..	2	3	6	3	1	2	6	2	2	6	4	3	4	1	.	2	2	1	1	3	7	2	1	5	6	1
A Mean Maximum Temperature in degs	66·3	59·2	59·0	52·9	64·3	57·8	48·0	44·0	40·6	48·6	44·5	49·0	47·1	59·7	54·4	58·9	58·3	50·1	57·6	48·2	45·1	42·3	46·6	47·2	48·1	45·6
B Mean Minimum ,, ,,	40·2	37·4	40·4	34·9	51·2	41·3	34·0	32·3	22·6	35·1	33·4	35·5	37·8	46·7	44·4	43·1	50·1	39·5	47·6	39·0	38·2	29·0	30·5	36·7	33·2	35·7
Mean of A and B ,, ,,	53·2	48·3	49·7	43·9	57·7	49·5	41·0	38·2	31·6	42·0	38·9	42·3	42·4	53·2	51·0	55·6	54·2	44·8	52·6	43·6	41·6	35·6	38·5	41·9	40·6	40·6
Rainfall in inches	0·07	0·79	0·39	0·01	0·04	1·30	0·23	0·39	0·22	0·69	0·96	1·07	0·78	0·19	0·92	0·21	0·06	0·58	0·95	0·02	0·77	0·07	1·13	0·87	1·35	1·74

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 13th December, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No 1 DISTRICT,	15,879	11	16·4	·	5	2	·	·	·	2	1	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	2	·
Do. 2 do.	49,500	20	15·8	1·1	15	2	·	2	·	5	6	·	·	·	·	·	·	·	·	3	·	2	1	2	1	·	1	1	6	·
Do. 3 do.	50,032	33	22·9	7·3	22	4	4	1	3	5	5	·	·	·	4	·	·	1	·	1	·	3	2	4	1	1	·	·	3	·
Do. 4 do.	32,637	16	20·8	1·6	13	3	3	4	1	1	1	·	·	·	·	1	·	·	·	·	1	1	4	·	·	·	·	·	4	·
Do. 5 do.	16,112	11	32·4	3·2	10	·	1	3	·	4	2	·	·	·	·	1	·	·	·	2	·	2	·	1	·	·	·	·	4	·
Do. 6 do.	37,293	23	23·8	1·4	17	2	2	2	3	4	4	·	·	·	·	1	·	·	·	1	1	1	1	2	·	·	·	·	3	·
Do. 7 do.	2,681	1	19·4	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 9 do.	24,427	15	14·9	2·1	7	·	·	2	2	·	3	·	·	·	·	1	·	·	·	2	·	·	·	3	·	·	·	·	1	·
Do. 10 do.	28,958	24	25·2	10·8	14	1	2	3	·	2	6	·	·	·	1	3	·	·	·	1	·	·	·	4	1	1	·	·	4	1
Do. 11 do.	39,311	23	21·2	6·6	16	1	3	3	2	1	6	·	·	·	2	3	·	·	·	1	·	·	1	2	·	·	·	·	3	·
Do. 12 do.	38,076	27	27·4	11·0	20	1	8	2	1	5	3	·	·	·	7	1	·	·	·	2	·	1	1	1	·	·	·	·	5	·
Do 13 do.	23,233	9	13·5	2·2	6	·	·	·	1	4	1	1	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	2	·
Do. 14 do.	175	·	·	·	·	·	·	·	·	·		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do	22,669	12	32·2	2·3	14	3	1	1	2	7	·	·	·	·		1	·	·	·	3	1	·	1	3	·	·	1	1	4	·
Total,	386,947	226	20·8	4·3	160	19	24	23	15	41	38	1	·	·	14	12	·	1	·	17	4	11	12	23	3	2	2	2	41	1
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	7	23·3	·	6	·	·	1	2	1	2	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	·	·	3	·
Do. 2 do.	10,399	8	25·1	10·0	5	1	1	·	·	3	·	·	·	·	·	·	·	1	·	·	·	·	·	1	1	·	·	·	1	·
Do. 3 do.	9,793	5	16·0	·	3	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 4 do.	9,139	11	22·8	·	4	·	·	·	·	2	2	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	1	·
Do. 5 do.	6,250	7	16·7	·	2	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 6 do.	11,581	7	18·0	·	4	2	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Do 7 do.	16,056	12	9·7	·	3	·	1	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Total.	76,673	57	18·4	1·4	27	3	3	1	2	9	9	·	·	·	·	·	·	1	·	2	·	1	·	3	1	·	·	·	6	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 13th December, 1919.

DISTRICTS	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.	.	1	4
" " 1, West ..	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	2	5
" " 2, ...	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	3	5
" " 3, ...	.	.	.	.	.	5	1	.	3	.	.	.	.	3	.	.	1	13
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	4
Coolock and Drumcondra (part of)	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	3
Finglas and Glasnevin (part of)	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	3
South City No. 1	.	.	.	.	.	6	.	.	.	.	.	.	.	2	.	.	.	8
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " " 3, ...	.	.	.	.	.	8	.	.	.	.	.	.	.	1	.	.	2	11
" " " 4, ...	.	.	.	.	.	2	.	.	.	.	.	1	.	.	.	.	.	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	.	.	.	.	35	1	.	4	.	.	2	.	8	.	.	10	60

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 13th December, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 13th December.			
	Nov. 22.	Nov. 29.	Dec. 6	No. admitted	Dis charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	6	6	6	2	.	.	8
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	9	4	4	.	.	.	4
Scarlet Fever, ...	230	247	206	30	42	1	193*
Diphtheria, ...	16	20	25	4	4	.	25
Pneumonia, ...	17	18	16	8	6	2	16

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13380). Wt. 5568. 3. 380. 12. 1919. G, III. Sch. o. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD. 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 51. VOL. LVI.] WEEK ENDING SATURDAY, 20TH DECEMBER, 1919. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 22nd December, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 19·1 and 18·2; Dublin Registration Area, 17·1 and 17·3; Dublin City, 17·8 and 18·3; Belfast, 24·1 and 21·0; Cork, 20·4 and 18·0; Londonderry, 20·3 and 21·3; Limerick, 16·2 and 17·9; and Waterford, 17·1 and 15·7.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·3 per 1,000. Among the 185 deaths from all causes for Belfast are one from enteric fever, 32 from measles, 4 from scarlet fever, one from diphtheria, and 2 from diarrhœa. Included in the 30 deaths from all causes for Cork are 4 from diphtheria. Of the 16 deaths from all causes for Londonderry one is from scarlet fever and one of a child under 2 years from diarrhœa and enteritis, and whooping-cough caused 2 of the 9 deaths from all causes for Waterford.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 224—116 boys and 108 girls—and the deaths to 149—68 males and 81 females.

The deaths registered, omitting the deaths (numbering 16) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·1 per 1,000 of the population. During the fifty-one weeks ending with Saturday last, the death-rate averaged 21·1 and was 0·1 above the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the fifty-one weeks was 22·8, and for the corresponding period of the preceding ten years 22·3.

Of the 133 deaths appertaining to the Area one was from whooping-cough, one was from diphtheria, and one was from diarrhœa and enteritis of a child under 2 years.

In the 3 preceding weeks, deaths from whooping-cough were 0, 2 and 2; deaths from diphtheria were 0, one and one; and deaths from diarrhœa and enteritis of children under 2 years, one, 5 and 3 respectively.

There were 2 deaths from pneumonia, type not distinguished.

Tuberculous disease caused 20 deaths (comprising 13 from pulmonary tuberculosis, one from tuberculous meningitis, and 6 from other forms of tuberculous disease), as against 19, 23, and 20, in the three weeks preceding.

Eight deaths were caused by cancer, 16 by organic diseases of the heart, and 22 by bronchitis.

Among deaths of infants under one year old, 2 were due to convulsions, 3 to bronchitis, one to diarrhœa and enteritis, one to congenital malformation, 4 to premature birth, and 4 to congenital debility.

There were 7 accidental deaths, 3 being by burns.

Twenty-seven of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 19 being infants under one year, of whom 6 were under one month old, and 36 deaths were those of persons aged 65 and upwards, of whom 30 were 70 years of age or over.

Of the 133 deaths recorded, 60 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 20th December, in 96 large English towns (including London, in which the rate was 15·3 was equal to an average annual death rate of 14·6 per 1,000 of the estimated civil population.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 20th December. From this Report it appears that of 103 cases notified, 53 were scarlet fever, 21 diphtheria, 19 pulmonary tuberculosis, 3 other forms of tuberculosis, and 7 erysipelas. Among the 640 cases of infectious diseases in hospital at the close of the week were 322 of scarlet fever, 142 of pulmonary tuberculosis, 127 of diphtheria, 12 of measles, 9 of erysipelas, 3 of whooping-cough, and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 20th December, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Nov. 29	.	.	.	.	.	—	27	—	3	4	—	.	—	.	.	.	1	.	.	7	42
	Dec. 6	.	.	.	.	.	—	9	—	2	3	—	.	—	.	2	.	2	.	.	10	28
	Dec. 13	.	.	.	.	.	—	35	—	1	4	—	.	—	.	2	.	8	.	.	10	60
	Dec. 20	2	.	.	.	.	—	28	—	14	5	—	.	—	.	.	.	1	.	.	12	62
Rathmines & Rathgar Urban District	Nov. 29	.	.	.	.	.	—	2	—	1	.	—	.	—	.	.	.	.	.	.	—	3
	Dec. 6	.	.	.	.	.	—	6	—	2	.	—	.	—	.	.	.	.	.	.	—	8
	Dec. 13	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	.	.	—	2
	Dec. 20	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
Pembroke Urban District	Nov. 29	1	.	.	.	.	1	5	.	.	.	.	.	—	.	.	.	2	.	.	.	9
	Dec. 6	.	.	.	.	.	.	2	.	.	.	.	.	—	.	.	.	2	.	.	.	4
	Dec. 13	.	.	.	.	.	1	.	.	1	.	.	.	—	.	.	.	.	.	.	1	3
	Dec. 20	.	.	.	.	.	7	2	.	.	.	.	.	—	.	.	.	1	.	.	.	10
Blackrock Urban District	Nov. 29	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Dec. 6	.	.	.	.	.	1	.	—	.	.	—	.	—	.	.	.	.	.	.	.	1
	Dec. 13	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Dec. 20	.	.	.	.	.	.	1	—	.	.	—	.	—	.	.	.	.	.	.	.	1
Kingstown Urban District	Nov. 29	.	.	.	.	.	—	2	—	1	.	—	.	—	.	1	.	.	—	.	1	5
	Dec. 6	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	—	.	.	2
	Dec. 13	.	.	.	.	.	—	4	—	.	.	—	.	—	.	.	.	.	—	.	.	4
	Dec. 20	.	.	.	.	.	—	8	—	.	.	—	.	—	.	.	.	.	—	.	.	8
City of Belfast	Nov. 29	1	.	.	.	.	—	120	—	8	13	—	1	—	.	.	.	.	1	.	.	144
	Dec. 6	.	.	1	.	.	—	123	—	3	13	—	.	—	.	.	.	.	.	.	.	140
	Dec. 13	3	.	.	.	.	—	129	—	8	6	—	3	—	.	.	.	.	.	.	.	149
	Dec. 20	2	.	.	.	.	—	90	—	9	10	—	.	—	.	.	.	.	.	.	.	111
City of Cork	Nov. 29	.	.	.	.	.	.	3	—	15	1	—	.	.	.	.	.	.	—	.	—	19
	Dec. 6	.	.	.	.	.	.	.	—	13	.	—	.	.	1	1	.	.	—	.	—	15*a*
	Dec. 13	1	.	.	.	.	.	.	—	25	1	—	1	.	.	5	.	.	—	.	—	33
	Dec. 20	.	.	.	.	.	.	.	—	15	1	—	.	.	.	.	.	.	—	.	—	16*b*
City of Londonderry	Nov. 29	1	.	.	.	.	—	12	—	2	.	—	.	—		.	.	.	.	—	—	15
	Dec. 6	.	.	.	.	.	—	2	—	3	.	—	.	—		.	.	.	.	—	—	5
	Dec. 13	.	.	.	.	.	—	4	—	.	3	—	.	—	.	.	.	.	.	—	—	7
	Dec. 20	.	.	.	.	.	—	4	—	.	1	—	.	—	.	.	.	.	.	—	—	5
City of Limerick	Nov. 29	.	.	.	.	.	—	.	—	2	.	—	.	—	.	.	.	.	.	.	—	2
	Dec. 6	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1
	Dec. 13	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1
	Dec. 20	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
City of Waterford	Nov. 29	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Dec. 6	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Dec 13	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Dec. 20	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including 6 cases of varicella. (*b*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th December, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever one and 7: measles 3 and 3; scarlet fever 36 and 186*; and diphtheria 18 and 34. Five cases of pneumonia were admitted during the week and 15 remained under treatment at its close. Of the deaths in hospital during the week one was from diphtheria and one from pneumonia.

* See note (*) at foot of Table IX

Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 20TH DECEMBER, 1919.

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases (b)	Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Deaths Caused by. Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Meteorology (c) Week ending 20th December, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
TOTAL OF 19 TOWN DISTRICTS, ...	1,142,268	20·0	28·9	19·1	2·3	634	419	61	96	1	·	·	32	5	3	6	·	35	12	20	21	50	2	2	11	9	148	16	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	28·8	17·1	0·4	224	133	19	36	·	·	·	·	·	1	1	·	13	7	8	2	24	1	·	7	2	60	4	(d) 52·8	32·2	50·2	40·5	45·3	0·82
Urban Districts. CITY OF DUBLIN,	310,500	38·0	31·2	17·8	0·3	186	105	16	26	·	·	·	·	·	1	1	·	12	5	7	·	22	·	·	5	2	51	4	(e) 53·8 (f) 53·4	36·6 29·0	50·2 50·6	41·8 40·6	46·0 45·6	0·92 0·99
Urban Districts. RATHMINES and RATHGAR.	39,400	23·0	15·9	9·3	·	12	7	1	3	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,500	18·8	26·5	7·1	1·8	15	4	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,000	8·3	29·0	29·0	·	5	5	1	3	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,600	11·4	18·8	34·6	·	6	11	·	3	·	·	·	·	·	·	·	·	1	1	1	·	1	·	·	1	·	7	·	55	34	50·6	39·2	44·9	0·66
Urban Districts. BELFAST, ..	401,000	26·8	30·6	24·1	5·2	235	185	28	34	1	·	·	32	4	·	1	·	17	3	4	10	18	·	2	3	6	53	5	51·0	32·5	48·2	36·4	42·3	1·21
Urban Districts. CORK, ...	76,673	28·6	26·5	20·4	2·7	39	30	4	6	·	·	·	·	·	·	4	·	2	1	1	4	2	·	·	·	·	10	2	·	·	·	·	·	·
Urban Districts. LONDONDERRY, ..	41,000	15·9	28·0	20·5	2·5	22	16	1	3	·	·	·	·	1	·	·	·	·	·	2	1	1	1	·	·	·	4	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	10·8	16·2	·	8	12	4	2	·	·	·	·	·	·	·	·	·	·	·	3	1	·	·	·	·	4	2	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	28·5	17·1	3·8	15	9	·	3	·	·	·	·	·	2	·	·	·	·	1	1	2	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5				9	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. DUNDALK, ..	13,128	9·5				9	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				4	3	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	51·2	36·0	48·6	40·0	44·3	0·73
Urban Districts. DROGHEDA, ..	12,501	8·4				7	3	·	3	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				8	4	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	4	·	50	34	47·7	36·7	42·2	1·33
Urban Districts. NEWRY, ...	11,963	17·0				14	3	·	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	1	·	51·2	36·0	48·6	40·0	44·3	0·73
Urban Districts. PORTADOWN, ..	11,727	15·3				7	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	51·2	36·0	48·6	40·0	44·3	0·73
Urban Districts. WEXFORD, ..	11,531	22·8				15	3	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	1	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				2	3	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				6	4	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·	·
Urban Districts. KILKENNY, ..	10,514	11·4				1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	53	28	49·7	36·2	43·0	0·86
Urban Districts. TRALEE, ...	10,300	17·4				5	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				4	4	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	4	·	·	·	·	·	·	·
LONDON	4,206,901	—	—	15·3	—	2,519	1,180	181	423	1	·	·	11	5	14	32	—	105	14	118	78	118	20	7	46	127	522	5	·	·	·	·	·	·
EDINBURGH ...	336,500	—	—	·	—	—	·	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·	—	·	—	—	—	·	·	·	·	·	·
GLASGOW	1,118,700	—	—	·	—	—	·	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·	—	·	—	—	—	·	·	·	·	·	·

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 51st Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 20th December, 1919.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.														
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.	
ALL CAUSES	170·0	149	6	14	5	4	6	1	6	5	4	17	18	26	15	22	133
Enteric Fever ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox . ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	3·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Diphtheria	1·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Croup	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	4·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	18·8	14	.	.	.	.	1	.	3	.	2	4	3	1	.	.	13
Tuberculous Meningitis	2·0	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Abdominal Tuberculosis	1·0	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Tuberculosis of the Spinal Column.	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	·8	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Venereal Diseases ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	8·4	9	.	.	.	.	.	.	.	.	.	1	2	5	1	.	8
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	4·4	5	.	.	.	.	1	.	.	.	.	.	.	1	.	3	5
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	1·8	4	.	.	.	.	.	.	.	.	.	1	.	1	1	1	4
Epilepsy, ...	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	2·6	3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	3
Other Diseases of Nervous System.	2·6	2	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2
Pericarditis ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	14·8	18	.	.	.	.	1	.	1	1	.	2	1	5	3	4	16
Embolism and Thrombosis (including Cerebral)	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	2·4	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	23·4	22	.	3	.	.	.	.	.	.	.	.	3	7	2	7	22
Broncho-pneumonia ..	9·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lobar pneumonia ..	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	4·8	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
Pleurisy	·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Other Diseases of Respiratory System.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

in the FIFTY-FIRST WEEK, ending Saturday, 20th December, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 51st Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 20th December, 1919.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.														
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
Diseases of the Pharynx Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	1·4	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Diarrhœa and Enteritis of Children under 2 years.	5·0	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Diarrhœa 2 years and upwards.	·2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	1·0	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Appendicitis and Typhlitis.	·2	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1
Hernia and Intestinal Obstructions.	1·2	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·
Cirrhosis of Liver ..	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	1·0	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Peritonitis (cause unknown).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	1·4	3	·	·	·	·	·	·	·	1	·	1	·	1	·	·	2
Acute Nephritis ..	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Bright's Disease	4·4	8	·	·	·	·	·	·	·	1	·	2	3	·	1	1	6
Urinary Calculi ..	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	1·4	3	·	·	·	·	·	·	·	1	·	·	1	1	·	·	2
Puerperal Septicæmia, &c.	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·6	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Diseases of Skin and Cellular Tissues.	2·0	3	·	·	·	·	·	·	·	·	·	·	1	·	2	·	3
Diseases of Locomotor System.	·6	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Congenital Malformations.	·8	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Premature Birth ..	2·2	4	4	·	·	·	·	·	·	·	·	·	·	·	·	·	4
Congenital Debility ..	5·0	4	1	3	·	·	·	·	·	·	·	·	·	·	·	·	4
Old Age	9·6	4	·	·	·	·	·	·	·	·	·	·	·	·	1	3	4
Other Specified Diseases	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
VIOLENCE.																	
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	1·2	3	·	·	·	·	2	·	·	·	·	·	·	·	·	1	3
Drowning	·4	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Suffocation in Bed ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·6	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	2·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		4	·	·	·	·	·	·	·	1	·	·	·	2	·	1	3
Not included in above—																	
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	2·8	3	·	·	·	·	1	·	·	·	1	·	·	1	·	·	3

TABLE IV.—Showing for the WEEK ENDED 13TH DECEMBER, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	15·6	·	9	·	1	·	·	1	1	4	2	·	·	·	·	·	·	·	·	·	1	1	·	4	·	·	·	3	·	2	1	1
" 1, W., ...	41,100	21·6	·	17	2	1	·	2	·	2	4	6	·	·	·	·	·	·	·	·	2	1	1	·	3	·	·	1	9	·	7	2	1
" 2, ...	27,500	19·0	·	10	1	1	·	3	·	1	1	3	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	1	7	·	2	2	2
" 3, ...	34,100	22·9	·	15	2	·	·	·	·	3	8	2	·	·	·	·	·	·	·	·	3	·	1	·	3	·	·	1	7	·	6	3	·
CLONTARF AND HOWTH, No. 1, part of	5,500	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	19·2	·	5	·	·	·	1	1	1	·	2	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	3	·	1	1	·
FINGLAS AND GLASNEVIN, part of ..	11,100	14·1	·	3	·	1	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	17·0	·	14	2	·	2	·	1	·	8	1	·	·	·	·	·	·	·	·	1	2	1	·	1	·	·	1	8	1	5	3	·
" 2, ...	18,200	22·9	·	8	1	·	·	·	·	3	1	3	·	·	·	·	·	·	·	·	1	1	1	·	2	·	·	·	3	·	2	2	·
" 3, ...	43,300	20·5	·	17	4	·	1	·	2	2	3	5	·	·	·	·	·	·	·	·	2	·	2	·	4	·	·	1	8	1	5	2	·
" 4, ...	32,800	9·5	·	6	2	·	·	·	3	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	3	·	4	·	·
NEW KILMAINHAM, ...	10,300	10·1	10·1	2	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	9·3	·	7	1	·	·	·	·	·	3	3	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	5	·	·	·	·
PEMBROKE	29,500	7·1	1·8	4	1	·	·	·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	2	·	·	1	·
BLACKROCK, ...	9,000	29·0	·	5	1	·	·	·	·	1	·	3	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	3	·	1	·	·
KINGSTOWN, ...	16,600	34·6	·	11	·	1	·	1	·	3	3	3	·	·	·	·	·	·	·	·	1	1	1	·	1	·	·	1	6	·	4	3	·
TOTAL CITY. North, ...	162,900	18·9	·	59	5	4	·	6	2	8	18	16	·	·	·	·	·	·	·	·	7	2	3	·	13	·	·	3	31	·	18	9	4
TOTAL CITY. South, ...	147,600	16·6	0·7	47	11	·	3	·	6	5	12	10	·	·	·	·	·	1	1	·	5	3	4	·	9	·	·	2	22	2	17	7	·
TOTAL CITY. North and South, ..	310,500	17·8	0·3	106	16	4	3	6	8	13	30	26	·	·	·	·	·	1	1	·	12	5	7	·	22	·	·	5	53	2	35	16	4
Total Urban Districts, ...	94,500	14·9	0·6	27	3	1	·	1	·	5	7	10	·	·	·	·	·	·	·	·	1	2	1	2	2	1	·	2	16	·	5	4	·
Total Registration Area, ..	405,000	17·1	0·4	133	19	5	3	7	8	18	37	36	·	·	·	·	·	1	1	·	13	7	8	2	24	1	·	7	69	2	40	20	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				16	1	·	1	·	3	3	7	1	·	·	·	·	·	·	·	·	1	·	1	·	·	·	1	2	11	1	15	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 20th December, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY 20TH DECEMBER, 1919.

Class.	OCCUPATION OR SOCIAL POSTION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	149	29	7	11	21	44	15	22	.	.	.	.	.	1	1	.	14	7	9	3	2	24	1	1	9	77	4
	CLASSES.																													
	DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	10·7	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS	101,798	14·9	29	4	1	1	3	10	2	8	.	.	.	.	.	.	.	.	2	.	2	1	2	2	.	.	2	18	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	17·8	37	5	3	5	5	12	4	3	.	.	.	.	.	.	1	.	7	.	3	.	.	10	.	.	1	15	.
IV.	GENERAL SERVICE CLASS	167,479	18·4	59	20	3	5	12	14	.	5	.	.	.	.	.	1	.	.	5	6	3	2	.	6	1	1	5	29	4
V.	INMATES OF WORKHOUSES, ...	5,602	—	21	.	.	.	1	6	8	6	.	.	.	.	.	.	.	.	.	1	.	.	.	6	.	.	1	13	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	7	.	.	.	1	2	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	6	.
	6. Clerks and Commercial Assistants,	33,249	—	6	2	.	.	.	3	.	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	13	1	1	1	1	5	1	3	.	.	.	.	.	.	.	.	2	.	.	1	.	2	.	.	2	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	6	1	3	.	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	1	2	.
	9. Building and Furnishing Trades, ..	28,823	—	9	1	.	1	4	2	.	1	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	.	.	4	.
	10. Clothing Trades, ...	20,026	—	10	1	.	3	1	1	3	1	.	.	.	.	.	.	.	.	3	.	1	.	.	2	.	.	.	4	.
	11. Food Supply Trades, ...	8,952	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	10	2	.	1	.	6	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	6	.	.	.	3	.
	13. Petty Shopkeepers, ...	6,772	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	8	3	.	2	1	1	.	1	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	4	.
	15. Domestic Servants, ...	36,041	—	7	1	.	.	4	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	5	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	4	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	2	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	40	13	3	2	7	12	.	3	.	.	.	.	.	.	.	.	4	3	2	2	.	5	1	1	4	18	4
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	21	.	.	.	1	6	8	6	.	.	.	.	.	.	.	.	.	1	.	.	.	6	.	.	1	13	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City												
WEEK ENDING	Sept. 27	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1	Nov. 8.	Nov. 15	Nov. 22.	Nov. 29.	Dec. 6.	Dec 13.	Dec. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.
No. of weeks in Annual Series ..	39	40	41	42	43	44	45	46	47	48	49	50	51	39	40	41	42	43	44	45	46	47	48	49	50	51
BIRTHS registered	192	199	251	203	163	233	216	216	184	195	208	220	224	190	224	223	260	206	220	234	200	269	225	241	226	235
Average Births in corresponding week of previous 10 years, ...	211	200	190	196	189	187	197	202	184	192	175	200	159	192	192	203	195	178	182	183	169	175	178	173	175	167
Number of Deaths, ...	117	122	112	121	118	138	99	105	138	117	137	151	133	112	107	104	104	116	115	159	147	167	133	169	160	185
Annual Death-rate per 1,000 ..	15·1	15·7	14·4	15·6	15·2	17·8	12·7	13·5	17·8	15·1	17·6	19·4	17·1	14·6	13·9	13·5	13·5	15·1	15·0	20·7	19·1	21·7	17·3	22·0	20·8	24·1
Average Deaths in corresponding week of previous 10 years, ...	147	149	149	159	160	176	185	167	164	165	169	164	164	113	104	111	108	118	114	137	155	170	162	164	151	144
Ages, .. Under one year, ..	27	20	16	27	18	18	19	23	19	18	26	19	19	25	20	13	16	18	19	28	25	23	20	30	19	28
1— 5 years, ..	8	11	3	7	8	8	8	4	10	4	7	7	8	11	11	5	8	8	19	19	16	30	18	21	24	34
5—25 ,, ..	13	10	17	9	12	14	11	11	8	15	12	15	15	22	13	17	21	27	23	22	15	22	22	23	23	26
25—45 ,, ..	11	22	13	21	20	20	12	17	28	16	19	22	18	9	13	17	17	18	12	20	19	14	12	19	15	26
45—65 ,, ..	30	25	26	22	30	45	27	18	38	31	33	39	37	22	31	28	15	20	25	34	40	39	22	37	41	37
65 and upwards, ..	28	24	37	35	30	33	22	32	35	33	40	49	36	23	19	24	27	25	17	36	32	39	39	39	38	34
Deaths from :—																										
Enteric Fever, ...	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	.	1	1	.	1	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.		1	2	1	1	.	.	1	.	.	.	1	.	.	1	4	2	9	10	15	14	32
Scarlet Fever, ...	1	2	1	.	.	1	.	1	2	1	1	1	.	5	4	1	9	12	11	10	5	8	8	9	12	4
Whooping-cough, ..	.	.	.	.	1	.	.	..	.	.	2	2	1	.	.	1	.	.	1	.	.	.	.	.	.	.
Diphtheria, ...	.	1	1	.	1	2	1	.	1	.	1	1	1	1	.	.	.	.	1	.		2	2	1	1	1
Dysentery, ...	3	.	2	1	..	2	.	1	.	.	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	6	14	10	11	17	15	7	13	11	14	17	11	13	13	9	14	11	12	12	11	16	16	4	11	17	17
Tuberculosis { Other Forms, ..	6	7	10	4	5	4	6	7	2	5	6	9	7	7	3	5	6	3	5	7	4	4	2	4	4	3
Cancer, ...	16	10	7	7	10	12	7	4	12	8	8	9	8	6	6	7	4	10	6	6	7	9	6	7	11	4
Diseases of Respiratory System, { Pneumonia ..	5	6	6	8	4	5	10	8	14	3	9	12	2	2	9	3	5	8	9	14	11	17	17	18	12	10
Diseases of Respiratory System, { Others, ..	8	9	14	12	11	16	14	13	19	23	16	23	24	5	5	11	11	12	11	17	29	25	12	23	23	18
Diarrhœa and Enteritis, under 2 years, ...	9	8	8	6	3	4	2	5	5	1	5	3	1	13	13	3	7	1	1	3	2	1	2	1	3	.
Diarrhœa, 2 years and upwards..	.	.	1	1	.	1	.	.	.	.	.	.	.	7	2	.	4	2	1	4	1	1	1	.	2	2
Violent Deaths, ...	4	2	3	1	6	5	3	1	2	2	4	2	7	2	1	1	2	1	7	1	3	2	3	4	2	3
Number of Uncertified Deaths, ..	3	6	3	1	2	6	2	2	6	4	3	4	4	.	2	2	1	1	3	7	2	1	5	6	1	5
A Mean Maximum Temperature in degs	59·2	59·0	52·9	64·3	57·8	48·0	44·0	40·6	48·6	44·5	49·0	47·1	50·2	54·4	58·9	58·3	50·1	57·6	48·2	45·1	42·3	46·6	47·2	48·1	45·6	48·2
B Mean Minimum ,, ,,	37·4	40·4	34·9	51·2	41·3	34·0	32·3	22·6	35·4	33·4	35·5	37·8	40·5	44·4	43·1	50·1	39·5	47·6	39·0	38·2	29·0	30·5	36·7	33·2	35·7	36·4
Mean of A and B ,, ,,	48·3	49·7	43·9	57·7	49·5	41·0	38·2	31·6	42·0	38·9	42·3	42·4	45·3	51·0	55·6	54·2	44·8	52·6	43·6	41·6	35·6	38·5	41·9	40·6	40·6	42·3
Rainfall in inches	0·79	0·39	0·01	0·04	1·30	0·23	0·39	0·22	0·69	0·96	1·07	0·78	0·82	0·92	0·21	0·06	0·58	0·95	0·02	0·77	0·07	1·13	0·87	1·35	1·74	1·21

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 20th December, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No 1 DISTRICT,	15,879	15	19·7	•	6	•	1	1	•	2	2	•	•	•	•	•	•	•	•	•	•	•	•	1	•	•	•	1	2	•
Do. 2 do.	49,500	31	25·3	3·2	24	3	2	2	3	8	6	•	•	•	2	1	•	•	•	2	•	1	2	2	•	•	1	2	7	•
Do. 3 do.	50,032	30	28·1	7·3	27	8	8	3	3	5	•	•	•	•	6	•	•	1	•	3	•	•	1	3	•	•	2	2	3	1
Do. 4 do.	32,637	18	25·6	1·6	16	6	•	•	3	4	3	•	•	•	•	•	•	•	•	1	•	2	•	•	•	1	•	•	11	•
Do. 5 do.	16,112	18	16·2	•	5	2	•	•	3	•	•	•	•	•	•	•	•	•	•	•	•	•	1	•	•	•	•	•	1	•
Do. 6 do.	37,293	17	25·2	1·4	18	2	•	2	3	5	6	•	•	•	•	1	•	•	•	1	1	•	2	2	•	•	•	•	6	•
Do. 7 do.	2,681	2	19·4	•	1	•	•	•	•	•	1	•	•	•	•	•	•	•	•	1	•	•	•	•	•	•	•	•	1	•
Do. 8 do.	5,964	2	17·5	•	2	•	•	2	•	•	•	•	•	•	•	•	•	•	•	1	•	•	•	•	•	•	•	•	•	•
Do. 9 do.	24,427	17	17·1	•	8	1	•	3	1	•	3	•	•	•	•	•	•	•	•	2	•	•	•	3	•	•	•	•	2	•
Do. 10 do.	28,958	17	28·8	7·2	16	3	3	5	3	1	1	•	•	•	3	•	•	•	•	2	2	•	•	2	•	1	•	•	4	2
Do. 11 do.	39,311	17	33·2	9·3	25	1	5	4	4	6	5	•	•	•	7	•	•	•	•	3	•	1	•	3	•	•	•	1	8	1
Do. 12 do	38,076	22	31·5	19·2	23	1	12	2	2	3	3	•	•	•	13	1	•	•	•	1	•	•	1	1	•	•	•	•	5	1
Do. 13 do.	23,233	12	13·5	4·5	6	1	1	1	•	2	1	1	•	•	1	•	•	•	•	•	•	•	2	•	•	•	•	•	•	•
Do. 14 do.	175	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Do. 15 do.	22,669	17	18·4	2·3	8	•	2	1	1	1	3	•	•	•	•	1	•	•	•	•	•	•	1	1	•	•	•	•	3	•
Total,	386,947	235	24·1	5·2	185	28	34	26	26	37	34	1	•	•	32	4	•	1	•	17	3	4	10	18	•	2	3	6	53	5
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	6	11·6	•	3	1	•	1	1	•	•	•	•	•	•	•	•	•	•	1	•	•	1	•	•	•	•	•	1	1
Do. 2 do.	10,399	6	40·1	5·0	6	1	1	•	1	2	3	•	•	•	•	•	•	1	•	1	•	•	1	2	•	•	•	•	3	•
Do. 3 do.	9,793	1	21·3	5·3	4	1	•	2	•	1	•	•	•	•	•	•	•	1	•	•	•	•	1	•	•	•	•	•	2	•
Do. 4 do.	9,139	6	22·8	5·7	4	1	1	•	•	1	1	•	•	•	•	•	•	1	•	•	•	•	1	•	•	•	•	•	2	•
Do. 5 do.	6,250	10	8·3	•	1	•	•	•	•	•	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Do. 6 do.	11,581	6	9·0	•	2	•	•	•	•	2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Do 7 do.	16,056	4	26·0	3·2	8	•	1	•	5	1	1	•	•	•	•	•	•	1	•	•	1	1	•	•	•	•	•	•	2	1
Total.	76,673	39	20·4	2·7	30	4	3	3	7	7	6	•	•	•	•	•	•	4	•	2	1	1	4	2	•	•	•	•	10	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 20th December, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	3
" " 1, West ..	.	.	.	.	.	4	2	.	1	.	.	.	.	.	.	.	5	12
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	3
" " 3, ...	1	.	.	.	.	4	8	.	3	.	.	.		.	.	.	2	18
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	.	.	.	.	3	.	.	1	.	.	.	.	.	.	.	.	4
Finglas and Glasnevin (part of)	.	.	.	.	.	6	1	.	.	.	.	.	.	.	.	.	.	7
South City No. 1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2
" " " 2, ...	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	3
" " " 3, ...	.	.	.	.	.	5	.	.	.	.	.	.	.	.	.	.	1	6
" " " 4, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
New Kilmainham, ...	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
Total, ...	2	.	.	.	.	28	14	.	5	.	.	.	.	1	.	.	12	62

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 20th December, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 20th December.			
	Nov. 29.	Dec. 6.	Dec. 13.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	6	6	8	1	2	.	7
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	4	4	4	3	4	.	3
Scarlet Fever, ...	247	206	193	36	43	.	186*
Diphtheria, ...	20	25	25	18	8	1	34
Pneumonia, ...	18	16	16	5	5	1	15

* Exclusive of 18 patients in "Peneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13397). Wt. 5568. 3. 380. 12. 1919. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD. 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 52. VOL. LVI.] WEEK ENDING SATURDAY, 27TH DECEMBER, 1919. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 29th December, 1919.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 14·3 and 17·7; Dublin Registration Area, 11·8 and 16·5; Dublin City, 13·1 and 17·6; Belfast, 20·3 and 21·8; Cork, 10·9 and 16·5; Londonderry, 15·3 and 19·7; Limerick, 6·8 and 14·6; and Waterford, 9·5 and 14·3.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·7 per 1,000. Among the 156 deaths from all causes for Belfast are 19 from measles, 3 from scarlet fever, one from whooping-cough, 2 from diphtheria, and 4 from diarrhœal diseases, and one of the 16 deaths from all causes for Cork is from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 123—66 boys and 57 girls—and the deaths to 96—52 males and 44 females.

The deaths registered, omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 11·8 per 1,000 of the population. During the fifty-two weeks ending with Saturday last, the death-rate averaged 20·9 and was 0·1 below the mean rate for the corresponding portions of the ten years, 1909–18. The rate for all deaths registered during the fifty-two weeks was 22·6, and for the corresponding period of the preceding ten years 22·3.

Of the 92 deaths appertaining to the Area there were 2 from scarlet fever, 2 from whooping-cough, and 2 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks, deaths from whooping-cough were 2, 2 and one; deaths from scarlet fever were one, one and 0; and deaths from diarrhœa and enteritis of children under 2 years, 5, 3 and one respectively.

There were 8 deaths from pneumonia, comprising 3 from broncho-pneumonia and 5 from pneumonia (type not distinguished).

Tuberculous disease caused 11 deaths (comprising 9 from pulmonary tuberculosis, and 2 from other forms of tuberculous disease), as against 23, 20, and 20, in the three weeks preceding.

Five deaths were caused by cancer, 8 by organic diseases of the heart, and 10 by bronchitis.

Among deaths of infants under one year old, 3 were due to convulsions, one to bronchitis, one to pneumonia, 2 to diarrhœa and enteritis, one to premature birth, and 2 to congenital debility.

There were 7 accidental deaths, 2 being by burns and scalds, one by drowning, and 2 by vehicles.

Seventeen of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 11 being infants under one year, of whom 2 were under one month old, and 27 deaths were those of persons aged 65 and upwards, of whom 22 were 70 years of age or over.

Of the 92 deaths recorded, 42 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 27th December, in 96 large English towns (including London, in which the rate was 10·6 was equal to an average annual death rate of 12·1 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 14·8 per 1,000 persons living, the rate for Glasgow being 14·7 and for Edinburgh 13·9.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 27th December. From this Report it appears that of 76 cases notified, 35 were diphtheria, 23 scarlet fever, 10 pulmonary tuberculosis, 4 other forms of tuberculosis, and 4 erysipelas. Among the 597 cases of infectious diseases in hospital at the close of the week were 275 of scarlet fever, 144 of pulmonary tuberculosis, 126 of diphtheria, 17 of measles, 7 of erysipelas, 3 of whooping-cough, and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 27th December, 1919, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Dec. 6	·	·	·	·	·	—	9	—	2	3	—	·	—	·	2	·	2	·	·	10	28
	Dec. 13	·	·	·	·	·	—	35	—	1	4	—	·	—	·	2	·	8	·	·	10	60
	Dec. 20	2	·	·	·	·	—	28	—	14	5	—	·	—	·	·	·	1	·	·	12	62
	Dec. 27	2	1	·	·	·	—	11	—	6	2	—	·	—	2	1	·	2	·	·	·	27
Rathmines & Rathgar Urban District	Dec. 6	·	·	·	·	·	—	6	—	2	·	—	·	—	·	·	·	·	·	·	—	8
	Dec. 13	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	·	·	—	2
	Dec. 20	·	·	·	·	·	—	3	—	2	3	—	·	—	·	·	·	·	·	·	—	8
	Dec. 27	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	·	1	·	—	3
Pembroke Urban District	Dec. 6	·	·	·	·	·	·	2	·	·	·	·	·	—	·	·	·	2	·	·	·	4
	Dec. 13	·	·	·	·	·	1	·	·	1	·	·	·	—	·	·	·	·	·	·	1	3
	Dec. 20	·	·	·	·	·	7	2	·	·	·	·	·	—	·	·	·	1	·	·	·	10
	Dec. 27	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
Blackrock Urban District	Dec. 6	·	·	·	·	·	1	·	—	·	·	—	·	—	·	·	·	·	·	·	·	1
	Dec. 13	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Dec. 20	·	·	·	·	·	·	1	—	·	·	—	·	—	·	·	·	·	·	·	·	1
	Dec. 27	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	Dec. 6	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	·	—	·	·	2
	Dec. 13	·	·	·	·	·	—	4	—	·	·	—	·	—	·	·	·	·	—	·	·	4
	Dec. 20	·	·	·	·	·	—	8	—	·	·	—	·	—	·	·	·	·	—	·	·	8
	Dec. 27	·	·	·	·	·	—	1	—	·	1	—	·	—	·	·	·	·	—	·	·	2
City of Belfast	Dec. 6	·	·	1	·	·	—	123	—	3	13	—	·	—	·	·	·	·	·	·	·	140
	Dec. 13	3	·	·	·	·	—	129	—	8	6	—	3	—	·	·	·	·	·	·	·	149
	Dec. 20	2	·	·	·	·	—	90	—	9	10	—	·	—	·	·	·	·	·	·	·	111
	Dec. 27	8	·	1	·	·	—	64	—	10	9	—	2	—	·	·	·	·	·	·	·	94
City of Cork	Dec. 6	·	·	·	·	·	·	·	—	13	·	—	·	·	1	1	·	·	—	·	—	15*a*
	Dec. 13	1	·	·	·	·	·	·	—	25	1	—	1	·	·	5	·	·	—	·	—	33
	Dec. 20	·	·	·	·	·	·	·	—	15	1	—	·	·	·	·	·	·	—	·	—	16*b*
	Dec. 27	·	·	·	·	·	·	·	—	10	·	—	·	·	·	5	·	·	—	·	—	15
City of Londonderry	Dec. 6	·	·	·	·	·	—	2	—	3	·	—	·	—	·	·	·	·	·	—	—	5
	Dec. 13	·	·	·	·	·	—	4	—	·	3	—	·	—	·	·	·	·	·	—	—	7
	Dec. 20	·	·	·	·	·	—	4	—	·	1	—	·	—	·	·	·	·	·	—	—	5
	Dec. 27	·	·	·	·	·	—	3	—	2	1	—	·	—	·	·	·	·	·	—	—	6
City of Limerick	Dec. 6	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	Dec. 13	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	Dec. 20	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Dec. 27	1	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	1
City of Waterford	Dec. 6	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Dec. 13	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Dec. 20	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	Dec. 27	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

(*a*) Not including 6 cases of varicella. (*b*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th December, 1919, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 3 and 7; typhus one and one; measles 4 and 6; scarlet fever 26 and 176*; and diphtheria 6 and 33. One case of pneumonia was admitted during the week and 13 remained under treatment at its close. Of the deaths in hospital during the week 2 were from scarlet fever and one was from diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 27th December, 1919, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 27th December, 1919. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Deaths. Caused by. Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Meteorology. (c) Week ending 27th December, 1919. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
																													°	°	°	°	°	
TOTAL OF 19 TOWN DISTRICTS, ...	1,112,268	20·0	15·1	14·3	1·7	330	314	49	74	·	·	·	19	5	3	3	·	33	7	19	20	34	5	2	13	14	98	4	·	·	·	·	·	·
DUBLIN REGISTRATION AREA, ...	405,000	28·9	15·8	11·8	0·8	123	92	11	27	·	·	·	·	2	2	·	·	9	2	5	8	12	2	·	7	6	42	1	(d) 53·0	30·2	49·1	33·9	41·5	0·93
Urban Districts. CITY OF DUBLIN,	310,500	38·0	17·8	13·1	1·0	106	78	10	22	·	·	·	·	2	2	·	·	8	2	3	7	10	2	·	6	5	38	1	(e) 53·1 (f) 52·2	34·7 30·0	48·9 49·2	37·4 35·7	43·2 42·4	0·70 0·83
Urban Districts. RATHMINES and RATHGAR	39,400	23·0	6·6	6·6	·	5	5	·	4	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,500	18·8	14·1	10·6	·	8	6	·	1	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	1	1	2	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,000	8·3	11·6	5·8	·	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,600	11·4	6·3	6·3	·	2	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	53	33	48·7	39·6	44·1	0·58
Urban Districts. BELFAST, ..	401,000	26·8	16·5	20·3	3·8	127	156	25	30	·	·	·	19	3	1	2	·	17	1	10	11	19	2	2	4	5	44	1	51·0	33·5	46·1	37·8	41·9	2·04
Urban Districts. CORK, ...	76,673	28·6	7·5	10·9	0·7	11	16	4	3	·	·	·	·	·	·	1	·	3	1	·	·	·	·	·	·	·	1	2	·	·	·	·	·	·
Urban Districts. LONDONDERRY, ..	41,000	15·9	17·8	15·3	·	14	12	4	3	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2	2	3	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	5·4	6·8	·	4	5	·	3	·	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	3·8	9·5	·	2	5	·	1	·	·	·	·	·	·	·	·	2	1	·	·	·	·	·	·	1	4	·	·	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5				6	4	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	52	34	50·0	34·6	42·3	1·21
Urban Districts. DUNDALK, ..	13,128	9·5				3	1	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				5	4	1	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	2	·	51·0	31·1	46·4	33·6	40·0	1·84
Urban Districts. DROGHEDA, ..	12,501	8·4		The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.		5	3	1	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				3	3	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	48	26	43.0	33·1	38·0	2·66
Urban Districts. NEWRY, ...	11,963	17·0				2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	51·0	31·1	46·4	33·6	40·0	1·84
Urban Districts. PORTADOWN, ..	11,727	15·3				9	4	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	2	·	51·0	31·1	46·4	33·6	40·0	1·84
Urban Districts. WEXFORD, ..	11,531	22·8				5	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				5	4	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	53	32	49	35	42	2·17
Urban Districts. KILKENNY, ..	10,514	11·4				3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	53	32	47·8	39·1	43·4	0·83
Urban Districts. TRALEE, ...	10,300	17·4				·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				·	3	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LONDON	4,206,901	—	—	10·6	—	1,318	815	122	268	1	·	·	9	4	6	28	—	71	11	84	62	72	9	4	29	81	336	3	·	·	·	·	·	·
EDINBURGH ...	336,500	—	—	13·9	—	138	90	9	35	·	·	·	3	1	·	3	—	—	—	—	—	—	·	—	5	—	—	—	44·0	26·0	39·1	32·0	35·6	0·52
GLASGOW	1,118,700	—	—	14·7	—	626	316g	56	82	·	·	·	3	1	·	3	—	—	—	—	—	—	3	—	17	—	—	—	41·8	26·0	41·0	32·4	36·7	1·32

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered
cause in the corresponding week of

CAUSES OF DEATHS.	Average number of deaths in 52nd Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 27th December, 1919. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	177·2	96	2	9	3	4	4	3	1	3	6	9	14	10	16	12	92
Enteric Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox . ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	4·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·6	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	2
Whooping-cough ..	1·4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
Diphtheria	1·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	3·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Tetanus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	19·6	9	.	.	.	.	.	1	.	1	3	1	2	1	.	.	9
Tuberculous Meningitis	2·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Tuberculosis of other Organs.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Venereal Diseases ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	8·6	5	.	.	.	.	.	.	.	.	.	2	1	1	.	1	5
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·0	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2
Other General Diseases	1·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·0	2	.	.	.	.	1	.	.	.	.	1	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	5·2	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.	3
Softening of Brain ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	4·2	1	.	.	.	..	.	.	.	.	1	.	.	.	.	.	1
Epilepsy, ...	·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Convulsions (non-puerperal).	4·0	4	1	2	.	1	.	.	.	.	.	.	.	.	.	.	4
Other Diseases of Nervous System.	3·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	15·8	8	.	.	.	.	.	.	.	.	.	1	3	.	2	2	8
Embolism and Thrombosis (including Cerebral).	·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Other Diseases of Circulatory System.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	29·0	11	.	1	.	.	.	.	.	.	.	1	1	1	6	1	10
Broncho-pneumonia ..	8·8	3	.	1	1	.	.	.	.	.	.	1	.	.	.	.	3
Lobar pneumonia ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	6·2	5	.	.	.	.	.	1	1	.	.	.	2	.	1	.	5
Pleurisy	·4	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	1·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1

in the FIFTY-SECOND WEEK, ending Saturday, 27th December, 1919, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 52nd Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 27th December, 1919.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx. Tonsillitis.	·2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Diseases of Stomach ..	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diarrhœa and Enteritis of Children under 2 years.	3·6	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	2
Diarrhœa 2 years and upwards.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	1·0	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Appendicitis and Typhlitis.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cirrhosis of Liver ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Peritonitis (cause unknown).	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	·4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Acute Nephritis ..	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Bright's Disease	4·2	2	·	·	·	·	·	·	·	·	·	·	·	1	1	·	2
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	·8	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Puerperal Septicæmia, &c.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	1·2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·
Diseases of Locomotor System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Premature Birth ..	3·0	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Congenital Debility ..	3·4	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	2
Old Age	6·6	7	·	·	·	·	·	·	·	·	·	·	·	·	1	6	7
Other Specified Diseases	1·4	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
VIOLENCE.																	
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	2·2	2	·	·	·	·	1	·	·	·	·	·	·	·	1	·	2
Drowning	1·0	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Suffocation in Bed ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·	2	·	·	·	·	·	·	·	1	·	·	·	·	·	1	2
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	2·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		2	·	·	·	·	·	·	·	·	1	·	·	·	1	·	2
Not included in above—																	
Homicide. ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	2·8	2	·	·	1	·	·	·	·	·	·	·	·	1	·	·	2

TABLE IV.—Showing for the WEEK ENDED 27TH DECEMBER, 1919, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population Middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	30,000	22·6	·	13	1	2	·	1	1	2	6	·	·	·	·	·	·	·	·	·	2	·	1	1	1	·	·	1	7	1	4	1	·
" 1, W., ...	41,100	10·1	1·3	8	·	·	·	2	·	·	1	5	·	·	·	·	1	·	·	·	1	·	1	·	1	·	·	1	3	1	2	1	1
" 2, ...	27,500	5·7	1·9	3	1	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	1	·	·	2	·
" 3, ...	34,100	6·1	·	4	1	·	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	·	2	1	·	·	·	1	·	·	2	·
CLONTARF AND HOWTH, No. 1, part of	5,500	19·0	·	2	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	1	1	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,600	11·5	·	3	·	·	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·
FINGLAS AND GLASNEVIN, part of ..	11,100	9·4	4·7	2	·	·	1	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·
South City.																																	
SOUTH CITY, No. 1, ..	43,000	14·6	·	12	·	·	·	2	2	3	1	4	·	·	·	·	·	·	·	·	3	1	·	2	·	·	·	1	5	2	3	4	·
" 2, ...	18,200	17·2	·	6	·	·	·	·	·	1	2	3	·	·	·	·	·	·	·	·	1	·	·	1	2	·	·	·	2	·	1	3	·
" 3, ...	43,300	16·9	1·2	14	3	·	2	1	·	2	1	5	·	·	·	·	·	1	·	·	·	1	·	1	3	·	·	2	6	·	2	7	·
" 4, ...	32,800	14·3	1·6	9	3	·	·	1	·	2	2	1	·	·	·	·	·	·	·	·	1	·	·	·	2	1	·	1	4	·	4	·	·
NEW KILMAINHAM, ...	10,300	10·1	5·1	2	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	6·6	·	5	·	·	·	·	·	·	1	4	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	3	·	1	·	·
PEMBROKE	29,500	10·6	·	6	·	·	·	·	·	3	2	1	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	1	2	1	2	·	·
BLACKROCK, ...	9,000	5·8	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·		1	·	·
KINGSTOWN, ...	16,600	6·3	·	2	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·
TOTAL CITY. North, ...	162,900	11·2	1·0	35	3	2	1	3	1	3	13	9	·	·	·	·	2	·	·	·	3	·	3	3	3	1	·	2	18	3	8	6	1
TOTAL CITY. South, ...	147,600	15·2	1·1	43	7	1	2	4	2	8	6	13	·	·	·	·	·	2	·	·	5	2	·	4	7	1	·	4	18	2	10	14	·
TOTAL CITY. North and South, ..	310,500	13·1	1·0	78	10	3	3	7	3	11	19	22	·	·	·	·	2	2	·	·	8	2	3	7	10	2	·	6	36	5	18	20	1
Total Urban Districts, ...	94,500	7·7	·	14	1	·	·	·	·	4	4	5	·	·	·	·	·	·	·	·	1	·	2	1	2	·	·	1	7	1	4	·	·
Total Registration Area, ..	405,000	11·8	0·8	92	11	3	3	7	3	15	23	27	·	·	·	·	2	2	·	·	9	2	5	8	12	2	·	7	43	6	22	20	1
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				4	·	·	1	·	1	·	1	1	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	2	·	3	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 27th December, 1919; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY 27TH DECEMBER, 1919.

Class.	OCCUPATION OR SOCIAL POSTION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages: Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	96	18	7	4	15	24	16	12	.	.	.	.	2	2	1	.	9	2	5	4	8	13	2	.	7	41	1
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	3·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS	101,798	6·1	12	2	.	.	2	4	1	3	.	.	.	.	1	.	.	.	2	.	.	.	.	.	1	.	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	9·6	20	3	2	.	3	6	4	2	.	.	.	.	.	.	.	.	1	.	2	1	5	2	.	.	1	8	1
IV.	GENERAL SERVICE CLASS	167,479	13·1	42	11	5	4	8	9	4	1	.	.	.	.	1	2	1	.	5	1	2	2	2	6	1	.	3	16	.
V.	INMATES OF WORKHOUSES, ...	5,602	—	21	2	.	.	2	5	7	5	.	.	.	.	.	.	.	.	1	1	1	1	1	5	.	.	3	8	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3 Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4 General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	4	1	.	.	.	2	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	6. Clerks and Commercial Assistants,	33,249	—	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	9. Building and Furnishing Trades, ..	28,823	—	4	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2	.
	10. Clothing Trades, ...	20,026	—	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.
	11. Food Supply Trades, ...	8,952	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	7	1	1	.	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1	3	1
	13. Petty Shopkeepers, ...	6,772	—	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	8	3	1	.	3	.	1	.	.	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.	.	4	.
	15 Domestic Servants, ...	36,041	—	7	.	.	1	2	2	1	1	.	.	.	.	.	.	.	.	3	.	1	.	.	2	.	.	.	1	.
	16 Coach and Car Drivers, Vanmen, &c.,	15,380	—	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	17 Hawkers, Porters, Labourers, &c., ..	103,081	—	24	8	4	3	2	5	2	.	.	.	.	.	1	2	.	.	2	1	.	1	2	3	1	.	3	8	.
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmate, ...	5,602	—	21	2	.	.	2	5	7	5	.	.	.	.	.	.	.	.	1	1	1	1	1	5	.	.	3	8	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

Week ending	Dublin Registration Area.													Belfast City												
	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1	Nov. 8.	Nov. 15	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.
No. of weeks in Annual Series ..	40	41	42	43	44	45	46	47	48	49	50	51	52	40	41	42	43	44	45	46	47	48	49	50	51	52
BIRTHS registered	199	251	203	163	233	216	216	184	195	208	220	224	123	224	223	260	206	220	234	200	209	225	241	226	235	127
Average Births in corresponding week of previous 10 years, ...	200	190	196	189	187	197	202	184	192	175	200	159	148	192	203	195	178	182	183	169	175	178	173	175	167	159
Number of Deaths, ...	122	112	121	118	138	99	105	138	117	137	151	133	92	107	104	104	116	115	159	147	167	133	169	160	185	156
Annual Death-rate per 1,000 ..	15·7	14·4	15·6	15·2	17·8	12·7	13·5	17·8	15·1	17·6	19·4	17·1	11·8	13·9	13·5	13·5	15·1	15·0	20·7	19·1	21·7	17·3	22·0	20·8	24·1	20·3
Average Deaths in corresponding week of previous 10 years, ...	149	149	159	160	176	185	167	164	165	169	164	164	158	104	111	108	118	114	137	155	170	162	164	151	144	152
Ages, .. Under one year, ..	20	16	27	18	18	19	23	19	18	26	19	19	11	20	13	16	18	19	28	25	23	20	30	19	28	25
1— 5 years, ..	11	3	7	8	8	8	4	10	4	7	7	8	6	11	5	8	8	19	19	16	30	18	21	24	34	24
5—25 ,, ..	10	17	9	12	14	11	11	8	15	12	15	15	10	13	17	21	27	23	22	15	22	22	23	23	26	19
25—45 ,, ..	22	13	21	20	29	12	17	28	16	19	22	18	15	13	17	17	18	12	20	19	14	12	19	15	26	22
45—65 ,, ..	25	26	22	30	45	27	18	38	31	33	39	37	23	31	28	15	20	25	34	40	39	22	37	41	37	36
65 and upwards, ..	34	37	35	30	33	22	32	35	33	40	49	36	27	19	24	27	25	17	36	32	39	39	39	38	34	30
Deaths from :—																										
Enteric Fever, ...	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	1	1	·	1	1	·
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	·	·	·		1	2	1	1	·	·	1	·	·	·	1	·	·	1	4	2	9	10	15	14	32	19
Scarlet Fever, ...	2	1	·	·	1	·	1	2	1	1	1	·	2	4	1	9	12	11	10	5	8	8	9	12	4	3
Whooping-cough, ...	·	·	·	1	·	·	·	·	·	2	2	1	2	·	1	·	·	1	·	·	·	·	·	·	·	1
Diphtheria, ...	1	1	·	1	2	1	·	1	·	1	1	1	·	·	·	·	·	1	·		2	2	1	1	1	2
Dysentery, ...	·	2	1	·	2	·	1	·	·	·	2	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis { Pulmonary, ..	14	10	11	17	15	7	13	11	14	17	11	13	9	9	14	11	12	12	11	16	16	4	11	17	17	17
Tuberculosis { Other Forms, ..	7	10	4	5	4	6	7	2	5	6	9	7	2	3	5	6	3	5	7	4	4	2	4	4	3	1
Cancer, ...	10	7	7	16	12	7	4	12	8	8	9	8	5	6	7	4	10	6	6	7	9	6	7	11	4	10
Diseases of Respiratory System, { Pneumonia ..	6	6	8	4	5	10	8	14	3	9	12	2	8	9	3	5	8	9	14	11	17	17	18	12	10	11
Diseases of Respiratory System, { Others, ..	9	14	12	11	16	14	13	19	23	16	23	24	12	5	11	11	12	11	17	29	25	12	23	23	18	19
Diarrhœa and Enteritis, under 2 years, ...	8	8	6	3	4	2	5	5	1	5	3	1	2	13	3	7	1	1	3	2	1	2	1	3	·	2
Diarrhœa, 2 years and upwards..	·	1	1	·	1	·	·	·	·	·	·	·	·	2	·	4	2	1	4	1	1	1	·	2	2	2
Violent Deaths, ...	2	3	1	6	5	3	1	2	2	4	2	7	7	1	1	2	1	7	1	3	2	3	4	2	3	4
Number of Uncertified Deaths, ..	6	3	1	2	6	2	2	6	4	3	4	4	1	2	2	1	1	3	7	2	1	5	6	1	5	1
A Mean Maximum Temperature in degs	59·0	52·9	64·3	57·8	48·0	44·0	40·6	48·6	44·5	49·0	47·1	50·2	49·1	58·9	58·3	50·1	57·6	48·2	45·1	42·3	46·6	47·2	48·1	45·6	48·2	46·1
B Mean Minimum .. ,,	40·4	34·9	51·2	41·3	34·0	32·3	22·6	35·4	33·4	35·5	37·8	40·5	33·9	43·1	50·1	39·5	47·6	39·0	38·2	29·0	30·5	36·7	33·2	35·7	36·4	37·8
Mean of A and B .. ,,	49·7	43·9	57·7	49·5	41·0	38·2	31·6	42·0	38·9	42·3	42·4	45·3	41·5	55·6	54·2	44·8	52·6	43·6	41·6	35·6	38·5	41·9	40·6	40·6	42·3	41·9
Rainfall in inches	0·39	0·01	0·04	1·30	0·23	0·39	0·22	0·69	0·96	1·07	0·78	0·82	0·93	0·21	0·06	0·58	0·95	0·02	0·77	0·07	1·13	0·87	1·35	1·74	1·21	2·04

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 27th December, 1919, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	9	19·7	·	6	2	1	1	1	1	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	4	·
Do. 2 do.	49,500	14	15·8	·	15	3	2	1	2	2	5	·	·	·	·	·	·	·	·	1	·	1	1	2	·	·	·	·	5	·
Do. 3 do.	50,032	17	26·1	5·2	25	7	4	·	5	6	3	·	·	·	3	·	·		·	3	·	·	·	7	1	1	1	1	8	1
Do. 4 do.	32,637	15	20·8	·	13	2	·	2	·	6	3	·	·	·	·	·	·	·	·	1	·	3	1	1	·	·	·	·	2	·
Do. 5 do.	16,112	6	16·2	·	5	2	·	·	·	2	1	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	1	1	·
Do. 6 do.	37,293	8	16·8	·	12	·	·	2	2	6	2	·	·	·	·	·	·	·	·	1	·	2	2	1	·	·	·		5	·
Do. 7 do.	2,681	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	5	8·7	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·		·	·	·			·	·
Do. 9 do.	24,427	3	19·2	4.3	9	1	2	2	·	3	1	·	·	·	·	1	·	·	·	1	·	·	2	·	·	1	2	2	3	·
Do. 10 do.	28,958	16	21·6	7·2	12	1	4	2	1	2	2	·	·	·	3	1	·	·	·	1	1	·	1	·	·	·		·	2	·
Do. 11 do.	39,311	16	18·6	6·6	14	3	3	3	3	·	2	·	·	·	3	·	·	2	·	1	·	2	1	1	·	·	·	·	3	·
Do. 12 do.	38,076	11	34·2	13·7	25	3	6	2	5	3	6	·	·	·	10	·	·	·	·	4	·	1	1	2	·	·	·	·	6	·
Do. 13 do.	23,233	3	18·0	2·2	8	·	1	3	·	1	3	·	·	·	·	1	·	·	·	2	·	·	1	2	·	·	·	·	2	·
Do. 14 do.	175	·	·	·	1	·	·	·	·	1		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	4	23·0	4·6	10	1	1	1	3	2	2	·	·	·		·	1	·	·	·	·	1	·	1	1	·	1	1	3	·
Total,	386,947	127	20·3	3·8	156	25	24	19	22	36	30	·	·	·	19	3	1	2	·	17	1	10	11	19	2	2	4	5	44	1
CITY OF CORK																														
CORK URBAN No. 1 DISTRICT,	13,455	1	7·8	·	2	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 2 do.	10,399	2	15·0	·	3	2	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Do. 3 do.	9,793	1	21·3	·	4	1	1	1	·	·	1	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·	·	·	1
Do. 4 do.	9,139	·	11·4	·	2	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 5 do.	6,250	·	8·3	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·		·	·	·	·	·	·	·
Do. 6 do.	11,581	4	9·0	·	2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 7 do.	16,056	3	6·5	3·2	2	·	1	·	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·
Total,	76,673	11	10·9	0·7	16	4	2	2	1	4	3	·	·	·	·	·	·	1	·	3	1	·	·	·	·	·	·	·	1	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 27th December, 1919.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" " 1, West ..	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.	.	.	3
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3, ...	.	.	.	.	.	1	3	.	.	.	.	.		.	.	.	.	4
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	3
Finglas and Glasnevin (part of)	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1	.	.	.	.	.	2	.	.	1	.	1	.	.	.	.	.	.	4
" " " 2, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" " " 3, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" " " 4, ...	.	.	.	.	.	2	2	.	.	.	1	.	.	.	.	.	.	5
New Kilmainham, ...	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	3
Total, ...	2	1	.		.	11	6	.	2	.	2	1	.	2	.	.	.	27

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 27th December, 1919, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 27th December.			
	Dec. 6.	Dec. 13.	Dec. 20.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	6	8	7	3	3	.	7
Typhus, ...	.	.	.	1	.	.	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	4	4	3	4	1	.	6
Scarlet Fever, ...	206	193	186	26	34	2	176*
Diphtheria, ...	25	25	34	6	6	1	33
Pneumonia, ...	16	16	15	1	3	.	13

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13415). Wt. 5568. 3. 380. 12. 1919. G, III, Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD. 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 53. VOL. LVI.] WEEK ENDING SATURDAY, 3RD JANUARY, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 5th January, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,142,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 21·6 and 18·5; Dublin Registration Area, 20·0 and 17·1; Dublin City, 19·8 and 17·6; Belfast, 25·6 and 22·7; Cork, 21·1 and 17·7; Londonderry, 15·3 and 18·8; Limerick, 19·0 and 14·6; and Waterford, 13·3 and 11·9.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 3·0 per 1,000. Among the 197 deaths from all causes for Belfast are 3 from enteric fever, one from typhus, 26 from measles, 8 from scarlet fever, one from whooping-cough, one from diphtheria, and 6 from diarrhœal diseases. Of the 31 deaths from all causes for Cork 2 are from diphtheria. One of the 12 deaths from all causes for Londonderry is also from diphtheria. Included in the 7 deaths from all causes for Waterford is one from enteric fever. Of the 8 deaths from all causes for Galway 2 are from whooping-cough. Among the 5 deaths from all causes for Lisburn is one from enteric fever. Included in the 4 deaths from all causes for Newry is one from measles, and one of the 7 deaths from all causes for Sligo is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 265—125 boys and 140 girls—and the deaths to 166—77 males and 89 females.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·0 per 1,000 of the population. During the fifty-three weeks ending with Saturday last, the death-rate averaged 20·9 and was equal to the mean rate for the ten years, 1909–18. The rate for all deaths registered during the fifty-three weeks was 22·6, and for the preceding ten years 22·0.

Of the 155 deaths appertaining to the Area there was one from enteric fever, one from measles, there were 2 from whooping-cough, one from diphtheria, one from dysentery, 4 from diarrhœa and enteritis of children under 2 years, and one from influenza.

In the 3 preceding weeks, deaths from measles were one, 0 and 0; deaths from whooping-cough were 2, one, and 2; deaths from diphtheria were one, one, and 0; deaths from dysentery were 2, 0 and 0; and deaths from diarrhœa and enteritis of children under 2 years, 3, one and 2 respectively. There were no deaths from enteric fever or influenza in the three preceding weeks.

There were 16 deaths from pneumonia, comprising 9 from broncho-pneumonia, one from lobar pneumonia, and 6 from pneumonia (type not distinguished).

Tuberculous disease caused 14 deaths (comprising 10 from pulmonary tuberculosis, one from tuberculous meningitis, and 3 from other forms of tuberculous disease), as against 20, 20, and 11 in the three weeks preceding.

Eleven deaths were caused by cancer, 11 by organic diseases of the heart, and 17 by bronchitis.

Among deaths of infants under one year old, 3 were due to convulsions, 3 to bronchitis, 4 to broncho-pneumonia, 4 to diarrhœa and enteritis, 3 to premature birth, and 7 to congenital debility.

There were 3 accidental deaths, one being by burns, and one by a vehicle.

Forty-three of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 29 being infants under one year, of whom 13 were under one month old, and 49 deaths were those of persons aged 65 and upwards, of whom 37 were 70 years of age or over.

Of the 155 deaths recorded, 59 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 3rd January, in 96 large English towns (including London, in which the rate was 16·9 was equal to an average annual death rate of 16·2 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 15·9 per 1,000 persons living, the rate for Glasgow being 15·3 and for Edinburgh 15·0.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 3rd January. From this Report it appears that of 61 cases notified, 28 were scarlet fever, 12 diphtheria, 9 pulmonary tuberculosis, 6 other forms of tuberculosis, and 6 erysipelas. Among the 566 cases of infectious diseases in hospital at the close of the week were 254 of scarlet fever, 137 of pulmonary tuberculosis, 123 of diphtheria, 19 of measles, 7 of erysipelas, 3 of whooping-cough, and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford during the week ended 3rd January, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Dec. 13	.	.	.	.	.	—	35	—	1	4	—	.	—	.	2	.	8	.	.	10	60
	Dec. 20	2	.	.	.	.	—	28	—	14	5	—	.	—	.	.	.	1	.	.	12	62
	Dec. 27	2	1	.	.	.	—	11	—	6	2	—	.	—	2	1	.	2	.	.	.	27
	Jan. 3	.	.	.	.	.	—	31	—	6	3	—	.	—	.	1	.	5	.	.	13	59
Rathmines & Rathgar Urban District	Dec. 13	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	.	.	—	2
	Dec. 20	.	.	.	.	.	—	3	—	2	3	—	.	—	.	.	.	.	.	.	—	8
	Dec. 27	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	1	.	—	3
	Jan. 3	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
Pembroke Urban District	Dec. 13	.	.	.	.	.	1	.	.	1	.	.	.	—	.	.	.	.	.	.	1	3
	Dec. 20	.	.	.	.	.	7	2	.	.	.	.	.	—	.	.	.	1	.	.	.	10
	Dec. 27	.	.	.	.	.	9	1	.	1	2	.	.	—	.	.	.	.	.	.	.	13
	Jan. 3	.	.	.	.	.	5	.	.	.	2	.	.	—	.	.	.	1	.	.	.	8
Blackrock Urban District	Dec. 13	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Dec. 20	.	.	.	.	.	.	1	—	.	.	—	.	—	.	.	.	.	.	.	.	1
	Dec. 27	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Jan. 3	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	Dec. 13	.	.	.	.	.	—	4	—	.	.	—	.	—	.	.	.	.	—	.	.	4
	Dec. 20	.	.	.	.	.	—	8	—	.	.	—	.	—	.	.	.	.	—	.	.	8
	Dec. 27	.	.	.	.	.	—	1	—	.	1	—	.	—	.	.	.	.	—	.	.	2
	Jan. 3	.	.	.	.	.	—	1	—	.	1	—	.	—	.	.	.	.	—	.	1	3
City of Belfast	Dec. 13	3	.	.	.	.	—	129	—	8	6	—	3	—	.	.	.	.	.	.	.	149
	Dec. 20	2	.	.	.	.	—	90	—	9	10	—	.	—	.	.	.	.	.	.	.	111
	Dec. 27	8	.	1	.	.	—	64	—	10	9	—	2	—	.	.	.	.	.	.	.	94
	Jan. 3	4	1	.	.	.	—	107	—	5	8	—	2	—	.	.	.	.	.	.	.	127
City of Cork	Dec. 13	1	.	.	.	.	.	.	—	25	1	—	1	.	.	5	.	.	—	.	—	33
	Dec. 20	.	.	.	.	.	.	.	—	15	1	—	.	.	.	.	.	.	—	.	—	16*a*
	Dec. 27	.	.	.	.	.	.	.	—	10	.	—	.	.	.	5	.	.	—	.	—	15
	Jan. 3	.	.	.	.	.	.	.	—	13	1	—	.	.	.	3	.	.	—	.	—	17
City of Londonderry	Dec. 13	.	.	.	.	.	—	4	—	.	3	—	.	—	.	.	.	.	.	—	—	7
	Dec. 20	.	.	.	.	.	—	4	—	.	1	—	.	—	.	.	.	.	.	—	—	5
	Dec. 27	.	.	.	.	.	—	3	—	2	1	—	.	—	.	.	.	.	.	—	—	6
	Jan. 3	.	.	.	.	.	—	3	—	1	1	—	.	—	.	.	.	.	.	—	—	5
City of Limerick	Dec. 13	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1
	Dec. 20	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	Dec. 27	1	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	Jan. 3	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	Dec 13	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Dec. 20	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	1	1
	Dec. 27	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Jan. 3	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 3rd January, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows :—Enteric fever nil and 6 : typhus nil and one ; measles 2 and 8 ; scarlet fever 23 and 176*; and diphtheria 5 and 37. Eight cases of pneumonia were admitted during the week and 18 remained under treatment at its close. Of the deaths in hospital during the week one was from enteric fever and one from pneumonia.

* See note (*) at foot of Table IX

TABLE II. BIRTHS and DEATHS registered during the week ending Saturday, 3rd January, 1920, in the DUBLIN REGISTRATION AREA and in each of the three METROPOLITAN TOWNS [illegible] Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases (b)	Births. Total Number.	Deaths. Total Number.	Under 1 year of Age	At 65 years and upwards.	Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Meteorology (c) Week ending 3rd January, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
Total of 19 Town Districts, ...	1,142,268	20·0	35·3	21·6	3·0	773	473	71	110	6	1	·	28	8	6	5	1	41	14	31	33	54	9	2	14	13	155	16	°	°	°	°	°	·
Dublin Registration Area, ...	405,000	28·9	34·1	20·0	1·3	265	155	29	49	1	·	·	1	·	2	1	1	10	4	11	16	22	4	·	3	1	59	3	(d) 53·4	24·4	46·9	31·7	39·3	0·83
Urban Districts. City of Dublin,	310,500	38·0	36·4	19·8	1·3	217	118	24	31	1	·	·	·	·	2	1	1	6	4	8	16	19	3	·	1	·	51	2	(e) 53·9	32·0	46·5	36·5	41·5	0·93
																													(f) 53·6	29·6	46·5	34·2	40·3	1·04
Urban Districts. Rathmines and Rathgar	39,400	23·0	22·5	15·9	·	17	12	3	5	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·	3	1	·	·	·	·	·	·
Urban Districts. Pembroke, ..	29,500	18·8	33·6	23·0	1·8	19	13	2	6	·	·	·	·	·	·	·	·	3	·	2	·	·	1	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. Blackrock, ..	9,000	8·3	11·6	17·4	·	2	3	·	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. Kingstown, ..	16,600	11·4	31·4	28·3	3·1	10	9	·	5	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	2	1	3	·	55	33	47·1	36·7	41·9	1·19
Urban Districts. Belfast, ..	401,000	26·8	38·5	25·6	6·0	296	197	27	29	3	1	·	26	8	1	1	·	20	4	11	11	17	4	2	7	8	54	3	50·8	30·5	44·0	33·1	38·5	2·14
Urban Districts. Cork, ...	76,673	28·6	42·2	21·1	1·4	62	31	4	9	·	·	·	·	·	·	2	·	4	1	2	·	3	·	·	1	·	17	1	53	32	47·1	37·6	42·4	2·01
Urban Districts. Londonderry, ..	41,000	15·9	45·8	15·3	1·3	36	12	1	1	·	·	·	·	·	·	1	·	1	·	1	2	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. Limerick, ..	38,518	16·1	20·3	19·0	1·4	15	14	2	4	·	·	·	·	·	·	·	·	3	1	1	·	3	1	·	·	·	5	2	·	·	·	·	·	·
Urban Districts. Waterford, ..	27,464	19·1	19·0	13·3	1·9	10	7	1	3	1	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·	4	·	·	·	·	·	·	·
Urban Districts. Galway, ...	13,255	2·5				8	8	·	1	·	·	·	·	·	2	·	·	·	·	1	·	2	·	·	·	·	2	·	48	30	46·0	32·4	39·2	0·31
Urban Districts. Dundalk, ..	13,128	9·5				8	5	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	2	1	·	·	·	·	·	·	·
Urban Districts. Lurgan, ..	12,553	14·7				9	3	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	1	·	51·0	29·5	43·7	33·7	38·7	1·90
Urban Districts. Drogheda, ..	12,501	8·4	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			6	4	·	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	2	1	·	·	·	·	·	·
Urban Districts. Lisburn, ..	12,388	10·9				9	5	1	2	1	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	1	2	·	49	26	42.6	29·4	36·0	3·20
Urban Districts. Newry, ...	11,963	17·0				7	4	2	·	·	·	·	1	·	·	·	·	·	1	·	·	2	·	·	·	·	·	·	51·0	29·5	43·7	33·7	38·7	1·90
Urban Districts. Portadown, ..	11,727	15·3				9	8	1	4	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	1	2	51·0	29·5	43·7	33·7	38·7	1·90
Urban Districts. Wexford, ..	11,531	22·8				6	6	1	2	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	1	1	·	2	·	·	·	·	·	·
Urban Districts. Ballymena, ..	11,381	9·3				5	3	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Sligo, ...	11,163	3·8				5	7	2	1	·	·	·	·	·	1	·	·	·	·	1	2	1	·	·	·	·	5	1	51	30	44	34	39	1·95
Urban Districts. Kilkenny, ..	10,514	11·4				7	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	53	26	45·5	31·5	38·5	1·87
Urban Districts. Tralee, ...	10,300	17·4				7	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Clonmel, ..	10,209	7·8				3	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
London	4,206,901	—	—	16·9	—	3,318	1,308	217	411	·	·	·	19	5	20	36	—	96	23	110	93	124	16	14	50	144	561	6	54	27	45·6	35·7	40·7	0·67
Edinburgh ...	336,500	—	—	15·0	—	160	97	20	37	·	·	·	·	2	·	3	—	—	—	—	—	—	·	—	2	—	—	—	47·0	27·0	39·3	32·3	35·8	1·32
Glasgow	1,118,700	—	—	15·3	—	649	328g	70	65	·	·	·	2	1	5	8	—	—	—	—	—	—	7	—	19	—	—	—	43·7	27·5	39·0	32·8	35·9	1·51

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1919, as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including 2 deaths from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA —Deaths at Fourteen periods of Life from each Cause registered cause in the FIFTY-SECOND WEEK of

CAUSES OF DEATHS.	Average number of deaths in 52nd Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday 3rd January, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
ALL CAUSES	177·2	166	13	18	10	4	2	2	2	2	8	15	15	26	27	22	155
Enteric Fever ..	·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	4·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	1·4	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Diphtheria	1·0	1	.	1		.	.	.	.	.	.	.	.	.	.	.	1
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	3·0	1	.	.	.	.	.	.	.	.	.	.	.		.	1	1
Dysentery	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	19·6	13	.	.	.	.	1	.	.	1	2	6	2	1	.	.	10
Tuberculous Meningitis	2·6	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Abdominal Tuberculosis	·8	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	2
Tuberculosis of the Spinal Column.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis of other Organs	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Venereal Diseases ..	·6	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.
Cancer	8·6	12	.	.	.	.	.	.	.	.	.	2	1	7	2	.	11
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
Diabetes	1·2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2
Anæmia, Leucocythæmia.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·6	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·0	2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	5·2	7	.	.	.	.	.	.	.	.	.	.	3	2	.	2	6
Softening of Brain ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	4·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Epilepsy, ...	·4	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2
Convulsions (non-puerperal).	4·0	4	1	3	.	.	.	.	.	.	.	.	.	.	.	.	3
Other Diseases of Nervous System.	3·4	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1	3
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.
Acute Endocarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	15·8	11	.	.	.	.	.	.	.	.	1	.	.	1	7	2	11
Embolism and Thrombosis (including Cerebral)	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·0	3	.	.	.	.	.	.	.	.	.	.	1	1	.	1	2
Diseases of the Larynx	·6	1	.	.	1	.	.	.	.	.		.	.	.	.	.	1
Bronchitis	29·0	17	.	3	1	.	.	.	.	.	1	.	1	3	4	4	17
Broncho-pneumonia ..	8·8	9	.	4	3	.	.	.	.	.	.	.	.	1	1	.	9
Lobar pneumonia ..	1·2	1	.	.	.	.	.	.	.	.	.	.	1		.	.	1
Pneumonia (type not distinguished).	6·2	6	.	.	1	2	.	.	.	.	.	1	1	1	.	.	6
Pleurisy	·4	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Other Diseases of Respiratory System	1·8	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2

in the FIFTY-THIRD WEEK, ending Saturday, 3rd January, 1920, with the average deaths from each the Five Years, 1914–18.

CAUSES OF DEATH.	Average number of deaths in 52nd Week of the 5 years, 1914-1918.	Deaths registered during week ending Saturday, 3rd January, 1920.															
		All Ages.	Ages at Death														Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5														
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
Diseases of the Pharynx Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	1·2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Diarrhœa and Enteritis of Children under 2 years.	3·6	4	1	3	·	·	·	·	·	·	·	·	·	·	·	·	4
Diarrhœa 2 years and upwards.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	1·0	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Appendicitis and Typhlitis.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	1·6	3	·	·	·	·	·	·	·	·	·	·	1	1	1	·	3
Cirrhosis of Liver ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Peritonitis (cause unknown).	·4	2	·	·	·	·	·	1	·	·	1	·	·	·	·	·	2
Other Diseases of Digestive System.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Nephritis ..	1·4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Chronic Bright's Disease	4·2	3	·	·	·	·	·	·	·	·	·	1	2	·	·	·	3
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Puerperal Septicæmia, &c.	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Other causes incident to Pregnancy and Childbirth.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	1·2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Diseases of Locomotor System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Premature Birth ..	3·0	3	3	·	·	·	·	·	·	·	·	·	·	·	·	·	3
Congenital Debility ..	3·4	8	4	4	·	·	·	·	·	·	·	·	·	·	·	·	7
Old Age	6·6	13	·	·	·	·	·	·	·	·	·	·	·	·	5	8	13
Other Specified Diseases	1·4	3	3	·	·	·	·	·	·	·	·	·	·	·	·	·	3
VIOLENCE.																	
Poisons or Poisonous Vapours.	·2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	2·2	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1
Drowning	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	2·2	2	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·
Other Violent Deaths		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Not included in above—																	
Homicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	2·8	3	·	·	·	·	·	1	·	·	·	·	·	1	1	·	3

TABLE IV.—Showing for the WEEK ENDED 3RD JANUARY, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1919.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
					WEEK ENDED SATURDAY, 3RD JANUARY, 1920. DEATHS. CAUSED BY																													
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
North City, No. 1, E., ...	30,000	26·1	·	15	1	1	·	·	·	5	4	4	·	·	·	·	·	·	·	·	2	·	2	3	2	·	·	·	6	·	1	2	1
" 1, W., ...	41,100	24·1	1·3	19	3	1	·	3	2	1	7	2	1	·	·	·	·	·	·	·	2	1	1	2	3	·	·	1	8	·	7	1	·
" 2, ...	27,500	24·6	1·9	13	5	·	2	·	·	·	4	2	·	·	·	·	·	·	·	·	·	·	2	4	·	1	·	·	6	·	4	1	·
" 3, ...	34,100	9·2	·	6	2	·	·	·	·	·	1	3	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	5	·	2	1	·
Clontarf and Howth, No. 1, part of	5,500	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Coolock and Drumcondra, part of ..	13,600	11·5	·	3	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	1	·	·	1	·
Finglas and Glasnevin, part of ..	11,100	14·1	·	3	1	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·	1	·	·
South City.																																	
South City, No. 1, ..	43,000	25·5	3·6	21	5	4	·	·	·	2	3	7	·	·	·	·	·	1	1	·	1	2	·	1	3	1	·	·	11	·	6	6	·
" 2, ...	18,200	14·3	·	5	·	·	1	1	·	1	2	·	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	2	·	2	1	·
" 3, ...	43,300	20·5	1·2	17	5	·	·	·	1	3	5	3	·	·	·	·	·	·	·	·	1	1	·	1	5	1	·	·	8	·	2	4	1
" 4, ...	32,800	19·1	3·2	12	2	3	·	·	·	·	2	5	·	·	·	·	·	1	·	1	·	·	·	2	2	·	·	·	6	·	4	4	·
New Kilmainham, ...	10,300	20·2	·	4	·	1	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	1	1	2	·	·	·	·	·	1	·	·
Urban Districts.																																	
Rathmines and Rathgar, ..	39,400	15·9	·	12	3	·	·	·	·	1	3	5	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	9	·	2	1	1
Pembroke	29,500	23·0	1·8	13	2	·	·	·	·	2	3	6	·	·	·	·	·	·	·	·	3	·	2	·	·	1	·	·	7	·	1	·	·
Blackrock, ...	9,000	17·4	·	3	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	1	·	·	1	·
Kingstown, ...	16,600	28·3	3·1	9	·	·	1	·	·	3	·	5	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	2	6	1	1	2	·
TOTAL CITY. North, ...	162,900	18·9	0·6	59	12	2	2	3	2	6	17	15	1	·	·	·	·	·	·	·	4	1	6	10	6	1	·	1	29	·	15	6	1
South, ...	147,600	20·8	2·1	59	12	8	1	1	1	6	14	16	·	·	·	·	·	2	1	1	2	3	2	6	13	2	·	·	27	·	15	15	1
North and South, ..	310,500	19·8	1·3	118	24	10	3	4	3	12	31	31	1	·	·	·	·	2	1	1	6	4	8	16	19	3	·	1	56	·	30	21	2
Total Urban Districts, ...	94,500	20·4	1·1	37	5	·	1	·	·	6	7	18	·	·	·	1	·	·	·	·	4	·	3	·	3	1	·	2	23	1	4	4	1
Total Registration Area, ..	405,000	20·0	1·3	155	29	10	4	4	3	18	38	49	1	·	·	1	·	2	1	1	10	4	11	16	22	4	·	3	79	1	34	25	3
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				11	2	·	·	·	1	5	3	·	·	·	·	·	·	·	·	·	3	·	1	·	1	·	·	2	4	2	9	2	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 3rd January, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY 3RD JANUARY, 1920.

Class.	Occupation or Social Postion. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	166	45	4	4	23	41	27	22	1	.	.	1	.	2	1	1	13	4	12	4	16	23	4	.	5	79	3
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	21·3	6	.	.	1	.	1	1	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	4	.
II.	MIDDLE CLASS	101,798	14·3	28	6	.	.	3	4	5	10	.	.	.	.	.	.	.	.	1	1	3	1	1	2	2	.	.	17	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	22·2	46	11	1	1	7	19	4	3	.	.	.	.	.	1	1	.	7	1	5	.	3	7	1	.	.	20	1
IV.	GENERAL SERVICE CLASS	167,479	18·4	59	21	3	2	10	10	11	2	1	.	.	1	.	1	.	1	4	2	4	1	11	7	.	.	4	22	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	27	7	.	.	3	7	6	4	.	.	.	.	.	.	.	.	.	.	.	2	1	7	1	.	.	16	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	4	.	.	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3 Persons of Rank and Property, not otherwise described, ...	5,443	—	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4 General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	12	3	.	.	.	1	2	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	10	.
	6 Clerks and Commercial Assistants,	33,249	—	5	1	.	.	2	1	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	1	.
	7 Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	10	2	.	.	1	2	3	2	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8 Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	4	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
	9. Building and Furnishing Trades, ..	28,823	—	10	4	.	.	3	2	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	4	1	.	.	3	1
	10. Clothing Trades, ...	20,026	—	4	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.	.	.
	11. Food Supply Trades, ...	8,952	—	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	23	4	1	.	2	11	2	3	.	.	.	.	.	1	1	.	2	.	3	.	2	1	.	.	.	13	.
	13. Petty Shopkeepers, ...	6,772	—	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	11	8	1	.	1	1	.	.	.	.	.	1	.	.	.	.	.	1	.	1	3	1	.	.	1	3	1
	15. Domestic Servants, ...	36,041	—	6	1	.	.	2	2	1	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	1	2	.
	16 Coach and Car Drivers, Vanmen, &c.,	15,380	—	4	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	38	12	2	2	5	6	9	2	1	.	.	.	.	1	.	1	3	1	2	.	7	5	.	.	2	15	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	27	7	.	.	3	7	6	4	.	.	.	.	.	.	.	.	.	.	.	2	1	7	1	.	.	16	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1	Nov. 8.	Nov. 15	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Oct. 11.	Oct 18.	Oct 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan 3.
No. of weeks in Annual Series ..	41	42	43	44	45	46	47	48	49	50	51	52	53	41	42	43	44	45	46	47	48	49	50	51	52	53
BIRTHS registered	251	203	163	233	216	216	184	195	208	220	224	193	265	223	260	206	220	231	200	2[illegible]9	225	241	226	235	127	296
Average Births in corresponding week of previous 10 years, ...	190	196	189	187	197	202	184	192	175	200	159	148	148	203	195	178	182	183	169	175	178	173	175	167	159	159
Number of Deaths, ...	112	121	118	138	99	105	138	117	137	151	133	92	155	104	104	116	115	159	147	167	133	169	160	185	156	197
Annual Death-rate per 1,000 ..	14·4	15·6	15·2	17·8	12·7	13·5	17·8	15·1	17·6	19·4	17·1	11·8	20·0	13·5	13·5	15·1	15·0	20·7	19·1	21·7	17·3	22·0	20·8	24·1	20·3	25·6
Average Deaths in corresponding week of previous 10 years, ...	149	159	160	176	185	167	164	165	169	164	164	158	158	111	108	118	114	137	155	170	162	164	151	144	152	152
Ages, .. Under one year, ..	16	27	18	18	19	23	19	18	26	19	19	11	29	13	16	18	19	28	25	23	20	30	19	28	25	27
1— 5 years, ..	3	7	8	8	8	4	10	4	7	7	8	6	14	5	8	8	19	19	16	30	18	21	24	31	24	36
5—25 ,, ..	17	9	12	14	11	11	8	15	12	15	15	10	7	17	21	27	23	22	15	22	22	23	23	26	19	31
25—45 ,, ..	13	21	20	20	12	17	28	16	19	22	18	15	18	17	17	18	12	20	19	14	12	19	15	26	22	24
45—65 ,, ..	26	22	30	45	27	18	38	31	33	39	37	23	38	28	15	20	25	34	40	39	22	37	41	37	36	50
65 and upwards, ..	37	35	30	33	22	32	35	33	40	49	36	27	49	24	27	25	17	36	32	39	39	39	38	34	30	29
Deaths from :—																										
Enteric Fever, ...	·	·	1	·	·	·	·	·	·	·	·	·	1	1	1	·	1	·	·	1	1	·	1	1	·	3
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	·	·		1	2	1	1	·	·	1	·	·	1	1	·	·	1	4	2	9	10	15	14	32	19	26
Scarlet Fever, ...	1	·	·	1	·	1	2	1	1	1	·	2	·	1	9	12	11	10	5	8	8	9	12	4	3	8
Whooping-cough, ...	·	·	1	·	·	·	·	·	2	2	1	2	2	1	·	·	1	·	·	·	·	·	·	·	1	1
Diphtheria, ...	1	·	1	2	1	·	1	·	1	1	1	·	1	·	·	·	1	·		2	2	1	1	1	2	1
Dysentery, ...	2	1	·	2	·	1	·	·	·	2	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis { Pulmonary, ..	10	11	17	15	7	13	11	14	17	11	13	9	10	14	11	12	12	11	16	16	4	11	17	17	17	20
Tuberculosis { Other Forms, ..	10	4	5	4	6	7	2	5	6	9	7	2	4	5	6	3	5	7	4	4	2	4	4	3	1	4
Cancer, ...	7	7	10	12	7	4	12	8	8	9	8	5	11	7	4	10	6	6	7	9	6	7	11	4	10	11
Diseases of Respiratory System, { Pneumonia ..	6	8	4	5	10	8	14	3	9	12	2	8	16	3	5	8	9	14	11	17	17	18	12	10	11	11
Diseases of Respiratory System, { Others, ..	14	12	11	16	14	13	19	23	16	23	24	12	22	11	11	12	11	17	29	25	12	23	23	18	19	17
Diarrhœa and Enteritis, under 2 years, ...	8	6	3	4	2	5	5	1	5	3	1	2	4	3	7	1	1	3	2	1	2	1	3	·	2	4
Diarrhœa, 2 years and upwards..	1	1	·	1	·	·	·	·	·	·	·	·	·	·	4	2	1	4	1	1	1	·	2	2	2	2
Violent Deaths, ...	3	1	6	5	3	1	2	2	4	2	7	7	3	1	2	1	7	1	3	2	3	4	2	3	4	7
Number of Uncertified Deaths, ..	3	1	2	6	2	2	6	4	3	4	4	1	3	2	1	1	3	7	2	1	5	6	1	5	1	3
A Mean Maximum Temperature in degs	52·9	64·3	57·8	48·0	44·0	40·6	48·6	44·5	49·0	47·1	50·2	49·1	46·9	58·3	50·1	57·6	48·2	45·1	42·3	46·6	47·2	48·1	45·6	48·2	46·1	44·0
B Mean Minimum ,, ,,	34·9	51·2	41·3	34·0	32·3	22·6	35·4	33·4	35·5	37·8	40·5	33·9	31·7	50·1	39·5	47·6	39·0	38·2	29·0	30·5	36·7	33·2	35·7	36·4	37·8	33·1
Mean of A and B ,, ,,	43·9	57·7	49·5	41·0	38·2	31·6	42·0	38·9	42·3	42·4	45·3	41·5	39·3	54·2	44·8	52·6	43·6	41·6	35·6	38·5	41·9	40·6	40·6	42·3	41·9	38·5
Rainfall in inches	0·01	0·04	1·30	0·23	0·39	0·22	0·69	0·96	1·07	0·78	0·82	0·93	0·83	0·06	0·58	0·95	0·02	0·77	0·07	1·13	0·87	1·35	1·74	1·21	2·04	2·14

TABLE VI.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 3rd January, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No 1 DISTRICT,	15,879	23	46·0	·	14	2	·	1	1	7	3	·	·	·	·	·	·	·	·	1	·	1	1	3	·	·	·	·	6	·
Do. 2 do.	49,500	29	16·9	5·3	16	3	4	·	2	5	2	·	1	·	·	1	1	·	·	2	·	1	·	3	2	·	·	1	9	·
Do. 3 do.	50,032	41	39·6	12·5	38	3	8	7	3	9	8	·	·	·	8	1	·	1	·	2	·	3	2	2	·	2	·	·	8	·
Do. 4 do.	32,637	34	14·4	1·6	9	3	·	1	2	3		1	·	·	·	·	·	·	·	1	·	·	2	·	·	·	·	·	4	1
Do. 5 do.	16,112	7	29·1	·	9	·	2	2	·	3	2	·	·	·	·	·	·	·	·	1	·	·	1	2	·	·	1	1	2	·
Do. 6 do.	37,293	32	14·0	1·4	10	2	2	4	·	1	1	·	·	·	1	·	·	·	·	3	·	1	1	·	·	·	1	·	2	·
Do. 7 do.	2,681	1	38·9	·	2	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	4	26·2	8·7	3	·	·	1	·	2	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	1	·
Do. 9 do.	24,427	19	14·9	6.4	7	·	2	2	·	2	1	·	·	·	1	2	·	·	·	1	·	1	·	1	·	·		·	3	·
Do. 10 do.	28,958	20	27·0	7·2	15	2	4	1	5	2	1	·	·	·	3	·	·	·	·	1	1	1	·	2	1	·	1	1	2	·
Do. 11 do.	39,311	25	31·8	6·6	24	3	3	2	5	7	4	1	·	·	3	·	·	·	·	1	1	2	2	1	1	·	2	2	7	·
Do. 12 do.	38,076	35	38·3	19·2	28	5	9	6	4	1	3	1	·	·	10	3	·	·	·	5	·	·	·	2	·	·	2	2	6	1
Do 13 do.	23,233	10	20·2	·	9	·	·	4	1	2	2	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	1	·	·
Do. 14 do.	175	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	15	29·9	·	13	3	2	·	·	6	2	·	·	·	·	·	·	·	·	2	1	·	1	1	·	·	·	·	4	1
Total,	386,947	296	25·6	6·0	197	27	36	31	24	50	29	3	1	·	26	8	1	1	·	20	4	11	11	17	4	2	7	8	54	3
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	10	27·1	·	7	1	·	2	·	1	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	4	·
Do. 2 do.	10,399	16	35·1	5·0	7	1	1	·	3	1	1	·	·	·	·	·	·	1	·	2	1	1	·	·	·	·	·	·	5	·
Do. 3 do.	9,793	4	10·6	·	2	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 4 do.	9,139	3	17·1	·	3	·	·	·	1	2	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	1	·	3	·
Do. 5 do.	6,250	4	16·7	8·3	2	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	2	·
Do. 6 do.	11,581	15	18·0	·	4	·	·	1	1	·	2	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	3	·
Do 7 do.	16,056	10	19·5	·	6	2	1	·	1	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Total.	76,673	62	21·1	1·4	31	4	4	3	6	5	9	·	·	·	·	·	·	2	·	4	1	2	·	3	·	·	1	·	17	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 3rd January, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	3	1	.	1	.	.	.	.	2	.	.	2	9
" " 1, West ..	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	3
" " 2, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
" " 3, ...	.	.	.	.	.	6	2	.	1	.	.	..		1	.	.	1	11
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Coolock and Drumcondra (part of)	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	1	4
Finglas and Glasnevin (part of)	.	.	.	.	.	8	.	.	1	.	.	.	.	.	.	.	.	9
South City No. 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3
" " " 2, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	3
" " " 3, ...	.	.	.	.	.	7	.	.	.	.	.	1	.	1	.	.	1	10
" " " 4, ...	.	.	.	.	.	.	2	.	.	.				1	.	.	1	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	.	.		.	31	6	.	3	.	.	1	.	5	.	.	13	59

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 3rd January, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 3rd January.			
	Dec. 13.	Dec. 20.	Dec. 27.	No. admitted	Dis. charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	8	7	7	.	.	1	6
Typhus, ...	.	.	1	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	4	3	6	2	.	.	8
Scarlet Fever, ...	193	186	176	23	23	.	176*
Diphtheria, ...	25	34	33	5	1	.	37
Pneumonia, ...	16	15	13	8	2	1	18

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13433). Wt. 5568 3. 380. 1. 1920. G, III. Sch. c. 7.

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN EIGHTEEN OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LIMITED, 116, GRAFTON STREET, DUBLIN; or from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

1920.

Price 1½*d. Net.*

VOL. LVI.] QUARTER ENDING SATURDAY, 3RD JANUARY, 1920. [NO. 53A.

DUBLIN REGISTRATION AREA.—BIRTHS.—In the Dublin Registration Area, which consists of the city of Dublin, and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, there were registered during the fourteen weeks ended on Saturday, 3rd January, 1920, 2,900 births—1,511 boys and 1,389 girls—being equal to an annual rate of 26·7 in every 1,000 of the population.

The number of births recorded for the city was 2,456, equivalent to an annual rate of 29·5 in every 1,000 of the population; and for the urban districts named above, 444, equal to an annual rate of 17·5 in every 1,000 of the population.

During the same period the births in London were equivalent to an annual rate of 25·5 per 1,000 of the population; in Glasgow the birth-rate was 28·9 per 1,000, and in Edinburgh 24·4 per 1,000.

DEATHS.—Omitting the deaths (144) referred to localities outside the Dublin Registration Area, the deaths for the Area, numbering 1,738, were equivalent to an annual rate of 16·0 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 21·2. The total number of deaths registered in the Dublin Registration Area during the quarter was 1,882—901 males and 981 females—affording an annual ratio of 17·3 in every 1,000 of the estimated population, as compared with 22·3 per 1,000 for the fourth quarter of the ten years, 1909-1918.

The number of deaths of inhabitants* of the North City districts registered last quarter was 727, representing an annual mortality of 16·6 in every 1,000 of the population; and the number in the South City districts was 672, equivalent to a rate of 17·0 per 1,000. For the urban districts the number of deaths registered was 339, being equal to an annual death-rate of 13·4 in every 1,000.

The deaths among civilians in London during the same period were equivalent to an annual rate of mortality of 14·3 in every 1,000 of the civil population; in Glasgow the death-rate was 13·4 per 1,000 of the total population, and in Edinburgh the annual rate was 13·6 per 1,000.

* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

CAUSES OF DEATH IN DUBLIN REGISTRATION AREA.

The number of deaths from the principal epidemic diseases* registered in the Dublin Registration Area during last quarter was 123, being equal to an annual rate of 1·13 per 1,000 of the population.

Enteric Fever.—There were two deaths from enteric fever registered during the quarter (14 weeks) ended 3rd January, as compared with 2, 4, and 8 deaths registered in each of the earlier quarterly periods (13 weeks) of the year 1919.

Typhus.—No death was registered from typhus during the period.

Small Pox.—No mortality from this cause was recorded.

Measles.—Seven deaths from measles were registered during the December quarter; in March quarter there were 19, in June 6, and in September 3 deaths from this disease.

Scarlet Fever.—Of the 12 deaths registered, 7 belonged to north Dublin city districts, 4 to south Dublin city, and one to Kingstown urban district. The deaths from scarlet fever in each of the 3 preceding quarterly periods were 8, 5 and 4.

Whooping Cough.—This disease caused 9 deaths in March quarter, 7 in June quarter; in September quarter there was no deaths registered and in the period under notice 10 deaths were registered.

Diphtheria.—The deaths rose to 15, having been 5, 5, and 6 in each of the 3 periods preceding; of the 15 deaths from diphtheria, 5 belonged to north Dublin city, 4 to south Dublin city and 2 to the urban district of Rathmines and Rathgar.

Dysentery—Altogether 9 deaths were attributed to dysentery; of these 6 appertained to the district of south city No. 4.

Diarrhœal Diseases.—In the total deaths (68) from diarrhœal diseases (not including dysentery) 61 were of children under 2 years of age; this number is below the average (94). In each of the 3 preceding quarters such deaths numbered 40, 33 and 170, respectively.

Influenza.—As in the preceding quarterly period, the number of deaths attributed to influenza numbered 13; in the June quarter they were 155, and in the March quarter 731; the foregoing figures correspond to annual rates of 0·13 per 1,000, 0·12 per 1,000, 1·53 per 1,000, and 7·22 per 1,000 of the estimated population of the Dublin Registration Area.

Cerebro-Spinal Fever.—No death from this disease was registered.

Tuberculosis.—In the aggregate the deaths from all forms of tuberculosis numbered 270 (of these 20 did not belong to the Area). The total is equivalent to the annual rate of 2·48 per 1,000; in the 3 preceding quarters the corresponding rates were 4·05, 3·63 and 2·31, respectively. The total 270, is below the average (334) for the fourth quarters of the past 5 years by 64.

The deaths from tuberculosis include 182 from pulmonary tuberculosis, 19 from tuberculous meningitis, 22 from abdominal tuberculosis, 11 from tuberculosis of the spinal column, 5 from tuberculosis of joints, 4 from tuberculosis of other organs, and 27 deaths from disseminated tuberculosis.

The death rate from all forms of tuberculosis, exclusive of those of non-residents, was 2·30 per 1,000; in north Dublin city the rate was 2·31 per 1,000, in south Dublin city it was 2·88 per 1,000, and in the urban districts it was 1.38 per 1,000.

Cancer.—Altogether the deaths from malignant disease amounted to 137, including those of 19 persons not belonging to the Area; the total (137) represents an annual rate of 1·26 per 1,000; in each of the 3 preceding quarters the corresponding rates were 1·39, 1·16 and 1·33 per 1,000 respectively. The average number of deaths from cancer in the corresponding quarterly period of the 5 years ending December 1918, was 142.

Pneumonia.—Of 118 deaths from pneumonia, 61 were from broncho-pneumonia, 14 from lobar pneumonia, and 43 were attributed to pneumonia, type not distinguished. The average number of deaths from pneumonia in the corresponding period of the 5 years preceding was 257. The death-rate recorded for pneumonia in each of the quarterly periods of the year 1919, were for March, 5·45 per 1,000, for June, 1·93 per 1,000, for September 0·82 per 1,000, and for the period under notice 1·09 per 1,000.

Diseases of the Brain and Nervous System.—The total number of deaths included under this heading was 205, of which figure 35 were deaths from convulsions (all of the latter being those of children under 5 years of age). The average number of deaths grouped under this heading was 218, the annual rate represented by the 205 deaths being 1·89 per 1,000.

Diseases of the Circulatory System.—As compared with the average (231), there is a small decrease to 226 in the deaths assigned to diseases of the heart and blood vessels, the latter figure is equivalent to an annual rate of 2·08 per 1,000.

Bronchitis.—Deaths from bronchitis which in the 1st quarter of the year numbered 598, declined to 228 in the June quarter and further to 86 in the September quarter, rising in the period under notice to 199; these figures represent the following rates, respectively, 5·91, 2·25, 0·85 and 1·83 per 1,000.

* See note (*) page 530*d*.

Congenital Conditions.—The deaths of 7 infants were due to congenital malformations, 56 to prematurity and 49 to congenital debility.

Violence.—Of 56 deaths classed to violence 13 (including 2 deaths of children under 5 years of age) were caused by burns and scalds, 9 by vehicles and horses, 5 by gunshot wounds, 3 by drowning, 2 occurred during building operations and one death was caused by gas poisoning.

Three deaths were attributed to homicide and 3 to suicide.

Table I.—Showing the Number of Cases of the undermentioned Diseases treated in Dublin Hospitals during the Quarter (14 weeks) ended Saturday, 3rd January, 1920.

Diseases.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter	Discharged.	Died.	No. under treatment on above date.
Enteric Fever, ...	24	23	39	2	6
Typhus, ...	.	1	.	.	1
Small-pox, ...	.	.	.	.	.
Measles, ...	2	35	29	.	8
Scarlet Fever, ...	110	514	436	12	176*
Diphtheria, ...	24	95	69	13	37
Pneumonia, ...	12	81	58	17	18

* Exclusive of 19 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 48 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 48 cases, 17 (or 35·4 per cent.) were deaths of children under 5 years of age. Of the deaths of 119 infants under one month old registered, there were 10 (or 8·4 per cent.) regarding which the cause was uncertified.

From Table III., page 530*f*, it will be seen that the annual rate represented by the mortality from the principal epidemic diseases† in the Dublin Registration Area was 1·0 per 1,000, that in the City it was 1·1, and in the urban districts 0·9, the rates for the several districts varying from 0·0 in Clontarf and Howth, No. 1, part of, to 2·5 in New Kilmainham, the 34 deaths from all causes for that district including one from scarlet fever, 3 from whooping-cough, one from diphtheria, and 2 deaths of children under 2 years from diarrhœa and enteritis.

Occupations.—In Table IV., page 530*g*, it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 15·0 per 1,000 of the persons in that class according to the Census of 1911; the rate for the "Middle Class" was 13·2 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 13·1; and in the "General Service Class" it was 17·2.

Ages.—Of the 1,882 persons whose deaths were registered in the Dublin Registration Area during the quarter, 410 were under 5 years of age, including 293 infants under one year of age, the latter representing a rate of 101 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 37·3 in every 1,000 children at that age (according to the Census of 1911), the deaths of persons between the ages of 5 and 15 representing an annual rate of 4·4 per 1,000 persons at that age-period; those between the ages of 15 and 25 were equivalent to an annual rate of 4·7 per 1,000, the total number under 25 years being equal to an annual mortality of 11·6 per 1,000 of the population at that age-period (according to the Census of 1911); for those between 25 and 45 the rate was 8·8; for those between 45 and 65 it was 29·9; among persons between 65 and 75 the rate was 65·3; and among those aged 75 and upwards the average annual death rate was 147·8 per 1,000. The deaths of 7 persons aged 90 years and upwards were registered.

† See note (*) on page 530*d*.

PUBLIC INSTITUTIONS.—Of the 1,882 deaths recorded during the quarter, 832, or 44·2 per cent occurred in public institutions, viz., 528 in the various hospitals, prisons, and lunatic asylums; 295 in the Dublin Union Workhouse; and 9 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

WEATHER.—The mean temperature for fourteen weeks, deducted from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 42·8°. At Greenwich it was 42·9°; at Glasgow, 41·1°; and at Edinburgh, 40·8°.

The rainfall at Dublin during the fourteen weeks measured 9·06 inches; at Greenwich it was 5·20 inches; at Glasgow, 10·91 inches; and at Edinburgh, 10.57 inches.

NINETEEN PRINCIPAL TOWN DISTRICTS OF IRELAND.

As shown in Table II., the annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and eighteen of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 16·6 per 1,000 of the population, the respective rates for the several districts being as follows, ranging in order from the lowest to the highest:—Newry, 8.4; Clonmel, 8.8; Drogheda, 10.4; Galway, 11.8; Tralee, 11.9; Lurgan, 12.2; Portadown, 13.0; Ballymena, 13.1; Sligo, 13.3; Kilkenny, 13.5; Waterford, 13.8; Lisburn, 14.7; Dundalk, 15.6; Wexford, 15.8; Limerick, 16.0: Dublin Registration Area, 16.0; Cork, 16.9; Londonderry, 18.2; and Belfast, 18.8.

The annual rate represented by the deaths from the principal epidemic diseases* in the 19 districts is 1·7 per 1,000 of the population, the rates varying from 0·0 in two of the districts to 3·1 in Belfast; the 2,019 deaths from all causes in that district, including 10 from enteric fever, one from typhus, 133 from measles, 104 from scarlet fever, 4 from whooping-cough, 11 from diphtheria, 2 from dysentery, and 68 from diarrhœal diseases.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *eighteen provincial urban districts*, already named, and Tables II. and V. give in detail the results of the registration for the quarter:—

ENTERIC FEVER.—Of 13 deaths from this disease, 10 were of residents of Belfast and one appertained to each of Limerick, Waterford and Lisburn.

TYPHUS.—One death was recorded for Belfast and 2 for Tralee.

SMALL-POX.— No case of this disease was reported.

MEASLES.—There were 133 deaths for Belfast and one for each of Newry and Ballymena.

SCARLET FEVER.—The 109 deaths due to this disease comprise 104 for Belfast, 3 for Londonderry and one for each of Cork and Ballymena.

WHOOPING-COUGH.—Four deaths were recorded for Belfast, 3 for Cork, 2 for each of Waterford, Galway and Sligo, and one for each of Newry and Wexford.

DIPHTHERIA.—Of 40 deaths, 20 belonged to Cork, 11 to Belfast, 3 to each of Londonderry and Limerick and one to each of Dundalk, Lisburn and Wexford.

DIARRHŒAL DISEASES.—The deaths classified under this heading include 81 deaths of children under 2 years from diarrhœa and enteritis, and of these 43 appertained to Belfast, 9 to Cork, 7 to each of Londonderry and Limerick, and 3 to Waterford.

PULMONARY TUBERCULOSIS.—The annual death-rate from pulmonary tuberculosis for the 19 towns in the aggregate was 1·6 per 1,000 of the estimated population; for the Dublin Registration Area it was 1·6 per 1,000; for Belfast county borough 1·7 per 1,000, and for the urban districts collectively (not including Dublin Registration Area and Belfast) it was 1·5.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

TABLE II.—BIRTHS and DEATHS Registered during the **Quarter** (14 weeks) **ended Saturday, 3rd January, 1920,** in the Dublin Registration Area, and in each of the undermentioned Eighteen Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

TOWNS AND DISTRICTS	Population. Total.*	Population. Persons to an Acre.	Annual Rate per 1,000 persons Represented by: Births	Deaths: From all Causes	Deaths: From certain Epidemic Diseases.†	REGISTRATION—QUARTER (14 WEEKS) ENDED SATURDAY, 3RD JANUARY, 1920. Numbers Registered: Births. Total Number	Deaths. Total Number	Under 1 year of Age	At 65 Years and upwards	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths
TOTAL OF 19 TOWN DISTRICTS ..	1,142,268	20·0	26·8	16·6	1·7	8,209	5,085	778	1514	15	3	·	142	121	25	51	11	490	189	306	347	594	138	30	111	136	1,628	180
DUBLIN REGISTRATION AREA.—																												
TOTAL	405,000	28·9	26·7	16·0	1·0	2,900	1,738	282	492	2	·	·	7	12	10	14	9	172	78	118	111	228	57	4	47	48	688	48
Urban Districts: CITY OF DUBLIN . ..	310,500	38·0	29·5	16·8	1·1	2,456	1,399	245	348	1	·	·	·	11	10	9	8	147	68	85	101	198	46	4	32	38	605	37
Urban Districts: RATHMINES AND RATHGAR ..	39,400	23·0	16·8	11·8	0·5	178	125	11	62	1	·	·	·	·	·	2	·	8	2	13	3	15	2	·	4	5	33	5
Urban Districts: PEMBROKE	29,500	18·8	20·7	14·3	0·8	164	113	12	44	·	·	·	·	·	·	·	1	12	3	11	6	7	5	·	6	3	25	2
Urban Districts: BLACKROCK	9,000	8·3	10·8	12·0	1·2	26	29	4	14	·	·	·	·	·	·	4	·	·	3	4	·	2	3	·	2	1	6	·
Urban Districts: KINGSTOWN	16,600	11·4	17·1	16·2	2·0	76	72	10	24	·	·	·	7	1	·	·	·	5	2	5	1	6	1	·	3	1	19	4
Urban Districts: BELFAST	401,000	26·8	29·0	18·8	3·1	3,126	2,019 a	311	428	10	1	·	133	104	4	11	2	187	55	104	155	233	43	25	40	58	559	40
Urban Districts: CORK	76,673	28·6	26·4	16·9	1·6	544	347	47	99	·	·	·	·	1	3	20	·	41	13	20	23	28	9	·	2	6	136	15
Urban Districts: LONDONDERRY	41,000	15·9	30·3	18·2	1·2	334	200	31	51	·	·	·	·	3	·	3	·	18	6	11	12	28	7	·	6	5	27	9
Urban Districts: LIMERICK	38,518	16·1	22·8	16·0	1·1	236	165	30	33	1	·	·	·	·	·	3	·	20	8	10	12	18	7	·	1	4	52	22
Urban Districts: WATERFORD	27,464	19·1	18·6	13·8	0·8	137	102	14	32	1	·	·	·	·	2	·	·	15	4	3	6	14	3	·	2	3	46	2
Urban Districts: GALWAY	13,255	2·5	27·0	11·8	1·1	96	42	7	12	·	·	·	·	·	2	·	·	1	1	5	2	3	1	1	1	·	15	3
Urban Districts: DUNDALK	13,128	9·5	27·8	15·6	0·3	98	55	9	19	·	·	·	·	·	·	1	·	6	2	4	·	3	·	·	4	4	11	5
Urban Districts: LURGAN	12,553	14·7	22·8	12·2	0·6	77	41	6	9	·	·	·	·	·	·	·	·	5	2	3	3	1	2	·	2	2	12	1
Urban Districts: DROGHEDA	12,501	8·4	17·6	10·4	·	59	35	3	20	·	·	·	·	·	·	·	·	2	1	5	·	4	·	·	1	·	10	2
Urban Districts: LISBURN	12,388	10·9	23·5	14·7	0·6	78	49	8	19	1	·	·	·	·	·	1	·	1	1	5	8	2	·	·	·	2	11	·
Urban Districts: NEWRY	11,963	17·0	28·6	8·4	0·9	92	27	6	5	·	·	·	1	·	1	·	·	1	4	3	1	5	1	·	·	1	4	1
Urban Districts: PORTADOWN	11,727	15·3	24·1	13·0	0·6	76	41	4	16	·	·	·	·	·	·	·	·	3	2	4	·	4	2	·	1	·	4	2
Urban Districts: WEXFORD	11,531	22·8	27·5	15·8	1·0	85	49	4	17	·	·	·	·	·	1	1	·	2	5	2	5	5	1	·	1	1	5	8
Urban Districts: BALLYMENA	11,381	9·3	18·7	13·1	0·7	57	40	2	14	·	·	·	1	1	·	·	·	4	3	2	4	·	·	·	·	·	1	5
Urban Districts: SLIGO	11,163	3·8	17·7	13·3	1·0	53	40	8	14	·	·	·	·	·	2	·	·	1	2	2	4	5	1	·	2	2	12	8
Urban Districts: KILKENNY	10,514	11·4	20·2	13·5	0·7	57	38	3	13	·	·	·	·	·	·	·	·	3	2	3	·	7	2	·	1	·	15	4
Urban Districts: TRALEE	10,300	17·4	22·1	11·9	1·4	61	33	2	12	·	2	·	·	·	·	·	·	5	·	1	·	2	2	·	·	·	8	4
Urban Districts: CLONMEL	10,209	7·8	15·7	8·8	·	43	24	1	9	·	·	·	·	·	·	·	·	3	·	1	1	4	·	·	·	·	12	1

*According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1919.

† See note (*) on page 530*d*.

(*a*) Including one death from cerebro-spinal fever.

TABLE III.—Showing for the **Quarter** (14 weeks) **ended 3rd January, 1920,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.

REGISTRATION OF DEATHS, QUARTER (14 WEEKS) ENDED SATURDAY, 3RD JANUARY, 1920.

REGISTRARS' DISTRICTS, &c.	Estimated Population to middle of 1919.	Annual Rate of Mortality per 1000 Living represented by Deaths: From All Causes.	Annual Rate of Mortality per 1000 Living represented by Deaths: From certain Epidemic Diseases.*	Total Deaths.	Ages at Death: Under 1 year.	1 and under 2	2 and under 5.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other	Diarrhœa and Enteritis of Children under 2 years	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions: Hospitals, Prisons and Lunatic Asylums.	In Institutions: Workhouse Hospitals	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1 E. ..	30,000	20·2	1·0	163	32	10	2	8	5	29	46	31	·	·	·	·	·	·	·	1	16	11	12	13	23	6	1	3	77	4	28	27	6
„ 1 W. ..	41,100	18·8	1·0	207	39	9	1	17	13	28	50	50	1	·	·	·	2	·	2	·	17	5	15	11	29	6	·	7	112	8	61	30	4
„ 2	27,500	16·7	0·7	123	24	2	5	6	5	19	32	30	·	·	·	·	1	·	·	·	9	8	6	18	16	4	·	1	60	5	21	24	6
„ 3 ..	34,100	14·5	0·9	133	20	1	5	6	7	17	37	40	·	·	·	·	2	·	1	·	15	5	7	11	17	3	2	1	69	4	35	35	2
CLONTARF AND HOWTH, No. 1, part of.	5,500	8·8	·	13	1	·	·	1	·	2	7	2	·	·	·	·	·	·	·	·	3	·	1	1	·	·	·	·	8	1	3	·	·
COOLOCK AND DRUMCONDRA, part of.	13,600	16·2	1·1	59	6	2	·	4	5	7	17	18	·	·	·	·	1	·	1	·	6	2	4	4	6	2	·	1	32	·	19	5	1
FINGLAS AND GLASNEVIN, part of	11,100	9·7	1·3	29	4	1	1	2	2	4	4	11	·	·	·	·	1	·	1	·	1	3	·	2	2	2	·	·	17	1	5	·	·
South City.																																	
SOUTH CITY, No. 1	43,000	17·6	1·4	203	33	15	6	8	8	29	54	50	·	·	·	·	·	4	1	1	17	12	14	14	27	10	·	5	98	6	42	53	2
„ 2	18,200	15·1	0·2	74	7	2	5	1	4	13	16	26	·	·	·	·	·	·	·	·	12	3	5	4	13	1	·	3	33	3	18	20	6
„ 3	43,300	18·0	1·2	209	40	3	9	6	12	38	45	56	·	·	·	·	1	2	2	·	27	9	13	11	39	8	1	5	91	2	41	45	6
„ 4	32,800	17·3	1·2	152	29	5	3	7	12	27	40	29	·	·	·	·	2	1	·	6	21	9	7	9	21	2	·	5	69	3	54	24	3
NEW KILMAINHAM	10,300	12·3	2·5	34	10	3	·	2	·	8	6	5	·	·	·	·	1	3	1	·	3	1	1	3	5	2	·	1	13	1	8	7	1
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,400	11·8	0·5	125	11	3	1	4	4	12	28	62	1	·	·	·	·	·	2	·	8	2	13	3	15	2	·	4	75	5	27	6	5
PEMBROKE	29,500	14·3	0·8	113	12	2	1	2	5	14	33	44	·	·	·	·	·	·	·	1	12	3	11	6	7	5	·	6	62	3	20	5	2
BLACKROCK	9,000	12·0	1·2	29	4	1	1	·	·	3	6	14	·	·	·	·	·	·	·	·	·	3	4	·	2	3	·	2	15	1	3	3	·
KINGSTOWN	16,600	16·2	2·0	72	10	3	3	6	4	11	11	24	·	·	·	7	1	·	·	·	5	2	5	1	6	1	·	3	41	1	13	6	4
Total City. North, ...	162,900	16·6	0·9	727	126	25	14	44	37	106	193	182	1	·	·	·	7	·	5	1	67	34	45	60	93	23	3	13	375	23	172	121	19
Total City. South, ...	147,600	17·0	1·2	672	119	28	23	24	36	115	161	166	·	·	·	·	4	10	4	7	80	34	40	41	105	23	1	19	304	15	163	149	18
Total City. North and South,	310,500	16·8	1·1	1,399	245	53	37	68	73	221	354	348	1	·	·	·	11	10	9	8	147	68	85	101	198	46	4	32	679	38	335	270	37
Total Urban Districts, ..	94,500	13·4	0·9	339	37	9	6	12	13	40	78	144	1	·	·	7	1	·	2	1	25	10	33	10	30	11	·	15	113	10	63	20	11
Total Registration Area, ..	405,000	16·0	1·0	1,738	282	62	43	80	86	261	432	492	2	·	·	7	12	10	11	9	172	78	118	111	228	57	4	47	812	48	398	290	48
Deaths in institutions of Persons admitted from without the Registration Area (not included in above).				144	11	5	7	4	15	34	41	26	·	·	·	·	·	·	4	·	10	10	19	7	7	4	3	9	71	6	130	14	·

TABLE IV.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATION or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (14 weeks) **ended Saturday, 3rd January, 1920**; the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, QUARTER (14 WEEKS) ENDED SATURDAY, 3RD JANUARY, 1920.

Class.	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths	Ages. Under 5 Years.	5 and under 15.	15 and under 25	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia	Other	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence	Other Causes.	Number of Uncertified Deaths.
	ALL PERSONS, ...	397.957	.	1,882	410	84	102	295	473	296	222	2	.	.	7	12	10	15	9	182	88	137	35	118	235	61	7	56	908	48
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,..	14,658	15·0	59	1	2	2	7	19	9	19	.	.	.	.	.	.	.	1	6	.	9	.	2	3	.	.	3	35	.
II.	MIDDLE CLASS	101,798	13·2	362	42	14	19	49	98	64	76	1	.	.	.	3	.	2	1	25	17	44	2	22	30	12	1	9	193	6
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS..	108,420	13·1	382	70	15	24	63	121	56	33	.	.	.	.	2	1	4	4	46	9	27	6	32	58	8	2	9	174	13
IV.	GENERAL SERVICE CLASS	167,479	17·2	775	261	50	48	142	151	82	41	1	.	.	7	7	9	9	3	80	40	42	23	58	74	34	4	30	354	29
V.	INMATES OF WORKHOUSES	5,602	.	304	36	3	9	34	84	85	53	.	.	.	.	.	.	.	.	25	22	15	4	4	70	7	.	5	152	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal and other Professions; Naval and Military Officers, and Heads of Public Departments ..	7,868	.	45	1	2	2	6	18	6	10	.	.	.	.	.	.	.	1	5	.	8	.	2	2	.	.	2	25	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	.	13	.	.	.	.	1	3	9	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	10	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	.	37	4	2	4	4	6	6	11	.	.	.	.	1	.	1	.	3	1	3	.	2	.	1	.	1	24	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199		85	9	2	.	12	21	19	22	.	.	.	.	1	.	.	.	1	1	11	1	4	9	2	.	1	54	1
	6. Clerks and Commercial Assistants ..	33,249	.	108	21	5	11	18	34	9	10	1	.	.	.	1	.	1	1	13	8	13	.	8	8	7	.	1	46	1
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above	33,827	.	132	8	5	4	15	37	30	33	.	.	.	.	.	.	.	.	8	7	17	1	8	13	2	1	6	69	4
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers ..	11,777	.	38	5	5	2	4	14	3	5	.	.	.	.	1	.	1	.	2	.	1	.	3	5	1	.	1	23	1
	9. Building and Furnishing Trades ..	28,823	.	83	21	1	6	17	20	9	9	.	.	.	.	1	.	.	.	11	2	6	.	9	9	4	.	1	40	2
	10. Clothing Trades	20,026	.	51	8	1	8	6	14	11	3	.	.	.	.	.	.	1	.	9	.	3	.	6	9	1	2	.	20	2
	11. Food Supply Trades	8,952	.	16	8	1	.	2	3	2	.	.	.	.	.	.	.	.	.	2	1	.	.	2	1	.	.	2	8	.
	12. Other Trades and Callings ranking with Trades	32,070	.	162	24	6	8	28	56	24	16	.	.		.	.	1	2	3	17	5	15	5	10	27	2	.	5	70	4
	13. Petty Shopkeepers	6,772	.	32	4	1	.	6	14	7	.	.	.	.	.	.	.	.	1	5	1	2	1	2	7	.	.	.	13	4
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c.	12,977	.	135	48	8	11	33	17	11	7	.	.	.	1	.	1	1	.	13	9	8	7	15	6	3	1	9	61	6
	15. Domestic Servants	36,041	.	81	10	2	8	22	19	14	6	.	.	.	.	.	.	1	1	13	3	5	.	4	10	1	.	3	40	.
	16. Coach and Car Drivers, Vanmen, &c. ..	15,380	.	57	17	5	3	9	14	7	2	.	.	.	.	.	1	2	.	4	5	3	1	3	9	2	.	2	25	2
	17. Hawkers, Porters, Labourers, &c. ..	103,081	.	502	186	35	26	78	101	50	26	1	.	.	6	7	7	5	2	50	23	26	15	36	49	28	3	16	228	21
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates	5,602	.	304	36	3	9	34	84	85	53	.	.	.	.	.	.	.	.	25	22	15	4	4	70	7	.	5	152	.

TABLE V.—Showing by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK Registered during the **Quarter (14 weeks) ended 3rd January, 1920,** Deaths in Public Institutions of persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of MORTALITY per 1,000 of the Population according to the Census of 1911, represented by the Deaths from all Causes and from certain Epidemic Diseases; the Number of Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

DEATHS.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate*: Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 years and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery	TUBERCULOSIS: Pulmonary.	Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	152	21·1	0·5	90	13	9	8	8	30	22	·	·	·	·	1	·	1	·	5	3	4	11	16	·	·	2	7	35	·
Do. 2 do.	49,500	346	15·4	2·0	205	28	22	34	21	48	52	1	1	·	3	9	3	1	·	17	5	12	10	26	8	1	8	11	72	5
Do. 3 do.	50,032	421	21·6	4·8	290	63	49	36	31	54	57	·	·	·	32	13	·	4	·	24	5	11	25	35	10	5	4	4	55	4
Do. 4 do.	32,637	274	21·0	2·2	184	41	15	21	27	45	35	1	·	·	1	7	·	1	·	15	6	12	14	8	3	6	1	2	73	1
Do. 5 do.	16,112	148	24·7	2·1	107	16	17	13	15	28	18	·	·	·	1	8	·	·	·	10	1	8	10	21	·	·	1	4	36	2
Do. 6 do.	37,293	254	18·2	1·2	182	19	9	27	23	47	57	1	·	·	1	9	·	·	·	12	6	13	18	12	1	·	3	3	46	3
Do. 7 do.	2,681	17	13·9	·	10	1	·	1	2	4	2	·	·	·	·	·	·	·	·	1	2	2	·	·	·	·	·	·	3	·
Do. 8 do.	5,964	39	15·0	1·2	24	2	2	4	6	8	2	·	·	·	·	2	·	·	·	4	·	2	2	1	·	·	·	·	6	·
Do. 9 do.	24,427	197	16·3	1·7	107	14	7	23	13	29	21	·	·	·	2	5	·	·	·	15	·	7	7	14	1	3	3	5	23	7
Do. 10 do.	28,958	2[illegible]0	19·0	3·5	148	21	23	28	21	25	30	·	·	·	11	10	·	·	·	15	7	11	7	22	4	2	4	5	37	4
Do. 11 do.	39,311	303	19·9	5·8	210	32	37	36	29	33	43	3	·	·	32	7	·	2	1	18	7	8	14	22	8	8	4	6	48	4
Do. 12 do.	38,076	405	23·6	7·0	241	39	56	35	26	45	40	2	·	·	9	16	·	1	1	27	4	7	14	22	3	·	7	7	66	6
Do. 13 do.	23,233	137	13·9	1·8	87	7	6	17	14	20	23	2	·	·	1	7	·	·	·	10	4	5	10	8	1	·	1	2	15	1
Do. 14 do.	175	3	·	·	3	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	160	21·5	2·6	131	15	21	21	12	38	24	·	·	·	·	10	1	1	·	14	5	2	13	16	4	·	2	2	44	3
Total, ...	386,947	3,126	18·8	3·1	2,019	311	273	3[illegible]4	248	455	428	10	1	·	133	104	4	11	2	187	55	104	155	233	43	25	40	58	559	40
City of Cork.																														
CORK URBAN No. 1 DISTRICT, ..	13,455	80	16·6	1·4	60	6	4	11	9	11	19	·	·	·	·	1	2	2	·	7	1	4	5	2	·	·	·	1	25	1
Do. 2 do. ..	10,399	98	20·8	4·3	58	12	8	5	7	10	16	·	·	·	·	·	·	9	·	10	1	1	3	6	3	·	·	·	23	4
Do. 3 do. ..	9,793	63	21·7	1·5	57	9	4	7	6	14	17	·	·	·	·	·	·	2	·	10	2	2	5	4	2	·	·	·	23	3
Do. 4 do. ..	9,139	67	17·1	1·2	42	3	3	3	8	14	11	·	·	·	·	·	·	3	·	5	·	4	4	6	·	·	1	3	23	·
Do. 5 do. ..	6,250	53	13·7	1·2	23	2	4	1	1	9	6	·	·	·	·	·	·	2	·	2	1	2	1	3	·	·	·	·	8	2
Do. 6 do. ..	11,581	82	11·6	0·3	36	8	2	2	5	9	10	·	·	·	·	·	·	·	·	2	3	2	2	1	1	·	·	·	11	1
Do. 7 do. ..	16,056	101	16·5	1·4	71	7	4	5	21	14	20	·	·	·	·	·	1	2	·	5	5	5	3	6	3	·	1	2	23	4
Total, ...	76,673	544	16·9	1·6	347	47	29	34	57	81	99	·	·	·	·	1	3	20	·	41	13	20	23	28	9	·	2	6	136	15

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1919. † See note (*) on page 630*d*

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
6th February, 1920.

WILLIAM J. THOMPSON,
Registrar-General.

Printed under the Authority of His Majesty's Stationery Office,
By A. THOM & Co., Ltd., Crow Street, Dublin.
(13181). Wt. 5568. 3. 3. 300. 1.1920.